



# Drug Products (DP)

## المنتجات الدوائية

اعداد

البروفيسور الدكتور / أحمد محمد السباتي

أستاذ الصيدلانيات والصيدلة السريرية والمهنية - كلية الصيدلة (جامعة صنعاء)  
عميد كلية الصيدلة جامعة صنعاء (سابقاً) ، نائب رئيس الجامعة للشؤون الأكاديمية  
وعميد كلية الصيدلة بجامعة ٢١ سبتمبر - استشاري الصيدلة السريرية  
بمستشفى ٤٨ النموذجي (٢٠٠٨ وحتى ٢٠١٦)

عميد المعهد العالي للصيدلة والعلوم الطبية

2018-2019

## TRADE NAME SECTION

في هذا القسم تم ترتيب المستحضرات الطبية حسب الأسم التجاري ويحتوي على معلومات مختصرة ومفيدة من حيث

الأسم التجاري (Trade Name) بشكله الصيدلاني (Dosage Form) والعبوة (Package)

الأسم والتركيب العلمي (Generic Name and Composition)

الفئة العلاجية (Therapeutic Category) والحالة المرضية التي يعطى لها (Disease)

الجرعة (Dose)

صورة المنتج (Product Picture)

100.00%





ونسبة

4101

الإجمالي الكلي للمنتجات

Abbreviation : NSAID = Non-Steroidal Anti-Inflammatory Drugs

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
1,2,3	Pseudoephedrine+ Triprolidin +Paracetamol	Respiratory drugs	HIKMA	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	Jordan		
120 gm					
123	Pseudoephedrine+ Triprolidin +Paracetamol	Respiratory drugs	Hikma	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	Jordan		
20 Film Coated Tablets					
3v	vit B1 100mg+B6 200mg+B12 200Mg	Vitamines and Menirals	Julphar	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Tablets		Vitamins Deficiency نقص فيتامينات	UAE		
20 Coated Tablets					
A TRICAN 250	Tenonitrozole	Antiprtozoal	Unknown	given by mouth in a dose of 250 mg twice daily with meals, for 4 days.	
Capsules		Vaginal المهبل	Unknown		
A-B-worm	Albendazole	Anthelmentic	NIDA	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms الديدان الشائعة	Thailand		
tab					
ACCU-CHEK	Bood Glucose Tester	Test equipmens	ROCHE	As directed	
Strips		Test equipmens اجهزة تشخيصية	Germany		
10 Strips					
Acephyllin	Aminophylline	Respiratory drugs	AMRIYA PHARMA	16 mg/kg/daily	
Syrup		Bronchial Asthma الربو الشعبي	Egypt		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>ACEPIME</b>	Cefepime Hydrochloride	<b>Antibacterial</b>	<b>OUBARY PHARMA</b>	The usual adult dose is 1 to 2 g daily in 2 divided doses for mild to moderate infections, increased to 4 g daily in 2 divided doses in severe infections, Children 50 mg/kg	
Vial		Bacterial Infections الاصابات البكتيرية	<b>Syria</b>		
<b>Acetage-C</b>	Acetaminophen 300 mg + Codeine 20 mg	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	one capsule three times daily	
Capsules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Unknown</b>		
50 Capsules					
<b>Acetylcistein</b>	Acetylcysteine 200 mg	<b>Respiratory drugs</b>	<b>SEDICO</b>	100- 200 mg two times daily	
Sachets		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Egypt</b>		
10 Sachets					
<b>Aciclovir 200 mg</b>	Acyclovir 200mg	<b>Antivirals</b>	<b>ACTAVIS</b>	1 g t.i.d., 7 days.	
Tablets		Viral Infections الاصابات الفيروسية	<b>Unknown</b>		
25 tap.					
<b>ACICONE-S</b>	Magaladrate 780 mg + Simethicone 25 mg	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	*tab = 40 -120 mg QID orall a.m * susp = 10 ml QID *sachets = one sachet QID	
Tablets		Indigestion سوء الهضم	<b>Unknown</b>		
20 Chewable Tabets					
<b>Acicone-S</b>	Magaldrate + Semithicone	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Suspension		Indigestion سوء الهضم	<b>Unknown</b>		
120 ml					
<b>Acicone-S</b>	Magaldrate + Semithicone	<b>Gastro Intestinal drugs</b>	<b>MUP</b>	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Tablets		Indigestion سوء الهضم	<b>Egypt</b>		
20 Chewable Tablets					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>ACICONE-S</b>	Magaldrate + Semithicone	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Chewable Tablets		سوء الهضم Indigestion	<b>Unknown</b>		
<b>Acicone-s 120</b>	magaladrate 540 mg + Simethicone 40 mg	<b>Gastro Intestinal drugs</b>	<b>MUP</b>	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Suspension		سوء الهضم Indigestion	<b>Egypt</b>		
120 ml for bottle					
<b>Aciderm</b>	Combination	<b>Antiseptic and Desinfectants</b>	<b>Unknown</b>	As directed	
Solution		مطهرات Antiseptic	<b>Unknown</b>		
250 ml					
<b>Aciran</b>	Ranitidine 50 mg / 2 ml	<b>Gastro Intestinal drugs</b>	<b>Pievico</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Ampoules		قرحة المعدة Peptic ulcer	<b>Unknown</b>		
10 amps					
<b>Acne- Tec</b>	Combination	<b>Skin Disorders</b>	<b>AMC</b>	Topically enough amount two times daily	
Cream		حب الشباب Acne	<b>Jordan</b>		
50 gm					
<b>Acne Zinc Lotion</b>	Calamine	<b>Skin Disorders</b>	<b>PHARCO</b>	topically as dusting powder, cream, lotion, or ointment	
Lotion		حب الشباب Acne	<b>Egypt</b>		
20 ml					
<b>Acnetrix</b>	unkown	<b>Skin Disorders</b>	<b>HZM</b>	As directed	
Gel		حب الشباب Acne	<b>Syria</b>		
30 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>AcneVit</b>	Vitamin C Substances	<b>Vitamines and Menirals</b>	Serum	25 to 250 mg daily in divided doses	
Tube		حب الشباب Acne	Unknown		
<b>Acnovin</b>	Kumkumadi Tailam	<b>Skin Disorders</b>	Unknown	As directed	
Cream		حب الشباب Acne	Unknown		
25 gm					
<b>Acretin 0.05%</b>	Tretinoin	<b>Skin Disorders</b>	Jamjoum Pharma	As directed	
Cream		حب الشباب Acne	Saudi Arabia		
30 gm					
<b>Actazone Asia 30</b>	Pioglitazone Hydrochloride 30 mg	<b>Antidiabetics</b>	ASIA	Minimum/Maximum Adult Daily Dose:30 mg (milligram) OR 1 Tablet	
Tablets		Diabetes Mellitus أمراض السكري	Syria		
20 tab					
<b>Actifed</b>	Triprolidine HCL 1.25 mg + Pseudoephedrine 30 mg + Guaifenesine 100 mg	<b>Respiratory drugs</b>	gsk glaxosmithkline	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	UK		
100 ml					
<b>Actifed</b>	Pseudoephedrine+ Triprolidine +Guaifenesin	<b>Respiratory drugs</b>	gsk glaxosmithkline	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	UK		
24 Tablets					
<b>Actonorm</b>	Al(OH)+Mg(OH) +Simethicone	<b>Gastro Intestinal drugs</b>	Unknown	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Gel		سوء الهضم Indigestion	Unknown		
200 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>ACTOS</b>	Pioglitazone HCL 30mg	<b>Antidiabetics</b>	<b>A.P.M</b>	Minimum/Maximum Adult Daily Dose:30 mg (milligram) OR 1 Tablet	
Tablets		Diabetes Mellitus	<b>Jordan</b>		
30 Tablets		أمراض السكري			
<b>Actrapid HM</b>	insulin human	<b>Antidiabetics</b>	<b>Novo Nordisk</b>	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus	<b>Denmark</b>		
10 ml / vial		أمراض السكري			
<b>Actrapid HM pinfill</b>	Soluble human insulin 100 iu / ml	<b>Antidiabetics</b>	<b>Novo Nordisk</b>	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus	<b>Denmark</b>		
5 * 3ml		أمراض السكري			
<b>Acugesic</b>	Tramadol Hydrochloride 50 mg	<b>Opioid analgesics</b>	<b>unknown</b>	Capsules	
Tramadol hydrochloride in an		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
10 cap					
<b>Acyclovir</b>	Acyclovir 5 % w/w	<b>Antivirals</b>	<b>Global Pharma</b>	1 g t.i.d., 7 days.	
Cream		Viral Infections	<b>Yemen</b>		
15 g		الأمراض الفيروسية			
<b>Acyclovir 800 mg</b>	Acyclovir 800mg	<b>Antivirals</b>	<b>Unknown</b>	1 g t.i.d., 7 days.	
Tablets		Viral Infections	<b>Unknown</b>		
100 tap.		الأمراض الفيروسية			
<b>Adalat LA 30</b>	Nifedipine 30 mg	<b>Cardio Vascular System drugs</b>	<b>BAYER</b>	10 to 40 mg twice daily	
Tablets		Hypertension	<b>Germany</b>		
30 tab		ارتفاع ضغط الدم			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Adapalene</b>	Adapalene 0.1%	<b>Skin Disorders</b>	<b>Unknown</b>	applied once daily at night as a 0.1% solution, cream, or gel to skin that has been cleansed and dried.	
Gel		حب الشباب	<b>Unknown</b>		
30 gm / tube					
<b>Adenosin Forte</b>	Adenosine Triphosphate 10 mg+cocoboxylase 50mg+Vit.B12 . 500	<b>Cardio Vascular System drugs</b>	<b>NILE CO.</b>	1 ampoule I.M (only) daily or as directed by the physician.	
Ampules		عدم انتظام ضربات القلب	<b>Egypt</b>		
3 lyophilized ampoules+3ampoul					
<b>Adenosine</b>	Adenosine (12mg/4ml = 6mg/2ml = 3mg/ml)	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Adults: bolus of 6 mg. If no effect after 1-2 min, 12-mg bolus. May repeat 12-mg dose x 2. Child: bolus of 0.05 mg/kg; repeat dosage every 2 min. Maximum 0.25	
Vial		عدم انتظام ضربات القلب	<b>Unknown</b>		
12mg/4ml = 6mg/2ml = 3mg/ml					
<b>Adol</b>	Paracetamol syrup 120mg/5ml	<b>Nonsteroidal Anti-</b>	<b>Julphar</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>UAE</b>		
60 ml					
<b>Adol Compound</b>	Salicylamide + paracetamol + caffeine + codeine phosphate	<b>Respiratory drugs</b>	<b>Julphar</b>	As directed	
Tablets		Common Cold نزلات البرد	<b>UAE</b>		
<b>Adol Drops</b>	Paracetamol drops 100mg/ml.	<b>Nonsteroidal Anti-</b>	<b>Julphar</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Drops		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>UAE</b>		
15 ml					
<b>ADOL EXTRA</b>	Paracetamol 500 mg + Caffeine 65 mg	<b>Nonsteroidal Anti-</b>	<b>Julphar</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Caplets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>UAE</b>		
24 cap					




Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Adol Supp 125</b>	Paracetamol supp, 125mg.	<b>Nonsteroidal Anti-</b>	<b>Julphar</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>UAE</b>		
10 supp,					
<b>Adol Supp 250</b>	Paracetamol supp, 250mg.	<b>Nonsteroidal Anti-</b>	<b>Julphar</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>UAE</b>		
10 supp,					
<b>ADRENALINE</b>	Adrenaline 1 mg / 1 ml	<b>Cardio Vascular System drugs</b>	<b>ROTEXMEDI CA</b>	Adrenaline is usually given by intramuscular injection, subcutaneously; 1 in 10 000 or 1 in 100 000) by very slow intravenous injection or by slow intravenous infusion.	
Ampoules		Anaphylactic Shock الصدمة الأغمائية	<b>Germany</b>		
10 amp x 1ml					
<b>Advil-200</b>	Ibuprofen tablet 200mg.	<b>Nonsteroidal Anti-</b>	<b>Pfizer</b>	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	<b>USA</b>		
50 coated tablets					
<b>Adwiflam</b>	Diclofenac Potassium ampoule 75mg/3ml.	<b>Non-Steroidal Anti-</b>	<b>Adwia</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Ampoules		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
3 ampoules					
<b>Adwiflam 50 ER</b>	Diclofenac Potassium	<b>Non-Steroidal Anti-</b>	<b>ADWIA</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Capsules		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
10 capsules					
<b>Adwiflam Supp</b>	Diclofenac potassium 75 mg	<b>Non-Steroidal Anti-</b>	<b>ADWIA</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Suppositoris		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
5 supp/packet each of 75 mg					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>AERIUS</b>	Desloratadine	<b>Antihistamines</b>	<b>Schering-Plough</b>	5 mg once daily. Children 2.5 mg once daily	
Syrup		Allergy الحساسية	<b>Belgium</b>		
150 ml					
<b>Aerocort</b>	Beclomethasone+ Salbutamol	<b>Respiratory drugs</b>	<b>CIPLA</b>	Use the missed dose as soon as remembered. Use the remaining doses for that day at evenly spaced intervals	
Inhlaer		Bronchial Asthma الربو الشعبي	<b>India</b>		
200 Metered Dose / bottle					
<b>AFATAC-150</b>	Ranitidine 150 mg	<b>Gastro Intestinal drugs</b>	<b>RFA</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
100 tabs					
<b>Afeel</b>	Chlorphenamine Maleate	<b>Antihistamines</b>	<b>BIOPHARM</b>	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Tablets		Common Cold نزلات البرد	<b>Yemen</b>		
20 tab					
<b>Afeel</b>	Chlorphenamine Maleate	<b>Antihistamines</b>	<b>BIOPHARM</b>	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Ampoules		Common Cold نزلات البرد	<b>Yemen</b>		
50 amp					
<b>Afeel</b>	Chlorphenamine Maleate 10 mg / 1 ml	<b>Antihistamines</b>	<b>BIOPHARM</b>	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Ampoules		Common Cold نزلات البرد	<b>Yemen</b>		
3 amp					
<b>Afeel</b>	Chlorphenamine Maleate	<b>Antihistamines</b>	<b>BIOPHARM</b>	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold نزلات البرد	<b>Yemen</b>		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>A-ferin</b>	Pseudoephedrine +Paracetamol +Codiene	<b>Respiratory drugs</b>	<b>Bilim</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Capsules		Common Cold نزلات البرد	<b>Turkey</b>		
30 Cap					
<b>A-ferin hot</b>	Pseudoephedrine 50 mg + Paracetamol 500 mg	<b>Respiratory drugs</b>	<b>Bilim</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Sachets		Common Cold نزلات البرد	<b>Turkey</b>		
10 Sachets					
<b>A-ferin plus</b>	Pseudoephedrine +Paracetamol+Chloraphiniramine	<b>Respiratory drugs</b>	<b>Bilim</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Pediatric / Syrup		Common Cold نزلات البرد	<b>Turkey</b>		
100 ml					
<b>AKAMON-3mg</b>	Bromazepam tablets 3mg	<b>Central Nervous system drugs</b>	<b>Medochemie</b>	A usual initial dose for anxiety is 6 to 18 mg daily in divided doses by mouth. Higher doses up to 60 mg daily have occasionally been given. Initial doses for elderly and	
Tablets		Anxiety, Insomnia الأرق والقلق	<b>Unknown</b>		
30 tablets					
<b>Akisol-2</b>	Benzhexol(Trihexyphenidyl) tablet 2mg	<b>Central Nervous system drugs</b>	<b>RAM PHARMA</b>	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	
Tablets		Parkinson's disease مرض الرعاش	<b>Jordan</b>		
100 tablet					
<b>Akisol-5</b>	Benzhexol(Trihexyphenidyl) tablet 2mg	<b>Central Nervous system drugs</b>	<b>RAM PHARMA</b>	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	
Tablets		Parkinson's disease مرض الرعاش	<b>Jordan</b>		
100 tablets					
<b>Albenda 400 mg</b>	Albendazole	<b>Anthelmentic</b>	<b>Julphar</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms الديدان الشائعة	<b>UAE</b>		
20 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>ALBEX</b>	Albendazole 200 mg / tablet	<b>Anthelmintic</b>	<b>Shiba pharma</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms	<b>Yemen</b>		
2 f/c Chewable Tablets		الديدان الشائعة			
<b>ALBEX</b>	Albendazole 100 mg / 5 ml	<b>Anthelmintic</b>	<b>Shiba pharma</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms	<b>Yemen</b>		
20 ml		الديدان الشائعة			
<b>ALBEX</b>	Albendazole 400 / tablet	<b>Anthelmintic</b>	<b>Shiba pharma</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms	<b>Yemen</b>		
1 f/c Chewable tablet		الديدان الشائعة			
<b>Albothyl</b>	Miconazole Nitrate	<b>Antifungals</b>	<b>Unknown</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositories		Vaginal المهبل	<b>Unknown</b>		
6 Vaginal supp					
<b>Alcipro 2</b>	Ciprofloxacin 250 mg	<b>Antibacterial</b>	<b>RFA</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections	<b>Yemen</b>		
20 tabs		الأصابات البكتيرية			
<b>Alcipro 500</b>	Ciprofloxacin 500 mg	<b>Antibacterial</b>	<b>RFA</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections	<b>Yemen</b>		
10 tabs		الأصابات البكتيرية			
<b>Alcipro 750</b>	Ciprofloxacin 750 mg	<b>Antibacterial</b>	<b>RFA</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections	<b>Yemen</b>		
10 tabs		الأصابات البكتيرية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>ALDEZOL</b>	Metronidazole 200 mg	<b>Antiprtozoal</b>	<b>RFA</b>	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
pediatric oral suspension		Amoebiasis , Gardiasis جارديا واميبيا	<b>Yemen</b>		
100 ml					
<b>ALDEZOL 250</b>	Metronidazole 250 MG	<b>Antiprtozoal</b>	<b>RFA</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Yemen</b>		
20 Tablet					
<b>ALDEZOL 500</b>	Metronidazole 500 MG	<b>Antiprtozoal</b>	<b>RFA</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Yemen</b>		
20 Tablet					
<b>ALDEZOL Plus</b>	Metronidazole 200mg+ diloxnide 250mg	<b>Antiprtozoal</b>	<b>RFA</b>	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Yemen</b>		
20 tab					
<b>ALDEZOL Plus</b>	Metronidazole 200 mg+Diloxanide 125 mg	<b>Antiprtozoal</b>	<b>RFA</b>	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
pediatric oral suspension		Amoebiasis , Gardiasis جارديا واميبيا	<b>Yemen</b>		
100 ml					
<b>Aldomet</b>	Methyldopa 250 mg	<b>Cardio Vascular System drugs</b>	<b>unknown</b>	250 - 500 mg of methyldopa two or three times daily - children is 10-60 mg/kg daily in 2 to 4 divided doses	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
30 tab					
<b>Aldomythyl</b>	Aldomythyl	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	250 - 500 mg of methyldopa two or three times daily - children is 10-60 mg/kg daily in 2 to 4 divided doses	
Ampoules		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Alendrotab 70 mg</b>	Sodium Alendronate 70 mg	<b>Osteoarthritis drugs</b>	<b>Shiba pharma</b>	Adults: 10 mg/d. Elderly: 10 mg/d. Children: Safety and effectiveness not established in children <18 years.	
Tablets		Osteoarthritis	<b>Yemen</b>		
4 Tablet		التهابات العظام			
<b>Alerid</b>	Cetirizine Hydrochloride	<b>Antihistamines</b>	<b>CIPLA</b>	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	
Tablets		Allergy الحساسية	<b>India</b>		
10 Tablets					
<b>Alerid</b>	Cetirizine Hydrochloride	<b>Antihistamines</b>	<b>CIPLA</b>	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	
Syrup		Allergy الحساسية	<b>India</b>		
60 ml					
<b>Alerid -D</b>	Cetirizine + Pseudoephedrine	<b>Respiratory drugs</b>	<b>CIPLA</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Extended Release Tablets		Common Cold	<b>India</b>		
10 Tablets		نزلات البرد			
<b>Alertadin</b>	Loratadine	<b>Antihistamines</b>	<b>Y.E.PHARMA</b>	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Tablets		Allergy الحساسية	<b>Yemen</b>		
10 tablets					
<b>Alertadin</b>	Loratadine	<b>Antihistamines</b>	<b>Y.E.PHARMA</b>	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Syrup		Allergy الحساسية	<b>Yemen</b>		
60 ml					
<b>ALEZET</b>	Cetirizine Hydrochloride 10 mg	<b>Antihistamines</b>	<b>RFA</b>	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	
Tablets		Allergy الحساسية	<b>Yemen</b>		
20 tab					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>ALEZET</b>	Cetirizine Hydrochloride 5mg/5 ml	<b>Antihistamines</b>	<b>RFA</b>	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	
Syrup		Allergy الحساسية	<b>Yemen</b>		
60 ml					
<b>Alfacalcidol 0.25mcg</b>	Alpha calciferol 0.25 mcg / cap	<b>Vitamines and Menirals</b>	<b>Shiba pharma</b>	Adult doses of 0.25 mcg daily or on alternate days , to a usual dose of 0.5 to 3 micrograms three times a week.	
Soft Gelatin Capsules		Ricketsia الكساح	<b>Yemen</b>		
30 Capsules					
<b>Alfacip 0.25mcg</b>	Alpha calciferol	<b>Vitamines and Menirals</b>	<b>CIPLA</b>	As directed	
Capsules		Ricketsia الكساح	<b>India</b>		
10 Capsules					
<b>Alfacip 1mcg</b>	Alpha calciferol	<b>Vitamines and Menirals</b>	<b>CIPLA</b>	As directed	
Capsules		Ricketsia الكساح	<b>India</b>		
10 Capsules					
<b>Alfacort</b>	Hydrocortisone 1%	<b>Corticosteroid</b>	<b>Julphar</b>	Concentrations usually used have ranged from 0.1 to 2.5%	
Ointment		Dermatitis التهابات الجلدية	<b>UAE</b>		
15 gm					
<b>Alfenta</b>	Alfentanil Hydrochloride	<b>Central Nervous system drugs</b>	<b>Unknown</b>	IV only. Initial: 50–75 µg/kg, continuous infusion, ≥ 45 min. Maintenance (with nitrous oxide/oxygen): 0.5–3 µg/kg/min.	
		Anaesthetics التخدير العام	<b>Unknown</b>		
<b>Algason Cream</b>	Diethylamine Salicylate + Menthol	<b>Non-Steroidal Anti-</b>	<b>PHARCO</b>	As directed	
Cream		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
40 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>ALIROSA</b>	evening primrose oil and garlic	<b>Natural products</b>	<b>MEPACO</b>	1----2capsule tow times dialy	
Capsules		Oil	<b>Egypt</b>		
30					
<b>Alkafen</b>	Paracetamol 250mg+psedoephe drine 30mg+dextrometh orphan 10+doxylamin	<b>Nonsteroidal Anti-</b>	<b>Korea United Pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Capsules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Korea</b>		
10 Soft Gelatin Capsules.					
<b>Alka-Misr</b>	Sodium chloride +Sodium bicarbonate	<b>Respiratory drugs</b>	<b>MISR</b>	sodium chloride solution 0.9%, being isotonic, is a useful fluid for sterile irrigations, for example, of the eye or bladder, and general skin or wound cleansing.	
Sachets		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>Egypt</b>		
10 Sachets x 5 gm					
<b>Alkpress</b>	Amlodipine 5 mg	<b>Cardio Vascular System drugs</b>	<b>Alhikma</b>	Oral only : Hypertension Adults: Individualize: 2.5-5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5-10 mg. Elderly: 5 mg.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
30 tablets					
<b>Alkaside</b>	Al(OH) + Mg(OH) 300 mg+Simethicone 30 mg	<b>Gastro Intestinal drugs</b>	<b>Julphar</b>	10 ml four times daily	
Suspension		سوء الهضم	<b>UAE</b>		
200 ml / bottle					
<b>Allercet</b>	Cetirizine Hydrochloride	<b>Antihistamines</b>	<b>MICRO</b>	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	
Tablets		Allergy الحساسية	<b>India</b>		
10 Tablets					
<b>ALLEX</b>	Unknown	<b>Antihistamines</b>	<b>B.M Pharma</b>	As directed	
Tablets		Allergy الحساسية	<b>Unknown</b>		
10 x 10 Tablets					















Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Allopurinol 100mg</b>	Allopurinol 100mg	<b>Hyperuricaemia</b>	<b>WOCKHADT</b>	100 to 300 up to 600 mg	
Tablet		Gout النقرس	<b>UK</b>		
28 tablet					
<b>ALLOSPASMIN</b>	Combination	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	As directed	
Tablets		Abdominal Spasm آلام البطن	<b>Unknown</b>		
10 tab					
<b>All-Vent</b>	Terbutaline+Bromhexine+Guaifenesine	<b>Respiratory drugs</b>	<b>BORG</b>	10 - 15 ml orally tid	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Egypt</b>		
125 ml					
<b>ALLVII</b>	Chlorphenamine Maleate 20 mg	<b>Antihistamines</b>	<b>HUAYANG</b>	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Ampoules		Common Cold نزلات البرد	<b>China</b>		
50 amp					
<b>Almaprazol S.R</b>	Esomeprazole 20 mg	<b>Gastro Intestinal drugs</b>	<b>ALMA</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	<b>HOMS - Syria</b>		
14 caps					
<b>ALMIRAL</b>	Diclofenac Sodium	<b>Non-Steroidal Anti-</b>	<b>unknown</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
10 amp					
<b>Almivudine HBV</b>	Lamivudine 100 mg	<b>Antivirals</b>	<b>Alpha</b>	chronic hepatitis B, the adult dose is 100 mg once daily by mouth. A dose for children aged over 2 years is 3 mg/kg once daily to a maximum daily dose of 100 mg.	
Tablets		Hepatic Disorders اضطرابات الكبد	<b>Syria</b>		
10 tab.					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>AloeDent</b>	Aloe Vera	<b>Skin Disorders</b>	<b>Unknown</b>	As directed	
Mouth Wash		Mouth Wash الغسولات الفموية	<b>Unknown</b>		
<b>Alopron-100mg</b>	allopurinol-100mg	<b>Hyperuricaemia</b>	<b>REMEDICA</b>	100 to 300 up to 600 mg	
Tablet		Gout النقرس	<b>Unknown</b>		
<b>ALPANAX</b>	Alprazolam tablet 0.25mg	<b>Central Nervous system drugs</b>	<b>BALSAM</b>	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
20 Tablets		Anxiety, Insomnia الأرق والقلق	<b>Syria</b>		
20 tablets					
<b>ALPHAFEN</b>	Ibuprofen	<b>Non-Steroidal Anti-</b>	<b>unknown</b>	Oral doses of400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
10 tab					
<b>Alphafen</b>	Ibuprofen 600 mg	<b>Non-Steroidal Anti-</b>	<b>Alphamoun</b>	Oral doses of400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
20 tab					
<b>Alphanova</b>	Brimonidine Tartrate 0.15%	<b>Ophthalmic drugs</b>	<b>Orchidia Pharma</b>	brimonidine tartrate 0.1, 0.15 or 0.2% are instilled two or three times daily.	
Suspension		Eye العين	<b>Egypt</b>		
10 ml					
<b>Alphanova plus</b>	Brimonidine Tartrate 0.2% + Timolol 0.5%	<b>Ophthalmic drugs</b>	<b>Orchidia Pharma</b>	brimonidine tartrate 0.1, 0.15 or 0.2% are instilled two or three times daily.	
Suspension		Eye العين	<b>Egypt</b>		
10 ml					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>ALPHATRIM FORTE</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	<b>Antibacterial</b>	<b>Alpha</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>Syria</b>		
2strip*10tablet					
<b>Alpranax 0.25</b>	Alprazolam tablet 0.25mg	<b>Central Nervous system drugs</b>	<b>Hayat pharma</b>	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insomnia الأرق والقلق	<b>Unknown</b>		
30 tablets					
<b>Alpranax 0.5</b>	Alprazolam tablet 0.5mg	<b>Central Nervous system drugs</b>	<b>Hayat pharma</b>	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insomnia الأرق والقلق	<b>Unknown</b>		
30 tablets					
<b>Alpraz</b>	Alprazolam tablet 0.5mg	<b>Central Nervous system drugs</b>	<b>Sothema</b>	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insomnia الأرق والقلق	<b>Morocco</b>		
28 Tablets					
<b>Alprazolam</b>	Alprazolam tablet 0.5mg	<b>Central Nervous system drugs</b>	<b>YEDCO</b>	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insomnia الأرق والقلق	<b>Yemen</b>		
30 Tablets					
<b>Alsin- 100</b>	Acetylsalicylic Acid tablet 100mg.	<b>Cardio Vascular System drugs</b>	<b>CIPLA</b>	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Tablets		Thrombosis الجلطات	<b>India</b>		
30 tablet					
<b>ALTAZEM</b>	Diltiazem HCl	<b>Cardio Vascular System drugs</b>	<b>EIPICO</b>	initial dose is 60 to 120 mg twice daily, increased as required to a maximum of 360 mg daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Egypt</b>		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>ALTIAZEM</b>	Diltiazem Hydrochloride 60 mg	<b>Cardio Vascular System drugs</b>	<b>MENARINI</b>	initial dose is 60 to 120 mg twice daily, increased as required to a maximum of 360 mg daily.	
Tablets		Hypertension	<b>Italy</b>		
50 tabs		ارتفاع ضغط الدم			
<b>ALZENTAL</b>	Albendazole	<b>Anthelmentic</b>	<b>SHIN POONG</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms	<b>Korea</b>		
20 ml		الديدان الشائعة			
<b>Amaryl 1mg</b>	Glimepiride 1mg	<b>Antidiabetics</b>	<b>Sanofi Aventis</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus	<b>France</b>		
30 tab		أمراض السكري			
<b>Amaryl 2mg</b>	Glimepiride 2mg	<b>Antidiabetics</b>	<b>Sanofi Aventis</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus	<b>France</b>		
30 tab		أمراض السكري			
<b>Amaryl 3m</b>	Glimepiride 3mg	<b>Antidiabetics</b>	<b>Sanofi Aventis</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus	<b>France</b>		
30 tab		أمراض السكري			
<b>Amaryl M SR</b>	Glimepiride 2mg+Metformin 500mg	<b>Antidiabetics</b>	<b>Sanofi Aventis</b>	As directed	
Tablets		Diabetes Mellitus	<b>France</b>		
30 tab		أمراض السكري			
<b>Ambrox</b>	Ambroxol 15 mg / 5 ml	<b>Respiratory drugs</b>	<b>Shiba pharma</b>	5 ml by mouth, in 2 or 3 divided doses.	
Syrup		Respiratory Disorders	<b>Yemen</b>		
100 ml		اضطرابات الجهاز التنفسي			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Ambrox</b>	Ambroxol 30 mg / tab	<b>Respiratory drugs</b>	<b>Shiba pharma</b>	5 ml by mouth, in 2 or 3 divided doses.	
Tablets		Respiratory Disorders	<b>Yemen</b>		
20 Tablet		اضطرابات الجهاز التنفسي			
<b>AMEBAZOLE</b>	Secnidazole 1 gm / tab	<b>Antiprtozoal</b>	<b>EGYPHAR</b>	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis ,	<b>Egypt</b>		
2 tab		جارديا واميبييا			
<b>Amika</b>	Amikacin Sulfate	<b>Antibiotics</b>	<b>Unknown</b>	IM, IV. : Adults, children, older infants: 15 mg/kg in 2-3 divided doses, 7-10 days. Maximum: 15 mg/kg/d. Once daily dosing of amikacin has been advocated	
Ampoules		Serious M. Infections	<b>Unknown</b>		
2m / amp		الاصابات الميكروبية الخطرة			
<b>Amikacin 250 mg</b>	Amikacin Sulfate	<b>Antibiotics</b>	<b>ILDONG</b>	vial 500mg &250mg &125mg &100mg	
Vial		Serious M. Infections	<b>Korea</b>		
1box*10 vials		الاصابات الميكروبية الخطرة			
<b>Amikacin 500 mg</b>	Amikacin Sulfate	<b>Antibiotics</b>	<b>ILDONG</b>	vial 500mg &250mg &125mg &100mg	
Vial		Serious M. Infections	<b>Korea</b>		
1box*10vial (1vial 2 ml)		الاصابات الميكروبية الخطرة			
<b>Amikacin Normon 125 mg</b>	Amikacin Sulfate 62.5 mg / ml	<b>Antibiotics</b>	<b>Normon</b>	IM, IV. : Adults, children, older infants: 15 mg/kg in 2-3 divided doses, 7-10 days. Maximum: 15 mg/kg/d. Once daily dosing of amikacin has been advocated	
Vial		Serious M. Infections	<b>Spain</b>		
2 ml		الاصابات الميكروبية الخطرة			
<b>amikacin normon 500 mg</b>	Amikacin Sulfate 250 mg / ml	<b>Antibiotics</b>	<b>Normon</b>	vial 500mg &250mg &125mg &100mg	
Vial		Serious M. Infections	<b>Spain</b>		
2 ml		الاصابات الميكروبية الخطرة			








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Amino 1000</b>	Amino Acids	<b>Vitamines and Menirals</b>	<b>Sentinel</b>	As directed	
Tablets		Vitamins			
30 tab		نقص فيتامينات			
<b>Aminophylline</b>	Aminophylline 25 mg/ml	<b>Respiratory drugs</b>	<b>Renaudin-france</b>	16 mg/kg/daily	
Ampoules		Bronchial Asthma	<b>France</b>		
100 amp X 10 ml		الربو الشعبي			
<b>Amiodarone Tablets</b>	Amiodarone 200 mg / tablet	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	200 mg three times daily for a week, then 200 mg twice daily for a week, and then a usual maintenance dosage of 200 mg or less daily,	
Tablets		Arrhythmia	<b>Unknown</b>		
28 Tablet		عدم انتظام ضربات القلب			
<b>Amiram-25</b>	Amitriptyline tablet 25 mg	<b>Central Nervous system drugs</b>	<b>RAM PHARMA</b>	Oral, IM. : Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	
Tablets		Mental Disorders	<b>Jordan</b>		
30 Tablet		الأمراض العقلية			
<b>Amlocard-5</b>	Amlodipine	<b>Cardio Vascular System drugs</b>	<b>RAM PHARMA</b>	Oral only : Hypertension Adults: Individualize: 2.5-5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5-10 mg. Elderly: 5 mg.	
Tablets		Hypertension	<b>Jordan</b>		
28 Tablets		ارتفاع ضغط الدم			
<b>Amlocare</b>	Each tablet contains Amlodipine 5mg	<b>Cardio Vascular System drugs</b>	<b>Pharmacare</b>	Oral only : Hypertension Adults: 2.5-10 mg/day. Angina: Adults: 5-10 mg. Elderly: 5 mg.	
Tablets		Hypertension	<b>Yemen</b>		
14 Tablet		ارتفاع ضغط الدم			
<b>AMLODAK 10</b>	Amlodipine 10 mg	<b>Cardio Vascular System drugs</b>	<b>RFA</b>	Oral only : Hypertension Adults: Individualize: 2.5-5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5-10 mg. Elderly: 5 mg.	
Tablets		Hypertension	<b>Yemen</b>		
30 Tablet		ارتفاع ضغط الدم			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>AMLODAK 5</b>	Amlodipine 5 mg	<b>Cardio Vascular System drugs</b>	<b>RFA</b>	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Yemen</b>		
30 Tablet					
<b>Amlo-Denk 5</b>	Amlodipine 5 mg	<b>Cardio Vascular System drugs</b>	<b>Denk Pharma</b>	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
		Hypertension ارتفاع ضغط الدم	<b>Germany</b>		
<b>Amlodip</b>	Amlodipine	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>Amlodipine</b>	Amlodipine	<b>Cardio Vascular System drugs</b>	<b>ACTAVIS</b>	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
10 mg		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
28 Tablet					
<b>Amlodipine oubari</b>	Amlodipine	<b>Cardio Vascular System drugs</b>	<b>OUBARY PHARMA</b>	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Syria</b>		
30 Tablet					
<b>Amlodura</b>	Amlodipine 5 mg / tab	<b>Cardio Vascular System drugs</b>	<b>Shiba pharma</b>	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Yemen</b>		
30 Tablet					
<b>Amlopin 5</b>	Amlodipine	<b>Cardio Vascular System drugs</b>	<b>Y.E.PHARMA</b>	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Capsules		Hypertension ارتفاع ضغط الدم	<b>Yemen</b>		
20 Tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Amlpres-5</b>	Amlodipine	<b>Cardio Vascular System drugs</b>	<b>CIPLA</b>	Oral only : Hypertension Adults: Individualize: 2.5-5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5-10 mg. Elderly: 5 mg.	
Tablets		<b>Hypertension</b> ارتفاع ضغط الدم	<b>India</b>		
10 Tablet					
<b>AMOCLAN FORTE</b>	Amoxicillin 250 mg + Clavulanic Acid 62.5 mg = 312 mg / 5 ml	<b>Antibiotics</b>	<b>Hikma</b>	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Suspension		<b>الأصباغ الميكروبية</b> Microbial Infections	<b>Jordan</b>		
100 ml					
<b>Amol</b>	Paracetamol supp 250mg.	<b>NSAID</b>	<b>Shaphaco</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		<b>Antipyretic - Analgesic</b> مهدئات الأوجاع والحمى	<b>Yemen</b>		
10 supp.					
<b>Amol</b>	Paracetamol 500mg.	<b>NSAID</b>	<b>Shaphaco</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		<b>Antipyretic - Analgesic</b> مهدئات الأوجاع والحمى	<b>Yemen</b>		
20 tablets					
<b>Amol</b>	Paracetamol drops 100mg/ml.	<b>NSAID</b>	<b>Shaphaco</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Oral /Drops		<b>Antipyretic - Analgesic</b> مهدئات الأوجاع والحمى	<b>Yemen</b>		
15 ml					
<b>Amol</b>	Paracetamol syrup 120mg /5ml.	<b>NSAID</b>	<b>Shaphaco</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		<b>Antipyretic - Analgesic</b> مهدئات الأوجاع والحمى	<b>Yemen</b>		
60 ml					
<b>Amol</b>	Paracetamol syrup 120mg /5ml.	<b>NSAID</b>	<b>Shaphaco</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		<b>Antipyretic - Analgesic</b> مهدئات الأوجاع والحمى	<b>Yemen</b>		
60 ml					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Amol</b>	Paracetamol tablet 500mg .	<b>NSAID</b>	<b>Shaphaco</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
200 tablets.					
<b>Amol -6 plus</b>	Paracetamol syrup 250mg /5ml.	<b>NSAID</b>	<b>Shaphaco</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
100ml					
<b>Amol Cold Flu</b>	Pseudoephedrine +Paracetamol+Chloraphiniramine	<b>Respiratory drugs</b>	<b>Shaphaco</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	<b>Yemen</b>		
20 Tablets					
<b>Amol-Cold&amp;Flu</b>	Paracetamol 500mg + Pseudoephedrine 30mg + Diphenhydramin 25mg per tablet.	<b>NSAID</b>	<b>Shaphaco</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
20 tablets					
<b>Amol-EXTRA</b>	Paracetamol tablet 500+65 caffeine/tablet.	<b>NSAID</b>	<b>Shaphaco</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
200 tablets.					
<b>Amoxacin</b>	Amoxicillin 250 mg / 5 ml	<b>Antibiotics</b>	<b>Shiba pharma</b>	125 to 250 mg every 8 hours	
Dry syrup		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
100ml					
<b>Amoxacin</b>	Amoxicillin 500 mg / cap	<b>Antibiotics</b>	<b>Shiba pharma</b>	250 - 1000 mg three times daily	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
20 Cap					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Amoxacin</b>	Amoxicillin 125 mg / 5 ml	<b>Antibiotics</b>	<b>Shiba pharma</b>	125 to 250 mg every 8 hours	
Syrup		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
100 ml					
<b>AMOXICAP 500</b>	Amoxicillin	<b>Antibiotics</b>	<b>Hovid</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Malaysia</b>		
100 capsule					
<b>Amoxicillin</b>	Amoxicillin 500 mg / capsule	<b>Antibiotics</b>	<b>Korea United Pharma</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
capsules		الأصابات الميكروبية Microbial Infections	<b>Korea</b>		
10strip*10capsules					
<b>Amoxicillin</b>	Amoxicillin 500 mg / cap	<b>Antibiotics</b>	<b>LABORATE</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Capsules		الأصابات الميكروبية Microbial Infections	<b>India</b>		
20 capsule					
<b>Amoxicillin</b>	Amoxicillin 125 mg / 5 ml	<b>Antibiotics</b>	<b>Ipeca</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Suspension		الأصابات الميكروبية Microbial Infections			
100 ml					
<b>Amoxicillin</b>	Amoxicillin 250 mg / tab	<b>Antibiotics</b>	<b>MICRO</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Tablets		الأصابات الميكروبية Microbial Infections	<b>India</b>		
10 strip*10 tab					
<b>Amoxicillin</b>	Amoxicillin 250 mg / tab	<b>Antibiotics</b>	<b>MILAN</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Tablets		الأصابات الميكروبية Microbial Infections	<b>India</b>		
10 x 10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Amoxicillin - 500</b>	Amoxicillin*	<b>Antibiotics</b>	<b>YEDCO</b>	250 - 1000 mg three times daily	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
20strip*10capsules					
<b>Amoxicillin Fort</b>	Amoxicillin 250 mg / 5 ml	<b>Antibiotics</b>	<b>YEDCO</b>	125 to 250 mg every 8 hours	
Suspension		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
100 ml					
<b>Amoxidrex</b>	Amoxicillin*	<b>Antibiotics</b>	<b>Phamadex</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Dry Suspension		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
1bottel*100ml					
<b>Amoxil</b>	Amoxicillin*	<b>Antibiotics</b>	<b>gsk glaxosmithkline</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Capsules		الأصابات الميكروبية Microbial Infections	<b>UK</b>		
10strip*10capsules					
<b>Amoxil</b>	Amoxicillin	<b>Antibiotics</b>	<b>gsk glaxosmithkline</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Powder for Syrup		الأصابات الميكروبية Microbial Infections	<b>UK</b>		
100 ml					
<b>Amoxil Fort</b>	Amoxicillin 250 mg / 5 ml	<b>Antibiotics</b>	<b>gsk glaxosmithkline</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Dry Syrup		الأصابات الميكروبية Microbial Infections	<b>UK</b>		
1bottel*100ml					
<b>Amoxitop</b>	Amoxicillin	<b>Antibiotics</b>	<b>Y.E.PHARMA</b>	250 - 1000 mg three times daily	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
20 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>AMPAVIT</b>	Vitamin B Substances	<b>Vitamines and Menirals</b>	<b>ANB Laboratories CO. LTD</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Ampoules		Vitamins	<b>Thailand</b>		
10 amp of 1 ml		Deficiency نقص فيتامينات			
<b>Ampicillin</b>	Ampicillin 1 gm	<b>Antibiotics</b>	<b>Vitalis</b>	Oral, IV, IM.: Adults PO 500 mg q6h. Children >20 kg: PO 250 mg q6h. Children <20 kg: PO 50 mg/kg/d in divided doses q6-8h. Children >40 kg: IV, IM 250-	
Vial		الأصابات الميكروبية Microbial Infections	<b>USA</b>		
10 vial					
<b>Ampicillin</b>	Ampicillin 500 mg / cap	<b>Antibiotics</b>	<b>Modern Pharama</b>	Adults : 1 - 2 Capsule four times daily.	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
20 cap					
<b>Ampicillin</b>	Ampicillin 250 mg / 5 ml	<b>Antibiotics</b>	<b>Modern Pharama</b>	125 to 250 mg every 6 hours	
Syrup		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
100 ml					
<b>Ampiluxe 500</b>	Ampicillin + Cloxacillin	<b>Antibiotics</b>	<b>ALPHA</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Syria</b>		
100 cap					
<b>Ampixol - 500</b>	Ampicillin	<b>Antibiotics</b>	<b>YEDCO</b>	Adults : 1 - 2 Capsule four times daily.	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
200 cap					
<b>AMPY</b>	Ampicillin 250mg/5ml	<b>Antibiotics</b>	<b>RFA</b>	125 to 250 mg every 6 hours	
Powder for Suspension		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
80 ML					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>AMPY</b>	ampicillin 500 mg	<b>Antibiotics</b>	<b>RFA</b>	Adults : 1 - 2 Capsule four times daily.	
Capsules		الأصابت الميكروبية Microbial Infections	<b>Yemen</b>		
20 caps					
<b>AMPY C</b>	ampicillin 125 mg/cloxacillin 125 mg	<b>Antibiotics</b>	<b>RFA</b>	Children 2 – 10 years : 5 ml - 10 ml four times daily. Children under 2 years : 2.5 ml - 5 ml four times daily.	
Powder for Suspension		الأصابت الميكروبية Microbial Infections	<b>Yemen</b>		
80 ML					
<b>AMPY C</b>	ampicillin 500 mg	<b>Antibiotics</b>	<b>RFA</b>	Adults : 1 - 2 Capsule four times daily.	
Capsules		الأصابت الميكروبية Microbial Infections	<b>Yemen</b>		
100 caps					
<b>Amri-k Amp</b>	Vit k (phytomenadion) 10mg	<b>Vitamines and Menirals</b>	<b>AMRIYA PHARMA</b>	0.5 to 5 mg by slow intravenous injection or up to 5 mg orally	
Ampoules		Haemorrhage النزيف	<b>Egypt</b>		
5 Ampoules of 1ml					
<b>Amritrim</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	<b>Antibacterial</b>	<b>AMRIYA PHARMA</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Suspension		Bacterial Infections الأصابت البكتيرية	<b>Egypt</b>		
1bottel*100ml					
<b>Amrizole 500</b>	Metronidazole 500 mg / tab	<b>Antiprtozoal</b>	<b>AMRIYA PHARMA</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	<b>Egypt</b>		
20 Tablet					
<b>Amrizole 250</b>	Metronidazole	<b>Antiprtozoal</b>	<b>AMRIYA PHARMA</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	<b>Egypt</b>		
20 Film coated tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Amrizole suspension</b>	Benzoyl metronidazole 200 mg / 5 ml	<b>Antiprtozoal</b>	<b>AMRIYA PHARMA</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		Amoebiasis , Giardiasis جارديا واميبيا	<b>Egypt</b>		
120 ml					
<b>AMRIZYME</b>	Unknown	<b>Gastro Intestinal drugs</b>	<b>AMRIYA PHARMA</b>	As directed	
Capsules		Indigestion سوء الهضم	<b>Egypt</b>		
20 cap					
<b>Amrystar</b>	Glimepiride 1 mg / tablet	<b>Antidiabetics</b>	<b>Shiba pharma</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 Tablet					
<b>Amrystar</b>	Glimepiride 2 mg / tablet	<b>Antidiabetics</b>	<b>Shiba pharma</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 Tablet					
<b>Amrystar</b>	Glimepiride 3 mg / tablet	<b>Antidiabetics</b>	<b>Shiba pharma</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 Tablet					
<b>Amtil</b>	Amitriptyline 25 mg / tablet	<b>Central Nervous system drugs</b>	<b>Shiba pharma</b>	Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>Yemen</b>		
30 F.C.Tablet					
<b>AMYN-500</b>	Amoxicillin*	<b>Antibiotics</b>	<b>Kopran</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Capsules		الأمراض الميكروبية Microbial Infections	<b>India</b>		
10 strip*10 Capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Anafranil</b>	Clomipramine Hydrochloride	<b>Central Nervous system drugs</b>	<b>NOVARTIS</b>	Oral doses of 10 mg daily initially, increasing gradually to 30 to 150 mg daily maximum up to 250 mg daily .	
		Mental Disorders الأمراض العقلية	<b>Switzerland</b>		
<b>Anafranil SR</b>	Clomipramine Hydrochloride 75 mg	<b>Central Nervous system drugs</b>	<b>NOVARTIS</b>	Oral doses of 10 mg daily initially, increasing gradually to 30 to 150 mg daily maximum up to 250 mg daily .	
Divitabs		Mental Disorders الأمراض العقلية	<b>Switzerland</b>		
20 Divitabs					
<b>ANALCAM</b>	Tenoxicam tablet 20mg	<b>Nonsteroidal Anti-</b>	<b>Duopharma</b>	maximum dose 20 mg one time daily (for two weeks only)	
Tablets		Analgesic مهدئات الأوجاع	<b>Malaysia</b>		
10 tablets.					
<b>Analpan</b>	Diclofenac Sodium ampoule 75mg/3ml.	<b>Nonsteroidal Anti-</b>	<b>DUO pharma</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
20 ampoules					
<b>Anaplate-75mg</b>	dipyridamole	<b>Cardio Vascular System drugs</b>	<b>SEDICO</b>	ADULTS: PO 1 capsule (200 mg extended-release dipyridamole/25 mg aspirin) bid, 1 in morning and 1 in evening. Do not crush or chew.	
Tablets		Thrombosis الجلطات	<b>Egypt</b>		
20 tablet					
<b>Anax-0.25</b>	Alprazolam 0,25	<b>Central Nervous system drugs</b>	<b>RFA</b>	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insunnea الأرق والقلق	<b>Yemen</b>		
30 Tablet					
<b>Anax-0.5</b>	Alprazolam 0,5	<b>Central Nervous system drugs</b>	<b>RFA</b>	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insunnea الأرق والقلق	<b>Yemen</b>		
30 Tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Anax-1</b>	Alprazolam	<b>Central Nervous system drugs</b>	<b>RFA</b>	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, الأرق والقلق	<b>Yemen</b>		
30 Tablet					
<b>Anazol</b>	Metronidazole	<b>Antiprtozoal</b>	<b>JPI</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		Amoebiasis , جارديا واميبيا	<b>Saudi Arabia</b>		
120ml					
<b>ANAZOL 500</b>	Metronidazole	<b>Antiprtozoal</b>	<b>JPI</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , جارديا واميبيا	<b>Saudi Arabia</b>		
20 TAB					
<b>ANDRIOL</b>	testosterone	<b>Hormones</b>	<b>ORGANON - MSD</b>	by mouth in an initial dose of 120 to 160 mg daily for 2 to 3 weeks, f maintenance dose of 40 to 120 mg daily. intramuscular injection as oily solution at a dose of 1 g every	
Capsules		Sex Hormones هرمونات جنسية	<b>Unknown</b>		
10 cap					
<b>angiotec 10</b>	Enalapril 10 mg	<b>Cardio Vascular System drugs</b>	<b>JPM</b>	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Jordan</b>		
30 tab					
<b>Angiotec 5</b>	Enalapril 5 mg	<b>Cardio Vascular System drugs</b>	<b>JPM</b>	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Jordan</b>		
30 tablet					
<b>ANGIOZIDE</b>	Enalapril	<b>Cardio Vascular System drugs</b>	<b>JPM</b>	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Jordan</b>		
20 TAB					










Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Angised</b>	Glyceryl Trinitrate 0.5 mg	<b>Cardio Vascular System drugs</b>	<b>gsk glaxosmithkline</b>	One sublingual tablet (usual strength 300 to 600 micrograms) is placed under the tongue. ,for total of 3 doses within 15 minutes.	
Tablets		Angina الذبحة الصدرية	<b>UK</b>		
100					
<b>Anikef 750 mg</b>	Ceftriaxone Sodium 750 mg	<b>Antibacterial</b>	<b>Unknown</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parentral inj		Bacterial Infections	<b>Unknown</b>		
1vial		الأصابات البكتيرية			
<b>Anolip</b>	Amphotericin B Lipid Complex Inj 50mg/10ml	<b>Antifungals</b>	<b>Samarth pharma</b>	IV, intrathecal, topical.: Adults: Initial: IV 0.25 mg/kg q2-6h. Maintenance: IV 0.25-1 mg/kg/d. Infants, children: Initial: IV 0.25 mg/kg/d. Maintenance: IV 0.25-1	
Vial		Dermatitis	<b>Unknown</b>		
1 Vial 10ml		الالتهابات الجلدية			
<b>Anopil</b>	Herbal extract	<b>Antihemorrhages</b>	<b>Unknown</b>	As directed	
Ointment		Haemorrhoids	<b>Unknown</b>		
25 gm		البواسير			
<b>anso3</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>Blue BioTech Int.Germany</b>	As directed	
Solid		Vitamins	<b>Unknown</b>		
		Deficiency نقص فيتامينات			
<b>ANTI-AGE</b>	Vitamine A, C, E, Selenium + Zinc + Beta _ Carotene	<b>Vitamines and Menirals</b>	<b>JUAMINE</b>	As directed	
		Vitamins	<b>France</b>		
		Deficiency نقص فيتامينات			
<b>Anticox II</b>	Meloxicam 15 mg	<b>Non-Steroidal Anti-</b>	<b>ADWIA</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Ampoules		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
3 amp					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Anti-Cox II</b>	Meloxicam	<b>Non-Steroidal Anti-</b>	<b>ADWIA</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Capsules		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
10 cap					
<b>Anti-coxII 15</b>	Meloxicam 15mg/ampoule.	<b>Nonsteroidal Anti-</b>	<b>ADWIA</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Ampoules		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
3 ampoules.					
<b>Antinal</b>	nifuroxazide	<b>Gastro Intestinal drugs</b>	<b>AMOUN</b>	* tabs = q I d * syrup = less two months 5 ml bid 2-12 months tid more 1 years = q I d	
Capsules		Diarrhea الأسهال	<b>Egypt</b>		
12 caps					
<b>Antinal</b>	nifuroxazide	<b>Gastro Intestinal drugs</b>	<b>AMOUN</b>	* tabs = q I d * syrup = less two months 5 ml bid 2-12 months tid more 1 years = q I d	
Suspension		Diarrhea الأسهال	<b>Egypt</b>		
200 ml for bottle					
<b>Apidone</b>	Chlorphenamine Maleate 2 mg + Dexamethasone 0.5 mg	<b>Antihistamines</b>	<b>AMOUN</b>	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold نزلات البرد	<b>Egypt</b>		
125 ml					
<b>APIFORTYL</b>	Vit. A 2000 I.U. Vit. B1-Nitrate 2 mg. Vit. B2 1 mg. Vit. B6 1 mg. Vit. B12 1 µg. Folic Acid 0.1	<b>Vitamines and Menirals</b>	<b>OCTOBER PHARMA</b>	As directed	
Capsules		Vitamins نقص فيتامينات	<b>Egypt</b>		
30 capsules					
<b>Apilox</b>	Ampicillin 125 mg + Cloxacillin 125 mg.	<b>Antibiotics</b>	<b>Pharmacare</b>	Children 2 – 10 years : 5 ml -10 ml four times daily. Children under 2 years : 2.5 ml - 5 ml four times daily.	
Syrup		الأسبابات الميكروبية Microbial Infections	<b>Yemen</b>		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Apilox</b>	Ampicillin 250 mg + Cloxacillin 250 mg.	<b>Antibiotics</b>	<b>Pharmacare</b>	Adults : 1 - 2 Capsule four times daily.	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
20 cap					
<b>APISULFA-10</b>	Sulfabenzamide	<b>Antibacterial</b>	<b>Unknown</b>	As directed	
Eye drops		Bacterial Infections الأصابات البكتيرية	<b>Unknown</b>		
10 ml					
<b>Apitofen</b>	Pizotifen 0.25 mg / 5 ml	<b>Antihistamines</b>	<b>Shaphaco</b>	1.5 mg daily by mouth either in three divided doses or as a single dose at night	
Syrup		Appetizer Stimulant منشطات الشهية	<b>Yemen</b>		
100 ml					
<b>Apitofen</b>	Pizotifen 0.5 mg	<b>Antihistamines</b>	<b>Shaphaco</b>	1.5 mg daily by mouth either in three divided doses or as a single dose at night	
Tablets		Appetizer Stimulant منشطات الشهية	<b>Yemen</b>		
20 tabs					
<b>Apperize</b>	Cyproheptadine Hydrochloride 2 mg / 5 ml	<b>Antihistamines</b>	<b>Pharmacare</b>	Children: (2-6yrs) : One teaspoonful two to three times daily, Children (over 6 yrs) & adults: 2 teaspoonfuls 2 to 3 times daily	
Syrup		Appetizer Stimulant منشطات الشهية	<b>Yemen</b>		
100 ml					
<b>APPETON</b>	multivitamin with lysine	<b>Vitamines and Menirals</b>	<b>cotra pharma, malaysia</b>	As directed	
Tablets		Vitamins Deficiency نقص فيتامينات	<b>Malaysia</b>		
60 chewable tablets					
<b>APPETON</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>Unknown</b>	As directed	
Oral /Drops		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
30 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Apple-Lite</b>	Herbal extract	<b>Gastro Intestinal drugs</b>	<b>MEPACO</b>	As directed	
Tablets		Appetite Suppressant سادات الشهية	<b>Egypt</b>		
30 tab					
<b>Aprazol</b>	Lansoprazole	<b>Gastro Intestinal drugs</b>	<b>Bilim</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	<b>Turkey</b>		
14 caps					
<b>Aquamarine</b>	Omega-3 Fish Oil 540 mg+Cod Liver Oil 540 mg+ EPA 116 mg + DHA 106 mg Vitami D (as	<b>Vitamines and Menirals</b>	<b>VITABIOTICS</b>	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Hyperlipidaemias زيادة الدهون في الدم	<b>Unknown</b>		
60 capsules					
<b>Aquamarine</b>	Omega 4.52 +cod liver oil 4.52 + DHA 878mg+EPA 968mg + VIT. A 200mcg+ vit. E	<b>Vitamines and Menirals</b>	<b>VITABIOTICS</b>	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Syrup		Hyperlipidaemias زيادة الدهون في الدم	<b>Unknown</b>		
250 ml					
<b>Aquax</b>	unkown	<b>Skin Disorders</b>	<b>Unknown</b>	As directed	
Cream		Dermatitis التهابات الجددية	<b>Unknown</b>		
150 gm					
<b>ARCOXIA 120 mg</b>	Etoricoxib	<b>Nonsteroidal Anti-</b>	<b>MSD</b>	Oraly : In osteoarthritis 60 mg once daily, in rheumatoid arthritis 90 mg once daily, in gouty arthritis 120 mg once daily .	
		Osteoarthritis التهابات العظام	<b>USA</b>		
<b>ARCOXIA 60 mg</b>	Etoricoxib	<b>Nonsteroidal Anti-</b>	<b>MSD</b>	Oraly : In osteoarthritis 60 mg once daily, in rheumatoid arthritis 90 mg once daily, in gouty arthritis 120 mg once daily .	
		Osteoarthritis التهابات العظام	<b>USA</b>		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Arcoxia 90 mg</b>	Etoricoxib tablet 90mg.	<b>Nonsteroidal Anti-</b>	<b>MSD</b>	Orally : In osteoarthritis 60 mg once daily, in rheumatoid arthritis 90 mg once daily, in gouty arthritis 120 mg once daily .	
Tablets		Osteoarthritis	<b>USA</b>		
14 tablets		التهابات العظام			
<b>ARTADIN</b>	Loratadine	<b>Antihistamines</b>	<b>KP</b>	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Tablets		Allergy الحساسية	<b>Korea</b>		
10 tab					
<b>ArteCare 80 mg</b>	Artemether	<b>Antimalarial medicines</b>	<b>Unknown</b>	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	
Ampoules		Malaria الملاريا	<b>Unknown</b>		
80 mg / ml					
<b>ARTEFAN KIT</b>	malicur tablat contain- Sulfadoxine 500 mg + Pyrimethamine 25 mg +artefan	<b>Antimalarial medicines</b>	<b>RFA</b>	the usual dose by mouth is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	
Tablets		Malaria الملاريا	<b>Yemen</b>		
3 tabs+6 tabs					
<b>ARTHRELLA</b>	unkown	<b>Unknown</b>	<b>Unknown</b>	As directed	
Ointment		Unknown	<b>Unknown</b>		
<b>Arthri-Flex</b>	Glucosamine + Chondroitin	<b>Osteoarthritis drugs</b>	<b>Unknown</b>	As directed	
		Osteoarthritis	<b>Unknown</b>		
		التهابات العظام			
<b>Artosine 100</b>	Sulfadoxine 500 mg + Pyrimethamine 25 mg + artesunate 100 mg	<b>Antimalarial medicines</b>	<b>Shaphaco</b>	the usual dose by mouth is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	
Tablets		Malaria الملاريا	<b>Yemen</b>		
6+3 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Artosine 50</b>	Sulfadoxine 500 mg + Pyrimethamine 25 mg + artesunate 50 mg	<b>Antimalarial medicines</b>	<b>Shaphaco</b>	the usual dose by mouth is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	
Tablets		Malaria الملاريا	<b>Yemen</b>		
6+2 tab					
<b>Artrofen gel</b>	Ketoprofen	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Gel		Analgasic مهدئات الأوجاع	<b>Unknown</b>		
50 gm					
<b>Artrofen gel</b>	Ketoprofen 100 ng /tab	<b>NSAID</b>	<b>Global Pharma</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Tablets		Analgasic مهدئات الأوجاع	<b>Yemen</b>		
30 tab					
<b>ASCAZIL</b>	Albendazole	<b>Anthelmentic</b>	<b>ALSHAHBA</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms الديدان الشائعة	<b>Syria</b>		
10ml					
<b>Ascorbic acid</b>	Vitamin c 1000mg/sheat.	<b>Vitamines and Menirals</b>	<b>SEDICO</b>	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	
Sachets		Vitamins نقص فيتامينات	<b>Egypt</b>		
10 sheats.					
<b>Ascoril</b>	Each 10 ml contains 2 mg salbutamol + 4 mg bromhexine BP + 100 mg guaifenesin USP	<b>Respiratory drugs</b>	<b>Unknown</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>Unknown</b>		
100 ml					
<b>ASEEL</b>	Tadalafil 20 mg	<b>Sex Stimulants</b>	<b>Global Pharma</b>	10 - 20 mg depending on response, about 30 minutes before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	<b>Yemen</b>		
4 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>ASEPRON</b>	Acetylsalicylic acid	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Tablets		Thrombosis الجلطات	<b>Unknown</b>		
60 tab					
<b>Asist</b>	Acetylcysteine 300 mg	<b>Respiratory drugs</b>	<b>Unknown</b>	100- 200 mg two times daily	
Ampoules		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Syria</b>		
10 Amp					
<b>Aspicot-100</b>	Acetylsalicylic Acid tablet 100mg.	<b>Cardio Vascular System drugs</b>	<b>Shaphaco</b>	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Tablets		Thrombosis الجلطات	<b>Yemen</b>		
30 enteric coated tablets					
<b>Aspicot-300</b>	Acetylsalicylic Acid 300mg.	<b>NSAID</b>	<b>Shaphaco</b>	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours . The dose as suppositories is 600 to 900 mg every 4 hours to a maximum of	
Tablets		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
30 enteric coated tablets					
<b>Aspicot-75</b>	Acetylsalicylic Acid 75mg.	<b>Cardio Vascular System drugs</b>	<b>Shaphaco</b>	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Tablets		Thrombosis الجلطات	<b>Yemen</b>		
30 enteric coated tablets					
<b>Aspin-100</b>	Acetylsalicylic Acid 100mg	<b>Cardio Vascular System drugs</b>	<b>CIPLA</b>	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Tablets		Thrombosis الجلطات	<b>India</b>		
30 tablets.					
<b>Aspin-100mg</b>	Acetylsalicylic Acid tablet 100mg.	<b>Cardio Vascular System drugs</b>	<b>CIPLA</b>	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Tablets		Thrombosis الجلطات	<b>India</b>		
30 Entric Coated Tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Aspirem 75</b>	Acetylsalicylic acid	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Tablets		Thrombosis الجلطات	<b>Unknown</b>		
56 E.C.T					
<b>Aspirin</b>	Acetylsalicylic acid 75 mg / tab	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours according to clinical needs, to a maximum of 4 g daily. The dose as	
Tablets		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
56 E.C.T					
<b>ASPIRIN</b>	Acetylsalicylic acid 100 mg	<b>Cardio Vascular System drugs</b>	<b>BAYER</b>	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Tablets		Thrombosis الجلطات	<b>Germany</b>		
20 tablet for children					
<b>ASPIRIN</b>	Acetylsalicylic Acid 81 mg / tablet	<b>Cardio Vascular System drugs</b>	<b>Shiba pharma</b>	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Tablets		Thrombosis الجلطات	<b>Yemen</b>		
30 Enteric Coated Tablets					
<b>Aspirin 300mg</b>	Acetylsalicylic acid 300mg	<b>Nonsteroidal Anti-</b>	<b>UK</b>	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours according to clinical needs, to a maximum of 4 g daily. The dose as	
Tablets		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
16tablet					
<b>ASPIRIN 75</b>	Acetylsalicylic acid 75mg / Tab	<b>Cardio Vascular System drugs</b>	<b>Modern Pharama</b>	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Tablets		Thrombosis الجلطات	<b>Yemen</b>		
20 tablet					
<b>ASPIRIN protect</b>	(aspirin protect 100mg) active ingredient acetylsalicylic acid+thrombocyte aggregation	<b>Cardio Vascular System drugs</b>	<b>BAYER</b>	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Tablets		Thrombosis الجلطات	<b>Germany</b>		
20 tablet					







Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>ASPIRIN-C</b>	Acetylsalicylic acid	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours according to clinical needs, to a maximum of 4 g daily. The dose as	
Tablets		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
<b>Aspirine-C</b>	Acetylsalicylic Acid + vit.c effer.tablet.	<b>Nonsteroidal Anti-</b>	<b>BAYER</b>	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours according to clinical needs, to a maximum of 4 g daily. The dose as	
Tablets		Analgesic مهدئات الأوجاع	<b>Germany</b>		
(10 tab/strip) 2					
<b>ASPO CID</b>	Pediatric Chewable tablets	<b>Unknown</b>	<b>CID</b>	As directed	
Tablets		Unknown	<b>Egypt</b>		
30 tab					
<b>Asthalin Inhaler</b>	Salbutamol 200 mcg metered doses	<b>Respiratory drugs</b>	<b>CIPLA</b>	2 -4 mg / or 2 buffs *qid	
Inhaler		Bronchial Asthma الربو الشعبي	<b>India</b>		
200 metred doses					
<b>Asthalin Inhaler solution</b>	Salbutamol	<b>Respiratory drugs</b>	<b>CIPLA</b>	2 -4 mg / or 2 buffs *qid	
Inhaler		Bronchial Asthma الربو الشعبي	<b>India</b>		
15 ml					
<b>Asthalin Respules</b>	Salbutamol	<b>Respiratory drugs</b>	<b>CIPLA</b>	2 -4 mg / or 2 buffs *qid	
Respules/inh		Bronchial Asthma الربو الشعبي	<b>India</b>		
10 X 2.5 ml					
<b>Asthalin Rotacaps</b>	Salbutamol	<b>Respiratory drugs</b>	<b>CIPLA</b>	2 -4 mg / or 2 buffs *qid	
Rotacaps		Bronchial Asthma الربو الشعبي	<b>India</b>		
200 mcg					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Asthalin-4</b>	Salbutamol 4 mg	<b>Respiratory drugs</b>	<b>CIPLA</b>	2 -4 mg / or 2 buffs *qid	
Tablets		Bronchial Asthma الربو الشعبي	<b>India</b>		
10X 10 tab					
<b>ASTOMED</b>	Ketotifen Fumarate	<b>Respiratory drugs</b>	<b>MEDICO LABS</b>	adult dose 1-2 mg/bid or pead. 1 mg /bid	
Syrup		Bronchitis التهاب الشعب الهوائية	<b>Syria</b>		
100 ml					
<b>Asu-Denk</b>	500 mg Sulfamethoxyypyridazine +25 mg Pyrimethamine +Artesunate 200 mg	<b>Antimalarial medicines</b>	<b>Denk Pharma</b>	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	
Tablets		Malaria الملاريا	<b>Germany</b>		
3 tab / Sigle dose					
<b>Atacand 8</b>	Candesartan Cilexetil 8 mg	<b>Cardio Vascular System drugs</b>	<b>ASTRAZENECA</b>	8 mg once daily, but doses up to 32 mg daily, as a single dose or in 2 divided doses	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
28 tab					
<b>Atarax</b>	Hydroxyzine Syrup 10mg/5ml	<b>Antihistamines</b>	<b>UCB</b>	Adult :25 to 100 mg four times daily , Children : 2.5 mg/kg daily	
Syrup		Allergy الحساسية	<b>Unknown</b>		
200 ml					
<b>Atarax 10 mg</b>	Hydroxyzine HCL	<b>Antihistamines</b>	<b>UCB</b>	Adult :25 to 100 mg four times daily , Children : 2.5 mg/kg daily	
Tablets		Allergy الحساسية	<b>Unknown</b>		
25 tab					
<b>Atarax-25</b>	Hydroxyzine tablet 25mg	<b>Antihistamines</b>	<b>UCB</b>	Adult :25 to 100 mg four times daily , Children : 2.5 mg/kg daily	
Tablets		Allergy الحساسية	<b>Unknown</b>		
25 tablets					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>ATENO 100 mg</b>	Atenolol 100 mg	<b>Cardio Vascular System drugs</b>	<b>EIPICO</b>	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Egypt</b>		
20 f.c.t					
<b>ATENO 50 mg</b>	Atenolol 50 mg	<b>Cardio Vascular System drugs</b>	<b>EIPICO</b>	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Egypt</b>		
20 f.c.t					
<b>Atenolo denk 50</b>	Atenolol	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>ATENOLOL 50 mg</b>	Atenolol	<b>Cardio Vascular System drugs</b>	<b>KAHIRA PHARM</b>	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Egypt</b>		
14 tab					
<b>Atenolol Denk 50</b>	Atenolol	<b>Cardio Vascular System drugs</b>	<b>Denk Pharma</b>	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Germany</b>		
100 c.t					
<b>Atenolol-100</b>	Atenolol	<b>Cardio Vascular System drugs</b>	<b>BALSAM</b>	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Syria</b>		
30 tab					
<b>ATEROZ</b>	Atorvastatin Calcium 20 mg	<b>Cardio Vascular System drugs</b>	<b>Bilim</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	<b>Turkey</b>		
30 f.t					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>ATEROZ-10mg</b>	Atorvastatin10mg	<b>Cardio Vascular System drugs</b>	<b>Bilim</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	<b>Turkey</b>		
30 film coated tablet		زيادة الدهون في الدم			
<b>ATEROZ-20mg</b>	atorvastatin20mg	<b>Cardio Vascular System drugs</b>	<b>Bilim</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
tablet		Hyperlipidaemias	<b>Turkey</b>		
30film tablet		زيادة الدهون في الدم			
<b>ATOR</b>	Atorvastatin (as atorvastatin calcium)..... 10, 20 or 40 mg	<b>Cardio Vascular System drugs</b>	<b>EIPICO</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	<b>Egypt</b>		
10 tab		زيادة الدهون في الدم			
<b>ATOR</b>	Atorvastatin (as atorvastatin calcium). 40 mg / tab	<b>Cardio Vascular System drugs</b>	<b>EIPICO</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	<b>Egypt</b>		
10 tab		زيادة الدهون في الدم			
<b>ATOR</b>	Atorvastatin (as atorvastatin calcium). 10 mg / tab	<b>Cardio Vascular System drugs</b>	<b>EIPICO</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	<b>Egypt</b>		
10 tab		زيادة الدهون في الدم			
<b>Atoris</b>	Atorvastatin (as atorvastatin calcium). 40 mg / tab	<b>Cardio Vascular System drugs</b>	<b>KRKA</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	<b>India</b>		
30 tab		زيادة الدهون في الدم			
<b>Atoris</b>	Atorvastatin (as atorvastatin calcium). 10 mg / tab	<b>Cardio Vascular System drugs</b>	<b>KRKA</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	<b>India</b>		
30 tab		زيادة الدهون في الدم			





Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Atoris</b>	Atorvastatin (as atorvastatin calcium). 20 mg / tab	<b>Cardio Vascular System drugs</b>	<b>KRKA</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	<b>India</b>		
30 tab		زيادة الدهون في الدم			
<b>Atorlip-10</b>	atorvastatin 10mg	<b>Cardio Vascular System drugs</b>	<b>CIPLA</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	<b>India</b>		
3*10 tablet		زيادة الدهون في الدم			
<b>Atorlip-20</b>	Atorvastatin Calcium 20 mg	<b>Cardio Vascular System drugs</b>	<b>CIPLA</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	<b>India</b>		
3 x 10 tab		زيادة الدهون في الدم			
<b>atorlip-40mg</b>	atorvastatin 40mg	<b>Cardio Vascular System drugs</b>	<b>CIPLA</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	<b>India</b>		
10 tablet		زيادة الدهون في الدم			
<b>Atorva 10</b>	Atorvastatin Calcium	<b>Cardio Vascular System drugs</b>	<b>Modern Pharama</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	<b>Yemen</b>		
30 tab		زيادة الدهون في الدم			
<b>Atorva Plus</b>	Atorvastatin Calcium 10 mg + Ezetimibe 10 mg	<b>Cardio Vascular System drugs</b>	<b>Modern Pharama</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	<b>Yemen</b>		
30 tab		زيادة الدهون في الدم			
<b>Atorva-20mg</b>	atorvastatin 20mg	<b>Cardio Vascular System drugs</b>	<b>Modern Pharama</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	<b>Yemen</b>		
30 film coated tablet		زيادة الدهون في الدم			







Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Atorvast 20</b>	Atorvastatin Calcium	<b>Cardio Vascular System drugs</b>	<b>JOSWE</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Caplets		Hyperlipidaemias	<b>Jordan</b>		
30 caplets		زيادة الدهون في الدم			
<b>atorvast-20mg</b>	atorvastatin20mg	<b>Cardio Vascular System drugs</b>	<b>JOSWE</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
caplet		Hyperlipidaemias	<b>Jordan</b>		
30film coated caplet		زيادة الدهون في الدم			
<b>atorvex-20mg</b>	atorvastatin20mg	<b>Cardio Vascular System drugs</b>	<b>ASIA</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
tablet		Hyperlipidaemias	<b>Syria</b>		
30film coated tablet		زيادة الدهون في الدم			
<b>Atorvist-10mg</b>	Atorvastatin 10 mg / tablet	<b>Cardio Vascular System drugs</b>	<b>Shiba pharma</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	<b>Yemen</b>		
30 film coated tablet		زيادة الدهون في الدم			
<b>Atorvist-20mg</b>	Atorvastatin 20 mg / tablet	<b>Cardio Vascular System drugs</b>	<b>Shiba pharma</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	<b>Yemen</b>		
30 film coated tablet		زيادة الدهون في الدم			
<b>Atraprim DS</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	<b>Antibacterial</b>	<b>Unknown</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
Tablets		Bacterial Infections	<b>Unknown</b>		
10 Strip*10 Tablets		الأمراض البكتيرية			
<b>Atropine sulphate</b>	Atropine	<b>Central Nervous system drugs</b>	<b>MISR</b>	IV, IM, SC, oral, topical (ophthalmic). Adults: PO, 0.3–1.2 mg q 4–6 hr. Children 29.5–41 kg: PO 0.4 mg q4–6h. Children 3.2–7.3 kg: PO 0.1 mg q4–6h.	
Ampoules		Anaesthetics	<b>Egypt</b>		
1mg / ml(ampoule)		التخدير العام			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Atrovist 10 mg</b>	Atorvastatin 10 mg	<b>Cardio Vascular System drugs</b>	<b>Shiba pharma</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	<b>Yemen</b>		
30 tablet		زيادة الدهون في الدم			
<b>Atrovist 20 mg</b>	Atorvastatin 20 mg / tablet	<b>Cardio Vascular System drugs</b>	<b>Shiba pharma</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	<b>Yemen</b>		
30 tablet		زيادة الدهون في الدم			
<b>Atrovist 40 mg</b>	Atorvastatin 40 mg / tablet	<b>Cardio Vascular System drugs</b>	<b>Shiba pharma</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	<b>Yemen</b>		
10 tablet		زيادة الدهون في الدم			
<b>Augma 325 mg</b>	Amoxicillin 200 mg + Clavulanate Potassium 125 mg = 325 mg / tablet	<b>Antibiotics</b>	<b>YEDCO</b>	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Tablets		الأصابات الميكروبية	<b>Yemen</b>		
20 tablet		Microbial Infections			
<b>Augma 625 mg</b>	Amoxicillin 500 mg + Clavulanate Potassium 125 mg = 625 mg / tablet	<b>Antibiotics</b>	<b>YEDCO</b>	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Tablets		الأصابات الميكروبية	<b>Yemen</b>		
20 tablet		Microbial Infections			
<b>Augmaclav 1000</b>	Amoxicillin 875 mg +Clavulanate Potassium 125mg	<b>Antibiotics</b>	<b>Global Pharma</b>	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Tablets		الأصابات الميكروبية	<b>Yemen</b>		
15 tabs		Microbial Infections			
<b>Augmaclav 156</b>	Amoxicillin + Clavulanate Potassium 156 mg / 5 ml	<b>Antibiotics</b>	<b>Global Pharma</b>	125 to 250 mg every 8 hours	
Powder for Suspension		الأصابات الميكروبية	<b>Yemen</b>		
100 ml		Microbial Infections			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Augmaclav 312</b>	Amoxicillin + Clavulanate Potassium 312 mg / 5 ml	<b>Antibiotics</b>	<b>Global Pharma</b>	125 to 250 mg every 8 hours	
Powder for Suspension		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
100 ml					
<b>Augmaclav 62.5</b>	Amoxicillin + Clavulanate Potassium 62.5 mg / 5 ml	<b>Antibiotics</b>	<b>Global Pharma</b>	125 to 250 mg every 8 hours	
powder for infant drops		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
20 ml					
<b>Augmaclav 625</b>	Amoxicillin 500 mg +Clavulanate Potassium 125mg	<b>Antibiotics</b>	<b>Global Pharma</b>	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Tablets		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
20 tabs					
<b>AUGMEN</b>	(Amoxicillin + clavulanate acid 457 mg / 5 ml	<b>Antibiotics</b>	<b>Modern Pharama</b>	125 to 250 mg every 8 hours	
Dry Syrup		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
80 ml					
<b>AUGMEN</b>	Amoxicillin 125 mg +Clavulanate Potassium 31mg = 156 mg / 5 ml	<b>Antibiotics</b>	<b>Modern Pharama</b>	125 to 250 mg every 8 hours	
Dry Syrup		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
100 ml					
<b>AUGMEN</b>	Amoxycillin 50 mg + Clavulanic acid 12.5 mg = 62.5 mg / ml	<b>Antibiotics</b>	<b>Modern Pharama</b>	125 to 250 mg every 8 hours	
Infant Drops		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
20 ml					
<b>Augmen 1000 mg</b>	Amoxicillin 875 mg + Clavulanate Potassium 125 mg = 1000 mg / tablet	<b>Antibiotics</b>	<b>Modern Pharama</b>	250 - 1000 mg three times daily	
Tablets		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
3strip*5tablet					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Augmentin 1 gm</b>	Amoxicillin 875 mg + Clavulanate Potassium 125 mg = 1000 mg / tablet	<b>Antibiotics</b>	<b>gsk glaxosmithkline</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Tablet		الأصابات الميكروبية Microbial Infections	<b>UK</b>		
2strip*7tablet					
<b>Augmentin 625 mg</b>	Amoxicillin/Clavulanate Potassium	<b>Antibiotics</b>	<b>gsk glaxosmithkline</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Tablets		الأصابات الميكروبية Microbial Infections	<b>UK</b>		
2strip*10tablet					
<b>AUGMITOP</b>	Amoxicillin 500 mg + Clavulanate Potassium 125 mg = 625 mg / tablet	<b>Respiratory drugs</b>	<b>Global Pharma</b>	125 to 250 mg every 8 hours	
drops		Common Cold نزلات البرد	<b>Yemen</b>		
15 ml					
<b>AUGMITOP</b>	Amoxicillin 500 mg + Clavulanate Potassium 125 mg = 625 mg / tablet	<b>Antibiotics</b>	<b>Y.E.PHARMA</b>	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Tablets		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
20 tablet					
<b>Augmoks</b>	156 mg / 5 ml Amoxicillin 125 mg +Clavulanate Potassium 31.25mg	<b>Antibiotics</b>	<b>Shaphaco</b>	125 to 250 mg every 8 hours	
Powder for Suspension		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
100 ml					
<b>Augmoks</b>	312 mg / 5 ml Amoxicillin 250 mg +Clavulanate Potassium 62.5 mg	<b>Antibiotics</b>	<b>Shaphaco</b>	125 to 250 mg every 8 hours	
Powder for Suspension		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
100 ml					
<b>Augmoks</b>	62.5 mg / 1 ml Amoxicillin 50 mg +Clavulanate Potassium 12.5 mg	<b>Antibiotics</b>	<b>Shaphaco</b>	125 to 250 mg every 8 hours	
Oral /Drops		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
20 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Augmoks 1 gm</b>	Amoxicillin 875 mg +Clavulanate Potassium 125mg	<b>Antibiotics</b>	<b>Shaphaco</b>	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Tablets		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
14 tabs					
<b>Augmoks 625 mg</b>	Amoxicillin 500 mg +Clavulanate Potassium 125mg	<b>Antibiotics</b>	<b>Shaphaco</b>	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Tablets		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
20 tabs					
<b>Augmorix</b>	Amoxicillin 125 mg +Clavulanate Potassium 31mg = 156 mg / 5 ml	<b>Antibiotics</b>	<b>Shiba pharma</b>	Children up to 10 years 125 to 250 mg every 8 hours or Three times daily	
Suspension		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
100 ml					
<b>Augmorix</b>	Amoxicillin 250 mg + Clavulanate Potassium 62 = 312 mg / 5 ml	<b>Antibiotics</b>	<b>Shiba pharma</b>	Children up to 10 years 125 to 250 mg every 8 hours or Three times daily	
Suspension		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
100 ml					
<b>Augmorix</b>	Amoxicillin 500 mg + Clavulanate Potassium 125 mg = 625 mg / tablet	<b>Antibiotics</b>	<b>Shiba pharma</b>	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Tablets		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
20 tablet					
<b>Augmorix 1 gm</b>	Amoxicillin 875 mg + Clavulanate Potassium 125 mg = 1000 mg / tablet	<b>Antibiotics</b>	<b>Shiba pharma</b>	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Tablets		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
14 tablet					
<b>Auropodox 200</b>	Cefpodoxime Proxetil	<b>Antibiotics</b>	<b>Aurobindo</b>	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Auroxone</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>Aurobindo</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Ampoules		Bacterial Infections	<b>Unknown</b>		
1 vial		الأصابات البكتيرية			
<b>Auxime</b>	Cefotaxime Sodium	<b>Antibacterial</b>	<b>Aurobindo</b>	vial 1000mg & 500mg & 250mg	
Ampoules		Bacterial Infections	<b>Unknown</b>		
1 ampoule		الأصابات البكتيرية			
<b>Avalox</b>	Moxifloxacin HCl	<b>Antibacterial</b>	<b>BAYER</b>	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	
Tablet		Bacterial Infections	<b>Unknown</b>		
1strip*5tablet		الأصابات البكتيرية			
<b>Avazir</b>	Tobramycin 0.3%	<b>Antibiotics</b>	<b>Orchidia Pharma</b>	As directed	
Suspension		Eye العين	<b>Egypt</b>		
10 ml					
<b>AVIFLOX 200</b>	Ofloxacin 200 mg	<b>Antibacterial</b>	<b>RFA</b>	tab 400mg & 200mg	
Tablets		Bacterial Infections	<b>Yemen</b>		
10 tabs		الأصابات البكتيرية			
<b>AVIFLOX 400</b>	Ofloxacin 400 mg	<b>Antiprtozoal</b>	<b>RFA</b>	500 mg twice daily by mouth for 5 to 10 days; children are given 25 mg/kg as a single daily dose for 5 to 10 days.	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Yemen</b>		
10 tab					
<b>AVOCAINE DPRAY</b>	lidocaine	<b>Central Nervous system drugs</b>	<b>Avalon Pharma</b>	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Spray		Anaesthetics Local التخدير الموضعي	<b>Unknown</b>		
bottle of 10% w/w in 50ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>AXIN</b>	Unknown	<b>Central Nervous system drugs</b>	unknown	As directed	
Tablets		NEUROTROPHI C	Unknown		
10 tab					
<b>Axomax</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	Unknown	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
		Bacterial Infections الأصابات البكتيرية	Unknown		
<b>Azee</b>	Azithromycin 200 mg / 5 ml	<b>Antibiotics</b>	CIPLA	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Suspension		الأصابات الميكروبية Microbial Infections	India		
///					
<b>Aziatop Control</b>	Pantoprazole	<b>Gastro Intestinal drugs</b>	ELEA	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Capsules		قرحة المعدة Peptic ulcer	Argentina		
14					
<b>AZICIN 250</b>	Azithromycin 250 mg	<b>Antibiotics</b>	RFA	500mg & 250mg	
Tablets		الأصابات الميكروبية Microbial Infections	Yemen		
6 tabs					
<b>AZICIN 500</b>	Azithromycin 500 mg	<b>Antibiotics</b>	RFA	500mg & 250mg	
Tablets		الأصابات الميكروبية Microbial Infections	Yemen		
3 tabs					
<b>Azicure 500</b>	Azithromycin 500 mg	<b>Antibiotics</b>	Shaphaco	500mg & 250mg	
Tablets		الأصابات الميكروبية Microbial Infections	Yemen		
3 tabs					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Azifort</b>	Azithromycin 250 mg/ml	<b>Antibiotics</b>	<b>YEDCO</b>	500mg & 250mg	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
6 caps					
<b>Azilide</b>	Azithromycin	<b>Antibiotics</b>	<b>Unknown</b>	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
<b>Azimax</b>	Azithromycin	<b>Antibiotics</b>	<b>CIPLA</b>	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Capsules		الأصابات الميكروبية Microbial Infections	<b>India</b>		
1 strip*6capsules					
<b>Azithrex-500</b>	Azithromycin 500 mg / cap	<b>Antibiotics</b>	<b>LABORATE</b>	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Capsules		الأصابات الميكروبية Microbial Infections	<b>India</b>		
1x 3 cap					
<b>Azithrocine</b>	Azithromycin	<b>Antibiotics</b>	<b>Unknown</b>	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
6 cap					
<b>Azithrokern</b>	Azithromycin 200 mg / 5 ml	<b>Antibiotics</b>	<b>KERN pharma</b>	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Powder for Suspension		الأصابات الميكروبية Microbial Infections	<b>Korea</b>		
15 ml					
<b>Azmavent</b>	Salbutamol 2 mg / 5 ml	<b>Respiratory drugs</b>	<b>Global Pharma</b>	2 -4 mg / or 2 buffs *qid	
Solution		Bronchial Asthma الربو الشعبي	<b>Yemen</b>		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Azmavent</b>	Salbutamol l	<b>Respiratory drugs</b>	<b>Global Pharma</b>	2 -4 mg / or 2 buffs *qid	
Syrup		Bronchial Asthma الربو الشعبي	<b>Yemen</b>		
100 ml					
<b>Azmex</b>	Guaifenesin+Bro mohexine +Terbutaline	<b>Respiratory drugs</b>	<b>ALPHA</b>	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Syria</b>		
100 ml					
<b>Azoflox</b>	Ofloxacin	<b>Antibacterial</b>	<b>Avenzor</b>	Tablets	
in Chlamydia or Chlamydiae		Bacterial Infections	<b>Syria</b>		
10 c.t		الأصابات البكتيرية			
<b>AZOL</b>	Albendazole 100 mg / 5 ml	<b>Anthelmentic</b>	<b>Modern Pharama</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms الديدان الشائعة	<b>Yemen</b>		
20 ml					
<b>AZOL</b>	Albendazole 200 mg / tab	<b>Anthelmentic</b>	<b>Modern Pharama</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms الديدان الشائعة	<b>Yemen</b>		
2 tab					
<b>Azonit-D</b>	Isoconazole	<b>Antifungals</b>	<b>Pharma International</b>	600 mg or 300 mg daily for 3 days, or as a 1% vaginal cream daily for 7 days. For skin infections a 1% or 2% cream or other topical formulation has been used.	
Cream		Dermatitis الألتهايات الجلدية	<b>Jordan</b>		
20 gm					
<b>Azro 500</b>	Azithromycin	<b>Antibiotics</b>	<b>Unknown</b>	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
		الأصابات الميكروبية	<b>Unknown</b>		
		Microbial Infections			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Azro Syrup</b>	Azithromycin	<b>Antibiotics</b>	<b>Zentiva</b>	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Dry syrup		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
1bottel*15ml					
<b>Azro Tablets</b>	Azithromycin	<b>Antibiotics</b>	<b>Zentiva</b>	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Tablet		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
1strip*3tablet					
<b>Azrolid</b>	Azithromycin	<b>Antibiotics</b>	<b>AMRIYA PHARMA</b>	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Tablet		الأصابات الميكروبية Microbial Infections	<b>Egypt</b>		
1strip*3tablet					
<b>Azromax</b>	Azithromycin	<b>Antibiotics</b>	<b>Y.E.PHARMA</b>	500mg & 250mg	
Tablets		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
3 tab					
<b>Azrotek</b>	Azithromycin 200 mg /5 ml	<b>Antibiotics</b>	<b>Modern Pharama</b>	Dry syrup 300mg & 200mg	
Dry Syrup		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
15 ml					
<b>Azrotek</b>	Azithromycin 200 mg /cap	<b>Antibiotics</b>	<b>Modern Pharama</b>	500mg & 250mg	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
3 cap					
<b>Azrotek</b>	Azithromycin 500 mg /cap	<b>Antibiotics</b>	<b>Modern Pharama</b>	500mg & 250mg	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
3 cap					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Baby Cone</b>	Simeticone (dimeticones)	<b>Gastro Intestinal drugs</b>	<b>KANAWATI</b>	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Emulsion		Indigestion سوء الهضم	<b>Syria</b>		
15 ml					
<b>BABY RELEF</b>	Diclofenac Sodium	<b>Non-Steroidal Anti-</b>	<b>PHARCO</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Suppositoris		Analgasic مهدئات الأوجاع	<b>Egypt</b>		
5 sup					
<b>Bactall 500</b>	Ciprofloxacin*	<b>Antibacterial</b>	<b>JPM</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
tablet		Bacterial Infections	<b>Jordan</b>		
1strip*10tablet		الأصابات البكتيرية			
<b>BACTOX 500 mg</b>	Amoxicillin*	<b>Antibiotics</b>	<b>INNOTECH</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Capsules		الأصابات الميكروبية Microbial Infections	<b>France</b>		
10 strip*10 capsules					
<b>Bactrim</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	<b>Antibacterial</b>	<b>ROCHE</b>	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
Syrup		Bacterial Infections	<b>Germany</b>		
1bottel*100ml		الأصابات البكتيرية			
<b>Bactrim</b>	Sulfamethoxazole 200 +	<b>Antibacterial</b>	<b>Unknown</b>	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
		Bacterial Infections	<b>Unknown</b>		
		الأصابات البكتيرية			
<b>Bactroban</b>	Mupirocin	<b>Antibiotics</b>	<b>gsk glaxosmithkline</b>	As directed	
Cream		Dermatitis	<b>UK</b>		
15 gm		الالتهابات الجلدية			





Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Baldol</b>	Haloperidol tablet 5mg	<b>Central Nervous system drugs</b>	<b>BALSAM</b>	Minimum/Maximum Adult Daily Dose:10 - 100 mg (milligram) OR 1 - 10 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>Syria</b>		
20 tablets					
<b>Baldol Tablets</b>	Haloperidol tablet 5mg	<b>Central Nervous system drugs</b>	<b>BALSAM</b>	Minimum/Maximum Adult Daily Dose:10 - 100 mg (milligram) OR 1 - 10 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>Syria</b>		
20 tablets					
<b>BALERGOT-C</b>	Unknown	<b>Cardio Vascular System drugs</b>	<b>BALSAM</b>	As directed	
Tablets		Cardio Vascular الأوعية الدموية والقلب	<b>Syria</b>		
20 tablets					
<b>Bali</b>	Herbal extract	<b>Skin Disorders</b>	<b>Unknown</b>	As directed	
Mouth Wash		Dermatitis التهابات الجلدية	<b>Unknown</b>		
<b>Balsam</b>	Herbal extract cough & common cold	<b>Respiratory drugs</b>	<b>SIGMA</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>Egypt</b>		
120 ml					
<b>BALSAMOL</b>	Paracetamol 325 mg	<b>Non-Steroidal Anti-</b>	<b>BALSAM</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - مهدئات	<b>Syria</b>		
10 sup		الأوجاع والحمى			
<b>Balsoban</b>	Hyoscine- N- Butylbromide	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm	<b>Unknown</b>		
100 tabs		الأم البطن			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Baltan-2</b>	Benzhexol (Trihexyphenidyl) tablet 2mg	<b>Central Nervous system drugs</b>	<b>BALSAM</b>	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	
Tablets		Parkinson's disease مرض الرعاش	<b>Syria</b>		
100 Tablets					
<b>Baltan-5</b>	Benzhexol(Trihexyphenidyl) tablet 5mg	<b>Central Nervous system drugs</b>	<b>BALSAM</b>	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	
Tablets		Parkinson's disease مرض الرعاش	<b>Syria</b>		
100 tablets					
<b>Banthoheal</b>	Dexpanthenol 5 % w/w	<b>Skin Disorders</b>	<b>Global Pharma</b>	2 or 5% for the treatment of various minor skin disorders	
Ointment		Dermatitis التهابات الجلدية	<b>Yemen</b>		
30 gm					
<b>Barkacine</b>	Bromhexine	<b>Respiratory drugs</b>	<b>BPI BARAKAT</b>	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily	
Oral /Drops		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Unknown</b>		
30 ml					
<b>BATRIM</b>	Sulphamethoxazole 400 mg + Trimethoprim 80 mg	<b>Antibacterial</b>	<b>Modern Pharama</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
20 tab					
<b>BATRIM</b>	Sulphamethoxazole 200 mg + Trimethoprim 40 mg / 5 ml	<b>Antibacterial</b>	<b>Modern Pharama</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
Suspension		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
60 ml					
<b>Batrim Forte</b>	Sulphamethoxazole 800 mg + Trimethoprim 160 mg / tablet	<b>Antibacterial</b>	<b>Modern Pharama</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
10*10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>B-Cor 2.5</b>	Bisoprolol Fumarate 2.5 mg	<b>Cardio Vascular System drugs</b>	<b>JOSWE</b>	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Jordan</b>		
30 tab					
<b>Be Sure</b>	Combination	<b>Antiseptic and Desinfectants</b>	<b>PURITY Pharma</b>	As directed	
Solution		Antiseptic مطهرات	<b>Unknown</b>		
200 ml					
<b>Beauty</b>	Combination	<b>Antiseptic and Desinfectants</b>	<b>Unknown</b>	As directed	
Solution		Vaginal المهبل	<b>Unknown</b>		
250 ml					
<b>Beclate 150</b>	Beclomethasone dipropionate 150 doses (50 mcg/dose)	<b>Respiratory drugs</b>	<b>CIPLA</b>	Aerosol, powder inhalers 400 mcg daily, in 2 to 4 divided doses for maintenance; 600 to 800 mcg daily.	
Nasal /Spray		Bronchial Asthma الربو الشعبي	<b>India</b>		
7.5 ml (150 metered doses)					
<b>Beclate 200</b>	Beclomethasone dipropionate 150 metered doses (.....)	<b>Respiratory drugs</b>	<b>CIPLA</b>	Aerosol, powder inhalers 400 mcg daily, in 2 to 4 divided doses for maintenance; 600 to 800 mcg daily.	
Nasal /Spray		Bronchial Asthma الربو الشعبي	<b>India</b>		
200 meterd doses (50mcg/dose)					
<b>Beclate- 50</b>	Beclometasone Dipropionate	<b>Respiratory drugs</b>	<b>CIPLA</b>	Aerosol, powder inhalers 400 mcg daily, in 2 to 4 divided doses for maintenance; 600 to 800 mcg daily.	
Inhaler		Bronchial Asthma الربو الشعبي	<b>India</b>		
200 metered dose					
<b>Becovit</b>	Vit. B Complex	<b>Vitamines and Menirals</b>	<b>YEDCO</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Capsules		Vitamins	<b>Yemen</b>		
30 caps		Deficiency نقص فيتامينات			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Becovit</b>	Vit. B Complex	<b>Vitamines and Menirals</b>	<b>YEDCO</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Syrup		Vitamins	<b>Yemen</b>		
100 ml		Deficiency نقص فيتامينات			
<b>Becozem forte</b>	vitB1+vitB6+vitB12	<b>Vitamines and Menirals</b>	<b>ASIA</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
tablet		Vitamins	<b>Syria</b>		
20coated tablet		Deficiency نقص فيتامينات			
<b>becozyme forte</b>	vitB1 15mg+vitB2 15mg+vitB12 10micro gram+calcium pantothenate	<b>Vitamines and Menirals</b>	<b>BAYER</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Dragees		Vitamins	<b>Germany</b>		
20 Dragees		Deficiency نقص فيتامينات			
<b>Becozyme forte</b>	Vit. B Complex tablet.	<b>Vitamines and Menirals</b>	<b>Bayer</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Tablets		Vitamins	<b>Germany</b>		
20 tablets		Deficiency نقص فيتامينات			
<b>Belcid</b>	Each 15 ml contain Al(OH) 918 +Mg(OH) 300 +Simethicone 60 mg	<b>Gastro Intestinal drugs</b>	<b>Biolab</b>	10 ml four times daily	
Suspension		Indigestion سوء الهضم	<b>Unknown</b>		
15 ml / 240 ml					
<b>Belcid</b>	A combination of aluminium and magnesium hydroxides and sulfates.	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	2 g by mouth	
		Indigestion سوء الهضم	<b>Unknown</b>		
<b>BELHACID</b>	Praziquantel 600 mg	<b>Anthelmentic</b>	<b>Modern Pharama</b>	Adults and children is given on one day as three doses of 20 mg/kg at intervals of 4 to 6 hours or it is given as a single dose of 40 to 60 mg/kg	
Tablets		Schistosomiasis (Bilharziasis)	<b>Yemen</b>		
4 tab		البهارسيا			







Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Bendex suspension</b>	Albendazole	<b>Anthelmentic</b>	<b>CIPLA</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms الديدان الشائعة	<b>India</b>		
10 ml					
<b>Bendex suspension</b>	Albendazole	<b>Anthelmentic</b>	<b>CIPLA</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms الديدان الشائعة	<b>India</b>		
10 ml					
<b>Bendex-400</b>	Albendazole	<b>Anthelmentic</b>	<b>CIPLA</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms الديدان الشائعة	<b>India</b>		
20 tab					
<b>Bendoverm</b>	Albendazole 100 mg / 5 ml	<b>Anthelmentic</b>	<b>Unknown</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms الديدان الشائعة	<b>Unknown</b>		
30 ml					
<b>Bendoverm</b>	Albendazole	<b>Anthelmentic</b>	<b>SIGMA</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms الديدان الشائعة	<b>Egypt</b>		
6 tab					
<b>BENOX</b>	Benoxinate Hydrochloride 0.4%	<b>Central Nervous system drugs</b>	<b>EIPICO</b>	One drop instilled into the conjunctival sac anaesthetises the surface of the eye sufficiently to allow tonometry after 60 seconds and a further drop after 90 seconds provides	
Solution		Anaesthetics التخدير الموضعي	<b>Egypt</b>		
10 ml					
<b>Ben-Oxide mild</b>	Unknown	<b>Skin Disorders</b>	<b>Domin pharma</b>	As directed	
Gel		حب الشباب Acne	<b>Unknown</b>		
30 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Benuron-125</b>	Paracetamol supp, 125mg.	<b>Nonsteroidal Anti-</b>	<b>Bene-Arzneimittel</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - Mehdnat الأوجاع والحمى	<b>Germany</b>		
10 supp,					
<b>Benuron-250</b>	Paracetamol supp, 250mg.	<b>Nonsteroidal Anti-</b>	<b>Bene-Arzneimittel</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - Mehdnat الأوجاع والحمى	<b>Unknown</b>		
10 supp					
<b>Benzathine Penicillin</b>	Penicillin G Benzathine 1,200,000 I.U	<b>Antibiotics</b>	<b>Vitalis</b>	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	
Vial		الأصابات الميكروبية Microbial Infections	<b>USA</b>		
1 vial					
<b>Benzathine Penicillin</b>	Benzathine Benzylpenicillin	<b>Antibiotics</b>	<b>Vitalis</b>	1.2 million units or more as directed	
Vial		الأصابات الميكروبية Microbial Infections	<b>USA</b>		
10 vial					
<b>BENZOL</b>	Albendazole	<b>Anthelmentic</b>	<b>Global Pharma</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms الديدان الشائعة	<b>Unknown</b>		
2 tab					
<b>BENZOL</b>	Albendazole 100 mg / 5 ml	<b>Anthelmentic</b>	<b>Global Pharma</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms الديدان الشائعة	<b>Yemen</b>		
20 ml					
<b>Benzyl Benzoate</b>	Benzyl Benzoate	<b>Skin Disorders</b>	<b>Unknown</b>	A 25% emulsion is applied to the whole body, usually from the neck down, three applications at 12-hour intervals, without bathing, may be made, followed by bathing	
		Scabies الجرب	<b>Unknown</b>		







Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Bepanthen Plus</b>	Dexpanthenol + Chlorhexidine Hydrochloride	<b>Antiseptic and Desinfectants</b>	<b>BAYER</b>	For pre-operative skin disinfection and hand-washing, chlorhexidine is used as a 0.5% solution of the acetate or gluconate in alcohol (70%) or as a 2 or 4% detergent solution	
Cream		مطهرات Antiseptic	<b>Germany</b>		
<b>Beptra</b>	Rabeprazole	<b>Gastro Intestinal drugs</b>	<b>GLOBAL NAPI</b>	*20 mg once daily 10 mg bid *	
tab		قرحة المعدة Peptic ulcer	<b>Egypt</b>		
14 tabs					
<b>Beramol</b>	Paracetamol syrup 120mg/5ml.	<b>Nonsteroidal Anti-</b>	<b>BMP</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Thailand</b>		
60 ml					
<b>BERAMOL</b>	Paracetamol drops .. / 1 ml.	<b>Nonsteroidal Anti-</b>	<b>BMP</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Drops		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Thailand</b>		
15 ml					
<b>Betacin</b>	Betamethasone 0.1 % w/w	<b>Corticosteroid</b>	<b>Modern Pharama</b>	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Cream		Dermatitis الألتهابات الجلدية	<b>Yemen</b>		
15 gm					
<b>Betacin-N</b>	Betamethasone 0.1 % w/w + neomysin sulphate 0.5% w/w	<b>Corticosteroid</b>	<b>Modern Pharama</b>	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Cream		Dermatitis الألتهابات الجلدية	<b>Yemen</b>		
15 gm					
<b>Betacort</b>	Betamethasone	<b>Corticosteroid</b>	<b>YEDCO</b>	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Cream		Dermatitis الألتهابات الجلدية	<b>Yemen</b>		
15 g					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Betacort</b>	Betamethasone	<b>Corticosteroid</b>	<b>YEDCO</b>	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Ointment		Dermatitis التهابات الجلدية	<b>Yemen</b>		
15 g					
<b>BETAGAN</b>	Levobunolol Hydrochloride 0.5%	<b>Cardio Vascular System drugs</b>	<b>ALLERGAN</b>	0.5% ophthalmic solution instilled once or twice daily;	
		Eye العين	<b>Denmark</b>		
<b>Betaloc 100</b>	Metoprolol Fumarate	<b>Cardio Vascular System drugs</b>	<b>ASTRAZENECA</b>	100- 200 mg daily by mouth	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Sweden</b>		
28 tab					
<b>Betaloc 50 mg</b>	Metoprolol	<b>Cardio Vascular System drugs</b>	<b>ASTRAZENECA</b>	100- 200 mg daily by mouth	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Sweden</b>		
30 tab					
<b>BETAMOX</b>	Amoxicillin Trihydrate 250 mg / 5 ml	<b>Antibiotics</b>	<b>Unknown</b>	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Granules for syrups		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
100 ml					
<b>Betarose</b>	Combination	<b>Health Care</b>	<b>Panax pharma</b>	As directed	
Solution		Feminine wash الغسولات الأنثوية	<b>Egypt</b>		
120 ml					
<b>Betaserc 16 mg</b>	Betahistine tablet 16mg	<b>Antihistamines</b>	<b>ABBOTT</b>	Betahistine 8mg (1-2 tablets three times daily) . And Betahistine 16mg (0.5-1 tablet three times daily)	
Tablets		الدوار أو الدوخة	<b>USA</b>		
60 tablets					










Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Betaserc 8 mg</b>	Betahistine Hydrochloride 8 mg	<b>Antihistamines</b>	<b>ABBOTT</b>	Betahistine 8mg (1-2 tablets three times daily) . And Betahistine 16mg (0.5-1 tablet three times daily)	
Tablets		الوار أو الدوخة	<b>USA</b>		
100 tab					
<b>Betasono oin</b>	Betamethasone	<b>Corticosteroid</b>	<b>Julphar</b>	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	
Ointment		التهابات الجلدية	<b>UAE</b>		
15 gm					
<b>Betaval</b>	Betamethasone	<b>Corticosteroid</b>	<b>Unknown</b>	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	
		التهابات الجلدية	<b>Unknown</b>		
<b>Betaval-N</b>	Betamethasone 0.1% + Neomycin 0.5%	<b>Corticosteroid</b>	<b>A.P.M</b>	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	
Ointment		التهابات الجلدية	<b>Jordan</b>		
15 gm					
<b>Betnocin</b>	Betamethasone 0.1 %	<b>Corticosteroid</b>	<b>Global Pharma</b>	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Cream		التهابات الجلدية	<b>Yemen</b>		
15 gm					
<b>Betnocin</b>	Betamethasone	<b>Corticosteroid</b>	<b>Global Pharma</b>	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	
Ointment		التهابات الجلدية	<b>Unknown</b>		
15gm					
<b>Betnocin</b>	Betamethasone 0.1%	<b>Corticosteroid</b>	<b>Unknown</b>	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	
		التهابات الجلدية	<b>Unknown</b>		


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Betocin</b>	Betamethasone 0.1 % w/w	<b>Corticosteroid</b>	<b>Global Pharma</b>	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Ointment		Dermatitis التهابات الجلدية	<b>Yemen</b>		
15 gm					
<b>Betocin-N</b>	Betamethasone 0.1 % w/w + Neomycin sulphate 0.5 % w/w	<b>Corticosteroid</b>	<b>Global Pharma</b>	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Ointment		Dermatitis التهابات الجلدية	<b>Yemen</b>		
15 gm					
<b>Betocin-N</b>	Betamethasone 0.1 % w/w + Neomycin sulphate 0.5 % w/w	<b>Corticosteroid</b>	<b>Global Pharma</b>	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Cream		Dermatitis التهابات الجلدية	<b>Yemen</b>		
15 gm					
<b>Betonate</b>	Betamethasone 0.1 % + Neomycin sulphate 0.5 %	<b>Corticosteroid</b>	<b>Shaphaco</b>	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Cream		Dermatitis التهابات الجلدية	<b>Yemen</b>		
15 gm					
<b>Betonate</b>	Betamethasone 0.1 %	<b>Corticosteroid</b>	<b>Shaphaco</b>	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Ointment		Dermatitis التهابات الجلدية	<b>Yemen</b>		
15 gm					
<b>Betonate</b>	Betamethasone 0.1 %	<b>Corticosteroid</b>	<b>Shaphaco</b>	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Cream		Dermatitis التهابات الجلدية	<b>Yemen</b>		
15 gm					
<b>Betonate-N</b>	Betamethasone 0.1% + Neomycin 0.5%	<b>Corticosteroid</b>	<b>Shaphaco</b>	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Ointment		Dermatitis التهابات الجلدية	<b>Yemen</b>		
15 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Bezol</b>	Albendazole 100 mg / 5 ml	<b>Anthelmintic</b>	<b>Shaphaco</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms	<b>Yemen</b>		
10 ml		الديدان الشائعة			
<b>BEZOL 200</b>	Albendazole 200 mg	<b>Anthelmintic</b>	<b>Shaphaco</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms	<b>Yemen</b>		
2 tablet		الديدان الشائعة			
<b>BEZOL 400</b>	Albendazole 400 mg / tablet	<b>Anthelmintic</b>	<b>Shaphaco</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms	<b>Yemen</b>		
1 tablet		الديدان الشائعة			
<b>Bifed</b>	Pseudoephedrine 30 mg + Triprolidine 1.25 mg / 5 ml	<b>Respiratory drugs</b>	<b>Shiba pharma</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold	<b>Yemen</b>		
100 ml		نزلات البرد			
<b>Bifed-D</b>	Pseudoephedrine 30 mg + Triprolidine 1.25 mg + Dextromethorphan 10 mg / 5 ml	<b>Respiratory drugs</b>	<b>Shiba pharma</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold	<b>Yemen</b>		
100 ml		نزلات البرد			
<b>Bifed-E</b>	Pseudoephedrine+ Triprolidine+Guai phenesin	<b>Respiratory drugs</b>	<b>Shiba pharma</b>	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Syrup		Common Cold	<b>Yemen</b>		
100 ml		نزلات البرد			
<b>Bilichol cap</b>	alphaninine +beta pinine +broneol+cineol	<b>Gastro Intestinal drugs</b>	<b>PHARCO</b>	3-5 drop of liquid 4-5 times daily	
Capsules		Indigestion سوء الهضم	<b>Egypt</b>		
24 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Bio-Cal</b>	Ca+ Vit D	<b>Vitamines and Menirals</b>	<b>OSHINE</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	<b>Unknown</b>		
60 Chewable tab					
<b>Bio-Cal</b>	calcium 200mg , Aquamin 666.67 mg, vit D3 100 I.U./tab.	<b>Vitamines and Menirals</b>	<b>Shine</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	<b>unk</b>		
60 chewable Tablets					
<b>Biocide</b>	Combination	<b>Antiseptic and Desinfectants</b>	<b>BioHEALTH</b>	As directed	
Solution		Vaginal المهبل	<b>Unknown</b>		
<b>Biodal</b>	Vit.D 5000 I.U,50000 I.U	<b>Vitamines and Menirals</b>	<b>Unknown</b>	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	
Tablets		Vitamins نقص فيتامينات	<b>Unknown</b>		
30 tab					
<b>BIOFAR</b>	Calcium +Vitamin D + Vitamin C	<b>Vitamines and Menirals</b>	<b>SANS</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	<b>Unknown</b>		
<b>Biofenid-100</b>	Ketoprofen tablet 100mg .	<b>NSAID</b>	<b>Biopharm</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 tablets.	
Tablets		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
30 tablet					
<b>Biofloxin</b>	Ofloxacin*	<b>Antibacterial</b>	<b>BIOPHARM</b>	tab 400mg & 200mg	
Tablets		Bacterial Infections	<b>Yemen</b>		
1strip*10tablet		الأمراض البكتيرية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Biofloxin</b>	Ofloxacin 200 mg	<b>Antibacterial</b>	<b>BIOPHARM</b>	tab 400mg & 200mg	
Tablets		Bacterial Infections	<b>Yemen</b>		
2 Film Coated Tablets		الأمراض البكتيرية			
<b>Biofreeze</b>	Menthol	<b>Respiratory drugs</b>	<b>BIOFREEZE</b>	As directed	
Tube		Common Cold	<b>Unknown</b>		
55 gm		نزلات البرد			
<b>Biofreeze</b>	Menthol	<b>Respiratory drugs</b>	<b>BIOFREEZE</b>	As directed	
sachets gel		Common Cold	<b>Unknown</b>		
100 x 5 gm		نزلات البرد			
<b>Biogent</b>	Gentamicin Sulfate 80 mg / 2 ml	<b>Antibiotics</b>	<b>YEDCO</b>	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections	<b>Yemen</b>		
5 amp		الأمراض الميكروبية الخطيرة			
<b>BIOGRA</b>	Sildenafil Citrate 50 mg/ tablet	<b>Sex Stimulants</b>	<b>BIOPHARM</b>	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants	<b>Yemen</b>		
4 tab		منشطات جنسية			
<b>Biolid</b>	Lidocaine 3%	<b>Central Nervous system drugs</b>	<b>Unknown</b>	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Gel		Anaesthetics	<b>Unknown</b>		
30 gm		التخدير الموضعي			
<b>BIOLINC</b>	Lincomycin 600 mg /2ml	<b>Antibiotics</b>	<b>BIOLINC</b>	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections	<b>Unknown</b>		
10 vials		الميكروبات اللاهوائية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Biomol</b>	Paracetamol tablet 125 mg / 5 ml	<b>NSAID</b>	<b>Biopharm</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
60 ml					
<b>Biomol Amp</b>	Paracetamol 150 mg/ml	<b>NSAID</b>	<b>Biopharm</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Ampoules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
5 ampules x 2 ml					
<b>Biomol Tablets</b>	Paracetamol tablet 500mg.	<b>NSAID</b>	<b>Biopharm</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
20 tablets					
<b>Biomol-Extra</b>	Paracetamol 500mg+caffeine 65mg per tablet.	<b>NSAID</b>	<b>BIOPHARM</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
20 tablets.					
<b>Biomox 250 mg</b>	Amoxicillin*	<b>Antibiotics</b>	<b>SEDICO</b>	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Suspension		الأمراض الميكروبية Microbial Infections	<b>Egypt</b>		
80ml					
<b>BIOMYCINE</b>	Tetracycline	<b>Antibiotics</b>	<b>Unknown</b>	Cap 500 mg & 250mg	
Ointment		العين Eye	<b>Unknown</b>		
5 gm					
<b>Biophage</b>	Metformin HCL 500mg	<b>Antidiabetics</b>	<b>BIOPHARM</b>	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>bioramipril</b>	Ramipril	<b>Cardio Vascular System drugs</b>	<b>BIOME</b>	1.25 - 5 mg once daily is given by mouth	
Capsules		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
30 caps					
<b>Biospan</b>	Hyoscine-N-Butylbromide 10 mg	<b>Gastro Intestinal drugs</b>	<b>BIOPHARM</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	<b>Yemen</b>		
20 tab					
<b>biospn</b>	Hyoscine-N-Butylbromide 20 mg / 1 ml	<b>Gastro Intestinal drugs</b>	<b>BIOPHARM</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Ampoules		Abdominal Spasm آلام البطن	<b>Yemen</b>		
5 amps x 1 ml					
<b>Biostan Forte</b>	Mefenamic Acid tablet 500mg	<b>NSAID</b>	<b>Biopharm</b>	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		Analgic مهدئات الأوجاع	<b>Yemen</b>		
20film coated tablets.					
<b>Bio-tase</b>	Enzyme digestion	<b>Gastro Intestinal drugs</b>	<b>Y.S.P.</b>	One tablet three times daily during or after meals.	
chewable tab		Indigestion سوء الهضم	<b>Malaysia</b>		
20 chewable tabs					
<b>Bioxime</b>	Cefuroxime 125 mg / 5 ml	<b>Antibacterial</b>	<b>Pharmacare</b>	Infants and children 10 mg/kg twice daily to a maximum of 250 mg daily.	
Dry syrup		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
1bottel*50ml					
<b>Bioxime 250</b>	Cefuroxime 250 mg / tab	<b>Antibacterial</b>	<b>Pharmacare</b>	Children 10-20 mg/kg twice daily to a maximum of 250 mg daily.	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
1strip*10tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Bioxime 500</b>	Cefuroxime 500mg / tab	<b>Antibacterial</b>	<b>Pharmacare</b>	Oral doses for adults are 250 to 500 mg twice daily, children 10-20 mg/kg twice daily to a maximum of 250 mg daily	
Tablets		Bacterial Infections الأمصاب البكتيرية	<b>Yemen</b>		
16 tab					
<b>Bisacodyl</b>	Bisacodyl	<b>Gastro Intestinal Drugs</b>	<b>KarKa = Solvania</b>	Oral =ADULTS: PO 10 to 15 mg as enteric-coated tablets . Suppository = ADULTS: 10 mg. CHILDREN > 2 YR 10 mg. CHILDREN < 2 YR: 5 mg.	
tab		Constipation الأمساك	<b>Unknown</b>		
30 tabs					
<b>Bisacodyl</b>	Bisacodyl	<b>Gastro Intestinal drugs</b>	<b>KRKA</b>	Oral =ADULTS: PO 10 to 15 mg as enteric-coated tablets . Suppository = ADULTS: 10 mg. CHILDREN > 2 YR 10 mg. CHILDREN < 2 YR: 5 mg.	
Tablets		Constipation الأمساك	<b>India</b>		
105 tab					
<b>Bisacodyl</b>	Bisacodyl	<b>Gastro Intestinal drugs</b>	<b>KRKA</b>	Oral =ADULTS: PO 10 to 15 mg as enteric-coated tablets . Suppository = ADULTS: 10 mg. CHILDREN > 2 YR 10 mg. CHILDREN < 2 YR: 5 mg.	
Tablets		Constipation الأمساك	<b>India</b>		
105 tab					
<b>bislock</b>	Bisoprolol Fumarate	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
30 tab					
<b>Bisocard</b>	Bisoprolol fumarate.	<b>Cardio Vascular System drugs</b>	<b>GLOBAL NAPI</b>	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Egypt</b>		
30 tab					
<b>Bisocard Plus</b>	Bisoprolol + Hydrochlorothiazide	<b>Cardio Vascular System drugs</b>	<b>GLOBAL NAPI</b>	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Egypt</b>		
30 tab					










Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Bisodol Tablets</b>	CaCo3+MgCO3+NaHCo3	<b>Gastro Intestinal drugs</b>	Forest lab	one or two tab T I D	
Tablets		Indigestion سوء الهضم	UK		
100 tab					
<b>Bisol</b>	Bromhexine 8 mg / tab	<b>Respiratory drugs</b>	Shiba Pharma	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	Yemen		
20 tab					
<b>Bisol</b>	Bromhexine 4 mg	<b>Respiratory drugs</b>	Shiba Pharma	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	Yemen		
100 ml					
<b>BISOLOL</b>	Bisoprolol Fumarate	<b>Cardio Vascular System drugs</b>	Unknown	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
		Hypertension ارتفاع ضغط الدم	Unknown		
<b>Bisolve</b>	Bromhexine (2mg / ml )	<b>Respiratory drugs</b>	Shaphaco	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily	
Oral /Drops		Respiratory Disorders اضطرابات الجهاز التنفسي	Yemen		
15 ml					
<b>Bisolvon</b>	Bromhexine (8 mg /tablet)	<b>Respiratory drugs</b>	Boehringer Ingelhim	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	Germany		
20 Tablet					
<b>Bisolvon</b>	Bromhexine 8 mg	<b>Respiratory drugs</b>	Boehringer Ingelhim	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Ampoules		Respiratory Disorders اضطرابات الجهاز التنفسي	Germany		
5 amp of 2 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Bisolvon</b>	Bromhexine 4 mg/5ml	<b>Respiratory drugs</b>	<b>Boehringer Ingelhim</b>	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Elixir		Respiratory Disorders	<b>Germany</b>		
115 ml		اضطرابات الجهاز التنفسي			
<b>bistol</b>	Bisoprolol Fumarate	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
		Hypertension	<b>Unknown</b>		
		ارتفاع ضغط الدم			
<b>BIZOCOR</b>	Bisoprolol Fumarate 5 mg and 10 mg	<b>Cardio Vascular System drugs</b>	<b>ASIA</b>	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Tablets		Hypertension	<b>Syria</b>		
20 tab		ارتفاع ضغط الدم			
<b>BIZOCOR</b>	Bisoprolol Fumarate 10 mg	<b>Cardio Vascular System drugs</b>	<b>ASIA</b>	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Tablets		Hypertension	<b>Syria</b>		
20 tab		ارتفاع ضغط الدم			
<b>Bizocor plus</b>	Bisoprolol Fumarate	<b>Cardio Vascular System drugs</b>	<b>ASIA</b>	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Tablets		Hypertension	<b>Syria</b>		
20 tab		ارتفاع ضغط الدم			
<b>Blokium Diu</b>	Atenolol + Chlorthalidone	<b>Cardio Vascular System drugs</b>	<b>ALMIROLL PRODESFA</b>	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension	<b>Unknown</b>		
15 TAB		ارتفاع ضغط الدم			
<b>Blopress 8 mg</b>	Candesartan Cilexetil	<b>Cardio Vascular System drugs</b>	<b>A.P.M</b>	8 mg once daily, but doses up to 32 mg daily, as a single dose or in 2 divided doses	
Tablets		Hypertension	<b>Jordan</b>		
28 tab		ارتفاع ضغط الدم			





Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Blox</b>	Vit. B Complex compaination+D-Panthenol 5mg+Nicotinamide 20mg/5ml.	<b>Vitamines and Menirals</b>	<b>RFA</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Tablets		Vitamins	<b>Yemen</b>		
100 ml		نقص فيتامينات			
<b>BLOX-L</b>	vit B1 2mg+vit B2 2.5mg+vit B6 0.75 mg+vit B 12 2mcg+Vit C 100mg+nicotinamide	<b>Vitamines and Menirals</b>	<b>RFA</b>	Adult : 5 ml three times a day , Children : 2.5 - 5 ml two times a day .	
		Vitamins	<b>Yemen</b>		
100ml		نقص فيتامينات			
<b>B-M anticough</b>	Chlorpheniramin ... mg+Ammonium chlorid .. mg+Sodium citrate .. Mg	<b>Antihistamines</b>	<b>BMP</b>	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold	<b>Thailand</b>		
60 ml		نزلات البرد			
<b>B-M-ANTICOUGH</b>	Combination	<b>Respiratory drugs</b>	<b>BMP</b>	As directed	
Syrup		Common Cold	<b>Thailand</b>		
60 ml		نزلات البرد			
<b>B-M baby Cough</b>	Chlorpheniramin 2 mg+Ammonium chlorid 88 mg+Sodium citrate 36 mg	<b>Antihistamines</b>	<b>BMP</b>	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold	<b>Thailand</b>		
60 ml		نزلات البرد			
<b>B-M- BABY COUGH SYRUP</b>	Chlorpheniramine 2 mg + Ammonium Chloride 88 mg + Sodium Citrate 36 mg	<b>Respiratory drugs</b>	<b>Unknown</b>	As directed	
Syrup		Common Cold	<b>Unknown</b>		
60 ml		نزلات البرد			
<b>Bone-vit</b>	calcium,,vitamin D3	<b>Vitamines and Menirals</b>	<b>Global Pharma</b>	Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
soflets		Osteoarthritis	<b>Yemen</b>		
24 soflets		التهابات العظام			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Bonnisan</b>	Herbal extract	Natural products	Himalaya Drug Co	As directed	
Solution		Health Care الصحة العامة	India		
120 ml					
<b>Borgasone</b>	Mometasone Furoate	Corticosteroid	BORG	Once daily	
Ointment		Dermatitis التهابات الجلدية	Egypt		
20 gm					
<b>Borgasone</b>	Mometasone Furoate	Corticosteroid	BORG	Once daily	
Lotion		Dermatitis التهابات الجلدية	Egypt		
20 ml					
<b>Borgasone</b>	Mometasone Furoate 0.1%	Corticosteroid	BORG	Once daily	
Cream		Dermatitis التهابات الجلدية	Egypt		
20 gm					
<b>Bothil</b>	Policresulen 90 mg	Antihemorrhages	Global Pharma	As directed	
vaginal ovules		Vaginal المهبل	Yemen		
6 vaginal ovules					
<b>Bralix</b>	Combination	Gastro Intestinal drugs	unknown	As directed	
Tablets		Peptic ulcer قرحة المعدة	Unknown		
30 tab					
<b>Brevibloc</b>	Esmolol Hydrochloride	Cardio Vascular System drugs	Unknown	loading dose of 500 micrograms/kg given over 1 minute is followed by an initial maintenance infusion of 50 micrograms/kg per minute for 4 minutes.	
250 mg/ml		Hypertension ارتفاع ضغط الدم	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Brexin</b>	Piroxicam	<b>Nonsteroidal Anti-</b>	<b>Unknown</b>	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
		Antipyretic - مهدئات الأوجاع والحمى	<b>Unknown</b>		
<b>BRISTAFLAM</b>	Aceclofenac 100 mg	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	Adult: PO Ankylosing spondylitis; Osteoarthritis; Rheumatoid arthritis 100 mg twice daily.	
Tablets		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
20 Coated Tablets					
<b>BRODEX</b>	Bromohexin 8 mg + Dextromethorphan 10 mg + Ammonium chloride 100 mg	<b>Respiratory drugs</b>	<b>ALPHA</b>	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Syrup		Common Cold نزلات البرد	<b>Syria</b>		
100 ml					
<b>BROMAZ 3</b>	Bromazepam tablets 3mg	<b>Central Nervous system drugs</b>	<b>RFA</b>	A usual initial dose for anxiety is 6 to 18 mg daily in divided doses by mouth. Higher doses up to 60 mg daily . For elderly should not exceed 3 mg daily in divided doses.	
Tablets		Anxiety, Insomnia الأرق والقلق	<b>Yemen</b>		
30 tablets					
<b>Bromhexin</b>	Bromhexine (.....)	<b>Respiratory drugs</b>	<b>MEDICO LABS</b>	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Syria</b>		
100 ml					
<b>Broncare</b>	Bromhexine (.....)	<b>Respiratory drugs</b>	<b>BIOPHARM</b>	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Yemen</b>		
120 ml					
<b>Bronchen</b>	Herbal extract	<b>Respiratory drugs</b>	<b>YEDCO</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>Yemen</b>		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Bronchicum</b>	Thyme extract 5 g+ Primula root extract 2.5 g	<b>Respiratory drugs</b>	<b>Sanofi Aventis</b>	As directed	
Elixir		Common Cold نزلات البرد	<b>France</b>		
100 ml					
<b>Bronchicum Elixir S</b>	Thyme liquid extract 5 gm + Primula liquid extract 2.5 gm	<b>Respiratory drugs</b>	<b>Sanofi Aventis</b>	As directed	
Elixir		Common Cold نزلات البرد	<b>France</b>		
100 ml					
<b>Broncho</b>	herbal extract cough & common cold	<b>Respiratory drugs</b>	<b>MEPACO</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>Egypt</b>		
120 ml					
<b>Bronchofree</b>	Guaiphenisin+ Diphendramin +benzonatete ??	<b>Respiratory drugs</b>	<b>ADWIA</b>	As directed	
Capsules		Common Cold نزلات البرد	<b>Egypt</b>		
20 cap					
<b>Broncholar</b>	Chlorphenamine Maleate	<b>Antihistamines</b>	<b>Dar Al Dawa</b>	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold نزلات البرد	<b>Jordan</b>		
100 ml					
<b>Bronchomed</b>	Thyme liquid extract 250 mg + Primulae root dried extract 16.25 mg	<b>Respiratory drugs</b>	<b>Global Pharma</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>Yemen</b>		
100 ml					
<b>Bronchophane</b>	Terbutaline+Guaifenesine	<b>Respiratory drugs</b>	<b>EIPICO</b>	10 - 15 ml orally tid	
Syrup		Common Cold نزلات البرد	<b>Egypt</b>		
125 ml					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Broncho-Vaxom</b>	Combination	<b>Respiratory drugs</b>	<b>Unknown</b>	As directed	
		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Unknown</b>		
<b>Bronex</b>	Pseudoephedrine + Guaifenesin	<b>Respiratory drugs</b>	<b>MUP</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Oral /Drops		Common Cold نزلات البرد	<b>Egypt</b>		
15 ml					
<b>Bronkovent</b>	Bromhexine	<b>Respiratory drugs</b>	<b>ZYNOVA</b>	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Unknown</b>		
100 ml					
<b>Brophalarg</b>	Ketotifen Fumarate	<b>Respiratory drugs</b>	<b>RAMEDA</b>	Syrup	
Syrup		Bronchitis التهاب الشعب الهوائية	<b>Egypt</b>		
120 ml					
<b>Brufemol</b>	Ketotifen 100 mg/ 5 ml	<b>Respiratory drugs</b>	<b>BIOPHARM</b>	adult dose 1-2 mg/bid or pead. 1 mg /bid	
Syrup		Bronchitis التهاب الشعب الهوائية	<b>Yemen</b>		
100 ml					
<b>Brufen</b>	Ibuprofen syrup 20mg/ml	<b>Nonsteroidal Anti-</b>	<b>ABBOTT</b>	Oral doses of 400 mg to 1.2 g daily .	
Syrup		Analgesic مهدئات الأوجاع	<b>USA</b>		
100 ml					
<b>BRUFEN 400</b>	Ibuprofen	<b>Non-Steroid Anti-</b>	<b>ABBOTT</b>	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	<b>USA</b>		
24 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Bruflam-200</b>	Ibuprofen	<b>Non-Steroidal Anti-</b>	<b>CIPLA</b>	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	<b>India</b>		
10x 10 tab					
<b>Bruflam-400</b>	Ibuprofen	<b>Non-Steroidal Anti-</b>	<b>CIPLA</b>	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	<b>India</b>		
10 x 10 tab					
<b>B-Tone</b>	Each 5 ml contains :Vitamin B1 (thiamine ) 1.5 mg +Vitamin B2 (riboflavin ) 1.7 mg +Vitamin	<b>Vitamines and Menirals</b>	<b>Pharmacare</b>	½ - 2 teaspoonfuls daily.	
Syrup		Neuritis; vitamin B deficiency	<b>Yemen</b>		
100 ml					
<b>Budecort -200</b>	Budesonide 200 mcg	<b>Respiratory drugs</b>	<b>CIPLA</b>	200 - 300 mic g/BID	
ROTACAPS		Bronchial Asthma الربو الشعبي	<b>India</b>		
30 Capsules					
<b>Budecort-400</b>	Budesonide 400 mcg	<b>Respiratory drugs</b>	<b>CIPLA</b>	200 - 300 mic g/BID	
ROTACAPS		Bronchial Asthma الربو الشعبي	<b>India</b>		
30 Capsules					
<b>Budenase AQ</b>	Budesonide	<b>Respiratory drugs</b>	<b>CIPLA</b>	2 inh /bid or 200 - 300 mic g/BID	
Nasal/spray		Bronchial Asthma الربو الشعبي	<b>India</b>		
7.5 ml					
<b>Buscocol</b>	Hyoscine- N-Butylbromide	<b>Gastro Intestinal drugs</b>	<b>Global Pharma</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Syrup		Abdominal Spasm آلام البطن	<b>Yemen</b>		
60 mg for bottle					

















Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Buscobil</b>	Hyoscine- N-Butylbromide	<b>Gastro Intestinal drugs</b>	<b>Global Pharma</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	<b>Yemen</b>		
20 Tablets					
<b>buscocin</b>	Hyoscine- N-Butylbromide	<b>Gastro Intestinal drugs</b>	<b>Y.E.PHARMA</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	<b>Yemen</b>		
20 Tablets					
<b>Buscocin</b>	Hyoscine- N-Butylbromide	<b>Gastro Intestinal drugs</b>	<b>Y.E.PHARMA</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Syrup		Abdominal Spasm آلام البطن	<b>Yemen</b>		
60 ml for bottle					
<b>buscomol</b>	Hyoscine- N-Butylbromide 10 mg + paracetamol 500 mg	<b>Gastro Intestinal drugs</b>	<b>Delta pharma</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	<b>Egypt</b>		
20 Tablets					
<b>Busconil</b>	Hyoscyamine 0.125 mg / 1 ml	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	150 to 300 micrograms up to four times daily by mouth	
Oral /Drops		Abdominal Spasm آلام البطن	<b>Unknown</b>		
15 ml					
<b>Buscopan</b>	Hyoscine- N-Butylbromide 10 mg / tablet	<b>Gastro Intestinal drugs</b>	<b>Boehringer Ingelheim</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	<b>Germany</b>		
20 tabs					
<b>Buscopn</b>	Hyoscine N-Butylbromide	<b>Gastro Intestinal drugs</b>	<b>Boehringer Ingelheim</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Ampoules		Abdominal Spasm آلام البطن	<b>Germany</b>		
5 amp					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Busiral</b>	Buspirone tablet 10mg	<b>Central Nervous system drugs</b>	shiba pharma	Minimum/Maximum Adult Daily Dose:20 - 60 mg (milligram) OR 2 - 6 Tablet	
Tablets		Anxiety, Insunnea الأرق والقلق	Yemen		
20 tablet					
<b>Butacid</b>	Hyoscine- N- Butylbromide	<b>Gastro Intestinal drugs</b>	CID	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	Egypt		
20 Tablets					
<b>Butacid</b>	Hyoscine- N-Butylbromide 10 mg	<b>Gastro Intestinal drugs</b>	CID	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	Egypt		
20 tab					
<b>Butalen 4 mg</b>	Salbutamol 4mg	<b>Respiratory drugs</b>	julphar	2 -4 mg / or 2 buffs *qid	
Tablets		Bronchial Asthma الربو الشعبي	UAE		
20 tab					
<b>Butalin</b>	Salbutamol 2 mg	<b>Respiratory drugs</b>	julphar	2 -4 mg / or 2 buffs *qid	
Tablets		Bronchial Asthma الربو الشعبي	UAE		
20 tab					
<b>Butaxin</b>	Butamirate citrate	<b>Respiratory drugs</b>	IBN Al Haytham	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	
Syrup		Common Cold نزلات البرد	Syria		
125 ml					
<b>Butaxin</b>	Butamirate citrate	<b>Respiratory drugs</b>	IBN Al Haytham	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	
Oral /Drops		Common Cold نزلات البرد	Syria		
25 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>BY-Cal</b>	Ca+ Vit D	<b>Vitamines and Menirals</b>	<b>By health</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	<b>Unknown</b>		
60 tab					
<b>Byrofen</b>	Ibuprofen 400 mg	<b>NSAID</b>	<b>Shiba pharma</b>	Oral doses of 400 mg to 1.2 g daily .	
Caplets		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
20 cap					
<b>Byrofen</b>	Ibuprofen 40 mg / 1 ml	<b>NSAID</b>	<b>Shiba pharma</b>	Oral doses of 40 mg mg to 100 mg daily.	
Drops		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
20 ml					
<b>Byrofen</b>	Ibuprofen 100 mg / 5 ml	<b>NSAID</b>	<b>Shiba pharma</b>	Oral doses of 100 mg mg to 300 mg daily.	
Suspension		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
60 ml					
<b>Cabri</b>	Sugar, Glucose, Citric Acid, , menthol, Strawberry & Eucalyptus,	<b>Antiseptic and Desinfectants</b>	<b>Friend Est.</b>	As directed	
Lozenges		Common Cold نزلات البرد	<b>Syria</b>		
24 Lozenges					
<b>Cabri</b>	Sugar, Glucose, Citric Acid, , menthol, Orange & Eucalyptus,	<b>Antiseptic and Desinfectants</b>	<b>Friend Est.</b>	As directed  * Erosive Esophagitis= ADULTS: PO 75-150 mg qid.	
Lozenges		Common Cold نزلات البرد	<b>Syria</b>		
24 tab					
<b>ca-c 1000 sandoz</b>	calcium gluconate 1g+vitamin C 1000mg+calcium carbonte 0.327g	<b>Vitamines and Menirals</b>	<b>NOVARTIS</b>	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Effe. /Tablets		Common Cold نزلات البرد	<b>Switzerland</b>		
10 effer,tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
<b>Ca-gluconat 10%</b>	Calcium gluconat ampoule 1 gm/10ml .	<b>Vitamines and Menirals</b>	<b>unknown</b>	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Ampoules		<b>Unknown</b>			
50 ampoules x 10 cc		Osteoarthritis التهابات العظام			
<b>Cal Mag Zink+D</b>	Cal Mag Zink+D	<b>Vitamines and Menirals</b>	<b>CENTURY</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		<b>USA</b>			
90 tab		Osteoarthritis التهابات العظام			
<b>Cal Vita C</b>	Calcium	<b>Vitamines and Menirals</b>	<b>Unknown</b>	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Ampoules		<b>Unknown</b>			
5 amp x 10 ml		Osteoarthritis التهابات العظام			
<b>CALABEN</b>	Zinc Oxide	<b>Skin Disorders</b>	<b>MPL</b>	Topically as once or twice daily ,	
Cream		<b>Hong Kong</b>			
25 gm		Dermatitis التهابات الجلدية			
<b>CALAMINE</b>	Calamine	<b>Skin Disorders</b>	<b>Shiba pharma</b>	topically as dusting powder, cream, lotion, or ointment	
Lotion		<b>Yemen</b>			
100 ml		Allergy الحساسية			
<b>Cal-C-Care</b>	Each efferv. tablet contains: Vitamin C 1000mg + Calcium (as Calcium	<b>Vitamines and Menirals</b>	<b>Pharmacare</b>	1- 2 tablets a day ( dissolve the effervescent tablet in half glass of water before taking it )	
Tablets		<b>Yemen</b>			
10 effer,tablets		Common Cold نزلات البرد			
<b>Cal-C-forte</b>	Calcium 1000 mg+Vitamin C 1000 mg	<b>Vitamines and Menirals</b>	<b>Global Pharma</b>	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Sachets		<b>Yemen</b>			
10 sachets		Common Cold نزلات البرد			







Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>CALCI-CAL</b>	calcium 500mg+vit.B12 10mg+vit.D3 1000mcg/5ml.	<b>Vitamines and Menirals</b>	<b>Alhikmh-farma,Ejbt</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Syrup		Osteoarthritis التهابات العظام	<b>Unknown</b>		
120ml,srup					
<b>CalciCare</b>	Ca+ Vit D , Meg , Zinc	<b>Vitamines and Menirals</b>	<b>VITAME</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	<b>Unknown</b>		
30 tab					
<b>Calcicare</b>	calcium 800mg,Magnesium 200mg,zinc 8mg,vitamin D3 400IU/tab.	<b>Vitamines and Menirals</b>	<b>Vitane pharma</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	<b>Unknown</b>		
30 tablets					
<b>Calcicare ??</b>	Calcium500 mg+Magnesium 150 mg+Zinc 4 mg+Vitamin D 400 IU/10ml	<b>Vitamines and Menirals</b>	<b>Vitane pharma</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Syrup		Osteoarthritis التهابات العظام	<b>Unknown</b>		
200ml					
<b>Calcid</b>	Ca+ Vit D	<b>Vitamines and Menirals</b>	<b>SIGMA</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Capsules		Osteoarthritis التهابات العظام	<b>Egypt</b>		
20 cap					
<b>calcid</b>	calcium glubionate 750mg, vitamin D350 I.U,vitamin B12 10 mg/tab.	<b>Vitamines and Menirals</b>	<b>SIGMA</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Capsules		Osteoarthritis التهابات العظام	<b>Egypt</b>		
20 cap					
<b>CALCID B12</b>	calcium glubionate 750mg, vitamin D350 I.U,vitamin B12 10 mg/5ml(syrup)	<b>Vitamines and Menirals</b>	<b>SIGMA</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Syrup		Osteoarthritis التهابات العظام	<b>Egypt</b>		
120 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>CalciD Denk</b>	Calcium carbonate 1000mg / Vitamin D3 effer, tab.	<b>Vitamines and Menirals</b>	<b>Denk pharma</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Solid		Osteoarthritis التهابات العظام	<b>Germany</b>		
<b>Calciflavone</b>	Calcium	<b>Vitamines and Menirals</b>	<b>MEYER</b>	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Tablets		Osteoarthritis التهابات العظام	<b>Unknown</b>		
2 x 15 tab					
<b>calcifor</b>	Calcium 578mg+ Vit C 1000mg effer, tab	<b>Vitamines and Menirals</b>	<b>Vifor</b>	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Tablets		Common Cold نزلات البرد	<b>Unknown</b>		
10 Effer, tab					
<b>Calcimed D3</b>	calcim,600- Vitami nD3 400 I.U/Comprmidos efevescente.	<b>Vitamines and Menirals</b>	<b>Hermes arzeimittel</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	<b>Unknown</b>		
20 Comprmidos efevescentes					
<b>Calcium</b>	Calcium gluconat ampoule 1 gm/10ml .	<b>Vitamines and Menirals</b>	<b>unknown</b>	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Ampoules		Osteoarthritis التهابات العظام	<b>Unknown</b>		
10 ampoules.					
<b>Calcium</b>	Calcium 600 mg + Vitamine D	<b>Vitamines and Menirals</b>	<b>Sentinel</b>	As directed	
Tablets		Vitamins Deficiency نقص فيتامينات			
30 tab					
<b>Calcium 1250 D</b>	calcium carbonate 1250mg&vit D3 200 I.U/S.G.cap.	<b>Vitamines and Menirals</b>	<b>ASIA</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Capsules		Osteoarthritis التهابات العظام	<b>Syria</b>		
20 soft glatin cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Calcium + Vitamin C</b>	Calcium +Vitamin C	<b>Vitamines and Menirals</b>	<b>Unknown</b>	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
		Common Cold نزلات البرد	<b>Unknown</b>		
<b>Calcium +Vitamin C</b>	Calcium 300mg +Vitamin C 75mg effer,tablets.	<b>Vitamines and Menirals</b>	<b>SUNLife</b>	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Tablets		Common Cold نزلات البرد	<b>Unknown</b>		
20 effer,tablets					
<b>Calcium 1250 D</b>	Ca+ Vit D	<b>Vitamines and Menirals</b>	<b>ASIA</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Capsules		Osteoarthritis التهابات العظام	<b>Syria</b>		
20 soft gelatin cap					
<b>Calcium complete</b>	Ca+ Vit D with multivitamine , Iron	<b>Vitamines and Menirals</b>	<b>Sona nutrition LTD. Ireland</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	<b>Unknown</b>		
30 tab					
<b>Calcium complete</b>	calcium,Biotin,vit.B12,folic Acid,Iron,vit.B3,vitB6,vitB2,vitb1,vitA,vitC,vitD,vitE	<b>Vitamines and Menirals</b>	<b>Sona nutrition LTD. Ireland</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	<b>Unknown</b>		
30 Tabalets					
<b>Calcium Magnesium</b>	Calcium	<b>Vitamines and Menirals</b>	<b>ADRIEN GAGNON</b>	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
		Osteoarthritis التهابات العظام	<b>Unknown</b>		
<b>CALCIUM Sachets</b>	Calcium 500mg+vit.C 180mg+vit.D3 400I.U	<b>Vitamines and Menirals</b>	<b>SEDICO</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Sachets		Osteoarthritis التهابات العظام	<b>Egypt</b>		
10 sachets					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Calcium Tablets</b>	Each film coated tablet contains Calcium Carbonate (BP) 1500 mg equivalent to	<b>Vitamines and Menirals</b>	<b>RIYADH PHARMA</b>	Two tablets daily (or one tablet twice daily) before or with meal, with water. Swallow without chewing.	
Tablets		Osteoarthritis التهابات العظام	<b>Saudi Arabia</b>		
Packs contain (60) film coated tablets					
<b>Calcium-Sandoz</b>	Calcium	<b>Vitamines and Menirals</b>	<b>NOVARTIS</b>	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Tablets		Osteoarthritis التهابات العظام	<b>Switzerland</b>		
10 eff. Tab					
<b>Calcivyte</b>	Calcium +Vitamin D	<b>Vitamines and Menirals</b>	<b>Vitane pharma</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	<b>Germany</b>		
30 tab					
<b>Cal-C-Vita</b>	Vit.C 1000mg+calcium 250mg+ Vit.D 300 I.U.+Vit.B6 15mg	<b>Vitamines and Menirals</b>	<b>BAYER</b>	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Capsules		Common Cold نزلات البرد	<b>France</b>		
10 effervescent tablets					
<b>CAL-D</b>	calcium 400mg + Vit.D3 100 I.U	<b>Vitamines and Menirals</b>	<b>MEGA</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Capsules		Osteoarthritis التهابات العظام	<b>Thailand</b>		
30 SOFT					
<b>Calm skin</b>	Combination	<b>Skin Disorders</b>	<b>Unknown</b>	As directed	
Tube		Dermatitis الالتهابات الجلدية	<b>Unknown</b>		
20 gm					
<b>Calmex</b>	Diphenhydramine 12.5 mg + Ammonium chloride 100 mg + Sodium Citrate 75 mg + Menthol	<b>Respiratory drugs</b>	<b>Razi Pharma</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>Syria</b>		
100 ml					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Calpol</b>	Paracetamol	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Oral /Drops		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Unknown</b>		
<b>CALTADON FORT</b>	Calcium 250 mg + Dexpanthenol 25 mg + Vit B1 25 mg + vit. B6 1mg + vit. B12 1000 microgram	<b>Vitamines and Menirals</b>	<b>ANB Laboratories CO LTD</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Ampoules		Vitamins Deficiency نقص فيتامينات	<b>Thailand</b>		
10 amp					
<b>Cal-Vit-C</b>	Calcium +Vitamin C	<b>Vitamines and Menirals</b>	<b>Modern Pharama</b>	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Sachets		Osteoarthritis التهابات العظام	<b>Yemen</b>		
10 sachets					
<b>Canartan</b>	Candesartan Cilexetil 16 mg	<b>Cardio Vascular System drugs</b>	<b>Global Pharma</b>	8 mg once daily, but doses up to 32 mg daily, as a single dose or in 2 divided doses	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Yemen</b>		
20 tab					
<b>Candesar</b>	Candesartan Cilexetil 16 mg	<b>Cardio Vascular System drugs</b>	<b>ASIA</b>	8 mg once daily, but doses up to 32 mg daily, as a single dose or in 2 divided doses	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Syria</b>		
20 tab					
<b>Candesartan</b>	Candesartan Cilexetil 8 mg, 16 mg , 32 mg	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	8 mg once daily, but doses up to 32 mg daily, as a single dose or in 2 divided doses	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>Candid</b>	Clotrimazole 20g	<b>Antifungals</b>	<b>Glenmark</b>	Minimum/Maximum Adult Daily Dose:60 mg	
Cream		Dermatitis التهابات الجلدية	<b>India</b>		
1 tube 20 gm					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Candid</b>	Clotrimazole	<b>Antifungals</b>	<b>Glenmark</b>	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>India</b>		
15 ml					
<b>Candid - V</b>	Clotrimazole	<b>Antifungals</b>	<b>Glenmark</b>	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Gel		Vaginal المهبل	<b>India</b>		
30 gm					
<b>Candid mouth</b>	Clotrimazole	<b>Antifungals</b>	<b>Glenmark</b>	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Paint		Dermatitis الألتهابات الجلدية	<b>India</b>		
1 cont 15ml					
<b>Candid V-1</b>	Clotrimazole 500 mg	<b>Antifungals</b>	<b>Glenmark</b>	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
		Vaginal المهبل	<b>India</b>		
<b>Candiderm</b>	Clotrimazole 15g	<b>Antifungals</b>	<b>Glenmark</b>	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Cream		Dermatitis الألتهابات الجلدية	<b>India</b>		
1 tube 15 gm					
<b>Candid-v6</b>	Clotrimazole 100mg	<b>Antifungals</b>	<b>Glenmark</b>	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
		Vaginal المهبل	<b>India</b>		
<b>Canestal</b>	Clotrimazole 200mg	<b>Antifungals</b>	<b>Alph</b>	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Suppositoris		Dermatitis الألتهابات الجلدية	<b>Unknown</b>		
3 vaginal					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Canestal</b>	Clotrimazole	<b>Antifungals</b>	<b>Unknown</b>	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
		Dermatitis الالتهابات الجلدية	<b>Unknown</b>		
<b>Canestal 2%</b>	Clotrimazole	<b>Antifungals</b>	<b>Unknown</b>	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Cream		Dermatitis الالتهابات الجلدية	<b>Unknown</b>		
<b>Canestal 3</b>	Clotrimazole	<b>Antifungals</b>	<b>Unknown</b>	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
		Dermatitis الالتهابات الجلدية	<b>Unknown</b>		
<b>Capotal 50</b>	Captopril	<b>Cardio Vascular System drugs</b>	<b>Hikma</b>	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Jordan</b>		
20 Tablets					
<b>Capotril</b>	Captopril	<b>Cardio Vascular System drugs</b>	<b>EIPICO</b>	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Egypt</b>		
20 Tablets					
<b>Capotril</b>	Captopril 50 mg / tab	<b>Cardio Vascular System drugs</b>	<b>EIPICO</b>	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Egypt</b>		
20 Tablets					
<b>Capozide</b>	Captopril+ Hydrochlorothiazide	<b>Cardio Vascular System drugs</b>	<b>SQUIBB</b>	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
30TAB					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
capozide ???	Captopril	Cardio Vascular System drugs	Unknown	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
		Hypertension ارتفاع ضغط الدم	Unknown		
Captopril	Captopril 25 mg	Cardio Vascular System drugs	Shiba pharma	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
20 tablet					
Captopril	Captopril	Cardio Vascular System drugs	Unknown	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
		Hypertension ارتفاع ضغط الدم	Unknown		
captozid	Captopril	Cardio Vascular System drugs	Unknown	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
		Hypertension ارتفاع ضغط الدم	Unknown		
card	Bisoprolol Fumarate	Cardio Vascular System drugs	Unknown	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
		Hypertension ارتفاع ضغط الدم	Unknown		
Cardiket	Isosorbide Dinitrate 20 mg OR 10 mg or 5mg	Cardio Vascular System drugs	MINA PHARMA	oral doses of 20 to 120 mg daily in divided doses according to the patient's needs.	
Tablets		Angina الذبحة الصدرية	Unknown		
20tab					
Cardioce	Multivitamin , L carnitine, Co Q10 folic acid, B6, B2 flaxseed oil, vit. D3, garlic	Vitamines and Menirals	VITABIOTICS	As directed	
Capsules		Vitamins	Unknown		
30 capsules		Deficiency نقص فيتامينات			








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Cardioguard SR</b>	Isosorbide Dinitrate 20 mg	<b>Cardio Vascular System drugs</b>	AMOUN	oral doses of 20 to 120 mg daily in divided doses according to the patient's needs.	
Capsules		Angina الذبحة الصدرية	Egypt		
10 CAPS					
<b>Cardiomil SR</b>	Valsartan	<b>Cardio Vascular System drugs</b>	SIGMA	Oral doses 80 - 160 mg once daily	
Capsules		Hypertension ارتفاع ضغط الدم	Egypt		
10 capsules.					
<b>Care Drop</b>	Different Lozenges Ingredients	<b>Antiseptic and Desinfectants</b>	medicated	As directed	
Lozenges		Common Cold نزلات البرد	Unknown		
12 Lozenges					
<b>Carminex</b>	caraway 0.03 mg + fennel oil 0.03 mg + cinnamon 0.02 mg	<b>Gastro Intestinal drugs</b>	MEPACO	One tablet three times daily during or after meals.	
Eff.salt		Indigestion سوء الهضم	Egypt		
6 sachets					
<b>Carvidilol</b>	Carvedilol	<b>Cardio Vascular System drugs</b>	Unknown	carvedilol is given in an initial dose of 12.5 mg once daily by mouth, increased after two days to 25 mg once daily.	
6.25-12.5-25 mg		Hypertension ارتفاع ضغط الدم	Unknown		
<b>casprin</b>	Acetylsalicylic acid	<b>Cardio Vascular System drugs</b>	UK	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
tablet		Thrombosis الجلطات	Unknown		
30capsule					
<b>Casprin</b>	Acetylsalicylic Acid capsule 100mg.	<b>Cardio Vascular System drugs</b>	Shine	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours according to clinical needs, to a maximum of 4 g daily. The dose as	
Capsules		Thrombosis الجلطات	unk		
30 Enteric capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Casprin</b>	Acetylsalicylic acid	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours according to clinical needs, to a maximum of 4 g daily. The dose as	
		Thrombosis الجلطات	<b>Unknown</b>		
<b>Caster Oil</b>	Caster Oil	<b>Gastro Intestinal drugs</b>	<b>Hariri</b>	4 tablespoons (15ml to 60ml) in a single daily dose.	
solution		Constipation الأمساك	<b>Syria</b>		
60 ml for bottle					
<b>Castom-Atheer</b>	Castor oil	<b>Gastro Intestinal drugs</b>	<b>Atheer</b>	As directed	
Oil		Constipation الأمساك	<b>Yemen</b>		
60 ml					
<b>CASTOR OIL</b>	Castor oil	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	As directed	
Oil		Constipation الأمساك	<b>Yemen</b>		
60 ml					
<b>Cataflam</b>	Diclofenac Potassium coated tablet 50 mg.	<b>Non-Steroidal Anti-</b>	<b>NOVARTIS</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		Analgesic مهدئات الأوجاع	<b>Switzerland</b>		
10 coated tablets					
<b>Cataflam-50</b>	Diclofenac Potassium coated tablet 50 mg.	<b>Non-Steroidal Anti-</b>	<b>NOVARTIS</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		Analgesic مهدئات الأوجاع	<b>Switzerland</b>		
10 coated tablets.					
<b>Caventon</b>	Vinpocetine	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	15 to 30 mg daily by mouth in divided doses.	
		Mental Disorders الأمراض العقلية	<b>Unknown</b>		



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>CAVERIL</b>	VERAPAMIL	<b>Cardio Vascular System drugs</b>	<b>REMEDICA</b>	Oral doses 80 - 160 mg once daily	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Cyprus</b>		
50 tab					
<b>Cavestine</b>	Vinpocetine 5 mg	<b>Cardio Vascular System drugs</b>	<b>GLOBAL NAPI</b>	15 to 30 mg daily by mouth in divided doses.	
Tablets		Mental Disorders الأمراض العقلية	<b>Egypt</b>		
20 Tablets					
<b>CAVINTON</b>	Vinpocetine	<b>Cardio Vascular System drugs</b>	<b>GEDEON RICHTER</b>	15 to 30 mg daily by mouth in divided doses.	
		Mental Disorders الأمراض العقلية	<b>HUNGARY</b>		
<b>cavinton ???</b>	Vinpocetine	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	15 to 30 mg daily by mouth in divided doses.	
		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
<b>Cavinton 5 mg</b>	Vinpocetine 5 mg	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	15 to 30 mg daily by mouth in divided doses.	
		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
<b>CAVNTON FORTE</b>	Vinpocetine 10 mg	<b>Cardio Vascular System drugs</b>	<b>GEDEON RICHTER</b>	15 to 30 mg daily by mouth in divided doses.	
		Mental Disorders الأمراض العقلية	<b>HUNGARY</b>		
<b>Cebrotonin</b>	Piracetam 800mg	<b>Central Nervous system drugs</b>	<b>Walter Ritter</b>	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Tablets		Mental Disorders الأمراض العقلية	<b>Germany</b>		
30 tablets /box					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>CECLO</b>	Aceclofenac tablet 100mg.	<b>Non-Steroidal Anti-</b>	<b>Huons</b>	Adult: PO Ankylosing spondylitis; Osteoarthritis; Rheumatoid arthritis 100 mg twice daily.	
Tablets		Analgesic مهدئات الأوجاع	<b>Korea</b>		
10 tablet					
<b>Cedrox</b>	Cefadroxil 500 mg / cap	<b>Antibacterial</b>	<b>Pharmacare</b>	1 to 2 g daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections	<b>Yemen</b>		
1strip*10capsul		الأصابات البكتيرية			
<b>Cedrox</b>	Cefadroxil 250 mg / 5 ml	<b>Antibacterial</b>	<b>Pharmacare</b>	Children 6 – 12 years : 5 ml -10 ml twice daily, Children 1 - 5 years : 2.5 ml - 5 ml twice daily.	
Syrup		Bacterial Infections	<b>Yemen</b>		
100 ml		الأصابات البكتيرية			
<b>Cefacur</b>	Cefadroxil	<b>Antibacterial</b>	<b>Modern Pharama</b>	1 to 2 g daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections	<b>Yemen</b>		
1strip*10capsul		الأصابات البكتيرية			
<b>Cefacur Syrup</b>	Cefadroxil 250 mg / 5 ml	<b>Antibacterial</b>	<b>Modern Pharama</b>	Children 6 – 12 years : 5 ml -10 ml twice daily, Children 1 - 5 years : 2.5 ml - 5 ml twice daily.	
Dry syrup		Bacterial Infections	<b>Yemen</b>		
1bottel*60ml		الأصابات البكتيرية			
<b>Cefacure 500</b>	Cefadroxil 500 mg / cap	<b>Antibacterial</b>	<b>Modern Pharama</b>	1 to 2 g daily as a single dose or in two divided doses.	
Caplets		Bacterial Infections	<b>Yemen</b>		
16 cap		الأصابات البكتيرية			
<b>Cefadroxil 500</b>	Cefadroxil 500 mg / cap	<b>Antibacterial</b>	<b>MEDICO LABS</b>	1 to 2 g daily as a single dose or in two divided doses	
Capsules		Bacterial Infections	<b>Syria</b>		
10 cap		الأصابات البكتيرية			










Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Cefalexin Capsules</b>	Cephalexin	<b>Antibacterial</b>	<b>Modern Pharama</b>	The usual dose for adults is 1 to 2 g daily given in divided doses, Children may be given 25 to 100 mg/kg daily in divided doses to a maximum of 4 g daily.	
Capsules		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
2strip*10capsules					
<b>Cefalexin Syrup</b>	Cephalexin	<b>Antibacterial</b>	<b>Modern Pharama</b>	Children may be given 25 to 100 mg/kg daily in divided doses to a maximum of 4 g daily.	
Dry syrup		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
1bottel*100ml					
<b>Cefamid</b>	Cefadroxil 500 mg / cap	<b>Antibacterial</b>	<b>CIPLA</b>	1 to 2 g daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections الأمراض البكتيرية	<b>India</b>		
3strip* 4capsule					
<b>Cefantral</b>	Cefotaxime Sodium	<b>Antibacterial</b>	<b>Unknown</b>	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
<b>CEFAROL 250</b>	Cefadroxil 250 mg/5 ml	<b>Antibacterial</b>	<b>Global Pharma</b>	1 to 2 g daily as a single dose or in two divided doses.	
Powder for Suspension		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
60 ml					
<b>Cefarol 500</b>	Cefadroxil 500 mg / cap	<b>Antibacterial</b>	<b>Global Pharma</b>	1 to 2 g daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
10 cap					
<b>Cefasyn</b>	Cefuroxime	<b>Antibacterial</b>	<b>CIPLA</b>	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>India</b>		
1strip*10tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Cefasyn</b>	Cefuroxime	<b>Antibacterial</b>	<b>CIPLA</b>	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
		Bacterial Infections الأمراض البكتيرية	<b>India</b>		
<b>Cefax</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>Huons</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Ampoules		Bacterial Infections الأمراض البكتيرية	<b>Korea</b>		
1 vial					
<b>Cefazolin</b>	Cefazolin	<b>Antibacterial</b>	<b>Unknown</b>	The usual maximum daily dose is 6 g, although up to 12 g has been used in severe life-threatening infections. Children over 1 month of age may be given 25 to 50 mg/kg	
		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
<b>Cefepime</b>	Cefepime Hydrochloride	<b>Antibacterial</b>	<b>Unknown</b>	The usual adult dose is 1 to 2 g daily in 2 divided doses for mild to moderate infections, increased to 4 g daily in 2 divided doses in severe infections, Children 50 mg/kg	
		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
<b>Cefepime</b>	Cefepime Hydrochloride	<b>Antibacterial</b>	<b>CIPLA</b>	The usual adult dose is 1 to 2 g daily in 2 divided doses for mild to moderate infections, increased to 4 g daily in 2 divided doses in severe infections, Children 50 mg/kg	
		Bacterial Infections الأمراض البكتيرية	<b>India</b>		
<b>Cefim</b>	Cefixime	<b>Antibacterial</b>	<b>Unknown</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
<b>Cefix</b>	Cefixime	<b>Antibacterial</b>	<b>Pharma International</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Capsules		Bacterial Infections الأمراض البكتيرية			
1 strip*8capsule					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Cefix</b>	Cefixime 100 mg / 5 ml	<b>Antibacterial</b>	<b>Pharma International</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Suspension		Bacterial Infections الأمراض البكتيرية			
30 ml					
<b>Cefix</b>	Cefixime 100 mg / 5 ml	<b>Antibacterial</b>	<b>Pharma International</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Suspension		Bacterial Infections الأمراض البكتيرية			
60 ml					
<b>Cefnet-250</b>	Cefuroxime	<b>Antibacterial</b>	<b>Unknown</b>	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
<b>Cefnet-500</b>	Cefuroxime	<b>Antibacterial</b>	<b>Unknown</b>	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
<b>Cefobid</b>	Cefoperazone Sodium	<b>Antibiotics</b>	<b>Pfizer</b>	vial 500mg & 1000mg	
parental inj		الأمراض الميكروبية Microbial Infections	<b>USA</b>		
1 vial					
<b>Cefodox 100</b>	Cefpodoxime Proxetil	<b>Antibiotics</b>	<b>DIC</b>	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
Tablets		الأمراض الميكروبية Microbial Infections	<b>Jordan</b>		
1strip*10tablet					
<b>Cefodox 200</b>	Cefpodoxime Proxetil	<b>Antibiotics</b>	<b>DIC</b>	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
tablet		الأمراض الميكروبية Microbial Infections	<b>Jordan</b>		
2strip*10tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Cefogram</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>Orchid</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections	<b>Unknown</b>		
1 vial		الأصابات البكتيرية			
<b>Cefogram</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>Unknown</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
		Bacterial Infections	<b>Unknown</b>		
		الأصابات البكتيرية			
<b>Cefolin</b>	Cefotaxime Sodium	<b>Antibacterial</b>	<b>OUBARY PHARMA</b>	vial 1000mg & 500mg & 250mg	
Vial		Bacterial Infections	<b>Syria</b>		
1 vial		الأصابات البكتيرية			
<b>Cefolin</b>	Cefotaxime Sodium	<b>Antibacterial</b>	<b>Unknown</b>	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
		Bacterial Infections	<b>Unknown</b>		
		الأصابات البكتيرية			
<b>Cefolin</b>	Cefotaxime Sodium	<b>Antibacterial</b>	<b>Oubari</b>	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
		Bacterial Infections	<b>Syria</b>		
		الأصابات البكتيرية			
<b>Ceforan</b>	Cefotaxime Sodium	<b>Antibacterial</b>	<b>PHARCO</b>	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
Ampoules		Bacterial Infections	<b>Egypt</b>		
1 vial		الأصابات البكتيرية			
<b>CEFOTAX</b>	Cefotaxime Sodium	<b>Antibacterial</b>	<b>EIPICO</b>	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
Vial		Bacterial Infections	<b>Egypt</b>		
1 vial + 1 amp solvent		الأصابات البكتيرية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Cefovex</b>	Cefuroxime	<b>Antibacterial</b>	<b>Unknown</b>	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
		Bacterial Infections الأصابات البكتيرية	<b>Unknown</b>		
<b>Cefproz</b>	Cefprozil	<b>Antibacterial</b>	<b>Unknown</b>	Adult :500- 1000 mg daily, Children up to 20 mg/kg once or twice daily	
		Bacterial Infections الأصابات البكتيرية	<b>Unknown</b>		
<b>Ceftinex</b>	Cefdinir	<b>Antibacterial</b>	<b>Unknown</b>	600 mg daily as a single dose or in two divided doses. Children may be given 14 mg/kg daily up to a maximum of 600 mg daily.	
		Bacterial Infections الأصابات البكتيرية	<b>Unknown</b>		
<b>Ceftracef</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>OUBARY PHARMA</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections الأصابات البكتيرية	<b>Syria</b>		
1 vial					
<b>Ceftracef</b>	Ceftriaxone Sodium 500 mg	<b>Antibacterial</b>	<b>Oubari</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
		Bacterial Infections الأصابات البكتيرية	<b>Unknown</b>		
<b>CEFTRAME-5</b>	Ceftriaxone Sodium 500 mg	<b>Antibacterial</b>		The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Ampoules		Bacterial Infections الأصابات البكتيرية	<b>Unknown</b>		
<b>Ceftriaxone</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>Vitalis</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections الأصابات البكتيرية	<b>USA</b>		
1 vial					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Ceftriaxon-Tabuk</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>Tabuk pharma</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections	<b>Saudi Arabia</b>		
1vial		الأصابات البكتيرية			
<b>Cefutil</b>	Cefuroxime	<b>Antibacterial</b>	<b>DIC</b>	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Tablets		Bacterial Infections	<b>Jordan</b>		
1strip*10tablet		الأصابات البكتيرية			
<b>Cefutil 250 mg</b>	Cefuroxime	<b>Antibacterial</b>	<b>Unknown</b>	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
		Bacterial Infections	<b>Unknown</b>		
		الأصابات البكتيرية			
<b>Cefutil 500 mg</b>	Cefuroxime	<b>Antibacterial</b>	<b>Unknown</b>	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
		Bacterial Infections	<b>Unknown</b>		
		الأصابات البكتيرية			
<b>Cefuzime</b>	Cefuroxime	<b>Antibacterial</b>	<b>Julphar</b>	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Tablets		Bacterial Infections	<b>UAE</b>		
1strip*10tablet		الأصابات البكتيرية			
<b>CEHAN 200 mg</b>	Cefixime	<b>Antibacterial</b>	<b>Korea Pharma</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
		Bacterial Infections	<b>Korea</b>		
		الأصابات البكتيرية			
<b>Celebrex</b>	Celecoxib capsule 200mg.	<b>Nonsteroidal Anti-</b>	<b>Pfizer</b>	Minimum/Maximum Adult Daily Dose:200 - 400 mg (milligram) OR 1 - 2 Capsules.	
Capsules		مهدئات الأوجاع	<b>USA</b>		
10 capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Celebrex 200</b>	Celecoxib	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	Minimum/Maximum Adult Daily Dose:200 - 400 mg (milligram) OR 1 - 2 Capsules.	
		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
<b>CEPHALEXIN</b>	Cephalexin 250 mg / 5 ml	<b>Antibacterial</b>	<b>Modern Pharama</b>	Children may be given 25 to 100 mg/kg daily in divided doses to a maximum of 4 g daily.	
dry syrup		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
100 ml					
<b>CEPHALEXIN 500</b>	Cephalexin 500 mg	<b>Antibacterial</b>	<b>Modern Pharama</b>	The usual dose for adults is 1 to 2 g daily given in divided doses, Children may be given 25 to 100 mg/kg daily in divided doses to a maximum of 4 g daily.	
Capsules		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
20 caps					
<b>CEPILEN</b>	Cefepime Hydrochloride	<b>Antibacterial</b>	<b>Unknown</b>	The usual adult dose is 1 to 2 g daily in 2 divided doses for mild to moderate infections, increased to 4 g daily in 2 divided doses in severe infections, Children 50 mg/kg	
		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
<b>Cepril H</b>	Lisinopril+ Hydrochlorothiazide	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	usual oral dose is 5 -20 mg daily,	
		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>CERAX</b>	Cefuroxime 125 mg / 5 ml	<b>Antibacterial</b>	<b>RFA</b>	Infants and children 10 mg/kg twice daily to a maximum of 250 mg daily.	
Powder for Suspension		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
60 ml					
<b>Cerebrolysin</b>	Cerebrolysin	<b>Central Nervous system drugs</b>	<b>Unknown</b>	As directed	
		Mental Disorders الأمراض العقلية	<b>Unknown</b>		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Cerizine</b>	Cetirizine Hydrochloride 10 mg	Antihistamines	BIOPHARM	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	
Tablets		الحساسية Allergy	Yemen		
20 tab					
<b>CERTEC tab</b>	Cetirizine Hydrochloride	Antihistamines	Korea Pharma	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	
Tablets		الحساسية Allergy	Korea		
10 tab					
<b>CERVITAM</b>	Piracetam- 400 + Vinkamine 20 mg / cap	Central Nervous system drugs	EGYPHAR	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Capsules		الأمراض العقلية Mental Disorders	Egypt		
20 capsule					
<b>CETAL</b>	Paracetamol supp, 120mg.	Nonsteroidal Anti-	EIPICO	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		مهدئات Analgesic - الأوجاع والحمى	Egypt		
5 supp					
<b>CETAL</b>	Paracetamol	Nonsteroidal Anti-	EIPICO	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		مهدئات Analgesic - الأوجاع والحمى	Egypt		
100 ml					
<b>Cetal Me</b>	Antiseptic	Antiseptic and Desinfectants	Middle East	As directed	
Solution		الالتهابات الجلدية Dermatitis	Unknown		
125 ml					
<b>Cetrimide</b>	Each 1 gm contains : Cetrimide 10 mg	Antiseptic and Desinfectants	PHARCO	0.1 to 1.0% aqueous solution, generally prepared by dilution of a more concentrated solution, or as a cream or spray containing 0.5%.	
Cream		مطهرات Antiseptic	Egypt		
20 gm					







Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>CEVAMOL</b>	Paracetamol 400mg+vitamin C 250mg/effervescent tablet.	<b>Nonsteroidal Anti-</b>	<b>CID</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Mehdatat - الأوجاع والحمى	<b>Egypt</b>		
12 effervescent tablets.					
<b>CEZAC-20</b>	Fluoxetine capsule 20mg	<b>Central Nervous system drugs</b>	<b>RFA</b>	Minimum/Maximum Adult Daily Dose:10 - 80 mg (milligram) OR 1 - 8 Capsule	
Capsules		Mental Disorders الأمراض العقلية	<b>Yemen</b>		
20 capsules					
<b>Chitosan &amp; calcium</b>	Calcium	<b>Vitamines and Menirals</b>	<b>Power Health</b>		
Tablets		Food Supplement مكملات غذائية	<b>Unknown</b>		
30 tablet					
<b>Chlorasept</b>	Phenol 1.4 %	<b>Antiseptic and Desinfectants</b>	<b>Shiba pharma</b>	Weak concentrations (up to 2%) have also been used topically for disinfection. A 5% solution has been used as a disinfectant for excreta.	
Solution		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>Yemen</b>		
120 ml					
<b>Chlorohistol</b>	Chlorphenamine Maleate	<b>Antihistamines</b>	<b>Julphar</b>	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Tablets		Common Cold نزلات البرد	<b>UAE</b>		
20 tab					
<b>Chloroquine Phosphate</b>	Chloroquine Phosphate	<b>Antimalarial medicines</b>	<b>Unknown</b>	Treatment :adult 600 mg followed after 6 to 8 hours by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - prophylaxis one dose each	
Syrup		Malaria المالاريا	<b>Unknown</b>		
60ml					
<b>Chloroquine - Shiba</b>	Chloroquine	<b>Antimalarial medicines</b>	<b>Shiba pharma</b>	Treatment :adult 600 mg followed after 6 to 8 hours by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - prophylaxis one dose each	
Syrup		Malaria المالاريا	<b>Yemen</b>		
60 ml					




Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Chloroquine-Shiba</b>	Chloroquine	<b>Antimalarial medicines</b>	<b>Shiba pharma</b>	Treatment :adult 600 mg followed after 6 to 8 hours by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - prophylaxis one dose each	
Tablets		Malaria الملاريا	<b>Yemen</b>		
10 tabletes					
<b>Chlorpromazine</b>	Chlorpromazine	<b>Central Nervous system drugs</b>	<b>Unknown</b>	25 mg three times daily and increasing as necessary; daily doses of 75 mg may be given as a single dose at night, psychotic patients may require daily doses of up to 1 g or more.	
		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
<b>chlorpromazine ???</b>	chlorpromazine tablet 50mg	<b>Central Nervous system drugs</b>	<b>SUN</b>	25 mg three times daily and increasing as necessary; daily doses of 75 mg may be given as a single dose at night, psychotic patients may require daily doses of up to 1 g or more.	
Tablets		Mental Disorders الأمراض العقلية	<b>India</b>		
100 tablet					
<b>Chlorpromazine 100 mg</b>	Chlorpromazine	<b>Central Nervous system drugs</b>	<b>Unknown</b>	25 mg three times daily and increasing as necessary; daily doses of 75 mg may be given as a single dose at night, psychotic patients may require daily doses of up to 1 g or more.	
		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
<b>chlorpromazine Tablets</b>	chlorpromazine tablet 100mg	<b>Central Nervous system drugs</b>	<b>SUN</b>	25 mg three times daily and increasing as necessary; daily doses of 75 mg may be given as a single dose at night, psychotic patients may require daily doses of up to 1 g or more.	
Tablets		Mental Disorders الأمراض العقلية	<b>India</b>		
100 tabletes					
<b>Chymotrypsin</b>	Chymotrypsin	<b>Miscellaneous drugs</b>	<b>AMOUN</b>	usually by mouth or topically	
Ampoules		Eye العين	<b>Egypt</b>		
3 amp					
<b>Ciafil 20</b>	Tadalafil 20 mg	<b>Sex Stimulants</b>	<b>RFA</b>	10 - 20 mg depending on response, about 30 minutes before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	<b>Yemen</b>		
4 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>cid water</b>	Semethicone	<b>Gastro Intestinal drugs</b>	<b>CID</b>	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Syrup		Indigestion سوء الهضم	<b>Egypt</b>		
120 ml					
<b>cidodian-depot</b>	Estradiol	<b>Gynaecology drugs</b>	<b>SCHERING</b>	one ampoule every three months or as directed	
Ampoules		Contraceptives موانع الحمل	<b>Germany</b>		
1 amp					
<b>CILOXAN</b>	Ciprofloxacin Hydrochloride	<b>Antibacterial</b>	<b>Alcon</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Eye drops		Eye العين	<b>Unknown</b>		
5 ml					
<b>CINCI</b>	Unknown	<b>Skin Disorders</b>	<b>Unknown</b>	Topically as once or twice daily ,	
Cream		Dermatitis الألتهايات الجلدية	<b>Unknown</b>		
<b>Cini 25</b>	Cinnarizine 25 mg	<b>Antihistamines</b>	<b>RFA</b>	For Vertigo and vestibular disorders is 30 mg three times daily by mouth - For motion sickness 30 mg is taken 2 hours before the start of the journey . Children aged 5 to 12	
Tablets		Vertigo او الدوار الدوخة	<b>Yemen</b>		
30 tab					
<b>Cini 75</b>	Cinnarizine 75 mg	<b>Antihistamines</b>	<b>RFA</b>	For Vertigo and vestibular disorders is 30 mg three times daily by mouth - For motion sickness 30 mg is taken 2 hours before the start of the journey . Children aged 5 to 12	
Capsules		Vertigo او الدوار الدوخة	<b>Yemen</b>		
20 caps					
<b>CINOLONE.N</b>	Combination	<b>Skin Disorders</b>	<b>MEDICO LABS</b>	As directed	
Cream		Dermatitis الألتهايات الجلدية	<b>Syria</b>		
20 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Cipazol Forte</b>	Secnidazole 1000 mg	<b>Antiprtozoal</b>	<b>CIPLA</b>	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>India</b>		
2 tab					
<b>CIPAZOL OORT</b>	Secnidazole 1000 mg	<b>Antiprtozoal</b>	<b>CIPLA</b>	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>India</b>		
2 tab					
<b>Ciperf</b>	Ciprofloxacin	<b>Antibacterial</b>	<b>OUBARY PHARMA</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Vial		Bacterial Infections	<b>Syria</b>		
1 vial		الأصابات البكتيرية			
<b>Ciplacef</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>CIPLA</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections	<b>India</b>		
1 vial		الأصابات البكتيرية			
<b>Cipla-Lamivudine</b>	Lamivudine 300mg	<b>Antivirals</b>	<b>CIPLA</b>	chronic hepatitis B, the adult dose is 100 mg once daily by mouth. A dose for children aged over 2 years is 3 mg/kg once daily to a maximum daily dose of 100 mg.	
Tablets		Hepatic Disorders	<b>India</b>		
10 tab.		اضطرابات الكبد			
<b>Cipla-Lamivudine susp</b>	Lamivudine 50mg/5ml	<b>Antivirals</b>	<b>CIPLA</b>	chronic hepatitis B, the adult dose is 100 mg once daily by mouth. A dose for children aged over 2 years is 3 mg/kg once daily to a maximum daily dose of 100 mg.	
Suspension		Hepatic Disorders	<b>India</b>		
240ml		اضطرابات الكبد			
<b>ciplar-la 40</b>	Propranolol HCL	<b>Cardio Vascular System drugs</b>	<b>CIPLA</b>	Adult: 40 - 120 mg orally twice daily ,children 1- 4 mg/kg daily in divided doses by mouth	
Tablets		Hypertension	<b>India</b>		
10 *10 tab		ارتفاع ضغط الدم			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Cipla-Zidovudine</b>	Zidovudine 50mg/5ml	<b>Antivirals</b>	<b>CIPLA</b>	Adults : 500 to 600 mg daily in divided doses , Children 360 to 480 mg/m2 daily in divided doses	
Solution		Viral Infections الأمراض الفيروسية	<b>India</b>		
200ml					
<b>Cipla-Zidovudine</b>	Zidovudine	<b>Antivirals</b>	<b>CIPLA</b>	Adults : 500 to 600 mg daily in divided doses , Children 360 to 480 mg/m2 daily in divided doses	
Tablets		Viral Infections الأمراض الفيروسية	<b>India</b>		
100 Cap.					
<b>Ciplin</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	<b>Antibacterial</b>	<b>CIPLA</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Syrup		Bacterial Infections الأمراض البكتيرية	<b>India</b>		
1bottle*100ml					
<b>Ciplin</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	<b>Antibacterial</b>	<b>CIPLA</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>India</b>		
10 x 10 tab					
<b>Ciplox</b>	Ciprofloxacin*	<b>Antibacterial</b>	<b>CIPLA</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>India</b>		
2strip*4tablet					
<b>Ciplox</b>	Ciprofloxacin 2 mg/ml	<b>Antibacterial</b>	<b>CIPLA</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Ampoules		Bacterial Infections الأمراض البكتيرية	<b>India</b>		
1bottle*100ml					
<b>Ciplox</b>	Ciprofloxacin Hydrochloride	<b>Antibacterial</b>	<b>CIPLA</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Eye / Ear Drops		Eye العين	<b>India</b>		








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Ciplox 500</b>	Ciprofloxacin*	<b>Antibacterial</b>	<b>CIPLA</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections	<b>India</b>		
1strip*10tablet		الأصابات البكتيرية			
<b>Cipraxel-10</b>	Escitalopram tablet 10mg	<b>Central Nervous system drugs</b>	<b>Lundbeck</b>	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders	<b>Denmark</b>		
14 tablets		الأمراض العقلية			
<b>Cipram</b>	Citalopram tablet 20mg	<b>Central Nervous system drugs</b>	<b>Lundbeck</b>	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders	<b>Denmark</b>		
14 tablets		الأمراض العقلية			
<b>Cipril</b>	Lisinopril 5 mg	<b>Cardio Vascular System drugs</b>	<b>CIPLA</b>	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension	<b>India</b>		
2 x 10 tab		ارتفاع ضغط الدم			
<b>Cipril-2.5</b>	Lisinopril	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	usual oral dose is 5 -20 mg daily,	
		Hypertension	<b>Unknown</b>		
		ارتفاع ضغط الدم			
<b>Cipril-h</b>	Lisinopril	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	usual oral dose is 5 -20 mg daily,	
		Hypertension	<b>Unknown</b>		
		ارتفاع ضغط الدم			
<b>Ciprinol</b>	Ciprofloxacin 200 mg /100 ml	<b>Antibacterial</b>	<b>KRKA</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Infusion Bottle		Bacterial Infections	<b>India</b>		
1bottel*100ml		الأصابات البكتيرية			


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Ciprobay</b>	Ciprofloxacin	<b>Antibacterial</b>	<b>BAYER</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablet		Bacterial Infections	<b>Germany</b>		
1strip*10tablet		الأصابات البكتيرية			
<b>Ciprobay 500</b>	Ciprofloxacin Hydrochloride	<b>Antibacterial</b>	<b>Unknown</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
		Bacterial Infections	<b>Unknown</b>		
		الأصابات البكتيرية			
<b>Ciprodar</b>	Ciprofloxacin*	<b>Antibacterial</b>	<b>Dar Aldawa</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections	<b>Jordan</b>		
1strip*10tablet		الأصابات البكتيرية			
<b>Cipro-Denk</b>	Ciprofloxacin*	<b>Antibacterial</b>	<b>Denk pharma</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections	<b>Germany</b>		
1strip*10tablet		الأصابات البكتيرية			
<b>Ciprof</b>	Ciprofloxacin	<b>Antibacterial</b>	<b>BIOPHARM</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections	<b>Yemen</b>		
1strip*10tablet		الأصابات البكتيرية			
<b>CIPROFAST</b>	Ciprofloxacin 500 mg	<b>Antibacterial</b>	<b>Global Pharma</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections	<b>Yemen</b>		
10 tabs		الأصابات البكتيرية			
<b>CIPROFIN 500</b>	Ciprofloxacin 500 mg	<b>Antibacterial</b>	<b>Modern Pharama</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections	<b>Yemen</b>		
10 tablet		الأصابات البكتيرية			








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>CIPROFIN 750</b>	Ciprofloxacin 750 mg	<b>Antibacterial</b>	<b>Modern Pharama</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections	<b>Yemen</b>		
10 tablet		الأصابات البكتيرية			
<b>Ciproflex</b>	Ciprofloxacin*	<b>Antibacterial</b>	<b>Alpha</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections	<b>Syria</b>		
1strip*10tablet		الأصابات البكتيرية			
<b>Ciprofloxacin</b>	Ciprofloxacin 200 mg / 100 ml	<b>Antibacterial</b>	<b>Unknown</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Vial		Bacterial Infections	<b>Unknown</b>		
1bottel*100ml		الأصابات البكتيرية			
<b>Ciprolon</b>	Ciprofloxacin	<b>Antibacterial</b>	<b>HIKMA</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
tablet		Bacterial Infections	<b>Jordan</b>		
1strip*10tablet		الأصابات البكتيرية			
<b>Cipromax</b>	Ciprofloxacin*	<b>Antibacterial</b>	<b>SPIMACO</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
tablet		Bacterial Infections	<b>Saudi Arabia</b>		
1strip*10tablet		الأصابات البكتيرية			
<b>Ciprone</b>	Ciprofloxacin*	<b>Antibacterial</b>	<b>MUP</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
tablet		Bacterial Infections	<b>Egypt</b>		
1strip*10tablet		الأصابات البكتيرية			
<b>Ciproquin</b>	Ciprofloxacin*	<b>Antibacterial</b>	<b>Kopran</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
tablet		Bacterial Infections	<b>India</b>		
10strip*10tablet		الأصابات البكتيرية			










Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Ciprosan- 500</b>	Ciprofloxacin 500 mg	<b>Antibacterial</b>	<b>Shiba pharma</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
1strip*10tablet					
<b>Ciprosan-750</b>	Ciprofloxacin 750 mg	<b>Antibacterial</b>	<b>Shiba pharma</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Caplets		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
1strip*10 Caplets					
<b>Ciprova</b>	Ciprofloxacin	<b>Antibacterial</b>	<b>Unknown</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
tablet		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
1strip*10tablet					
<b>Ciproxe 500</b>	Ciprofloxacin*	<b>Antibacterial</b>	<b>Shaphaco</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
tablet		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
1strip*10tablet					
<b>Ciproxe 750</b>	Ciprofloxacin Hydrochloride 750 mg	<b>Antibacterial</b>	<b>Shaphaco</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
10 tabs					
<b>Ciproxene 500</b>	Ciprofloxacin*	<b>Antibacterial</b>	<b>Medical Bahri</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
parental infu		Bacterial Infections الأمراض البكتيرية	<b>Syria</b>		
1bottel*100ml					
<b>Ciproxene 750</b>	Ciprofloxacin*	<b>Antibacterial</b>	<b>Medical Bahri</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
tablet		Bacterial Infections الأمراض البكتيرية	<b>Syria</b>		
1strip*10tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Citadep-20</b>	Citalopram tablet 20mg	<b>Central Nervous system drugs</b>	<b>CIPLA</b>	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>India</b>		
10 tablets					
<b>Citadep-20</b>	Citalopram	<b>Central Nervous system drugs</b>	<b>Unknown</b>	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	
		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
<b>Citalop</b>	Escitalopram tablet 10 mg	<b>Central Nervous system drugs</b>	<b>Shiba pharma</b>	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	<b>Yemen</b>		
30 tablets					
<b>Citalop</b>	Escitalopram tablet 20 mg	<b>Central Nervous system drugs</b>	<b>Shiba pharma</b>	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	<b>Yemen</b>		
30 tablets					
<b>CITALOP 20</b>	Escitalopram tablet 20 mg	<b>Central Nervous system drugs</b>	<b>RFA</b>	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	<b>Yemen</b>		
30 tablets					
<b>citapram</b>	Citalopram tablet 20mg	<b>Central Nervous system drugs</b>	<b>Pharma International</b>	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>Jordan</b>		
30 tablets					
<b>Citex</b>	Citalopram tablet 20 mg	<b>Central Nervous system drugs</b>	<b>Shiba pharma</b>	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>Yemen</b>		
20 tablets					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Citol</b>	Citalopram tablet 20mg	<b>Central Nervous system drugs</b>	<b>ABDIbrahim</b>	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
28 tablets					
<b>Citoles 10 mg</b>	Escitalopram tablet 10mg	<b>Central Nervous system drugs</b>	<b>ABDIbrahim</b>	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
28 tablets					
<b>Citoles 20 mg</b>	Escitalopram tablet 20mg	<b>Central Nervous system drugs</b>	<b>ABDIbrahim</b>	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
28 tablets					
<b>CLAMIDE</b>	Glibenclamide 5 mg	<b>Antidiabetics</b>	<b>Hovid</b>	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
Tablets		Diabetes Mellitus أمراض السكري	<b>Malaysia</b>		
100 tab					
<b>Clamycin Tablets</b>	Clarithromycin	<b>Antibiotics</b>	<b>Julphar</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>UAE</b>		
2strip*10tablet					
<b>Clanza</b>	Aceclofenac tablet 100mg.	<b>Non-Steroidal Anti-</b>	<b>Korea United Pharma</b>	Adult: PO Ankylosing spondylitis; Osteoarthritis; Rheumatoid arthritis 100 mg twice daily.	
Tablets		Analgesic مهدئات الأوجاع	<b>Korea</b>		
10 tablets					
<b>Claphorama</b>	Cefotaxime Sodium	<b>Antibacterial</b>	<b>Alpha</b>	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
parental inj		Bacterial Infections الأمراض البكتيرية	<b>Syria</b>		
1 vial					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Claradone</b>	Combination	<b>Health Care</b>	<b>MEDPHARMA</b>	As directed	
Solution		Mouth Wash الغسولات الفموية	<b>UAE</b>		
100 ml					
<b>CLARADONE</b>	Combination	<b>Antiseptic and Desinfectants</b>	<b>MEDPHARMA</b>	As directed	
Solution		Vaginal المهبل	<b>UAE</b>		
200 ml					
<b>Claricide - 250</b>	Clarithromycin	<b>Antibiotics</b>	<b>Bilim</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
tablet		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Turkey</b>		
1strip*14tablet					
<b>Claricide - 500</b>	Clarithromycin	<b>Antibiotics</b>	<b>Bilim</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Turkey</b>		
2strip*7tablet					
<b>Claricin</b>	Each 5 ml contains Clarithromycin USP 125 mg.	<b>Antibiotics</b>	<b>Pharmacare</b>	Children 7.5 mg/kg twice daily for 5 to 10 days.	
Dry Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Yemen</b>		
100 ml					
<b>Claricin</b>	Each Tablet contains Clarithromycin USP 500mg	<b>Antibiotics</b>	<b>Pharmacare</b>	250-500 mg twice daily for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Yemen</b>		
14 tablet					
<b>Claricin</b>	Each Tablet contains Clarithromycin USP 250 mg	<b>Antibiotics</b>	<b>Pharmacare</b>	250-500 mg twice daily for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Yemen</b>		
14 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Claricure 500</b>	Clarithromycin 500 mg	Antibiotics	Shaphaco	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders	Yemen		
15 tabs		اضطرابات الجهاز التنفسي			
<b>Clarimax</b>	Clarithromycin 250 mg	Antibiotics	Shiba pharma	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders	Yemen		
2strip*7tablet		اضطرابات الجهاز التنفسي			
<b>Clarimax</b>	Clarithromycin 500 mg	Antibiotics	Shiba pharma	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders	Yemen		
2strip * 7 tablet		اضطرابات الجهاز التنفسي			
<b>Clarimycin</b>	Clarithromycin 500 mg	Antibiotics	BIOPHARM	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders	Yemen		
14 tablets		اضطرابات الجهاز التنفسي			
<b>CLARIN</b>	Loratadine	Antihistamines	Shiba pharma	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Syrup		Allergy الحساسية	Yemen		
100 ml					
<b>CLARIN</b>	Loratadine	Antihistamines	Shiba pharma	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Tablets		Allergy الحساسية	Yemen		
10 tab					
<b>CLARIN</b>	Loratadine 10 mg	Antihistamines	Shiba pharma	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Tablets		Allergy الحساسية	Yemen		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>CLARINASE</b>	Loratadine	<b>Antihistamines</b>	<b>Schering-Plough</b>	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Tablets		Common Cold نزلات البرد	<b>Belgium</b>		
14 tab					
<b>Claritine</b>	Loratadine	<b>Antihistamines</b>	<b>Schering-Plough</b>	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Syrup		Allergy الحساسية	<b>Belgium</b>		
100 ml					
<b>Claritop</b>	Clarithromycin 125 mg / 5 ml	<b>Antibiotics</b>	<b>RAM PHARMA</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Suspension		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Jordan</b>		
60 ml					
<b>Claritop - 250</b>	Clarithromycin	<b>Antibiotics</b>	<b>RAM PHARMA</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Jordan</b>		
2strip*7tablet					
<b>Claritop - 500</b>	Clarithromycin	<b>Antibiotics</b>	<b>RAM PHARMA</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Jordan</b>		
2strip*10tablet					
<b>Clariva</b>	Clarithromycin	<b>Antibiotics</b>	<b>ZYNOVA</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Unknown</b>		
14 tablets					
<b>CLAROMIN 250</b>	Clarithromycin 250 mg	<b>Antibiotics</b>	<b>Modern Pharama</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Yemen</b>		
2strip*7tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>CLAROMIN 500</b>	Clarithromycin 500 mg	<b>Antibiotics</b>	<b>Modern Pharama</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Yemen</b>		
2strip*7tablet					
<b>Clavimox</b>	Amoxycillin 875 + Clavulanic acid 125 = 1000 mg / tablet.	<b>Antibiotics</b>	<b>Pharmacare</b>	250 - 1000 mg three times daily	
Tablets		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
2strip x 7 tablets					
<b>Clavimox</b>	Amoxycillin 50 mg + Clavulanic acid 12.5 mg = 62.5 mg / ml	<b>Antibiotics</b>	<b>Pharmacare</b>	125 to 250 mg every 8 hours	
Drops		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
20 ml					
<b>Clavimox</b>	Amoxycillin 500 mg + Clavulanic acid 125 mg = 625 mg / tablet	<b>Antibiotics</b>	<b>Pharmacare</b>	The oral dose is 250 to 500 mg every 8 hours, or 500 to 1000 mg every 12 hours.	
Tablets		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
2 strip x 10 tablets					
<b>Clavotec</b>	Amoxicillin + Clavulanic Acid	<b>Antibiotics</b>	<b>Unknown</b>	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
<b>clemen</b>	estradiol	<b>Gynaecology drugs</b>	<b>BAYER</b>	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	<b>Germany</b>		
21 tab					
<b>Cleron 500</b>	Clarithromycin	<b>Antibiotics</b>	<b>DELORBIS</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Cyprus</b>		
14 tab					




Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>CLEXANE</b>	Enoxaparin Sodium	<b>Cardio Vascular System drugs</b>	<b>Sanofi Aventis</b>	40 mg (4000 units) once daily for at least 6 days up to a maximum of 14 days, or 1 mg/kg (100 units/kg) every 12 hours, or 1.5 mg/kg (150 units/kg) once daily, for at least	
Vial		Thrombosis الجلطات	<b>France</b>		
<b>CLEXANE 4000</b>	enoxaparine sodique+enoxaparine sodium 4000U.anti-xa est equivalent with	<b>Cardio Vascular System drugs</b>	<b>Sanofi Aventis</b>	40 mg (4000 units) once daily for at least 6 days up to a maximum of 14 days, or 1 mg/kg (100 units/kg) every 12 hours, or 1.5 mg/kg (150 units/kg) once daily, for at least	
Ampoules		Thrombosis الجلطات	<b>France</b>		
4000 I.U./0.4ml					
<b>Clinacin</b>	Clindamycin	<b>Antibiotics</b>	<b>Shiba pharma</b>	Adult :150 to 300 mg of clindamycin, Children: 3 to 6 mg/kg of clindamycin for both every 6 hours	
capsules		Anaerobic Infections الميكروبات اللاهوائية	<b>Yemen</b>		
2strip*8capsules					
<b>Clinaderm</b>	Clindamycin	<b>Antibiotics</b>	<b>phildelaphia</b>	Adult :150 to 300 mg of clindamycin, Children: 3 to 6 mg/kg of clindamycin for both every 6 hours	
solution		Anaerobic Infections الميكروبات اللاهوائية	<b>Unknown</b>		
1bottel*30ml					
<b>Clindacin</b>	Clindamycin	<b>Antibiotics</b>	<b>United</b>	Adult :150 to 300 mg of clindamycin, Children: 3 to 6 mg/kg of clindamycin for both every 6 hours	
capsules		Anaerobic Infections الميكروبات اللاهوائية	<b>Jordan</b>		
2strip*8capsule					
<b>Clmplx 75</b>	Clopidogrel Bisulfate	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	<b>Unknown</b>		
3 x 10 tab					
<b>Clofast-P</b>	Diclofenac Potassium	<b>Non-Steroidal Anti-</b>	<b>ZYNOVA</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		مهدئات الأوجاع	<b>Unknown</b>		
20 tab					




Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>CLOFEN</b>	Diclofenac Sodium tablet 50mg.	<b>Nonsteroidal Anti-</b>	<b>Julphar</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>UAE</b>		
20 tablets					
<b>CLOFEN</b>	Diclofenac Sodium	<b>Non-Steroidal Anti-</b>	<b>Julphar</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tube		Analgesic مهدئات الأوجاع	<b>UAE</b>		
20 gm					
<b>Clofen</b>	Diclofenac Sodium	<b>Non-Steroidal Anti-</b>	<b>Julphar</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>UAE</b>		
20 tab					
<b>CLOFENAC 50</b>	Diclofenac potassium	<b>Non-Steroidal Anti-</b>	<b>Hovid</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		Analgesic مهدئات الأوجاع	<b>Malaysia</b>		
100 tab					
<b>Clomid 50 mg</b>	clomifene citrate	<b>Gynaecology drugs</b>	<b>Sanofi Aventis</b>	50 mg of clomifene citrate daily for 5 days, starting on the 5th day of the menstrual cycle .or at any time if there is amenorrhoea.	
Tablets		Infertility العقم	<b>France</b>		
10 tablet					
<b>CLOMIDAT</b>	clomiphene citrate 50	<b>Gynaecology drugs</b>	<b>AMRIYA PHARMA</b>	50 mg of clomifene citrate daily for 5 days, starting on the 5th day of the menstrual cycle .or at any time if there is amenorrhoea.	
TABLET		Infertility العقم	<b>Egypt</b>		
10					
<b>Clomidine</b>	clomifine citrate	<b>Gynaecology drugs</b>	<b>ASIA</b>	50 mg of clomifene citrate daily for 5 days, starting on the 5th day of the menstrual cycle .or at any time if there is amenorrhoea.	
Tablets		Infertility العقم	<b>Syria</b>		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>CLONAC</b>	Diclofenac Sodium	<b>Non-Steroidal Anti-</b>	<b>unknown</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
30 tabs					
<b>Clontab</b>	Sulpiride capsule 25 mg + mebeverine HCL 100 mg	<b>Central Nervous system drugs</b>	<b>Global Pharma</b>	200-400 mg twice daily; max. 800 mg daily; ELDERLY, lower initial dose, increased gradually according to response	
Tablets		Mental Disorders الأمراض العقلية	<b>Yemen</b>		
20 tabs					
<b>Clopilet</b>	Clopidogrel Bisulfate 50 mg	<b>Cardio Vascular System drugs</b>	<b>SUN Pharma</b>	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	<b>India</b>		
<b>Clopiyas</b>	Clopidogrel Bisulfate	<b>Cardio Vascular System drugs</b>	<b>CIPLA</b>	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	<b>India</b>		
3 x 10 tab					
<b>clopix 75mg</b>	clopidogrel 75mg	<b>Cardio Vascular System drugs</b>	<b>Lupin</b>	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
tablet		Thrombosis الجلطات	<b>Unknown</b>		
3*10 tablet					
<b>ClopiXol Depot</b>	Zuclopenthixol 200 mg / ml	<b>Central Nervous system drugs</b>	<b>H.Lundbeck</b>	20 to 30 mg of the base daily in divided doses	
Ampoules		Mental Disorders الأمراض العقلية	<b>Denmark</b>		
1 X 1 ml					
<b>ClopiXol depto</b>	Zuclopenthixol Acetate 100 mg/ amp	<b>Central Nervous system drugs</b>	<b>H.Lundbeck</b>	20 to 30 mg of the base daily in divided doses	
Ampoules		Mental Disorders الأمراض العقلية	<b>Denmark</b>		
1 amp					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Clopram</b>	metoclopramide	<b>Gastro Intestinal drugs</b>	<b>APM</b>	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Jordan</b>		
20 tabs					
<b>CLORAMID</b>	Metoclopramide 10 mg / 2 ml	<b>Gastro Intestinal drugs</b>	<b>CSPC</b>	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Ampoules		Nausea and vomiting الغثيان والطرش	<b>China</b>		
10 amp x 2 nl					
<b>Closol</b>	Clotrimazole	<b>Antifungals</b>	<b>Unknown</b>	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Spray		Dermatitis الالتهابات الجلدية	<b>Unknown</b>		
40 ml					
<b>Closol Spray</b>	Clotrimazole	<b>Antifungals</b>	<b>Unknown</b>	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Spray		Dermatitis الالتهابات الجلدية	<b>Unknown</b>		
1 Contenar Spray 40ml					
<b>Clostat 10</b>	atorvastatin-10 mg	<b>Cardio Vascular System drugs</b>	<b>Shaphaco</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
tablet		Hyperlipidaemias زيادة الدهون في الدم	<b>Yemen</b>		
30 tablet					
<b>Clostat 20</b>	atorvastatin-20mg	<b>Cardio Vascular System drugs</b>	<b>Shaphaco</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
tablet		Hyperlipidaemias زيادة الدهون في الدم	<b>Yemen</b>		
30 tablet					
<b>Clotrisone</b>	Clotrimazole + Betamethasone	<b>Antifungals</b>	<b>Unknown</b>	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Cream		Dermatitis الالتهابات الجلدية	<b>Unknown</b>		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Cloval</b>	Clopidogrel Bisulfate 75 mg	<b>Cardio Vascular System drugs</b>	<b>Shaphaco</b>	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	<b>Yemen</b>		
28 tab					
<b>Clovex 75</b>	Clopidogrel Bisulfate 75 mg	<b>Cardio Vascular System drugs</b>	<b>NCPI</b>	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	<b>Syria</b>		
20 tab					
<b>CLOXAMIN</b>	Ampicillin + Cloxacillin 90 mg/0.5 ml	<b>Antibiotics</b>	<b>Modern Pharama</b>	Children 2 – 10 years : 5 ml -10 ml four times daily. Children under 2 years : 2.5 ml - 5 ml four times daily.	
Neontal Drops		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
20 Capsules					
<b>CLOXAMIN</b>	Ampicillin + Cloxacillin 250 mg/5 ml	<b>Antibiotics</b>	<b>Modern Pharama</b>	125 to 250 mg every 8 hours	
Dry syrup		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
100 ml					
<b>CLOXAMIN 500</b>	Ampicillin	<b>Antibiotics</b>	<b>Modern Pharama</b>	Adults : 1 - 2 Capsule four times daily.	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
20 Capsules					
<b>Cloxide</b>	Chlordiazepoxide +Clidinium Bromide	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	Chlordiazepoxide up to 30 mg daily in divided doses.	
cap		قرحة المعدة Peptic ulcer	<b>Unknown</b>		
30 caps					
<b>Co-Avazir</b>	Tobramycin 0.3% + Dexamethasone 0.1%	<b>Ophthalmic drugs</b>	<b>Orchidia Pharma</b>	As directed	
Suspension		العين Eye	<b>Egypt</b>		
10 ml					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
<b>COBAL</b>	Cyanocobalamin 500mcg tablets	<b>Vitamines and Menirals</b>	<b>JPM</b>	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Solid		Anaemia فقر الدم	<b>Jordan</b>		
<b>CobalvexB12</b>	Methylcobalamin 500mcg	<b>Vitamines and Menirals</b>	<b>SIGMA</b>	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Ampoules		Anaemia فقر الدم	<b>Egypt</b>		
2 ampoules					
<b>Cod Liver Oil</b>	Each capsule provides on average:263mg Cod Liver Oil and 42mg Halibut Liver Oil	<b>Vitamines and Menirals</b>	<b>Power Health</b>	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Food Supplement مكملات غذائية	<b>Unknown</b>		
30 capsules					
<b>Cod Liver Oil</b>	Cod Liver Oil	<b>Vitamines and Menirals</b>	<b>Vitane pharma</b>	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Soft Gelatin Capsules		Vitamins نقص فيتامينات	<b>Germany</b>		
<b>cod liver oil 500mg</b>	Pure cod liver oil 500mg+Vit. A 800 mcg+ Vit. D 5 mcg+ Vit. E 10 mg+EPA 58 mg+DHA 30	<b>Vitamines and Menirals</b>	<b>LIFEPLAN</b>	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Vitamins نقص فيتامينات	<b>Unknown</b>		
30 Capsules					
<b>cod liver oil 1000mg</b>	Vit. A 4000 I.U+ Vit. D 400 I.U+ Vit. E 3 IU+EPA 252 mg+DMA 224 mg+Vit. B6 0.7 mg/capsule	<b>Vitamines and Menirals</b>	<b>seven seas</b>	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Vitamins نقص فيتامينات	<b>Unknown</b>		
120 capsules					
<b>cod liver oil mega</b>	Each softgel : Cod Liver Oil275 mg+Providing Vitamin A580 IU+Vitamin D58 IU	<b>Vitamines and Menirals</b>	<b>MEGA</b>	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Vitamins نقص فيتامينات	<b>Thailand</b>		
100 softgels					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>cod liver oil-1000mg ???</b>	cod liver oil 1000mg, total fat 1g, vit. A 2664 I.U, vit D 200I.U	<b>Vitamines and Menirals</b>	<b>Vitane pharma</b>	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Vitamins نقص فيتامينات	<b>Germany</b>		
30 softgel					
<b>Coda Cough</b>	Ephedrine hydrochloride 2.5 mg + chlorphenamine maleate 1 mg + codeine	<b>Respiratory drugs</b>	<b>Shiba pharma</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>Yemen</b>		
100 ml					
<b>Codaphed</b>	Guaiphenesin+Dextromethorphan+Chlorpheniramin +Ephedrin	<b>Respiratory drugs</b>	<b>julphar</b>	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Syrup		Common Cold نزلات البرد	<b>UAE</b>		
120 ml					
<b>Codaphed</b>	Ephedrine hydrochloride + chlorphenamine maleate + codeine phosphate	<b>Respiratory drugs</b>	<b>Julphar</b>	As directed	
		Common Cold نزلات البرد	<b>UAE</b>		
<b>Codaphed Plus</b>	Ephedrine hydrochloride + chlorphenamine maleate + codeine phosphate + ammonium	<b>Respiratory drugs</b>	<b>Julphar</b>	As directed	
		Common Cold نزلات البرد	<b>UAE</b>		
<b>co-diovan</b>	Valsartan	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Oral doses 80 - 160 mg once daily	
		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>Cofsed</b>	Ephedrine+carbenoxamine+pholcodiene	<b>Respiratory drugs</b>	<b>Thornton</b>	Nasal drops or sprays containing ephedrine 0.5 or 1%, 0.25% for use in children aged 1 to 3 months.	
Linctus		Common Cold نزلات البرد	<b>UK</b>		
100 ml					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>colchicine</b>	colchicine	<b>Miscellaneous drugs</b>	<b>IBN Al Haytham</b>	1 mg initially, then 500 micrograms every 2 to 3 hours until pain relief is obtained or gastrointestinal adverse effects occur	
Tablets		النقرس Gout	<b>Unknown</b>		
20tablet					
<b>Coldact</b>	Paracetamol 500mg+pseudoephedrine 60mg+cetirizene 5mg per capsule.	<b>NSAID</b>	<b>BIOPHARM</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Capsules		Antipyretic - مهدئات Analgesic الأوجاع والحمى	<b>Yemen</b>		
20 capsules.					
<b>Coldact</b>	Pseudoephedrine +paracetamol + chloraphiniramine	<b>Respiratory drugs</b>	<b>BIOPHARM</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Caplets		Common Cold نزلات البرد	<b>Yemen</b>		
20 cap					
<b>Coldex-D</b>	Dextromethorphan +chloropheniramine+pseudoephedrine	<b>Respiratory drugs</b>	<b>A.P.M</b>	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Syrup		Common Cold نزلات البرد	<b>Unknown</b>		
100 ml					
<b>Colic EZ</b>	Semethicone	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	tab = 40 -120 mg QID oral a.m * suspension = 10 ml QID *sachets = one sachet QID	
Oral /Drops		سوء الهضم Indigestion	<b>Unknown</b>		
30 ml					
<b>COLICAL</b>	calcium 50mg. Vit.D3 1000mg, vit.B12 10mg/5ml(syrup).	<b>Vitamines and Menirals</b>	<b>RAFA pharma</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Syrup		Osteoarthritis التهابات العظام	<b>Unknown</b>		
120 ml syrup					
<b>Colircusi</b>	Cyclopentolate Hydrochloride	<b>Antimuscarinic</b>	<b>Cusi</b>	As directed	
Drops		العين Eye	<b>Spain</b>		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Colircusi Antiedema</b>	Sodium Chloride	<b>Ophthalmic drugs</b>	<b>Cusi</b>	sodium chloride solution 0.9%, being isotonic, is a useful fluid for sterile irrigations, for example, of the eye or bladder, and general skin or wound cleansing.	
suspension		Eye العين	<b>Spain</b>		
10 ml					
<b>CoListax</b>	Vegetable Extracts	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	As directed	
Tablets		Indigestion سوء الهضم	<b>Unknown</b>		
10 tab					
<b>Collomak</b>	Salicylic Acid + Lactic Acid + Lauromacrogol 400	<b>Skin Disorders</b>	<b>Unknown</b>	As directed	
		Warts الثآليل او النتوء الصغيرة	<b>Unknown</b>		
<b>COLOCOL</b>	Paracetamol 500 mg + Caffeine 65 mg	<b>Nonsteroidal Anti-</b>		0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - مهدئات الأوجاع والحمى			
20 tab					
<b>Colona</b>	Mebeverine 100 mg +sulpiride 25 mg	<b>Gastro Intestinal drugs</b>	<b>RAMEDA</b>	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
Tablets		Abdominal Spasm آلام البطن	<b>Egypt</b>		
20 tabs					
<b>Colona-Flex</b>	Mebeverine 100 mg +sulpiride 25 mg	<b>Gastro Intestinal drugs</b>	<b>Modern Pharama</b>	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
Tablets		Abdominal Spasm آلام البطن	<b>Yemen</b>		
20 tabs					
<b>COLOSPAMIN</b>	Mebeverine HCL	<b>Gastro Intestinal drugs</b>	<b>EIPICO</b>	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
Tablets		Abdominal Spasm آلام البطن	<b>Egypt</b>		
20 tab					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Coloverin A</b>	mebeverine Hcl + chlorodizepoxide	<b>Gastro Intestinal drugs</b>	<b>Chemipharm</b>	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
tab		Abdominal Spasm	<b>Unknown</b>		
30 tabs		آلام البطن			
<b>Colpermin</b>	187 mg PEPPERMINT OIL	<b>Gastro Intestinal drugs</b>	<b>Tillotts Pharma</b>	As directed	
Capsules		Abdominal Spasm	<b>Switzerland</b>		
20 cap		آلام البطن			
<b>Combivent</b>	Salbutamol	<b>Respiratory drugs</b>	<b>Boehringer Ingelheim</b>	2 -4 mg / or 2 buffs *qid	
Vial		Bronchial Asthma	<b>Germany</b>		
20 unit dose vial		الربو الشعبي			
<b>Combizym</b>	papain+protase+sa nzme+pepsin +Cellulase +Lipase +	<b>Gastro Intestinal drugs</b>	<b>Daiichi -Sankyo</b>	1-2 tab during or after all meal	
tab		Indigestion	<b>Germany</b>		
30 tab		سوء الهضم			
<b>COMETHER</b>	Artemether	<b>Antimalarial medicines</b>	<b>RFA</b>	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children artemether 20- 80 mg with lumefantrine 120- 480 mg	
Ampoules		Malaria	<b>Yemen</b>		
80 mg / ml		المالاريا			
<b>Comuret ASIA</b>	northisterone 10 mg + ethinylestradiol 0.02	<b>Gynaecology drugs</b>	<b>ASIA</b>	As directed	
Tablets		Contraceptives	<b>Syria</b>		
2		موانع الحمل			
<b>Concor</b>	Bisoprolol Fumarate	<b>Cardio Vascular System drugs</b>	<b>MERCK</b>	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Tablets		Hypertension	<b>Germany</b>		
30 tab		ارتفاع ضغط الدم			








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Conjyclear Forte</b>	Olopatadine Hydrochloride 0.2%	<b>Ophthalmic drugs</b>	<b>Orchidia Pharma</b>	It is used twice daily as eye drops containing the equivalent of 0.1% of olopatadine base in adults and children aged three years and over.	
Solution		Eye العين	<b>Egypt</b>		
5 ml					
<b>Contramal</b>	Tramadol Hydrochloride	<b>Opioid analgesics</b>	<b>SIGMA</b>	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Capsules		مهدئات الأوجاع	<b>Unknown</b>		
10 cap					
<b>Conventin 400 mg</b>	Unknown	<b>Unknown</b>	<b>Unknown</b>	As directed	
Capsules		Unknown	<b>Unknown</b>		
<b>Convulex</b>	Na valproate syrup 50mg/mL	<b>Central Nervous system drugs</b>	<b>GEROT LANNACH</b>	15 mg/kg/day in 2-3 divided doses initially, increasing at weekly intervals to an effective dosage, to a maximum of 60 mg/kg/day.	
Syrup		الصرع	<b>Viena, Austria</b>		
100 mL					
<b>Convulex CR 500 mg</b>	Valproic Acid prolonged-release tablet 500mg.	<b>Central Nervous system drugs</b>	<b>GEROT LANNACH</b>	15 mg/kg/day in 2-3 divided doses initially, increasing at weekly intervals to an effective dosage, to a maximum of 60 mg/kg/day.	
Tablets		الصرع	<b>Viena, Austria</b>		
50 tablets					
<b>Convulex CR 300 mg</b>	Valproic Acid prolonged-release tablet 300mg.	<b>Central Nervous system drugs</b>	<b>GEROT LANNACH</b>	15 mg/kg/day in 2-3 divided doses initially, increasing at weekly intervals to an effective dosage, to a maximum of 60 mg/kg/day.	
Tablets		الصرع	<b>Viena, Austria</b>		
50 tablets					
<b>Convulex 150 mg</b>	Valproic Acid	<b>Antiepileptics</b>	<b>GEROT LANNACH</b>	PO for epilepsy (valproic acid) 15 mg/kg/day in 2-3 divided doses initially, increasing in 5-10 mg/kg/day increments at weekly intervals to an effective dosage,	
		الصرع	<b>Viena, Austria</b>		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Convulex 300 mh</b>	Valproic Acid	<b>Antiepileptics</b>	<b>Unknown</b>	PO for epilepsy (valproic acid) 15 mg/kg/day in 2-3 divided doses initially, increasing in 5-10 mg/kg/day increments at weekly intervals to an effective dosage,	
		الصرع Epilepsy	<b>Unknown</b>		
<b>Convulex 500 mg</b>	Valproic Acid	<b>Antiepileptics</b>	<b>Unknown</b>	PO for epilepsy (valproic acid) 15 mg/kg/day in 2-3 divided doses initially, increasing in 5-10 mg/kg/day increments at weekly intervals to an effective dosage,	
		الصرع Epilepsy	<b>Unknown</b>		
<b>Convulex CR</b>	Sodium valproate	<b>Antiepileptics</b>	<b>GEROT LANNACH</b>	PO for epilepsy (valproic acid) 15 mg/kg/day in 2-3 divided doses initially, increasing in 5-10 mg/kg/day increments at weekly intervals to an effective dosage,	
		الصرع Epilepsy	<b>Viena, Austria</b>		
<b>Convulex CR 500 mg</b>	Sodium valproate	<b>Antiepileptics</b>	<b>vienna</b>	PO for epilepsy (valproic acid) 15 mg/kg/day in 2-3 divided doses initially, increasing in 5-10 mg/kg/day increments at weekly intervals to an effective dosage,	
		الصرع Epilepsy	<b>Unknown</b>		
<b>Convulex-150</b>	Valproic Acid capsule 150mg	<b>Central Nervous system drugs</b>	<b>GEROT LANNACH</b>	PO for epilepsy (valproic acid) 15 mg/kg/day in 2-3 divided doses initially, increasing in 5-10 mg/kg/day increments at weekly intervals to an effective dosage,	
Capsules		الصرع Epilepsy	<b>Viena, Austria</b>		
100 capsules					
<b>Convulex-300</b>	Valproic Acid capsule 300mg	<b>Central Nervous system drugs</b>	<b>GEROT LANNACH</b>	PO for epilepsy (valproic acid) 15 mg/kg/day in 2-3 divided doses initially, increasing in 5-10 mg/kg/day increments at weekly intervals to an effective dosage,	
Capsules		الصرع Epilepsy	<b>Viena, Austria</b>		
100 capsules					
<b>Convulex-500</b>	Valproic Acid capsule 500mg	<b>Central Nervous system drugs</b>	<b>GEROT LANNACH</b>	PO for epilepsy (valproic acid) 15 mg/kg/day in 2-3 divided doses initially, increasing in 5-10 mg/kg/day increments at weekly intervals to an effective dosage,	
Capsules		الصرع Epilepsy	<b>Viena, Austria</b>		
100 capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Coolsa</b>	Different Lozenges Ingredients	<b>Antiseptic and Desinfectants</b>	<b>gmp</b>	As directed	
Lozenges		Common Cold نزلات البرد	<b>Unknown</b>		
24 lozenges					
<b>Cool-X</b>	Menthol	<b>Antiseptic and Desinfectants</b>	<b>pearl ph.</b>	As directed	
Lozenges		Common Cold نزلات البرد	<b>Unknown</b>		
24 lozenges					
<b>Coragen B6</b>	Vitamin B Substances	<b>Vitamines and Menirals</b>	<b>CSPC</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Ampoules		Vitamins Deficiency نقص فيتامينات	<b>China</b>		
6 amp					
<b>Corasore</b>	Each 1 ml oral drops (25 drops) or (7.5mg Heptaminol / ml)	<b>Cardio Vascular System drugs</b>	<b>Alexendria</b>	As directed	
Drops		Hypertension ارتفاع ضغط الدم	<b>Egypt</b>		
10 ml					
<b>Corasore</b>	Each tablet contains: 150 mg Heptaminol	<b>Cardio Vascular System drugs</b>	<b>Alexendria</b>	As directed	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Egypt</b>		
20 tab					
<b>Cordarone</b>	Amiodarone	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Oral, IV. : Adults: Loading dose: IV 5 mg/kg over 25-50 minutes. Maintenance: 10-15 mg/kg/d.	
		Arrhythmia عدم انتظام ضربات القلب	<b>Unknown</b>		
<b>Cordipin</b>	Nifedipine 20 mg / tab	<b>Cardio Vascular System drugs</b>	<b>KRKA</b>	10 to 40 mg twice daily	
Tablets		Hypertension ارتفاع ضغط الدم	<b>India</b>		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Cornetears</b>	Vitamine A palimate 1000 i.u + Artificial tears & lubricant	<b>Ophthalmic drugs</b>	<b>Orchidia Pharma</b>	As directed	
Gel		Eye العين	<b>Egypt</b>		
10 gm					
<b>Cornex</b>	Each 1 gm contains : Lactic Acid 167 mg + Salicylic Acid 167 mg	<b>Skin Disorders</b>	<b>Pella</b>	As directed	
Gel		الثآليل او النتوء الصغيرة	<b>Jordan</b>		
<b>CORONIS</b>	CARVEDILOL 6.25 mg	<b>Cardio Vascular System drugs</b>	<b>bilim</b>	carvedilol is given in an initial dose of 12.5 mg once daily by mouth, increased after two days to 25 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Turkey</b>		
28 tab					
<b>CORTIGEN B6 adult</b>	Suprarenal cortex + pyridoxine hydrochloride	<b>Vitamines and Menirals</b>	<b>NILE CO.</b>	Orally : 10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Ampoules		Nausea and vomiting الغثيان والطرش	<b>Egypt</b>		
3 amp x 1 ml for Adult					
<b>CORTIGEN B6 Pediatric</b>	Suprarenal cortex + pyridoxine hydrochloride	<b>Vitamines and Menirals</b>	<b>NILE CO.</b>	Orally : 10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Ampoules		Nausea and vomiting الغثيان والطرش	<b>Egypt</b>		
3 amp x 1 ml for Pediatric					
<b>Cortina</b>	Trimethoprim 40 mg/Sulfamethoxazole (Co-trimoxazole) 200 mg	<b>Antibacterial</b>	<b>RFA</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
Syrup		Bacterial Infections الأصابات البكتيرية	<b>Yemen</b>		
1bottel*60ml					
<b>Cortina</b>	Trimethoprim 80 mg/Sulfamethoxazole (Co-trimoxazole) 400 mg	<b>Antibacterial</b>	<b>RFA</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
Tablets		Bacterial Infections الأصابات البكتيرية	<b>Yemen</b>		
100 tabs					






Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>CORTINA FORTE</b>	Trimethoprim 40 mg/Sulfamethoxazole (Co-trimoxazole) 200 mg	<b>Antibacterial</b>	<b>RFA</b>	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
10 tabs					
<b>cortisal</b>	Mometasone Furoate 0.1 % + Salicylic acid 5 %	<b>Corticosteroid</b>	<b>Global Pharma</b>	Once daily	
Ointment		Dermatitis التهابات الجلدية	<b>Yemen</b>		
30 g					
<b>CORYOL</b>	CARVEDILOL 12.5 mg / tab	<b>Cardio Vascular System drugs</b>	<b>KRKA</b>	carvedilol is given in an initial dose of 12.5 mg once daily by mouth, increased after two days to 25 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>India</b>		
30 tab					
<b>CORYOL</b>	CARVEDILOL 25 mg / tab	<b>Cardio Vascular System drugs</b>	<b>KRKA</b>	carvedilol is given in an initial dose of 12.5 mg once daily by mouth, increased after two days to 25 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>India</b>		
30 tab					
<b>Co-trimoxazole</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	<b>Antibacterial</b>	<b>Pharmadex</b>	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
syrup		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
1bottel*100ml					
<b>Cotrix</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	<b>Antibacterial</b>	<b>Shiba pharma</b>	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
Suspension		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
1bottel *50ml					
<b>Cotrix</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	<b>Antibacterial</b>	<b>Shiba pharma</b>	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
2strip*10tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Cotrix</b>	Trimethoprim + Sulphamethoxazole	<b>Antibacterial</b>	<b>Shiba pharma</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
Suspension		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
100 ml					
<b>Cougo</b>	Pseudoephedrine +paracetamol+chloraphiniramine	<b>Respiratory drugs</b>	<b>BMP</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	<b>Thailand</b>		
20 tab					
<b>Cougo</b>	Pseudoephedrine +paracetamol + diphenhydramine	<b>Respiratory drugs</b>	<b>BMP</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	<b>Thailand</b>		
60 ml					
<b>Coxydil</b>	Chlorhexidine Gluconate 0.2% W/V	<b>Antiseptic and Desinfectants</b>	<b>Shaphaco</b>	For pre-operative skin disinfection and hand-washing, chlorhexidine is used as a 0.5% solution of the acetate or gluconate in alcohol (70%) or as a 2 or 4% detergent solution	
Mouth Wash		Mouth Wash الغسولات القموية	<b>Yemen</b>		
100 ml					
<b>CPM</b>	Chlorphenamine Maleate 2mg/5ml	<b>Antihistamines</b>	<b>RFA</b>	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold نزلات البرد	<b>Yemen</b>		
60 ml					
<b>CPM-4</b>	Chlorphenamine Maleate 4 mg/tab	<b>Antihistamines</b>	<b>RFA</b>	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Tablets		Common Cold نزلات البرد	<b>Yemen</b>		
100 tab					
<b>crestomed-20mg</b>	20mg Rosuvastatin(as Rosuvastatin calcium)	<b>Cardio Vascular System drugs</b>	<b>Biomed</b>	10 - 20 mg once daily	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	<b>Unknown</b>		
30coated tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>CRESTOR 5mg</b>	Rosuvastatin Calcium	<b>Cardio Vascular System drugs</b>	<b>ASTRAZENECA</b>	10 - 20 mg once daily	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	<b>Unknown</b>		
28 tab					
<b>CRESTOR-20mg</b>	Rosuvastatin 20mg	<b>Cardio Vascular System drugs</b>	<b>ASTRAZENECA</b>	10 - 20 mg once daily	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	<b>Unknown</b>		
28 tablet					
<b>Crotaphil-H</b>	Unknown	<b>Skin Disorders</b>	<b>Unknown</b>	Topically as once or twice daily ,	
Cream		Dermatitis التهابات الجذلية	<b>USA</b>		
25 gm					
<b>Curazole</b>	Ketoconazole	<b>Antifungals</b>	<b>Unknown</b>	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	
Cream		Dermatitis التهابات الجذلية	<b>Unknown</b>		
<b>Curcef 500 mg</b>	Cefadroxil 500 mg / cap	<b>Antibacterial</b>	<b>PHARCO</b>	1 to 2 g daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections الأمراض البكتيرية	<b>Egypt</b>		
1strip*8capsul					
<b>Curisafe 250 mg</b>	Cefadroxil 250 mg / 5 ml	<b>Antibacterial</b>	<b>PHARCO</b>	Children 6 – 12 years : 5 ml -10 ml twice daily, Children 1 - 5 years : 2.5 ml - 5 ml twice daily.	
Powder for Suspension		Bacterial Infections الأمراض البكتيرية	<b>Egypt</b>		
60 ml					
<b>CUSICROM</b>	Sodium Cromoglicate as Cromoglycic Acid 40 mg / ml	<b>Ophthalmic drugs</b>	<b>Cusi</b>	Drops of 2 or 4%, generally applied 4 to 6 times daily; a 4% eye ointment has been applied 2 to 3 times daily.	
Drops		Eye العين	<b>Spain</b>		
10 ml Bottle					










Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>CUSIMOLOL</b>	Timolol Maleate 0.5 %	<b>Ophthalmic drugs</b>	Cusi	instilled twice daily to reduce raised intra-ocular pressure	
Drops		Eye العين	Spain		
<b>CUSIVIRAL EYE OINTMENT</b>	Acyclovir 30g	<b>Antivirals</b>	Cusi	1 g t.i.d., 7 days.	
Tube		Eye العين	Spain		
4.5 gm / tube					
<b>CUSIVIRAL EYE OINTMENT</b>	Acyclovir	<b>Antivirals</b>	Cusi	1 g t.i.d., 7 days.	
Ointment		Eye العين	Spain		
Tube					
<b>C-VITA</b>	Vitamin c 1000 mg	<b>Vitamines and Menirals</b>	Modern Pharama	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Sachets		Vitamins Deficiency نقص فيتامينات	Yemen		
10 Sachets					
<b>Cyclofen</b>	Paracetamol 500mg+ caffine60 mg + pyrilamine maleate 15 mg	<b>NSAID</b>	Modern Pharama	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
20 tablets					
<b>Cypro-BC</b>	cyproheptadine 4mg ,vit.A 1670 I.U,vit.D 167 I.U,vit.B1 0.60mg,vit.B2 0.75mg vit.B6	<b>Vitamines and Menirals</b>	ALGORITHM	As directed	
Syrup		Vitamins Deficiency نقص فيتامينات	Lebanon		
114ml					
<b>Cypro-vita</b>	cyproheptadine 4mg ,vit.A 1670 I.U,vit.D 167 I.U,vit.B1 0.60mg,vit.B2 0.75mg vit.B6	<b>Vitamines and Menirals</b>	ALGORITHM	As directed	
Tablets		Vitamins Deficiency نقص فيتامينات	Lebanon		
30 film coated tablets					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Cystazole -200</b>	Albendazole	<b>Anthelmintic</b>	<b>JOSWE</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Caplets		Common Worms	<b>Jordan</b>		
2 Caplets		الديدان الشائعة			
<b>Cystone</b>	Unknown	<b>Health Care</b>	<b>Himalaya Drug Co</b>	As directed	
Tablets		Urinary Tract Infection	<b>India</b>		
100 tablet		اصابات الجهاز البولي			
<b>Cytasept</b>	Clorhexidine + Hexamidine + Chlorocresol	<b>Antiseptic and Desinfectants</b>	<b>Shiba pharma</b>	As directed	
Solution		Vaginal	<b>Yemen</b>		
250 ml		المهبل			
<b>Cytochrome C</b>	Cytochrome C	<b>Cardio Vascular System drugs</b>	<b>SAMSON-MED</b>	As directed	
Ampoules		Angina	<b>Russia</b>		
5 amp		الذبحة الصدرية			
<b>Cytodrox</b>	Hydroxycarbamide	<b>Antineoplastic</b>	<b>Unknown</b>	single dose of 20 to 30 mg/kg daily or in a single dose of 80 mg/kg every third day.	
		Cancer ( الأمراض الخبيثة ) ( السرطان )	<b>Unknown</b>		
<b>Cytraz</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>Lupin</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections	<b>Unknown</b>		
1vial		الاصابات البكتيرية			
<b>C-ZAR 100</b>	Losartan Potassium 100 mg	<b>Cardio Vascular System drugs</b>	<b>RFA</b>	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension	<b>Yemen</b>		
30 tabs		ارتفاع ضغط الدم			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>C-ZAR 25</b>	Losartan Potassium 25 mg	<b>Cardio Vascular System drugs</b>	<b>RFA</b>	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Yemen</b>		
30 tabs					
<b>C-ZAR 50</b>	Losartan Potassium 50 mg	<b>Cardio Vascular System drugs</b>	<b>RFA</b>	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Yemen</b>		
30 tabs					
<b>C-ZAR-H</b>	Losartan Potassium 100 mg+hydrochlorothiazid 25 mg	<b>Cardio Vascular System drugs</b>	<b>RFA</b>	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Yemen</b>		
30 tabs					
<b>D.V.IRON</b>	ferrous fumarate 120mg+folic acid 400microgram+vitB1 1.5microgram+vit B6	<b>Vitamines and Menirals</b>	<b>Unknown</b>	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
Tablets		Anaemia فقر الدم	<b>Unknown</b>		
20 film coated tablets					
<b>D.V.Iron</b>	Ferrus	<b>Vitamines and Menirals</b>	<b>Unknown</b>	Adult Daily Dose: 1 tablet once or twice aday or as directed by the physician.	
Tablets		Anaemia فقر الدم	<b>Unknown</b>		
20 F.C tablets					
<b>D.VITA</b>	Vitamin D 400 I.U	<b>Vitamines and Menirals</b>	<b>Pharmetics</b>	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	
Drops		Vitamins Deficiency نقص فيتامينات	<b>Canada</b>		
50 ml					
<b>DactaGel</b>	Miconazole 2%	<b>Antifungals</b>	<b>Shaphaco</b>	Minimum/Maximum Adult Daily Dose: 100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Gel		Fungal Infections الاصابات الفطرية	<b>Yemen</b>		
15 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Dacta-Vag</b>	Miconazole Nitrate	Antifungals	Shaphaco	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	Yemen		
6 vaginal suppositories					
<b>Dactonaz</b>	Miconazole Nitrate 20 mg	Antifungals	Global Pharma	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Gel		Vaginal المهبل	Yemen		
20 g					
<b>Daflon</b>	Diosmin.. ..... ..... ..... 90%	Antihemorrhages	Servier Egypt industries	hemorrhoidal crisis 1.2g to 1.8g -----or----- circulation disorders 600mg per day ----	
Tablets		Haemorrhoids البواسير	Unknown		
30tab					
<b>Daflon 500</b>	Flavonoid Compounds	Cardio Vascular System drugs	Unknown	As directed	
		Cardio Vascular الأوعية الدموية والقلب	Unknown		
<b>Dafrex</b>	Diosmin + Hesperidin	Antihemorrhages	EGYPHAR	hemorrhoidal crisis 1.2g to 1.8g -----or----- circulation disorders 600mg per day ----	
Tablets		Haemorrhoids البواسير	Egypt		
15 tab					
<b>Daily one</b>	Vitamin B Substances	Vitamines and Menirals	LIFEPLAN	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Tablets		Vitamins Deficiency نقص فيتامينات	Unknown		
30 tab					
<b>Daktacort</b>	Miconazole Nitrate	Antifungals	Janssen-Cilag	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
		Vaginal المهبل	Switzerland		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Daktarin oral gel</b>	Miconazole	<b>Antifungals</b>	<b>Janssen-Cilag</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
		Vaginal المهبل	<b>Switzerland</b>		
1 tube 40g					
<b>Dalacin C</b>	Clindamycin	<b>Antibiotics</b>	<b>Pfizer</b>	Adult :150 to 300 mg of clindamycin, Children: 3 to 6 mg/kg of clindamycin for both every 6 hours	
capsules		Anaerobic Infections	<b>USA</b>		
2strip*8capsule		الميكروبات اللاهوائية			
<b>Daonil</b>	Glibenclamide 5mg	<b>Antidiabetics</b>	<b>Sanofi aventis</b>	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
Tablets		Diabetes Mellitus	<b>France</b>		
20 tab		أمراض السكري			
<b>Dastamol</b>	Paracetamol	<b>Nonsteroidal Anti-</b>	<b>Unknown</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
		Antipyretic - Analgesic	<b>Unknown</b>		
		مهدئات الأوجاع والحمى			
<b>DAWAGRA 25</b>	Sildenafil Citrate 25 mg/ tablet	<b>Sex Stimulants</b>	<b>Modern Pharama</b>	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants	<b>Yemen</b>		
4 tab		منشطات جنسية			
<b>DAWAGRA 50</b>	Sildenafil Citrate 50 mg/ tablet	<b>Sex Stimulants</b>	<b>Modern Pharama</b>	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants	<b>Yemen</b>		
4 tab		منشطات جنسية			
<b>Dazolic</b>	Ornidazole 500 mg	<b>Antiprtozoal</b>	<b>SUN Pharma</b>	500 mg twice daily by mouth for 5 to 10 days; children are given 25 mg/kg as a single daily dose for 5 to 10 days.	
Tablets		Amoebiasis , Gardiasis	<b>India</b>		
		جامارديا واميبيا			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Deanxit</b>	flupentixol 0.5 tablet mg	<b>Central Nervous system drugs</b>	<b>Lundbeck</b>	3 to 9 mg of flupentixol twice daily or Adult 2 tab dially maximum 4 tab per day. And childran not use .	
Tablets		Mental Disorders	<b>Denmark</b>		
100 Tablets		الأمراض العقلية			
<b>Deanxit</b>	Flupentixol Hydrochloride + Melitracen Hydrochloride	<b>Central Nervous system drugs</b>	<b>H.Lundbeck</b>	3 to 9 mg of flupentixol twice daily or Adult 2 tab dially maximum 4 tab per day. And childran not use .	
Tablets		Mental Disorders	<b>Denmark</b>		
100 tablets		الأمراض العقلية			
<b>DECADRALE</b>	Dexamethasone	<b>Corticosteroid</b>	<b>ALPHA</b>	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Vial		Inflamations	<b>Syria</b>		
2 ml		الالتهابات			
<b>Decal B12</b>	Each 5 ml syrup contains: Calcium laevulinate 50 mg+ Vitamin D3 1000IU+ Vitamin B12 10	<b>Vitamines and Menirals</b>	<b>AMRIYA PHARMA</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Syrup		Osteoarthritis	<b>Egypt</b>		
120ml		التهابات العظام			
<b>Declarine</b>	Desloratadine 0.5 mg	<b>Antihistamines</b>	<b>Shiba pharma</b>	5 mg once daily. Children 2.5 mg once daily	
Tablets		Allergy الحساسية	<b>Yemen</b>		
20 tablet					
<b>Declarine</b>	Desloratadine 2.5 mg / 5 ml	<b>Antihistamines</b>	<b>Shiba pharma</b>	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Syrup		Dermatitis	<b>Yemen</b>		
100 ml		الالتهابات الجلدية			
<b>Declophen</b>	Diclofenac Sodium tablet 25mg.	<b>Nonsteroidal Anti-</b>	<b>PHARCO</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
20Enteric Coated tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>DECLOPHEN</b>	Diclofenac Sodium	<b>Non-Steroidal Anti-</b>	<b>PHARCO</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Suppositoris		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
5 sup					
<b>Declophen S.R.</b>	Diclofenac Sodium 100 mg	<b>Non-Steroidal Anti-</b>	<b>PHARCO</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Capsules		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
8 cap					
<b>Decozal 0.05%</b>	Xylometazoline Hydrochloride	<b>Antihistamines</b>	<b>API</b>	As directed	
Infant Nasal /drops		Allergy الحساسية	<b>Jordan</b>		
10 l					
<b>Deflat</b>	simethicone	<b>Gastro Intestinal drugs</b>	<b>Hayet pharma</b>	tab = 40 -120 mg QID oral a.m * suspension = 10 ml QID *sachets = one sachet QID	
drop		Indigestion سوء الهضم	<b>Unknown</b>		
30 ml					
<b>DELROSA</b>	Combination	<b>Antiseptic and Desinfectants</b>	<b>Delta pharma</b>	As directed	
Solution		Vaginal المهبل	<b>Egypt</b>		
100 ml					
<b>Deltasone</b>	Dexamethasone	<b>Corticosteroid</b>	<b>NILE CO.</b>	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Syrup		Inflammations الألتهايات	<b>Egypt</b>		
120 ml					
<b>Deltasone Tablets</b>	dexmethasone	<b>Corticosteroid</b>	<b>NILE CO.</b>	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Tablets		Inflammations الألتهايات	<b>Egypt</b>		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Denavir cream</b>	Penciclovir	<b>Antivirals</b>	<b>Unknown</b>	It is applied topically as a 1% cream every 2 hours during waking hours for 4 days in the treatment of herpes labialis	
		Viral Infections الاصابات الفيروسية	<b>Unknown</b>		
1 tup.					
<b>De-nol</b>	colloidal bismuth subcitrate	<b>Gastro Intestinal drugs</b>	<b>Astellas pharma</b>	* 2 tabs Qid . Do not take it for longer than 6 weeks (5-9)	
Tablets		Indigestion سوء الهضم	<b>Unknown</b>		
40 tabs					
<b>DENTACARE</b>	Spiramycin 750000 IU + Metronidazol 125 mg	<b>antibacterial</b>	<b>BIOPHARM</b>	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Tablets		Dental الأسنان	<b>Yemen</b>		
20 tabs					
<b>DENTACIN</b>	Spiramycin 750000 IU + Metronidazol 125 mg	<b>antibacterial</b>	<b>Global Pharma</b>	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
tablet		Dental الأسنان	<b>Yemen</b>		
20 tablet					
<b>DENTACIN forte</b>	Spiramycin 1500000 IU + Metronidazol 250 mg	<b>antibacterial</b>	<b>Global Pharma</b>	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Tablet		Dental الأسنان	<b>Yemen</b>		
10 tablet					
<b>Dentazol</b>	Spiramycin 750000 IU + Metronidazol 125 mg	<b>antibacterial</b>	<b>Modern Pharama</b>	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Tablets		Dental الأسنان	<b>Yemen</b>		
2strip*10tablet					
<b>DENTAZOL forte</b>	Spiramycin 1500000 IU + Metronidazol 250 mg / tab	<b>antibacterial</b>	<b>Modern Pharama</b>	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
tablet		Dental الأسنان	<b>Yemen</b>		
10 tabs					










Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Dentoxil</b>	Each bottle contains : Chlorhexidine Gluconate B. P. 0.1%	<b>Antiseptic and Desinfectants</b>	<b>Pharmacare</b>	For pre-operative skin disinfection and hand-washing, chlorhexidine is used as a 0.5% solution of the acetate or gluconate in alcohol (70%) or as a 2 or 4% detergent solution	
Solution		Mouth Wash الغسولات الفموية	<b>Yemen</b>		
100 ml					
<b>Deolin</b>	Drotaverine	<b>Gastro Intestinal drugs</b>	<b>UNISON</b>	120 to 240 mg daily by mouth in divided doses.	
Tablets		Abdominal Spasm آلام البطن	<b>Thailand</b>		
10 x 10 tab					
<b>Depakine-200</b>	Na valproate syrap 200mg/ml	<b>Central Nervous system drugs</b>	<b>Sanofi Aventis</b>	15 mg/kg/day in 2-3 divided doses initially, increasing at weekly intervals to an effective dosage, to a maximum of 60 mg/kg/day.	
Solution		Epilepsy الصرع	<b>France</b>		
40 ml					
<b>DepakineCHRON O-500</b>	Valproic Acid&Na valproate tablet 500mg	<b>Central Nervous system drugs</b>	<b>Sanofi Aventis</b>	PO for epilepsy (valproic acid) 15 mg/kg/day in 2-3 divided doses initially, increasing in 5-10 mg/kg/day increments at weekly intervals to an effective dosage,	
Tablets		Epilepsy الصرع	<b>France</b>		
30 tablets					
<b>deplatt</b>	Clopidogrel Bisulfate	<b>Cardio Vascular System drugs</b>	<b>Torrent</b>	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجطات	<b>India</b>		
30 tab					
<b>Depofort B12</b>	Vitamin B12 1000	<b>Vitamines and Menirals</b>	<b>PHARCO</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Ampoules		Vitamins Deficiency نقص فيتامينات	<b>Egypt</b>		
2 amp of 1 ml					
<b>Depo-Pred</b>	Unknown	<b>Corticosteroid</b>	<b>OUBARY PHARMA</b>	As directed	
Ampoules		Common Cold نزلات البرد	<b>Syria</b>		
1 amp					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Depo-provera</b>	Progesterone 150 mg / ml	<b>Gynaecology drugs</b>	pharmacia	combination with oral contraceptive , Minimum/Maximum Adult Daily Dose:0.2 - 7.5 mg (milligram)	
Ampoules		Amenorrhea انقطاع الطمث	Unknown		
1 amp					
<b>DEPOTVINC CAPSULES</b>	Vincamine 30 mg	<b>Cardio Vascular System drugs</b>	<b>OCTOBER PHARMA</b>	one capsule twice daily	
Capsules		Mental Disorders الأمراض العقلية	<b>Egypt</b>		
20 cap					
<b>Depovit B12-1000</b>	Hydroxocobalamin 1000mcg	<b>Vitamines and Menirals</b>	<b>AMRIYA PHARMA</b>	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Ampoules		Anaemia فقر الدم	<b>Egypt</b>		
2 Ampoules					
<b>Dermlin</b>	Unknown	<b>Antibacterial</b>	Unknown	As directed	
Paste		Dermatitis التهابات الجلدية	Unknown		
10 gm /tube					
<b>Dermomax</b>	Clobetasol Propionate 0.05%	<b>Corticosteroid</b>	<b>Global Pharma</b>	It is usually used as a cream, ointment, gel, scalp application, or foam containing 0.05%.	
Ointment		Dermatitis التهابات الجلدية	<b>Yemen</b>		
20 g					
<b>Dermomax</b>	Clobetasol Propionate 0.05% w/w	<b>Corticosteroid</b>	<b>Global Pharma</b>	It is usually used as a cream, ointment, gel, scalp application, or foam containing 0.05%.	
Cream		Dermatitis التهابات الجلدية	<b>Yemen</b>		
20 g					
<b>Dermotan</b>	Clobetasol Propionate	<b>Corticosteroid</b>	Unknown	It is usually used as a cream, ointment, gel, scalp application, or foam containing 0.05%.	
		Dermatitis التهابات الجلدية	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Dermotan</b>	Clobetasol Propionate	<b>Corticosteroid</b>	<b>Unknown</b>	It is usually used as a cream, ointment, gel, scalp application, or foam containing 0.05%.	
		Dermatitis التهابات الجلدية	<b>Unknown</b>		
<b>Dermovate Cream</b>	Clobetasol Propionate	<b>Corticosteroid</b>	<b>gsk glaxosmithkline</b>	It is usually used as a cream, ointment, gel, scalp application, or foam containing 0.05%.	
Cream		Dermatitis التهابات الجلدية	<b>UK</b>		
25 gm					
<b>Desora 5 mg</b>	Desloratadine	<b>Antihistamines</b>	<b>OUBARY PHARMA</b>	5 mg once daily. Children 2.5 mg once daily	
Tablets		Allergy الحساسية	<b>Syria</b>		
30 tab					
<b>Despasm</b>	Mebeverine 135 mg	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
Tablets		Abdominal Spasm آلام البطن	<b>Yemen</b>		
20 tabs					
<b>Despasm Retard</b>	Mebeverine 200 mg	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
Tablets		Abdominal Spasm آلام البطن	<b>Yemen</b>		
20 tabs					
<b>Detamol</b>	Paracetamol 300mg+Lignocain 20mg+Benzy alcohol 30mg/2mL.	<b>Nonsteroidal Anti-</b>	<b>Thai</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Ampoules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Thailand</b>		
10 ampoules					
<b>Devarol-S</b>	Cholecalciferol (Vit. D.) 5 mg (equivalent to 600.000 I.U./ 2 ml) Excipients:	<b>Vitamines and Menirals</b>	<b>Memphis</b>	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	
Ampoules		Vitamins نقص فيتامينات	<b>Egypt</b>		
3 ampoules of 2 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>DEXALAB</b>	Each ml contains Dexamethasone 4 mg	<b>Corticosteroid</b>	<b>KD</b>	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Ampoules		Inflammatons الالتهابات	<b>India</b>		
2 ml					
<b>Dexamecortin</b>	Dexamethasone 0.5 mg	<b>Corticosteroid</b>	<b>LABATEC pharma</b>	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Tablets		Inflammatons الالتهابات	<b>Switzerland</b>		
24 tab					
<b>DEXAMED</b>	Dexamethasone	<b>Corticosteroid</b>	<b>Unknown</b>	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Eye / Ear Drops		Eye العين	<b>Unknown</b>		
10 ml					
<b>DEXAMED</b>	Dexamethasone	<b>Corticosteroid</b>	<b>MEDICO LABS</b>	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Tablets		Inflammatons الالتهابات	<b>Syria</b>		
20 tab					
<b>Dexamed</b>	Dexamethasone	<b>Corticosteroid</b>	<b>Unknown</b>	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
		Inflammatons الالتهابات	<b>Unknown</b>		
<b>Dexamethasone</b>	Each ml contains Dexamethasone 4 mg	<b>Corticosteroid</b>	<b>Huazhong</b>	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Ampoules		Inflammatons الالتهابات	<b>China</b>		
10 amp x 2 ml					
<b>Dexamethasone</b>	Dexamethasone 8 mg / 2 ml	<b>Corticosteroid</b>	<b>WODEX</b>	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Vial		Inflammatons الالتهابات			
1 vial = 2 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Dexamethasone</b>	Dexamethasone 4 mg / 1 ml	<b>Corticosteroid</b>		Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Ampoules		Inflammations الالتهابات			
25 amp x 1 ml					
<b>Dexamethasone 4 mg</b>	Dexamethasone	<b>Corticosteroid</b>	<b>ROTEXMEDI CA</b>	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Ampoules		Inflammations الالتهابات	<b>Germany</b>		
10 amp x 1 ml					
<b>DEXAVIN</b>	Dexamethasone 4 mg / 1 ml	<b>Corticosteroid</b>	<b>VINDAS</b>	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Vial		Inflammations الالتهابات	<b>India</b>		
2 ml/ vial					
<b>DEXAWIN</b>	Dexamethasone 4 mg / 1 ml	<b>Corticosteroid</b>	<b>CSPC</b>	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Ampoules		Inflammations الالتهابات	<b>China</b>		
2 ml/ 10 amp					
<b>Dexipan</b>	Dexpanthenol	<b>Skin Disorders</b>	<b>Julphar</b>	2 or 5% for the treatment of various minor skin disorders	
Cream		Dermatitis الالتهابات الجلدية	<b>UAE</b>		
20 gm					
<b>Dexamethasone</b>	Dexamethasone	<b>Corticosteroid</b>	<b>unknown</b>	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Ampoules		Inflammations الالتهابات	<b>Unknown</b>		
10 ampoule/2ml					
<b>DEXO</b>	Each ml contains Dexamethasone 4 mg	<b>Corticosteroid</b>		Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Ampoules		Inflammations الالتهابات			
1 amp x 2 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Dexomine</b>	Each 5ml contains: Dextromethorphan 15 mg + Pseudoephedrine 60 mg +	<b>Respiratory drugs</b>	<b>Pharmacare</b>	Adults 60 mg three or four times daily, Children 2.5 to 5 mg every 4 hours	
Syrup		Common Cold نزلات البرد	<b>Yemen</b>		
100 ml					
<b>Dexona</b>	Each ml contains Dexamethasone 4 mg	<b>Corticosteroid</b>	<b>CADILA</b>	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Ampoules		Inflamations الالتهابات	<b>India</b>		
1 ml					
<b>Dextro-M</b>	Dextromethorphan 15 mg	<b>Respiratory drugs</b>	<b>Shiba pharma</b>	Adults 60 mg three or four times daily, Children 2.5 to 5 mg every 4 hours	
Syrup		Common Cold نزلات البرد	<b>Yemen</b>		
100 ml					
<b>DH-Gel</b>	Diphenhydramine	<b>Respiratory drugs</b>	<b>Unknown</b>	by mouth in usual doses of 25 to 50 mg three or four times daily. The dose for children is 6.25 to 25 mg three or four times daily, or a total daily dose of 5 mg/kg may be given in	
		Common Cold نزلات البرد	<b>Unknown</b>		
<b>DIABEN</b>	Glibenclamide	<b>Antidiabetics</b>	<b>PHARCO</b>	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
Tablets		Diabetes Mellitus أمراض السكري	<b>Egypt</b>		
<b>Diabetone</b>	L-Carnitine+Vit.A + Vit.D3+Vit.E+Vit. C+Vit.B1+Vit.B2 Vit.B3+Vit.B6+F olacin	<b>Vitamines and Menirals</b>	<b>VITABIOTICS</b>	As directed	
Capsules		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
30 capsules					
<b>Diabilil</b>	Glibenclamide	<b>Antidiabetics</b>	<b>BIOPHARM</b>	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Dia-Furyl</b>	Nifuroxazide	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	* tabs = q I d * syrup = less two months 5 ml bid 2-12 months tid more 1 years = q I d	
Suspension		Diarrhea الأسهال	<b>Unknown</b>		
60 ml					
<b>Diamecron 30 MR</b>	Gliclazide	<b>Antidiabetics</b>	<b>Unknown</b>	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	
Tablets		Diabetes Mellitus	<b>Unknown</b>		
30 tab		أمراض السكري			
<b>Diamicron 60 MR</b>	Gliclazide	<b>Antidiabetics</b>	<b>Unknown</b>	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	
Tablets		Diabetes Mellitus	<b>Unknown</b>		
30 tab		أمراض السكري			
<b>Diane 35</b>	ethinylestradiol - cyproterone	<b>Skin Disorders</b>	<b>BAYER</b>	The usual doses are 2 mg of cyproterone acetate with 35 micrograms of ethinylestradiol given daily for 21 days of each menstrual cycle	
Tablets		Acne حب الشباب	<b>Germany</b>		
21					
<b>Dianormal</b>	Gliclazide	<b>Antidiabetics</b>	<b>RAMEDA</b>	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	
Tablets		Diabetes Mellitus	<b>Egypt</b>		
20 tab		أمراض السكري			
<b>Diarrimide</b>	loperamide Hydrochloride	<b>Gastro Intestinal drugs</b>	<b>BIOPHARM</b>	In acute diarrhoea the usual initial dose for adults is loperamide hydrochloride 4 mg followed by 2 mg after each loose stool to a maximum of 16 mg daily; the usual daily dose	
Tablets		Diarrhea الأسهال	<b>Yemen</b>		
20 tabs					
<b>Diarrimide</b>	Loperamide Hydrochloride	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	In acute diarrhoea the usual initial dose for adults is loperamide hydrochloride 4 mg followed by 2 mg after each loose stool to a maximum of 16 mg daily; the usual daily dose	
Tablets		Diarrhea الأسهال	<b>Unknown</b>		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Diatab</b>	Metformin 500mg	<b>Antidiabetics</b>	<b>Al doawieha</b>	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	<b>Unknown</b>		
5 tab					
<b>Diazepam</b>	Diazepam	<b>Central Nervous system drugs</b>	<b>KRKA</b>	Severe anxiety in oral doses of 2 mg three times daily to a maximum of 30 mg daily, in seizures Adults :Diazepam 10 to 20 mg ( I.V 5 mg/minute) or infusion every 15 min for up	
Ampoules		Anxiety, Insomnia الأرق والقلق	<b>India</b>		
Box of 25 ampoules of					
<b>Diazepam</b>	Diazepam	<b>Central Nervous system drugs</b>	<b>BIOPHARM</b>	Severe anxiety : 2 mg three times daily to a maximum of 30 mg daily, in seizures Adults : Diazepam 10 to 20 mg ( I.V 5 mg/minute) or infusion every 15 min for up to 1 hr may .	
Ampoules		Anxiety, Insomnia الأرق والقلق	<b>Yemen</b>		
5 amp X 2 ml					
<b>Diazepam 5</b>	Diazepam 4 mg	<b>Central Nervous system drugs</b>	<b>BIOPHARM</b>	Severe anxiety : 2 mg three times daily to a maximum of 30 mg daily, in seizures Adults : Diazepam 10 to 20 mg ( I.V 5 mg/minute) or infusion every 15 min for up to 1 hr may .	
Tablets		Anxiety, Insomnia الأرق والقلق	<b>Yemen</b>		
20 tabs					
<b>dicin fort 500mg</b>	etamsylate 500mg	<b>Antihemorrhages</b>	<b>Y.E.PHARMA</b>	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	
Tablets		Haemorrhage النزيف	<b>Yemen</b>		
20tablet					
<b>Dicloban 12.5 mg</b>	Diclofenac Sodium 12.5 mg	<b>NSAID</b>	<b>Global Pharma</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Suppositoris		مهدئات الأوجاع	<b>Yemen</b>		
5 sup					
<b>Dicloban 25 mg</b>	Diclofenac Sodium 25 mg	<b>NSAID</b>	<b>Global Pharma</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Suppositoris		مهدئات الأوجاع	<b>Yemen</b>		
5 sup					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Dicloban 50</b>	Diclofenac Sodium 50 mg	<b>NSAID</b>	<b>Global Pharma</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
20 tabs					
<b>Dicloban gel</b>	Diclofenac Sodium 40 g	<b>NSAID</b>	<b>Global Pharma</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Gel		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
40 g					
<b>Dicloban s.r 100</b>	Diclofenac Sodium 100 mg	<b>NSAID</b>	<b>Global Pharma</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Capsules		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
10 caps					
<b>Diclocare SR</b>	Diclofenac Sodium 100mgas sustained release pellets/ capsule	<b>NSAID</b>	<b>Pharmacare</b>	Acute, mild, to moderate pain ::One capsule once a day Maximum Adult Daily Dose:100 - 200 mg	
Capsules		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
20 capsules					
<b>Diclocare SR</b>	Diclofenac Sodium	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Capsules		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
20 cap					
<b>Diclo-Denk 50 mg</b>	Diclofenac Sodium	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
<b>Diclo-Denk-100 Retard</b>	Diclofenac Sodium tablet 100mg	<b>Nonsteroidal Anti-</b>	<b>Denk Pharma</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>Germany</b>		
100 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Diclo-Denk-75</b>	Diclofenac Sodium ampoule 75mg/3ml.	<b>Nonsteroidal Anti-</b>	<b>Denk pharma</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		Analgesic مهدئات الأوجاع	<b>Germany</b>		
5 ampoules					
<b>Diclof 25</b>	Diclofenac Sodium capsule 25 mg	<b>NSAID</b>	<b>Modern Pharama</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Suppositoris		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
5 supp					
<b>Diclof 50</b>	Diclofenac Sodium capsule 50 mg	<b>NSAID</b>	<b>Modern Pharama</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
20 tabs					
<b>Diclof gel</b>	Diclofenac Sodium capsule 40mg	<b>NSAID</b>	<b>Modern Pharama</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Gel		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
40 g					
<b>Diclof S.R. 100</b>	Diclofenac Sodium capsule 100mg	<b>NSAID</b>	<b>Modern Pharama</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Capsules		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
10 capsules					
<b>DICLOFEN retard-100</b>	Diclofenac Sodium tablet 100mg	<b>Nonsteroidal Anti-</b>	<b>United</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>Jordan</b>		
10 tablets					
<b>DICLOFEN-50</b>	Diclofenac Sodium tablet 50mg	<b>Nonsteroidal Anti-</b>	<b>United</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>Jordan</b>		
20 Enteric Coated tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Diclofenac drops</b>	Diclofenac Potassium	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
<b>Diclofenac sodium</b>	Diclofenac Sodium 25mg+ Benzyl alcohol 4%+Water	<b>Nonsteroidal Anti-</b>	<b>Kalfen</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
5 ampoules					
<b>DICLOFENAC SODIUM</b>	Each 1 ml contains Diclofenac Sodium 25 mg	<b>Non-Steroidal Anti-</b>	<b>ROTEXMEDI CA</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Ampoules		Analgesic مهدئات الأوجاع	<b>Germany</b>		
10 amp x 3 ml					
<b>Diclofenac-Hameln</b>	Diclofenac Sodium 25 mg / ml	<b>Non-Steroidal Anti-</b>	<b>hameln</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Ampoules		Analgesic مهدئات الأوجاع	<b>Germany</b>		
5 amp x 3 ml					
<b>Diclogesic</b>	Diclofenac Sodium	<b>Non-Steroidal Anti-</b>	<b>Dar Al Dawa</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Suppositoris		Analgesic مهدئات الأوجاع	<b>Jordan</b>		
<b>Diclogesic 50</b>	Diclofenac Sodium	<b>Non-Steroidal Anti-</b>	<b>Dar Al Dawa</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>Jordan</b>		
20 tab					
<b>Diclogesic-25</b>	Diclofenac Sodium tablet 25mg.	<b>Nonsteroidal Anti-</b>	<b>Dar Al Dawa</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>Jordan</b>		
20Enteric coated tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Diclojin</b>	Diclofenac Sodium 75 mg / 3 ml	<b>NSAID</b>	<b>BIOPHARM</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		مهدئات الأوجاع	<b>Yemen</b>		
5 amp x 3 ml					
<b>DICLO-K</b>	Diclofenac Sodium capsule 50 mg	<b>NSAID</b>	<b>Modern Pharama</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Sachets		مهدئات الأوجاع	<b>Yemen</b>		
10 sachets					
<b>Diclomax</b>	Diclofenac Potassium	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Emulgel		مهدئات الأوجاع	<b>Unknown</b>		
<b>Diclomax-50</b>	Diclofenac Sodium tablet 50mg.	<b>Nonsteroidal Anti-</b>	<b>JPI</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	<b>Saudi Arabia</b>		
20 tablets					
<b>Diclomec-Gel</b>	Diclofenac Sodium gel 1.16%	<b>Nonsteroidal Anti-</b>	<b>ABDIbrahim</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tube		مهدئات الأوجاع	<b>Unknown</b>		
50 gm gel					
<b>DICLON</b>	Diclofenac Potassium	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Emulgel		مهدئات الأوجاع	<b>Unknown</b>		
45 gm					
<b>Diclon-75</b>	Diclofenac Sodium ampoule 75mg/3ml.	<b>Nonsteroidal Anti-</b>	<b>IBN-HYYANpharm</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		مهدئات الأوجاع	<b>Syria</b>		
5 ampoules					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Dicloneuron</b>	Diclofenac Sodium 25mg+vit.B1 50mg+vit.B6 50mg+vit.B12 0.25mg/capsule	<b>NSAID</b>	<b>Biopharm</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Capsules		مهدئات الأوجاع	<b>Yemen</b>		
30 capsules					
<b>Diclopan</b>	vit.B1 50mg+vit.B6 50mg+vit.B12 0.25mg and diclofenac sodium 25mg	<b>NSAID</b>	<b>Global Pharma</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Suppositoris		مهدئات الأوجاع	<b>Yemen</b>		
5 sup					
<b>DICLOREN 75</b>	Diclofenac Sodium 75 mg	<b>Nonsteroidal Anti-</b>	<b>EXIR</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		مهدئات الأوجاع	<b>IRAN</b>		
5 amp x 3 ml					
<b>Dicloretard</b>	Diclofenac Sodium	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
		مهدئات الأوجاع	<b>Unknown</b>		
<b>Diclosan DRS</b>	Diclofenac Sodium capsule 100 mg	<b>NSAID</b>	<b>Shiba pharma</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Capsules		مهدئات الأوجاع	<b>Yemen</b>		
10 cap					
<b>Diclosan DRS</b>	Diclofenac Potassium 50 mg	<b>NSAID</b>	<b>Shiba pharma</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Sachets		مهدئات الأوجاع	<b>Yemen</b>		
30 Sachets					
<b>Diclotab</b>	Diclofenac Sodium	<b>Non-Steroidal Anti-</b>	<b>JOSWE</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	<b>Jordan</b>		
20 tab					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>DICLOWAL 50</b>	Diclofenac Sodium tablet 50mg.	<b>Nonsteroidal Anti-</b>	<b>Walter Ritter</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>Germany</b>		
20 tablets					
<b>DICLOWAL retard-100</b>	Diclofenac Sodium tablet 100mg	<b>Nonsteroidal Anti-</b>	<b>Walter Ritter</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>Germany</b>		
10 tablets					
<b>Diclowal-75</b>	Diclofenac Sodium ampoule 75mg/3ml.	<b>Nonsteroidal Anti-</b>	<b>Walter Ritter</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		Analgesic مهدئات الأوجاع	<b>Germany</b>		
5 ampoules					
<b>Diclozaf</b>	Diclofenac Sodium 75 mg /3 ml	<b>Non-Steroidal Anti-</b>	<b>ZAFA</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		Analgesic مهدئات الأوجاع	<b>Pakistan</b>		
5 amp x 3 ml					
<b>DICOLON INJ</b>	Diclofenac Sodium ampoule 75mg/3ml.	<b>Nonsteroidal Anti-</b>	<b>Huons</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		Analgesic مهدئات الأوجاع	<b>Korea</b>		
5 ampoules					
<b>Dicynone 500 mg</b>	Etamsylate 500 mg	<b>Antihæmorrhages</b>	<b>OM pharma</b>	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	
Tablets		Haemorrhage النزيف	<b>Switzerland</b>		
20 tab					
<b>Dicynone-250</b>	etamsylate 250mg	<b>Antihæmorrhages</b>	<b>meth pharama</b>	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	
Ampoules		Haemorrhage النزيف	<b>Egypt</b>		
4 amp of 250mg / 2ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Diens</b>	Vitamin B Substances	<b>Vitamines and Menirals</b>	unknown	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Soft Gelatin Capsules		Hepatic Disorders	Unknown		
12 cap		اضطرابات الكبد			
<b>Diens soft</b>	Nicotinamide + cardus +vit b6,12	<b>Gastro Intestinal drugs</b>	hanbul	2 tab /day or 10 ml /day	
Capsules		Hepatic Disorders	Unknown		
60 cap		اضطرابات الكبد			
<b>Diflucan</b>	Fluconazole	<b>Antifungals</b>	Pfizer	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Vial		Dermatitis	USA		
100ml		الالتهابات الجلدية			
<b>Diflucan</b>	Fluconazole 100mg	<b>Antifungals</b>	Pfizer	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis	USA		
1 cap		الالتهابات الجلدية			
<b>Difluzol</b>	Fluconazole 150 mh / cap	<b>Antifungals</b>	Stada	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis	Unknown		
1 cap		الالتهابات الجلدية			
<b>Diformin</b>	Metformin 500mg+glimepiride 2mg	<b>Antidiabetics</b>	Modern Pharama	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus	Yemen		
30 tab		أمراض السكري			
<b>Digestin</b>	papain80 mg+sanzme10mg 5 ml+pepsin 40 mg	<b>Gastro Intestinal drugs</b>	PHARCO	= 5ml tid during or after meal = tab 1 * 3 during or after meal	
Syrup		Indigestion سوء الهضم	Egypt		
120 ml for bottle					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Digestin Tablets</b>	papain80 mg+sanzme10mg 5 ml	<b>Gastro Intestinal drugs</b>	<b>PHARCO</b>	= 5ml tid during or after meal = tab 1 * 3 during or after meal	
Tablets		Indigestion سوء الهضم	<b>Egypt</b>		
20 tabs					
<b>Digetix</b>	Combination	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	As directed	
Soft Gelatin Capsules		Nutrition supplementation تغذية تكميلية	<b>Unknown</b>		
10 cap					
<b>Digisty fort</b>	Enzyme digestion	<b>Gastro Intestinal drugs</b>	<b>Germany lab</b>	One tablet three times daily during or after meals.	
Capsules		Indigestion سوء الهضم	<b>Germany</b>		
12 caps					
<b>Digoxin</b>	Digoxin	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	If rapid digitalisation is required loading dose of 750 to 1500 micrograms of digoxin by mouth during the initial 24-hour period, maintenance is 125 to 250 micrograms by	
tab, amp, drops		Congstive Heart Failure	<b>Unknown</b>		
<b>Diklofen</b>	Diclofenac 75 mg / 3 ml	<b>Non-Steroidal Anti-</b>	<b>GALENICA</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Ampoules		مهدئات الأوجاع	<b>Republic of Serbia</b>		
5 amp x 3 ml					
<b>dilatrend</b>	Carvedilol	<b>Cardio Vascular System drugs</b>	<b>ROCHE</b>	carvedilol is given in an initial dose of 12.5 mg once daily by mouth, increased after two days to 25 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Germany</b>		
30tab					
<b>Dilefenac 50</b>	Diclofenac Sodium	<b>Non-Steroidal Anti-</b>	<b>unknown</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	<b>Unknown</b>		
20 tabs					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>dilox</b>	Clopidogrel Bisulfate	<b>Cardio Vascular System drugs</b>	<b>bilim</b>	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	<b>Turkey</b>		
28tab					
<b>Diltiazem</b>	Diltiazem Hydrochloride	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	initial dose is 60 to 120 mg twice daily, increased as required to a maximum of 360 mg daily.	
30-60-140-240 mg		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>Diltiazem</b>	Diltiazem Hydrochloride 60 mg	<b>Cardio Vascular System drugs</b>	<b>EIPICO</b>	initial dose is 60 to 120 mg twice daily, increased as required to a maximum of 360 mg daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Egypt</b>		
20 tab					
<b>Dimet-500</b>	Metformin 500mg	<b>Antidiabetics</b>	<b>ZYNOVA</b>	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	<b>Unknown</b>		
50 tab					
<b>Diopril 5</b>	Enalapril 5 mg / tab	<b>Cardio Vascular System drugs</b>	<b>Pharmacare</b>	Initial dose of 5 mg daily , maintenance dose is 10 to 20 mg given once daily	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Yemen</b>		
10 tablet					
<b>Diosed - C</b>	Diosmin 450 mg + Ascorbic Acid 100 mg + Hesperidin 50 mg	<b>Antihæmorrhages</b>	<b>PHARCO</b>	hamorrhoidal crisis 1.2g to 1.8g -----or----- circulation disorders 600mg per day ----	
Tablets		Haemorrhoids البواسير	<b>Egypt</b>		
20 tab					
<b>diovan</b>	Valsartan	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Oral doses 80 - 160 mg once daily	
		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Diphelin adults</b>	Dextromethorphan	<b>Respiratory drugs</b>	med pharma	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Syrup		Common Cold نزلات البرد	Unknown		
100 ml					
<b>Diphelin Pediatric</b>	Dextromethorphan	<b>Respiratory drugs</b>	med pharma	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Syrup		Common Cold نزلات البرد	Unknown		
100 ml					
<b>Diprosalic</b>	Betamethasone	<b>Corticosteroid</b>	schering-ploughg	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	
Ointment		Dermatitis التهابات الجلدية	Belgium		
30 gm					
<b>Disflatyl</b>	simethicone	<b>Gastro Intestinal drugs</b>	VALEANT	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
drop		Indigestion سوء الهضم	Unknown		
30 ml					
<b>Disflatyl</b>	Semethicone	<b>Gastro Intestinal drugs</b>	MEDA	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Drops		Indigestion سوء الهضم	Unknown		
30 ml					
<b>Disflatyl</b>	Semethicone	<b>Gastro Intestinal drugs</b>	VALEANT	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Tablets		Indigestion سوء الهضم	Unknown		
30 tab					
<b>Disflatyl tab meda</b>	Semethicone	<b>Gastro Intestinal drugs</b>	MEDA	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Tablets		Indigestion سوء الهضم	Unknown		
100 tab					




Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Dispercarn</b>	Piroxicam 20mg/1ml	<b>Nonsteroidal Anti-</b>	<b>MUP</b>	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
Ampoules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Egypt</b>		
3 ampoules					
<b>Dispercarn</b>	Piroxicam dispersible tablets 20mg.	<b>Nonsteroidal Anti-</b>	<b>MUP</b>	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Egypt</b>		
10 dispersible tablets					
<b>Dispercarn</b>	Piroxicam	<b>Nonsteroidal Anti-</b>	<b>Unknown</b>	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Unknown</b>		
<b>Dispercarn</b>	Piroxicam	<b>Nonsteroidal Anti-</b>	<b>Unknown</b>	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Unknown</b>		
<b>Dispercarn</b>	Piroxicam	<b>Nonsteroidal Anti-</b>	<b>Unknown</b>	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Unknown</b>		
<b>Distocid</b>	Praziquantel 600 mg	<b>Anthelmintic</b>	<b>EIPICO</b>	Adults and children is given on one day as three doses of 20 mg/kg at intervals of 4 to 6 hours or it is given as a single dose of 40 to 60 mg/kg	
Tablets		Schistosomiasis (Bilharziasis) البلهارسيا	<b>Egypt</b>		
4 Film Coated Tablets					
<b>Ditrospan</b>	Oxybutynin Hydrochloride 5 mg	<b>Urinary tract drugs</b>	<b>Avenzor</b>	5 mg two or three times daily by mouth, increased to 5 mg four times daily if required	
Tablets		Urinary Tract Infection اصابات الجهاز البولي	<b>Syria</b>		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>DiVance</b>	Metformin 500 mg + Metoclopramide 5 mg	<b>Antidiabetics</b>	<b>Y.E.PHARMA</b>	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 tab					
<b>DiVance</b>	Metformin 500 mg + Metoclopramide 2.5 mg	<b>Antidiabetics</b>	<b>Y.E.PHARMA</b>	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 tab					
<b>Dizinil</b>	di	<b>Gastro Intestinal drugs</b>	<b>Julphar</b>	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Tablets		Nausea and vomiting الغثيان والطرش	<b>UAE</b>		
20 tabs					
<b>Dizinil</b>	Dimenhydrinate	<b>Antihistamines</b>	<b>Julphar</b>	by mouth is 50 to 100 mg, given 3 or 4 times daily	
Tablets		Nausea and vomiting الغثيان والطرش	<b>UAE</b>		
20 tab					
<b>Dizirest B7</b>	Meclozine + Pyridoxine	<b>Gastro Intestinal drugs</b>	<b>SIGMACO</b>	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Saudi Arabia</b>		
20 tabs					
<b>Dizirest B6</b>	Meclizine 25 mg +Pyridoxin 50 mg	<b>Gastro Intestinal drugs</b>	<b>SIGMA</b>	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Egypt</b>		
20 tab					
<b>DODEPAR</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>Unknown</b>	As directed	
		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Dodex</b>	Mebendazole 100 mg	<b>Anthelmintic</b>	<b>Shiba Pharma</b>	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Tablets		Common Worms	<b>Yemen</b>		
6 Chewable tab		الديدان الشائعة			
<b>Dogmatil</b>	sulpiride	<b>Central Nervous system drugs</b>	<b>Sanofi Aventis</b>	ADULT and CHILD over 14 years, 200–400 mg twice daily; max. 800 mg daily in predominantly negative symptoms, and 2.4 g daily in mainly positive symptoms;	
Capsules		Mental Disorders	<b>France</b>		
30 caps		الأمراض العقلية			
<b>Dogmatil fort</b>	sulpiride	<b>Central Nervous system drugs</b>	<b>Sanofi Aventis</b>	ADULT and CHILD over 14 years, 200–400 mg twice daily; max. 800 mg daily in predominantly negative symptoms, and 2.4 g daily in mainly positive symptoms;	
Tablets		Mental Disorders	<b>France</b>		
10 tabs		الأمراض العقلية			
<b>Dogmatil-50</b>	Sulpiride capsule 50mg	<b>Central Nervous system drugs</b>	<b>Sanofi Aventis</b>	ADULT and CHILD over 14 years, 200–400 mg twice daily; max. 800 mg daily in predominantly negative symptoms, and 2.4 g daily in mainly positive symptoms;	
Capsules		Mental Disorders	<b>France</b>		
30 capsules		الأمراض العقلية			
<b>Dolic</b>	Each one ml contains methyl Hyoscine nitrate 0.1mg.	<b>Gastro Intestinal drugs</b>	<b>Pharmacare</b>	Birth - 1 year: three drops/ kg , 1 - 6 years: 1/2 to 1 teaspoonful 3 - 4 times a day -Dose is taken before meals,	
Drop		Abdominal Spasm	<b>Yemen</b>		
30 ml		آلام البطن			
<b>Dolo-D</b>	Each 5 ml contains: Pseudoephedrine 15 mg + Ibuprofen 100 mg	<b>Respiratory drugs</b>	<b>BORG</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Suspension		Common Cold	<b>Egypt</b>		
115 ml		نزلات البرد			
<b>Dolo-D</b>	Pseudoephedrine +ibuprofen	<b>Respiratory drugs</b>	<b>BORG</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold	<b>Egypt</b>		
20 tab		نزلات البرد			





Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Dolo-d Syrup</b>	ibuprofen	<b>Respiratory drugs</b>	<b>BORG</b>	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Suspension		Common Cold نزلات البرد	<b>Egypt</b>		
bottle of 60ml of 15mg					
<b>Dolo-d Tablets</b>	ibuprofen	<b>Respiratory drugs</b>	<b>BORG</b>	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Tablets		Common Cold نزلات البرد	<b>Egypt</b>		
box of 20 tablet of 30mg/tablet					
<b>Dolofen</b>	Ibuprofen 100 mg / 5 ml	<b>NSAID</b>	<b>Pharmacare</b>	Oral doses of 100 mg mg to 300 mg daily.	
Suspension		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
100 ml					
<b>Dolonev</b>	-vit.B1 50 mg - vit.B6 100mg -vit.B12 0.5mg	<b>Vitamines and Menirals</b>	<b>GEROT LANNACH</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Tablets		Vitamins نقص فيتامينات	<b>Viena, Austria</b>		
20 film tablets					
<b>DOLORAZ 400</b>	Ibuprofen 200mg + Pseudoephedrine 30 mg.	<b>Nonsteroidal Anti-</b>	<b>JPM</b>	Oral doses of 400 mg to 1.2 g daily .	
Soft Gelatin Capsules		Analgesic مهدئات الأوجاع	<b>Jordan</b>		
20 cap					
<b>DOLOREX</b>	Diclofenac Potassium dragee 50 mg.	<b>Non-Steroidal Anti-</b>	<b>ABDIbrahim</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Dragees		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
20 dragee					
<b>Dolphin 12.5 mg</b>	Diclofenac Sodium	<b>Non-Steroidal Anti-</b>	<b>Delta pharma</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Suppositoris		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
3 sup					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Dolphin 25 mg</b>	Diclofenac Sodium	<b>Non-Steroidal Anti-</b>	<b>Delta pharma</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Suppositoris		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
5 sup					
<b>Domi</b>	Domperidone 10 mg	<b>Gastro Intestinal drugs</b>	<b>RFA</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
30 tabs					
<b>Domolin</b>	Domperidone 1 mg	<b>Gastro Intestinal drugs</b>	<b>Modern Pharama</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
drops		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
30 ml					
<b>Domolin</b>	Domperidone 5 mg	<b>Gastro Intestinal drugs</b>	<b>Modern Pharama</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Suspension		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
100 ml					
<b>Domolin 10 mg</b>	Domperidone	<b>Gastro Intestinal drugs</b>	<b>Modern Pharama</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
10 tab					
<b>Domotil</b>	Domperidone	<b>Gastro Intestinal drugs</b>	<b>Y.E.PHARMA</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Suspension		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
60 ml for bottle					
<b>Domotil drops</b>	Domperidone	<b>Gastro Intestinal drugs</b>	<b>Y.E.PHARMA</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Drops		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
30 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Domotil suspension</b>	Domperidone	<b>Gastro Intestinal drugs</b>	<b>Y.E.PHARMA</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suspension		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
60 ml					
<b>Domotil Tablets</b>	Domperidone	<b>Gastro Intestinal drugs</b>	<b>Y.E.PHARMA</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
20 tab					
<b>Domperidone</b>	Domperidone	<b>Gastro Intestinal drugs</b>	<b>WOCKHADT</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
tab		Nausea and vomiting الغثيان والطرش	<b>UK</b>		
30 tabs					
<b>Domstal</b>	Domperidone	<b>Gastro Intestinal drugs</b>	<b>Torrent</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	<b>India</b>		
30 tab					
<b>Dopamine</b>	Dopamine	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	infusion rates (about 2 micrograms/kg per minute, By intravenous infusion as a dilute solution (usually 1.6 or 3.2 mg/mL (dilute solutions glucose 5%, sodium chloride	
Ampoules		Acute Heart Failure فشل القلب الحاد	<b>Unknown</b>		
<b>Doremol</b>	Paracetamol syrup 120mg/5ml.	<b>Nonsteroidal Anti-</b>	<b>Unknown</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
		Antipyretic - Mهدنات الأوجاع والحمى	<b>Unknown</b>		
120ml					
<b>Dormicum</b>	Midazolam	<b>Central Nervous system drugs</b>	<b>ROCHE</b>	insomnia; midazolam 7.5 to 15 mg at night. Intramuscularly as a premedicant 5 mg; Children may be premedicated with oral midazolam	
Ampoules		Anaesthetics التخدير العام	<b>Germany</b>		
box 5 ampoules of 3ml IM IV &					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Dormicum</b>	Midazolam 7.5 mg	<b>Central Nervous system drugs</b>	<b>ROCHE</b>	insomnia; midazolam 7.5 to 15 mg at night. Intramuscularly as a premedicant 5 mg; Children may be premedicated with oral midazolam	
Tablets		Anaesthetics التخدير العام	<b>Germany</b>		
10 tab					
<b>DORMIVAL</b>	Unknown	<b>Central Nervous system drugs</b>	<b>MEPACO</b>	As directed	
Capsules		Anxiety, Insomnia الأرق والقلق	<b>Egypt</b>		
20 cap					
<b>Do-Spacure</b>	Drotaverine	<b>Gastro Intestinal drugs</b>	<b>Alexendria</b>	Usua dose is 40-80mg three daily.	
Tablets		Abdominal Spasm آلام البطن	<b>Egypt</b>		
20 tabs					
<b>Dotil</b>	Domperidone	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
		Nausea and vomiting الغثيان والطرش	<b>Unknown</b>		
<b>Doucheal</b>	Unknown	<b>Health Care</b>	<b>Unknown</b>	As directed	
Solution		Dermatitis الالتهابات الجلدية	<b>Unknown</b>		
250 ml					
<b>Doxef- 200</b>	Cefpodoxime Proxetil	<b>Antibiotics</b>	<b>Lupin</b>	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
Tablet		الأمراض الميكروبية Microbial Infections	<b>Unknown</b>		
1strip*10tablet					
<b>Doxin</b>	Doxycycline	<b>Antibiotics</b>	<b>Shiba pharma</b>	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
Capsules		الأمراض الميكروبية Microbial Infections	<b>Yemen</b>		
10 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>DOXINIL 100</b>	Doxycycline 100 mg	<b>Antibiotics</b>	<b>Global Pharma</b>	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
Tablets		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
10 tablet					
<b>Doxiproct plus</b>	Dexamethasone = Lidocaine +	<b>Corticosteroid</b>	<b>Unknown</b>	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
		الالتهابات	<b>Unknown</b>		
<b>Doxium-500</b>	Calcium dobesilate tablet 500 mg.	<b>Vitamines and Menirals</b>	<b>OM Pharma</b>	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Solid		التهابات العظام	<b>Unknown</b>		
<b>Doxycaps</b>	Doxycycline	<b>Antibiotics</b>	<b>Wolf</b>	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
Capsule		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
1strip*101capsules					
<b>Doxy-Denk</b>	Doxycycline	<b>Unknown</b>	<b>Denk Pharma</b>	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
		المضادات الحيوية	<b>Germany</b>		
<b>Doxy-Denk</b>	Doxycycline	<b>Antibiotics</b>	<b>Denk Pharma</b>	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
capsules		الأصابات الميكروبية Microbial Infections	<b>Germany</b>		
2strip*10capsules					
<b>Doxylin</b>	Doxycycline	<b>Antibiotics</b>	<b>Modern Pharama</b>	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
1strip*10capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>DOXYLIN</b>	Doxycycline 100 mg	<b>Antibiotics</b>	<b>Modern Pharama</b>	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
10 caps					
<b>Dramenex</b>	Dimenhydrinate 50 mg	<b>Antihistamines</b>	<b>KAHIRA PHARM</b>	by mouth is 50 to 100 mg, given 3 or 4 times daily	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Egypt</b>		
20 tab					
<b>Drofen</b>	Diclofenac Sodium	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	To pain (acute, mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose: 100 - 200 mg	
		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
<b>DROTAB</b>	Drotaverine	<b>Gastro Intestinal drugs</b>	<b>Y.E.PHARMA</b>	120 to 240 mg daily by mouth in divided doses.	
Tablets		Abdominal Spasm آلام البطن	<b>Yemen</b>		
20 tab					
<b>DROTAB Plus</b>	Drotaverine 40 mg + paracetamol 500 mg	<b>Gastro Intestinal drugs</b>	<b>Y.E.PHARMA</b>	120 to 240 mg daily by mouth in divided doses.	
Tablets		Abdominal Spasm آلام البطن	<b>Yemen</b>		
20 tab					
<b>Drotacip</b>	Drotaverine	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	120 to 240 mg daily by mouth in divided doses.	
Ampoules		Abdominal Spasm آلام البطن	<b>Unknown</b>		
5 x 2 ml					
<b>Dulcolax 5 mg</b>	Bisacodyl 5 mg / tab	<b>Gastro Intestinal drugs</b>	<b>Boehringer Ingelhim</b>	Oral =ADULTS: PO 10 to 15 mg as enteric-coated tablets . Suppository = ADULTS: 10 mg. CHILDREN > 2 YR 10 mg. CHILDREN < 2 YR: 5 mg.	
Tablets		Constipation الأمساك	<b>Germany</b>		
30 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>DUOCLAV</b>	Amoxicillin 250 mg + Clavulanate Potassium 62 = 312 mg / 5 ml	<b>Antibiotics</b>	<b>LABORATE</b>	Children up to 10 years 125 to 250 mg every 8 hours or Three times daily	
Suspension		الأصابات الميكروبية Microbial Infections	<b>India</b>		
100 ml					
<b>DUOCLAV-1000</b>	Amoxicillin 875 mg / Clavulanate Potassium 125 mg = 1000 mg	<b>Antibiotics</b>	<b>LABORATE</b>	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Tablets		الأصابات الميكروبية Microbial Infections	<b>India</b>		
2 x 7 tab					
<b>Duolin Capsules</b>	Ipratropium + Salbutamol	<b>Respiratory drugs</b>	<b>CIPLA</b>	2 -4 mg / or 2 buffs *qid	
Capsules/inh		Bronchial Asthma الربو الشعبي	<b>India</b>		
4x5 x 2.5 ml					
<b>Duolin Respules</b>	Ipratropium + Salbutamol	<b>Respiratory drugs</b>	<b>CIPLA</b>	2 -4 mg / or 2 buffs *qid	
Respules/inh		Bronchial Asthma الربو الشعبي	<b>India</b>		
30 capsules					
<b>Duovir</b>	Lamivudine and Zidovudine	<b>Antivirals</b>	<b>CIPLA</b>	Zidovudine orally to adults in doses of 500 to 600 mg daily in divided doses. intravenous infusion of 2 to 4 mg/mL over 1 hour -- The oral dose for children is 360 to 480 mg/m2	
Tablets		AIDS الأيدز	<b>India</b>		
10 tab.					
<b>Duovir-N</b>	Lamivudine, Zidovudine and Nevirapine	<b>Antivirals</b>	<b>CIPLA</b>	Nevirapine is given by mouth in an adult dose of 200 mg once daily for the first 14 days, Children 4 mg/kg once daily for 14 days and then, if no rash is present, 7 mg/kg	
Tablets		AIDS الأيدز	<b>India</b>		
30 tab.					
<b>Duphalac</b>	Lactulose 6.67 g+ Galactose 1 mg	<b>Gastro Intestinal drugs</b>	<b>ABBOTT</b>	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Syrup		Constipation الأمساك	<b>USA</b>		
300 ml for bottle					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Duphalac</b>	Lactulose	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
		Constipation الأمساك	<b>Unknown</b>		
<b>Duphaston</b>	dydrogesterone	<b>Gynaecology drugs</b>	<b>ABBOTT</b>	10 mg two or three times daily cyclically or continuously	
Tablets		Menorrhagia زيادة الطمث	<b>USA</b>		
20 tablet					
<b>Duptamine</b>	Dobutamine	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	2.5 to 10 micrograms/kg per minute,	
		Acute Heart Failure فشل القلب الحاد	<b>Unknown</b>		
<b>Duspamen</b>	Mebeverine	<b>Gastro Intestinal drugs</b>	<b>JPI</b>	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
tab		Abdominal Spasm آلام البطن	<b>Saudi Arabia</b>		
30 tabs					
<b>DUSPAPHEN</b>	Mebeverine HCL	<b>Gastro Intestinal drugs</b>	<b>IBN-HYYANpharm</b>	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
Tablets		Abdominal Spasm آلام البطن	<b>Syria</b>		
30 tab					
<b>duspatalin</b>	Mebeverine	<b>Gastro Intestinal drugs</b>	<b>SOLVAY</b>	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
tab		Abdominal Spasm آلام البطن	<b>France</b>		
50 tabs					
<b>Duspatalin retard</b>	Mebeverine	<b>Gastro Intestinal drugs</b>	<b>SOLVAY</b>	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
Capsules		Abdominal Spasm آلام البطن	<b>France</b>		
30 caps					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Duspaverine 135 mg</b>	Mebeverine	<b>Gastro Intestinal drugs</b>	<b>Sothema</b>	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
Tablets		Abdominal Spasm آلام البطن	<b>Morocco</b>		
30 tabs					
<b>Duxil</b>	Almitrine bismesylate.....30 mg + Raubasine.....	<b>Cardio Vascular System drugs</b>	<b>SERVIER</b>	As directed	
Tablets		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
30 Tablets					
<b>DWABETIC</b>	Glibenclamide 5mg	<b>Antidiabetics</b>	<b>Modern Pharama</b>	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
20 tab					
<b>Dwafil 10</b>	Tadalafil 10 mg	<b>Sex Stimulants</b>	<b>Modern Pharama</b>	10 - 20 mg depending on response, about 30 minutes before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	<b>Yemen</b>		
4 tab					
<b>Dwafil 20</b>	Tadalafil 20 mg	<b>Sex Stimulants</b>	<b>Modern Pharama</b>	10 - 20 mg depending on response, about 30 minutes before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	<b>Yemen</b>		
4 tab					
<b>DWAPRIL</b>	Captopril 25 mg	<b>Cardio Vascular System drugs</b>	<b>Modern Pharama</b>	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Yemen</b>		
20 tablet					
<b>Dwaspasm</b>	Hyoscine N-Butylbromide	<b>Gastro Intestinal drugs</b>	<b>Modern Pharama</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Syrup		Abdominal Spasm آلام البطن	<b>Yemen</b>		
60 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Dwaspasm plus</b>	Hyoscine-N-Butylbromide 10 mg + paracetamol 500 mg	<b>Gastro Intestinal drugs</b>	<b>Modern Pharama</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	<b>Yemen</b>		
20 f.c tabs					
<b>Dwaspasm- plus</b>	Hyoscine-N-Butylbromide 10 mg + paracetamol 500 mg	<b>Gastro Intestinal drugs</b>	<b>Modern Pharama</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	<b>Yemen</b>		
20 tabs					
<b>Dwaspasm</b>	Hyoscine-N-Butylbromide	<b>Gastro Intestinal drugs</b>	<b>Modern Pharama</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Syrup		Abdominal Spasm آلام البطن	<b>Yemen</b>		
60 ml for bottle					
<b>Dwaspasm</b>	Hyoscine-N-Butylbromide 10 mg	<b>Gastro Intestinal drugs</b>	<b>Modern Pharama</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	<b>Yemen</b>		
20 tabs					
<b>Dyrade_M</b>	Metronidazole 200mg+ diloxnide 250mg	<b>Antiprtozoal</b>	<b>CIPLA</b>	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>India</b>		
30 tab					
<b>Dyrade-M</b>	Metronidazole 100mg+diloxnide	<b>Antiprtozoal</b>	<b>CIPLA</b>	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Suspension		Amoebiasis , Gardiasis جارديا واميبيا	<b>India</b>		
100 ml					
<b>Ebixa 10 mg</b>	Memantine Hydrochloride 10 mg	<b>Central Nervous system drugs</b>	<b>H.Lundbeck</b>	5 mg daily in the morning for the first week; increased in weekly by 5 mg to a maximum dose of 20 mg daily	
Tablets		Mental Disorders الأمراض العقلية	<b>Denmark</b>		
20 tab					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>E-CITALOP 10</b>	Escitalopram tablet 10 mg	<b>Central Nervous system drugs</b>	<b>RFA</b>	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	<b>Yemen</b>		
30 tablets					
<b>Ecitam</b>	Escitalopram Oxalate 10 mg	<b>Central Nervous system drugs</b>	<b>Y.E.PHARMA</b>	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	<b>Yemen</b>		
30 tab					
<b>Ecitam</b>	Escitalopram Oxalate 20 mg	<b>Central Nervous system drugs</b>	<b>Y.E.PHARMA</b>	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	<b>Yemen</b>		
30 tab					
<b>E-COD</b>	Vitamin E + cod liver oil	<b>Vitamines and Menirals</b>	<b>Unknown</b>	40 to 50 mg	
Soft Gelatin Capsules		Vitamins نقص فيتامينات	<b>Unknown</b>		
30 cap					
<b>Econazole Nitrate</b>	Econazole Nitrate 150 mg	<b>Antifungals</b>	<b>Unknown</b>	Vaginal candidiasis as pessaries of 150 mg once daily at bedtime for 3 consecutive nights, topically up to 3 times daily as a 1% cream, lotion, powder, or solution.	
Suppositoris		Vaginal المهبل	<b>Unknown</b>		
3 sup					
<b>ednyt 5</b>	Enalapril	<b>Cardio Vascular System drugs</b>	<b>GEDEON RICHTER</b>	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	
Tablets		Hypertension ارتفاع ضغط الدم	<b>HUNGARY</b>		
30 tab					
<b>Efemyo</b>	Fluorometholone 0.1% + Tetrahydrozoline 0.025%	<b>Ophthalmic drugs</b>	<b>Orchidia Pharma</b>	As directed	
Solution		Eye العين	<b>Egypt</b>		
10 ml					




Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Effexin</b>	Ofloxacin*	<b>Antibacterial</b>	<b>ILDONG</b>	tab 400mg & 200mg	
tablet		Bacterial Infections	<b>Korea</b>		
1strip*10tablet		الأصابات البكتيرية			
<b>EFFOREX-XR 75 mg</b>	Venlafaxine 75 mg	<b>Central Nervous system drugs</b>	<b>Shiba pharma</b>	75 mg daily. The dose may be increased, if necessary, after several weeks to 150 mg daily.	
Capsules		Mental Disorders	<b>Yemen</b>		
20 ERC		الأمراض العقلية			
<b>Efforti</b>	Etilefrine Hydrochloride 7.5mg /ml	<b>Cardio Vascular System drugs</b>	<b>Boehringer Ingelhim</b>	by mouth in usual doses of 5 or 10 mg three times daily; modified-release dosage forms may be given in doses of 25 mg once or twice daily.	
drops		Hypotension	<b>Unknown</b>		
10 ml		انخفاض ضغط الدم			
<b>Effortil</b>	Etilefrine Hydrochloride	<b>Cardio Vascular System drugs</b>	<b>Boehringer Ingelhim</b>	by mouth in usual doses of 5 or 10 mg three times daily; modified-release dosage forms may be given in doses of 25 mg once or twice daily.	
Tablets		Hypotension	<b>Unknown</b>		
20 tab		انخفاض ضغط الدم			
<b>Eflaron</b>	Metronidazole 500 mg / 100 ml	<b>Antiprtozoal</b>	<b>KRKA</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Infusion		Amoebiasis ,	<b>India</b>		
100 ml		جارديا واميبيا			
<b>EGYVIT</b>	Multi vitamins&mineral s. Food supplement	<b>Vitamines and Menirals</b>	<b>EGYPHAR</b>	As directed	
Tablets		Vitamins	<b>Egypt</b>		
15 tab		نقص فيتامينات			
<b>Eleptin</b>	carbamazepine tablet 200 mg	<b>Central Nervous system drugs</b>	<b>Daewon</b>	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy	<b>Korea</b>		
30 Tablet		الصرع			








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Elevit</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>BAYER</b>	As directed	
Tablets		Vitamins	<b>Germany</b>		
30 Tablets		نقص فيتامينات			
<b>Elica</b>	Mometasone Furoate	<b>Unknown</b>	<b>Jamjoom Pharma</b>	Once daily	
Cream		Dermatitis	<b>Saudi Arabia</b>		
30 gm		التهابات الجلدية			
<b>Elica</b>	Mometasone furoate 0.1% w/w	<b>Corticosteroid</b>	<b>Jamjoom Pharma</b>	Once daily	
Cream		Dermatitis	<b>Saudi Arabia</b>		
30 gm /tube		التهابات الجلدية			
<b>Elicasal</b>	Mometasone furoate 0.1% w/w + Salicylic acid 5% w/w	<b>Corticosteroid</b>	<b>Jamjoom Pharma</b>	Once daily or as directed	
Ointment		Dermatitis	<b>Saudi Arabia</b>		
30 gm /tube		التهابات الجلدية			
<b>elipa</b>	Ketorolac Trometamol	<b>Nonsteroidal Anti-</b>	<b>Unknown</b>	Oral Adult Daily Dose:10 - 40 mg for 7 days . Single intramuscular 60 mg or intravenous 30 mg - children 0.5 mg/kg up to a maximum of 15 mg.	
		Analgesic	<b>Unknown</b>		
		مهدئات الأوجاع			
<b>Elkof</b>	Terbutaline+bromhexine+guaifenesine ??	<b>Respiratory drugs</b>	<b>RFA</b>	10 - 15 ml orally tid	
Syrup		Common Cold	<b>Yemen</b>		
100 ml		نزلات البرد			
<b>Elkof-D</b>	Terbutaline+bromhexine+guaifenesine ??	<b>Respiratory drugs</b>	<b>RFA</b>	10 - 15 ml orally tid	
Syrup		Common Cold	<b>Yemen</b>		
100 ml		نزلات البرد			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Elkof-T</b>	Terbutaline+bromhexine+guaifenesine ??	<b>Respiratory drugs</b>	RFA	10 - 15 ml orally tid	
Syrup		Common Cold نزلات البرد	Yemen		
100 ml					
<b>Elkophed</b>	Dextromethorphan	<b>Respiratory drugs</b>	RFA	Adults 60 mg three or four times daily, Children 2.5 to 5 mg every 4 hours	
Syrup		Common Cold نزلات البرد	Yemen		
120 ml					
<b>ELTROXIN 100</b>	levothyroxine sodium	<b>Hormones</b>	ASPEN	Minimum/Maximum Adult Daily Dose:25 - 200 mcg	
TABLTE		Thyroid hormone الغدة الدرقية	Ireland		
100					
<b>ELTROXIN 50</b>	LEVOTYROXINE SODIUM 50	<b>Hormones</b>	ASPANE	Minimum/Maximum Adult Daily Dose:25 - 200 mcg	
TABLTE		Thyroid hormone الغدة الدرقية	Unknown		
100					
<b>Eludril</b>	Antiseptic	<b>Antiseptic and Desinfectants</b>	Unknown	As directed	
Solution		Mouth Wash الغسولات الفموية	Unknown		
<b>EMEDROP</b>	Metoclopramide 1 mg/ 1 ml	<b>Gastro Intestinal drugs</b>	Pharmacare	Infants &Children : 5 -20 drop taken 2 - 3 times daily .Adults : One teaspoonful once or twice daily .	
Drops		Nausea and vomiting الغثيان والطرش	Yemen		
30 ml					
<b>EMERAL</b>	Unknown	<b>Gastro Intestinal drugs</b>	EIPICO	As directed	
Tablets		Nausea and vomiting الغثيان والطرش	Egypt		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Emeset</b>	Ondansetron Hydrochloride 2mg /ml	<b>Gastro Intestinal drugs</b>	<b>CIPLA</b>	4-8 mg of ondansetron base	
Ampoules		Nausea and vomiting الغثيان والطرش	<b>India</b>		
5 x 2					
<b>Emeset - 8</b>	ondansetron	<b>Gastro Intestinal drugs</b>	<b>CIPLA</b>	IV for chemotherapy-induced nausea or vomiting 0.15 mg/kg for 3 doses (30 min before chemotherapy and then 4 and 8 hr after) or 0.45 mg/kg, to a	
Tablets		Nausea and vomiting الغثيان والطرش	<b>India</b>		
20 tabs					
<b>Emeset-4</b>	Ondansetron Hydrochloride	<b>Gastro Intestinal drugs</b>	<b>CIPLA</b>	4-8 mg of ondansetron base	
Tablets		Nausea and vomiting الغثيان والطرش	<b>India</b>		
6 tab					
<b>Emeset-4</b>	Ondansetron	<b>Gastro Intestinal drugs</b>	<b>CIPLA</b>	IV for chemotherapy-induced nausea or vomiting 0.15 mg/kg for 3 doses (30 min before chemotherapy and then 4 and 8 hr after) or 0.45 mg/kg, to a	
Tablets		Nausea and vomiting الغثيان والطرش	<b>India</b>		
10 x 6 tabs					
<b>Emetac 150</b>	Ranitidine	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	<b>Unknown</b>		
100 tab					
<b>Emidol</b>	Paracetamol tablet 500mg.	<b>Nonsteroidal Anti-</b>	<b>Global Pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Unknown</b>		
24 tablets					
<b>Emidol</b>	Paracetamol suspension 120mg/5ml.	<b>Nonsteroidal Anti-</b>	<b>Global Pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Unknown</b>		
100 ml					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Emidol</b>	Paracetamol	<b>Nonsteroidal Anti-</b>	<b>Unknown</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Mehdhat - الأوجاع والحمى	<b>Unknown</b>		
<b>Emifen</b>	Ibuprofen suspension 20mg/ml	<b>Nonsteroidal Anti-</b>	<b>global pharma</b>	Oral doses of 400 mg to 1.2 g daily .	
		Analgesic مهدهات الأوجاع	<b>Unknown</b>		
100 ml					
<b>Emifen</b>	Ibuprofen	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	Oral doses of 400 mg to 1.2 g daily .	
		Analgesic مهدهات الأوجاع	<b>Unknown</b>		
<b>Emifenac-50 DT</b>	Diclofenac dispersible tablets 50mg	<b>Nonsteroidal Anti-</b>	<b>Global Pharma</b>	To pain (acute, mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose: 100 - 200 mg	
Tablets		Analgesic مهدهات الأوجاع	<b>UAE</b>		
20 tablets					
<b>Emilora</b>	Loratadine	<b>Antihistamines</b>	<b>Global Pharma</b>	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Syrup		Allergy الحساسية	<b>Unknown</b>		
100 ml					
<b>EMOFLUOR</b>	Antiseptic	<b>Antiseptic and Desinfectants</b>	<b>Unknown</b>	As directed	
Solution		Mouth Wash الغسولات الفموية	<b>Unknown</b>		
<b>E-Mox</b>	Amoxicillin 250 mg / 5 ml	<b>Antibiotics</b>	<b>EIPICO</b>	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Powder for Suspension		الأصابات الميكروبية Microbial Infections	<b>Egypt</b>		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>E-Mox</b>	Amoxicillin 125mg / 5 ml	<b>Antibiotics</b>	<b>EIPICO</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Powder for Suspension		الأصابات الميكروبية Microbial Infections	<b>Egypt</b>		
100 ml					
<b>Emugesic</b>	Unknown	<b>Muscle relaxations</b>	<b>Unknown</b>	As directed	
Cream		Muscle relaxation مرخيات العضلات	<b>Unknown</b>		
70 gm					
<b>E-MYCIN 400</b>	Erythromycin 400 mg	<b>Antibiotics</b>	<b>RFA</b>	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Tablets		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
100 tabs					
<b>E-MYCIN 400</b>	Erythromycin 200 mg/5 ml	<b>Antibiotics</b>	<b>RFA</b>	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Powder for Suspension		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
100 ml					
<b>Enap</b>	Enalapril 10 mg / tab	<b>Cardio Vascular System drugs</b>	<b>KRKA</b>	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	
Tablets		Hypertension ارتفاع ضغط الدم	<b>India</b>		
20 TAB					
<b>Enap-HL</b>	Enalapril 10 mg + Hydrochlorothiazide 12.5 mg / tab	<b>Cardio Vascular System drugs</b>	<b>KRKA</b>	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	
Tablets		Hypertension ارتفاع ضغط الدم	<b>India</b>		
20 TAB					
<b>Enap-HL</b>	Enalapril 20 mg + Hydrochlorothiazide 12.5 mg / tab	<b>Cardio Vascular System drugs</b>	<b>KRKA</b>	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	
Tablets		Hypertension ارتفاع ضغط الدم	<b>India</b>		
20 TAB					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>ENAT</b>	Vit.E 400 I.U	<b>Vitamines and Menirals</b>	<b>MEGA</b>	40 to 50 mg	
Cream		Vitamins	<b>Thailand</b>		
50gm		نقص فيتامينات			
<b>ENAT 400</b>	Vit.E 400 mcg	<b>Vitamines and Menirals</b>	<b>MEGA</b>	40 to 50 mg	
Capsules		Vitamins	<b>Thailand</b>		
30 S.G Capsules.		نقص فيتامينات			
<b>Encephabol</b>	Pyritinol Hydrochloride	<b>Cardio Vascular System drugs</b>	<b>MERCK</b>	600 mg daily in 3 divided doses	
		Cardio Vascular	<b>France</b>		
		الأوعية الدموية والقلب			
<b>Enclex-40</b>	Enoxaparin Sodium	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	40 mg (4000 units) once daily for at least 6 days up to a maximum of 14 days, or 1 mg/kg (100 units/kg) every 12 hours, or 1.5 mg/kg (150 units/kg) once daily, for at least	
		Thrombosis	<b>Unknown</b>		
		الجلطات			
<b>Enclex-40.</b>	Enoxaparin sodium	<b>Cardio Vascular System drugs</b>	<b>CIPLA</b>	40 mg (4000 units) once daily for at least 6 days up to a maximum of 14 days, or 1 mg/kg (100 units/kg) every 12 hours, or 1.5 mg/kg (150 units/kg) once daily, for at least	
Ampoules		Thrombosis	<b>India</b>		
enoxaparin sodium injection 40mg/0.4m		الجلطات			
<b>Enclex-60</b>	Enoxaparin Sodium 60 mg / 0.6 ml or Enoxaparin Sodium 6000 i.u / 0.6 ml	<b>Cardio Vascular System drugs</b>	<b>CIPLA</b>	40 mg (4000 units) once daily for at least 6 days up to a maximum of 14 days, or 1 mg/kg (100 units/kg) every 12 hours, or 1.5 mg/kg (150 units/kg) once daily, for at least	
Ampoules		Thrombosis	<b>India</b>		
2 amp		الجلطات			
<b>Encorate</b>	Na valproate tablet 200mg	<b>Central Nervous system drugs</b>	<b>SUN</b>	15 mg/kg/day in 2-3 divided doses initially, increasing at weekly intervals to an effective dosage, to a maximum of 60 mg/kg/day.	
Tablets		Epilepsy	<b>India</b>		
tablet		الصرع			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Encorate Chrono-200</b>	Valproic Acid&Na valproate tablet 200mg	<b>Central Nervous system drugs</b>	<b>SUN</b>	PO for epilepsy (valproic acid) 15 mg/kg/day in 2-3 divided doses initially, increasing in 5-10 mg/kg/day increments at weekly intervals to an effective dosage,	
Tablets		Epilepsy الصرع	<b>India</b>		
30 tablets					
<b>Encorate Chrono-500</b>	Valproic Acid&Na valproate tablet 500mg	<b>Central Nervous system drugs</b>	<b>SUN</b>	PO for epilepsy (valproic acid) 15 mg/kg/day in 2-3 divided doses initially, increasing in 5-10 mg/kg/day increments at weekly intervals to an effective dosage,	
Tablets		Epilepsy الصرع	<b>India</b>		
30 tablets					
<b>Enfexia 250 mg</b>	Cefuroxime	<b>Antibacterial</b>	<b>Bilim</b>	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
tablet		Bacterial Infections	<b>Turkey</b>		
2strip*5tablet		الأصابات البكتيرية			
<b>Enfexia 500 mg</b>	Cefuroxime	<b>Antibacterial</b>	<b>Bilim</b>	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Tablets		Bacterial Infections	<b>Turkey</b>		
1 vial		الأصابات البكتيرية			
<b>Enfexia 750 mg</b>	Cefuroxime	<b>Antibacterial</b>	<b>Bilim</b>	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Vial		Bacterial Infections	<b>Turkey</b>		
1 vial		الأصابات البكتيرية			
<b>ENTOPHAR</b>	Metronidazole	<b>Antiprtozoal</b>	<b>PHARCO</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		Amoebiasis , Giardiasis جارديا واميبيا	<b>Egypt</b>		
120 ml					
<b>ENZYME PLUS</b>	Combination	<b>Gastro Intestinal drugs</b>	<b>LIFEPLAN</b>	As directed	
		Indigestion سوء الهضم	<b>Unknown</b>		






Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Epanutin</b>	Phenytoin capsule 100mg	<b>Central Nervous system drugs</b>	<b>Pfizer</b>	Minimum/Maximum Adult Daily Dose:300 - 600 mg (milligram) OR 3 - 6 Capsules.	
Capsules		Epilepsy الصرع	<b>USA</b>		
100 capsules					
<b>Ephedrine Hcl</b>	Ephedrine+carben oxamine+ pholcodiene	<b>Respiratory drugs</b>	<b>Unknown</b>	Nasal drops or sprays containing ephedrine 0.5 or 1%, 0.25% for use in children aged 1 to 3 months.	
Ampoules		Common Cold نزلات البرد	<b>Unknown</b>		
<b>EPICEPHIN</b>	Ceftriaxone Sodium 1 gm	<b>Antibacterial</b>	<b>EIPICO</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections الأمراض البكتيرية	<b>Egypt</b>		
1 vial + 2 amp solvent					
<b>EPICOCILLIN</b>	Ampicillin 1 gm / vial	<b>Antibiotics</b>	<b>EIPICO</b>	Adults : 1 - 2 Capsule four times daily.	
Vial		الأمراض الميكروبية Microbial Infections	<b>Egypt</b>		
1 vial					
<b>Epicogel</b>	Each 15 ml contain Al(OH)918 + Mg(OH) 300 + Simethicone 60	<b>Gastro Intestinal drugs</b>	<b>EIPICO</b>	*tab = 40 -120 mg QID orall a.m * susp = 10 ml QID * sachets = one sachet QID	
Suspension		سوء الهضم	<b>Egypt</b>		
120 ml / Bottle					
<b>Epicophylline</b>	Acefylline + Aminophylline	<b>Respiratory drugs</b>	<b>EIPICO</b>	16 mg/kg/daily	
Syrup		Bronchial Asthma الربو الشعبي	<b>Egypt</b>		
125 ml					
<b>Epicozym</b>	Vitamin B1 5mg -Vitamin B2 2mg -Vitamin B6 2mg - Ncotinamide 20mg -panthenol	<b>Vitamines and Menirals</b>	<b>EIPICO</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Syrup		Vitamins Deficiency نقص فيتامينات	<b>Egypt</b>		
125ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>EPIFENAC</b>	Diclofenac Sodium 75 mg/ 3 ml	<b>NSAID</b>	<b>EIPICO</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
3 amp x 3 ml					
<b>EPILAT</b>	Nifedipine 10 mg /cap	<b>Cardio Vascular System drugs</b>	<b>EIPICO</b>	10 to 40 mg twice daily	
Capsules		Hypertension ارتفاع ضغط الدم	<b>Egypt</b>		
30 cap					
<b>EPILAT Retard</b>	Nifedipine 20 mg / tab	<b>Cardio Vascular System drugs</b>	<b>EIPICO</b>	10 to 40 mg twice daily	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Egypt</b>		
20 S.R F. C. T					
<b>EPIMAG</b>	Magnesium Citrate+ ....	<b>Urinary tract drugs</b>	<b>EIPICO</b>	ADULTS: PO 1 glassful (approximately 240 ml) prn. CHILDREN 2-6 YR: PO 4-12 ml. CHILDREN 6-12 YR: PO 50-100 ml. Repeat if necessary.	
Sachets		Urinary Tract Infection اصابات الجهاز البولي	<b>Egypt</b>		
10 Sachets					
<b>Epinephrine</b>	Adrenaline	<b>Cardio Vascular System drugs</b>	<b>NDCO</b>	Adrenaline is usually given by intramuscular injection, subcutaneously;1 in 10 000 or 1 in 100 000) by very slow intravenous injection or by slow intravenous infusion.	
Ampoules		Anaphylactic Shock الصدمة الأغمائية	<b>Unknown</b>		
25 AMP					
<b>EPINOR</b>	Norfloxacin 400/ tab	<b>Antibacterial</b>	<b>EIPICO</b>	Tab 400mg	
Tablets		Bacterial Infections الاصابات البكتيرية	<b>Egypt</b>		
14 tab					
<b>EPINOSINE-B</b>	.Adenosine 10 mg+cocoboxylase 50mg+Vit.B12 . 500 mcg+nicotinamide 20mg	<b>Cardio Vascular System drugs</b>	<b>EIPICO</b>	1 ampoule I.M (only) daily or as directed by the physician.	
Ampoules		Arrhythmia عدم انتظام ضربات القلب	<b>Egypt</b>		
3 lyophilized ampoules+3ampoul					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Epiran</b>	Ranitidine	<b>Gastro Intestinal drugs</b>	unknown	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	Egypt		
20 tabs					
<b>Epirax</b>	Chlordiazepoxide + Clidinium bromide tablet (5/2.5)mg	<b>Gastro Intestinal drugs</b>	EIPICO	Minimum/Maximum Adult Daily Dose: 1 - 8 Capsule	
Tablets		Peptic ulcer قرحة المعدة	Egypt		
30 tablets					
<b>EPIRAZOLE</b>	Omeprazole 20 mg / cap	<b>Gastro Intestinal drugs</b>	EIPICO	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	Egypt		
14 caps					
<b>EPISTAT-500</b>	levetiracetam tablet 500mg	<b>Central Nervous system drugs</b>	CIPLA	1-3 gm increased gradually, children 50 kg is 20 mg/kg daily	
Tablets		Epilepsy الصرع	India		
30 tablets					
<b>Epitoin</b>	Each 5 ml contains phenytoin U.S.P. 30 mg.	<b>Central Nervous system drugs</b>	Pharmacare	Adults & children (over 6 yrs): Three teaspoonfuls (15ml) three times daily. Subsequent dosage should be adjusted according to the therapeutic response.	
Suspension		Epilepsy الصرع	Yemen		
120 ml					
<b>Epival-500</b>	Na valproate tablet 500mg	<b>Central Nervous system drugs</b>	United	15 mg/kg/day in 2-3 divided doses initially, increasing at weekly intervals to an effective dosage, to a maximum of 60 mg/kg/day.	
Tablets		Epilepsy الصرع	Jordan		
50 tablets					
<b>EPIZOLONE-DEPOT</b>	Methylprednisolone 40 mg / 1 ml	<b>Corticosteroid</b>	EIPICO	10 to 500 mg of methylprednisolone daily	
Ampoules		Inflammations الألتهايات	Egypt		
1 amp					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>EPRAZOLE</b>	Omeprazole 20 mg	<b>Gastro Intestinal drugs</b>	<b>LABORATE</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		قرحة المعدة	<b>India</b>		
10x 10 cap					
<b>EPSOM SALTS</b>	Magnesium Sulphate 25 g / sachet	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	5-15 gm	
Sachets		Constipation	<b>Yemen</b>		
25 gm		الأمساك			
<b>Eracid</b>	Clarithromycin	<b>Antibiotics</b>	<b>JPM</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
tablet		Respiratory Disorders	<b>Jordan</b>		
2strip*7tablet		اضطرابات الجهاز التنفسي			
<b>Ercefuryl 200 mg</b>	Nifuroxazide	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	* tabs = q I d * syrup = less two months 5 ml bid 2-12 months tid more 1 years = q I d	
		Diarrhea	<b>Unknown</b>		
		الأسهال			
<b>Eromed</b>	Erythromycin	<b>Antibiotics</b>	<b>Global Pharma</b>	tablet 500mg & 250mg & 400mg Dry syrup 400mg & 250mg & 200mg & 125mg Topical sul 4% & 2%	
Suspension		الأمراض الميكروبية	<b>Yemen</b>		
100ml		Microbial Infections			
<b>Eromycin</b>	Erythromycin	<b>Antibiotics</b>	<b>Julphar</b>	tablet 500mg & 250mg & 400mg Dry syrup 400mg & 250mg & 200mg & 125mg Topical sul 4% & 2%	
Dry syrup		الأمراض الميكروبية	<b>UAE</b>		
1bottel*100ml		Microbial Infections			
<b>Eros</b>	lidocaine	<b>Central Nervous system drugs</b>	<b>Abingdon</b>	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Cream		Anaesthetics	<b>Unknown</b>		
bottle of 5% in 15g		التخدير الموضعي			


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Erotab</b>	Erythromycin	<b>Antibiotics</b>	<b>Hayat pharma</b>	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg &200mg &125mg Topical sul 4% &2%	
Tablet		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
10strip*10tablet					
<b>Erothin</b>	Erythromycin 200 mg / 5 ml	<b>Antibiotics</b>	<b>Modern Pharama</b>	Dry syrup 400mg &250mg &200mg &125mg Topical sul 4% &2%	
Dry syrup		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
100 ml					
<b>Erythrodar</b>	Erythromycin	<b>Antibiotics</b>	<b>Dar Aldawa</b>	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg &200mg &125mg Topical sul 4% &2%	
Dry syrup		الأصابات الميكروبية Microbial Infections	<b>Jordan</b>		
1bottel*100ml					
<b>Erythromycin</b>	Erythromycin 125 mg / 5 ml	<b>Antibiotics</b>	<b>FULTON</b>	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg &200mg &125mg Topical sul 4% &2%	
Suspension		الأصابات الميكروبية Microbial Infections	<b>Italy</b>		
100 ml					
<b>Erythromycin Stearate</b>	Erythromycin	<b>Antibiotics</b>	<b>Unknown</b>	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg &200mg &125mg Topical sul 4% &2%	
		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
<b>Erythrosan</b>	Erythromycin 250 mg	<b>Antibiotics</b>	<b>Shiba pharma</b>	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg &200mg &125mg Topical sul 4% &2%	
Tablet		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
2strip *10tablet					
<b>Erythrosan</b>	Erythromycin 125 mg / 5 ml	<b>Antibiotics</b>	<b>Shiba pharma</b>	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg &200mg &125mg Topical sul 4% &2%	
Suspension		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Erythrosan</b>	Erythromycin 200 mg / 5 ml	<b>Antibiotics</b>	<b>Shiba pharma</b>	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Suspension		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
100 ml					
<b>Erythrosan</b>	Erythromycin 250 mg / 5 ml	<b>Antibiotics</b>	<b>Shiba pharma</b>	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Suspension		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
100 ml					
<b>Escodyne</b>	vitamins + minerals +trace elements	<b>Vitamines and Menirals</b>	<b>Sothema</b>	As directed	
Tablets		Vitamins نقص فيتامينات	<b>Morocco</b>		
10 effervescent tablets					
<b>Esi-Pram-10</b>	Escitalopram tablet 10mg	<b>Central Nervous system drugs</b>	<b>MEDICO LABS</b>	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	<b>Syria</b>		
20 tablets					
<b>Esomac 20</b>	Esomeprazole	<b>Gastro Intestinal drugs</b>	<b>CIPLA</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Tablets		قرحة المعدة	<b>India</b>		
10 tabs					
<b>Esomac 40</b>	Esomeprazole	<b>Gastro Intestinal drugs</b>	<b>CIPLA</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Tablets		قرحة المعدة	<b>India</b>		
10 tab					
<b>Esomac 40</b>	Esomeprazole	<b>Gastro Intestinal drugs</b>	<b>CIPLA</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Powder for Solution Injection		قرحة المعدة	<b>India</b>		
vial					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Esomac 40</b>	Esomeprazole	<b>Gastro Intestinal drugs</b>	<b>CIPLA</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Tablets		Peptic ulcer قرحة المعدة	<b>India</b>		
10x10 tab					
<b>Es-omepral 20</b>	Esomeprazole	<b>Gastro Intestinal drugs</b>	<b>ASIA</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
cap		Peptic ulcer قرحة المعدة	<b>Syria</b>		
20 caps					
<b>Es-omepral 40</b>	Esomeprazole	<b>Gastro Intestinal drugs</b>	<b>ASIA</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	<b>Syria</b>		
20 caps					
<b>Esoprax</b>	Esomeprazole 20 mg / cap	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
10 x 10 cap					
<b>Esoprax 20</b>	Esomeprazole 20 mg / cap	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
14 Capsules					
<b>Esoprax 40</b>	Esomeprazole	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
14 Capsules					
<b>Esoprax 40</b>	Esomeprazole	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
10 x 10 capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>ESOprazol</b>	Esomeprazole	<b>Gastro Intestinal drugs</b>	<b>Shaphaco</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Tablets		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
20 tabs					
<b>Esoprazol 40</b>	Esomeprazole	<b>Gastro Intestinal drugs</b>	<b>Shaphaco</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
tab		Peptic ulcer قرحة المعدة	<b>Unknown</b>		
20 tabs					
<b>ESOREST 20</b>	Esomeprazole 20 mg	<b>Gastro Intestinal drugs</b>	<b>RFA</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Tablets		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
100 tabs					
<b>ESOREST 40</b>	Esomeprazole 40 mg	<b>Gastro Intestinal drugs</b>	<b>RFA</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Tablets		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
100 tabs					
<b>Esoxium ???</b>	Esomeprazole	<b>Gastro Intestinal drugs</b>	<b>BIOPHARM</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
14 caps					
<b>Esoxium 40</b>	Esomeprazole	<b>Gastro Intestinal drugs</b>	<b>BIOPHARM</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
14 caps					
<b>Esoz</b>	Esomeprazole	<b>Gastro Intestinal drugs</b>	<b>Glenmark</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
tab		Peptic ulcer قرحة المعدة	<b>India</b>		
10 tabs					




Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Essential forte</b>	Phospholipids from soya-beas Hard capsule 300mg.	<b>Vitamines and Menirals</b>	<b>Sanofi aventis</b>	Adluts : 1800mg/daily(divided into 3 doses) childran mor than 12 years(about 43 kg) 600mg/daily(divided into 3 doses).	
Capsules		Hepatic Disorders اضطرابات الكبد	<b>France</b>		
50 Hard capsules					
<b>Essentiale Forte 300 mg</b>	essential phospholipids+vit b1,b2,b12,E	<b>Gastro Intestinal drugs</b>	<b>Sanofi Aventis</b>	Adluts : 1800mg/daily(divided into 3 doses) childran mor than 12 years(about 43 kg) 600mg/daily(divided into 3 doses).	
Capsules		Hepatic Disorders اضطرابات الكبد	<b>France</b>		
50 cap					
<b>Essentiale forte N</b>	essential phospholipids 300 mg+vit b1,b2,b12,E	<b>Gastro Intestinal drugs</b>	<b>Sanofi Aventis</b>	Adluts : 1800mg/daily(divided into 3 doses) childran mor than 12 years(about 43 kg) 600mg/daily(divided into 3 doses).	
Capsules		Hepatic Disorders اضطرابات الكبد	<b>France</b>		
30 cap					
<b>essentials folic acid</b>	folic acid 400mcg	<b>Vitamines and Menirals</b>	<b>Unknown</b>	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
tablet		Anaemia فقر الدم	<b>Unknown</b>		
90tablet					
<b>Estecina</b>	Ciprofloxacin Hydrochloride	<b>Antibacterial</b>	<b>LABORATORI ES NORMON,</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
<b>Estecina 100 ml</b>	Ciprofloxacin*	<b>Antibacterial</b>	<b>Normon</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Infusion Bottle		Bacterial Infections الأمراض البكتيرية	<b>Spain</b>		
100 ml / bottle					
<b>Estecina Tablets</b>	Ciprofloxacin*	<b>Antibacterial</b>	<b>Normon</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>Spain</b>		
20 Coated Tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>ETODINE-300</b>	Etodolac capsule 300mg.	<b>Nonsteroidal Anti-</b>	<b>PHARCO</b>	Minimum/Maximum Adult Daily Dose:500 - 1000 mg (milligram) OR 1 - 2 Tablet	
Capsules		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
10 S.G capsules					
<b>Eucarbon</b>	charcoal	<b>Gastro Intestinal drugs</b>	<b>F. Tranka</b>	A usual adult dose for reduction of absorption is 50 g, but higher doses have been used. Children 1 to 12 years old may be given 25 to 50 g and infants under 1 year 1 g/kg.	
tab		Poisons التسمم	<b>Unknown</b>		
100 tab					
<b>Euphyllin</b>	Theophyllin 200 mg/10 ml	<b>Respiratory drugs</b>	<b>Nycomed</b>	by mouth in doses ranging from 300 to 1000 mg daily in divided doses	
Ampoules		Bronchial Asthma الربو الشعبي	<b>Viena, Austria</b>		
5 amp x 10 ml					
<b>Eurax</b>	Benzyl Benzoate	<b>Skin Disorders</b>	<b>Unknown</b>	A 25% emulsion is applied to the whole body, usually from the neck down, three applications at 12-hour intervals, without bathing, may be made, followed by bathing	
		Scabies الجرب	<b>Unknown</b>		
<b>Eurozole 500 mg</b>	Secnidazole 500 mg	<b>Antiprtozoal</b>	<b>European Egypton</b>	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Egypt</b>		
4 tab					
<b>EUTHROX</b>	levothyroxine sodium 150	<b>Hormones</b>	<b>MERCK</b>	Minimum/Maximum Adult Daily Dose:25 - 200 mcg	
Solid		Thyroid hormone الغدة الدرقية	<b>France</b>		
100					
<b>euthyrox</b>	levothyroxine sodium 25	<b>Hormones</b>	<b>MERCK</b>	Minimum/Maximum Adult Daily Dose:25 - 200 mcg	
Solid		Thyroid hormone الغدة الدرقية	<b>France</b>		
100					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>EUTHYROX ???</b>	levothyroxine sodium 100	<b>Hormones</b>	<b>MERCK</b>	Minimum/Maximum Adult Daily Dose:25 - 200 mcg	
Solid		Thyroid hormone الغدة الدرقية	<b>France</b>		
100					
<b>EVA PHARMA</b>	Salicylic Acid	<b>Skin Disorders</b>	<b>OCTOBER PHARMA</b>	As directed	
Ointment		الثآليل او التتوء الصغيرة	<b>Egypt</b>		
20 gm					
<b>EVIT 400</b>	Vit.E (tocopherols) 400 mg	<b>Vitamines and Menirals</b>	<b>Square Pharma Logo</b>	40 to 50 mg	
Capsules		Vitamins نقص فيتامينات	<b>Unknown</b>		
30 cap					
<b>Exolvane</b>	Bromhexine	<b>Respiratory drugs</b>	<b>Razi Pharma</b>	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Syria</b>		
100 ml					
<b>Exolvane</b>	Bromhexine	<b>Respiratory drugs</b>	<b>Unknown</b>	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily	
		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Unknown</b>		
<b>eX-pylori</b>	Pantoprazole 40 mg+Clarithromycine 500 mg+ Amoxicillin 1000 (dose=one kit for 7 days)	<b>Gastro Intestinal drugs</b>	<b>Pharmacare</b>	One dose morning and one dose evening for 7 days eradication regimen.	
kits		H-Pylori جرثومة المعدة	<b>Yemen</b>		
7 kits each contains 4 tablets and 2					
<b>Extra Strength</b>	Ibuprofen 400 mg	<b>Nonsteroidal Anti-</b>	<b>WOCKHADT</b>	Oral doses of 400 mg to 1.2 g daily .	
Tablets		مهدئات الأوجاع	<b>UK</b>		
84 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Ezilax</b>	Lactulose	<b>Gastro Intestinal drugs</b>	<b>Tabuk pharma</b>	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Syrup		Constipation الأمساك	<b>Saudi Arabia</b>		
300 ml for bottle					
<b>Ezivac</b>	Glycerin + Sodium Chloride	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
Enema		Constipation الأمساك	<b>Unknown</b>		
30 ml					
<b>EZTOR EZ</b>	atorvastatin 10mg+ezetimibe 10mg	<b>Cardio Vascular System drugs</b>	<b>SUN Pharma</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
tablet		Hyperlipidaemias زيادة الدهون في الدم	<b>India</b>		
tablet					
<b>Fadine 20</b>	Famotidine 20 mg	<b>Gastro Intestinal drugs</b>	<b>Shaphaco</b>	*40 mg once time daily . * 20 mg bid	
Tablets		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
20 tab					
<b>Fadine 40</b>	Famotidine 40 mg	<b>Gastro Intestinal drugs</b>	<b>Shaphaco</b>	*40 mg once time daily . * 20 mg bid	
Tablets		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
10 tab					
<b>Famciclovir</b>	Famciclovir 250mg	<b>Antivirals</b>	<b>Unknown</b>	250 mg three times daily, or 750 mg once daily, for 7 days	
		Viral Infections الأمراض الفيروسية	<b>Unknown</b>		
<b>Famciclovir stada</b>	Famciclovir 500mg / tab	<b>Antivirals</b>	<b>STADA</b>	250 mg three times daily, or 750 mg once daily, for 7 days	
Tablets		Viral Infections الأمراض الفيروسية	<b>Unknown</b>		
21 film-coated tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Famciclovir Teva</b>	Famciclovir 125mg	<b>Antivirals</b>	<b>TEVN</b>	250 mg three times daily, or 750 mg once daily, for 7 days	
		Viral Infections الأمراض الفيروسية	<b>Unknown</b>		
<b>Famid 40 mg</b>	Famotidine 40 mg	<b>Gastro Intestinal drugs</b>	<b>Modern Pharama</b>	*40 mg once time daily . * 20 mg bid	
Tablets		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
20 tab					
<b>Famodar</b>	famotidine	<b>Gastro Intestinal drugs</b>	<b>Dar Aldawa</b>	*40 mg once time daily . * 20 mg bid	
tab		Peptic ulcer قرحة المعدة	<b>Unknown</b>		
30 tabs					
<b>Famotak 20 mg</b>	Famotidine	<b>Gastro Intestinal drugs</b>	<b>SEDICO</b>	*40 mg once time daily . * 20 mg bid	
Tablets		Peptic ulcer قرحة المعدة	<b>Egypt</b>		
20 Tablets					
<b>Famotak 40 mg</b>	Famotidine	<b>Gastro Intestinal drugs</b>	<b>SEDICO</b>	*40 mg once time daily . * 20 mg bid	
Tablets		Peptic ulcer قرحة المعدة	<b>Egypt</b>		
20 tab					
<b>Famvir 250 mg</b>	Famciclovir	<b>Antivirals</b>	<b>NOVARTIS</b>	250 mg three times daily, or 750 mg once daily, for 7 days	
Tablets		Viral Infections الأمراض الفيروسية	<b>Switzerland</b>		
21 tap.					
<b>Famvir 500 mg</b>	Famciclovir	<b>Antivirals</b>	<b>NOVARTIS</b>	250 mg three times daily, or 750 mg once daily, for 7 days	
Tablets		Viral Infections الأمراض الفيروسية	<b>Switzerland</b>		
3 tap.					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Fansitab</b>	Sulfadoxine 500 mg + Pyrimethamine 25 mg	<b>Antimalarial medicines</b>	<b>Shaphaco</b>	the usual dose by mouth is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	
Tablets		Malaria الملاريا	<b>Yemen</b>		
250 tab					
<b>Farcolin Syrup</b>	Each 5 ml contains: Salbutamol 2mg+ Ammonium chloride 100 mg	<b>Respiratory drugs</b>	<b>PHARCO</b>	2 -4 mg / or 2 buffs *qid	
Syrup		Bronchial Asthma الربو الشعبي	<b>Egypt</b>		
120 ml					
<b>Farcolin Tablets</b>	Salbutamol 2 mg	<b>Respiratory drugs</b>	<b>PHARCO</b>	2 -4 mg / or 2 buffs *qid	
Tablets		Bronchial Asthma الربو الشعبي	<b>Egypt</b>		
20 tab					
<b>Farconcil</b>	Amoxicillin*	<b>Antibiotics</b>	<b>PHARCO</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Dry syrup		الأصابات الميكروبية Microbial Infections	<b>Egypt</b>		
80ml					
<b>FARCONCIL</b>	Amoxicillin	<b>Antibiotics</b>	<b>PHARCO</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
		الأصابات الميكروبية Microbial Infections	<b>Egypt</b>		
<b>farcopril</b>	Captopril	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>Farcosolvin</b>	Ambroxol+Guaip henisin	<b>Respiratory drugs</b>	<b>PHARCO</b>	5 ml by mouth, in 2 or 3 divided doses.	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Egypt</b>		
120 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>FARCOSOLVIN</b>	Combination	<b>Respiratory drugs</b>	<b>PHARCO</b>	As directed	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Egypt</b>		
120 ml					
<b>Farcotilium</b>	Domperidone	<b>Gastro Intestinal drugs</b>	<b>PHARCO</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suspension		Nausea and vomiting الغثيان والطرش	<b>Egypt</b>		
120 ml for bottle					
<b>Farcotilium</b>	Domperidone	<b>Gastro Intestinal drugs</b>	<b>PHARCO</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Capsules		Nausea and vomiting الغثيان والطرش	<b>Egypt</b>		
24 caps					
<b>Farcotilium</b>	Domperidone	<b>Gastro Intestinal drugs</b>	<b>PHARCO</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suspension		Nausea and vomiting الغثيان والطرش	<b>Egypt</b>		
120 ml					
<b>Farcotrim</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	<b>Antibacterial</b>	<b>PHARCO</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Tablets		Bacterial Infections الأصابات البكتيرية	<b>Egypt</b>		
2strip*10tablet					
<b>Farcovit B12</b>	essential phosphate 10mg+vitB1 2mg+vitB2 1mg+vitB6 2mg+vitB12	<b>Vitamines and Menirals</b>	<b>PHARCO</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Capsules		Vitamins Deficiency نقص فيتامينات	<b>Egypt</b>		
24 capsule					
<b>FARCOZEPAM</b>	Diazepam	<b>Central Nervous system drugs</b>	<b>PHARCO</b>	Severe anxiety in oral doses of 2 mg three times daily to a maximum of 30 mg daily, in seizures Adults :Diazepam 10 to 20 mg ( I.V 5 mg/minute) or infusion every 15 min for up	
Ampoules		Anxiety, Insunnea الأرق والقلق	<b>Egypt</b>		
5 amp x 2 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>FARCOZOL</b>	metronidazole	<b>Antiprtozoal</b>	<b>PHARCO</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	<b>Egypt</b>		
20 tab					
<b>Farin 5 mg</b>	warfarin 5 mg / tab	<b>Cardio Vascular System drugs</b>	<b>GALENICA</b>	3 - 10 mg daily	
Tablets		Thrombosis الجلطات	<b>Republic of Serbia</b>		
30 Tablets					
<b>Farolax</b>	sodium picosulfate	<b>Gastro Intestinal drugs</b>	<b>Pharo pharma</b>	adult = one bottle 120 ml delivered dose ) once dairy = child 60 ml once dairy	
drop oral		Constipation الأمساك	<b>Egypt</b>		
15 ml					
<b>FAROSTAN FORTE</b>	Unknown	<b>Non-Steroidal Anti-</b>	<b>PHARCO</b>	As directed	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Egypt</b>		
20 tab					
<b>Fasigyn</b>	Tinidazole	<b>Antiprtozoal</b>	<b>Pfizer</b>	Amoebiasis: 2 gm is for 3 days: hepatic amoebiasis, 2 gm for 3 - 6 days , Children 50 to 60 mg/kg for 3- 5 days : Giardiasis, Trichomoniasis 2 gm by mouth: Anaerobic	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	<b>USA</b>		
4 tab					
<b>Fasonat 10</b>	Alendronate 10 mg	<b>Osteoarthritis drugs</b>	<b>Modern Pharama</b>	Adults: 10 mg/d. Elderly: 10 mg/d. Children: Safety and effectiveness not established in children <18 years.	
Tablets		Osteoarthritis التهابات العظام	<b>Yemen</b>		
10 tabs					
<b>Fasonat 70</b>	Alendronate 70 mg	<b>Osteoarthritis drugs</b>	<b>Modern Pharama</b>	Adults: 10 mg/d. Elderly: 10 mg/d. Children: Safety and effectiveness not established in children <18 years.	
Tablets		Osteoarthritis التهابات العظام	<b>Yemen</b>		
tabs					










Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Fast</b>	herbal extract	<b>Respiratory drugs</b>	<b>pharaonia</b>	As directed	
Syrup		Common Cold	<b>Unknown</b>		
120 ml		نزلات البرد			
<b>Fastum gel</b>	Ketoprofen	<b>Nonsteroidal Anti-</b>	<b>Unknown</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
<b>Fastum-gel</b>	Ketoprofen gel 2.5%.	<b>Nonsteroidal Anti-</b>	<b>MENARINI</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 tablets.	
		Analgesic مهدئات الأوجاع	<b>Italy</b>		
50 g					
<b>Faverin 100 mg</b>	Fluvoxamine Maleate tablet 100mg	<b>Central Nervous system drugs</b>	<b>ABBOTT</b>	Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	
Tablets		Mental Disorders	<b>USA</b>		
30 tablet		الأمراض العقلية			
<b>Faverin 50 mg</b>	Fluvoxamine Maleate tablet 50mg	<b>Central Nervous system drugs</b>	<b>ABBOTT</b>	Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	
Tablets		Mental Disorders	<b>USA</b>		
60 tablet		الأمراض العقلية			
<b>Faverin 50 mg</b>	Fluvoxamine Maleate 50 mg	<b>Central Nervous system drugs</b>	<b>SOLVAY</b>	Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	
Tablets		Mental Disorders	<b>France</b>		
60 tab		الأمراض العقلية			
<b>Fawakeh Fawar</b>	NaHCO 2.80 g + Citric acid 0.82 gm+Tartraic acid 1.33 gm	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	One tablet three times daily during or after meals.	
Sachets		Indigestion سوء الهضم	<b>Yemen</b>		
6 sachets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>FAWAR FRUIT</b>	NaHCO 2.80 g + citric acid 1.33g+titraic acid 0.82 g	<b>Gastro Intestinal drugs</b>	<b>PHARCO</b>	One tablet three times daily during or after meals.	
Eff .salt		Indigestion سوء الهضم	<b>Egypt</b>		
6 sachets					
<b>Fawarcid</b>	NaHCO+citric acid +titraic acid	<b>Gastro Intestinal drugs</b>	<b>Global Pharma</b>	One tablet three times daily during or after meals.	
Eff .salt		Indigestion سوء الهضم	<b>Yemen</b>		
6 sachets					
<b>FAXART Amp</b>	Each 1 ml contains 80 mg Artemether	<b>Antimalarial medicines</b>	<b>Unknown</b>	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	
Ampoules		Malaria الملاريا	<b>Unknown</b>		
6 amp X 1 ml					
<b>Febilex SR</b>	Each capsule contains : Iron (as ferrous sulphate ) 150 mg+ Thiamine nitrate 2 mg+	<b>Vitamines and Menirals</b>	<b>Pharmacare</b>	1-2 capsules daily according to the severity of needs.	
Capsules		Anaemia فقر الدم	<b>Yemen</b>		
30 cap					
<b>Fedecol</b>	Ambroxol (15 mg/5ml)	<b>Respiratory drugs</b>	<b>Pharma International</b>	5 ml by mouth, in 2 or 3 divided doses.	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفس	<b>Jordan</b>		
100 ml					
<b>Feelfresh</b>	Combination	<b>Antiseptic and Desinfectants</b>	<b>INFINITY</b>	As directed	
Solution		Feminine wash الغسولات الأنثوية	<b>Unknown</b>		
<b>Fefadol-Plus</b>	Paracetamol 500mg+codeine 8mg+caffeine 30mg per tablet.	<b>Nonsteroidal Anti-</b>	<b>SPIMACO</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Mهدئات الأوجاع والحمى	<b>Saudi Arabia</b>		
20 tablets					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Fefol</b>	Ferrous sulphate 47mg & folic acid 500mcg/capsule	<b>Vitamines and Menirals</b>	<b>ICN</b>	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Capsules		فقر الدم Anaemia	<b>USA</b>		
30 capsules.					
<b>Fefosan</b>	Ferrous Sulfate150 mg+ Folic Acid 0.5mg	<b>Vitamines and Menirals</b>	<b>Shiba pharma</b>	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Capsules		فقر الدم Anaemia	<b>Yemen</b>		
20 capsule					
<b>FefosanZ</b>	Ferrous Sulfate150 mg+ Folic Acid 0.5mg+Zinc /cap.	<b>Vitamines and Menirals</b>	<b>Shiba pharma</b>	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Capsules		فقر الدم Anaemia	<b>Yemen</b>		
20 capsule					
<b>FELDENE</b>	Piroxicam capsule 20mg.	<b>Nonsteroidal Anti-</b>	<b>Pfizer</b>	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
Capsules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>USA</b>		
10 capsules.					
<b>Feldene</b>	Piroxicam	<b>Nonsteroidal Anti-</b>	<b>Unknown</b>	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Unknown</b>		
<b>Felic SR</b>	Each capsule contains : Ferrous sulphate 150 mg + Folic acid. 0.5 mg	<b>Vitamines and Menirals</b>	<b>Pharmacare</b>	One capsule a day during pregnancy & lactation.	
Capsules		فقر الدم Anaemia	<b>Yemen</b>		
30 capsule					
<b>Femigiene</b>	Combination	<b>Antiseptic and Desinfectants</b>	<b>Unknown</b>	As directed	
		Dermatitis الألتهابات الجلدية	<b>Unknown</b>		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Femigin</b>	Combination	<b>Antiseptic and Desinfectants</b>	<b>PHARCO</b>	As directed	
Sachets		Vaginal المهبل	<b>Egypt</b>		
10 Sachets					
<b>Fenalerg 10 mg</b>	Cetirizine Hydrochloride	<b>Antihistamines</b>	<b>Unknown</b>	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	
Tablets		Allergy الحساسية	<b>Unknown</b>		
20 tab					
<b>Fenam</b>	Mefenamic Acid syrup 50mg/5ml.	<b>Nonsteroidal Anti-</b>	<b>JPI</b>	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Syrup		Analgic مهدئات الأوجاع	<b>Saudi Arabia</b>		
120 ml					
<b>Fenam</b>	Mefenamic Acid	<b>Nonsteroidal Anti-</b>	<b>Unknown</b>	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
		Analgic مهدئات الأوجاع	<b>Unknown</b>		
<b>Fenam Forte</b>	Mefenamic Acid tablet 500mg	<b>Nonsteroidal Anti-</b>	<b>JPI</b>	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		Analgic مهدئات الأوجاع	<b>Saudi Arabia</b>		
20 coated tablets.					
<b>Fenamic 500</b>	Each one tablet contains Mefenamic acid BP 500mg.	<b>NSAID</b>	<b>Pharmacare</b>	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		Analgic مهدئات الأوجاع	<b>Yemen</b>		
20 tablet					
<b>Fenamol</b>	Mefenamic Acid suspension 50 mg/5ml.	<b>NSAID</b>	<b>Shiba pharma</b>	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Suspension		Analgic مهدئات الأوجاع	<b>Yemen</b>		
60 ml					





Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Fenamol</b>	Mefenamic Acid suspension 50mg/5ml.	<b>NSAID</b>	shiba pharma	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Suspension		مهدئات الأوجاع	Yemen		
100 ml					
<b>Fenamol-250</b>	Mefenamic Acid capsule 250mg	<b>NSAID</b>	Shiba pharma	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Capsules		مهدئات الأوجاع	Yemen		
20 capsules					
<b>Fenamol-500</b>	Mefenamic Acid tablet 500mg	<b>NSAID</b>	Shiba pharma	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Caplets		مهدئات الأوجاع	Yemen		
10 f.coated cablets					
<b>Fenazine</b>	promethazine Hydrochloride 5mg / 5 ml	<b>Antihistamines</b>	Shiba pharma	Minimum/Maximum Adult Daily Dose:12.5 - 150 mg (milligram) OR 1 - 12 tablet.	
Syrup		الحساسية Allergy	Yemen		
100 ml for bottle					
<b>Fenistil</b>	Dimetindene Maleate	<b>Antihistamines</b>	unknown	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Tablets		الحساسية Allergy	Unknown		
20 tab					
<b>Fenostal</b>	Dimetindene Maleate 0.5 mg/5ml	<b>Antihistamines</b>	Modern Pharama	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Oral / Solution		الحساسية Allergy	Yemen		
100 ml					
<b>Fenostal</b>	Dimetindene Maleate 1 mg/1ml	<b>Antihistamines</b>	Modern Pharama	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Oral /Drops		الحساسية Allergy	Yemen		
20 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Feratonic-Vit</b>	Iron + Vitamins + Folic acid	<b>Vitamines and Menirals</b>	<b>HANSEL</b>	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Capsules		فقر الدم Anaemia	<b>Unknown</b>		
30 cap					
<b>ferfol</b>	ferrous sulphate150mg+folic acid500mcg	<b>Vitamines and Menirals</b>	<b>BIOPHARM</b>	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Capsules		فقر الدم Anaemia	<b>Yemen</b>		
30capsule					
<b>FERFOLIC Z</b>	Ferrous Sulfate+ Folic Acid+Zinc capsule S.R .	<b>Vitamines and Menirals</b>	<b>Alpha</b>	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Capsules		فقر الدم Anaemia	<b>Syria</b>		
20 capsules S.R					
<b>feridex</b>	ferrous fumarate200mg+folic acid200mg	<b>Vitamines and Menirals</b>	<b>ACI</b>	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
Capsules		فقر الدم Anaemia	<b>Bangladesh</b>		
50 cap					
<b>FERIMAX</b>	Ferrous Sulfate	<b>Vitamines and Menirals</b>	<b>Bilim</b>	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Solution		فقر الدم Anaemia	<b>Turkey</b>		
10 x 5 ml					
<b>Feroglobin</b>	Ferrous Sulfate	<b>Vitamines and Menirals</b>	<b>VITABIOTICS</b>	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Syrup		فقر الدم Anaemia	<b>England</b>		
200 ml					
<b>Feroglobin</b>	Iron	<b>Vitamines and Menirals</b>	<b>VITABIOTICS</b>	treatment of iron-deficiency anaemia is 100 to 200 mg of iron daily in divided doses. The usual adult prophylactic dose is about 60 to 120 mg of iron daily.	
Capsules		فقر الدم Anaemia	<b>Unknown</b>		
30 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>feroglobin</b>	Zinc + Vit Bcomplex - Vit B12 5microgram	<b>Vitamines and Menirals</b>	<b>VITABIOTICS</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Solution		Neuritis; vitamin B deficiency	<b>Unknown</b>		
240 ml					
<b>Feroglobin ??</b>	Iron 24 mg , zinc 12mg ,copper 2000mcg , folic acid 500mcg , vit.B12 10mcg , vit.B6 5mg/15 ml.	<b>Vitamines and Menirals</b>	<b>VITABIOTICS</b>	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Syrup		فقر الدم Anaemia	<b>Unknown</b>		
200ml					
<b>feroglobin B12</b>	iron(as fumarate)24mg+ zinc 12mg+copper 2000micro gram+folacin(asfo	<b>Vitamines and Menirals</b>	<b>VITABIOTICS</b>	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
capsule		فقر الدم Anaemia	<b>Unknown</b>		
30capsule					
<b>Feroglobin Caps</b>	Iron 24 mg , zinc 12mg ,copper 2000mcg , folic acid 500mcg , vit.B12 10mcg , vit.B6 5mg/cap.	<b>Vitamines and Menirals</b>	<b>VITABIOTICS</b>	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Capsules		فقر الدم Anaemia	<b>Unknown</b>		
30 capsules					
<b>Feromin</b>	Ferrous Sulfate 25 mg / 1 ml	<b>Vitamines and Menirals</b>	<b>RIYADH PHARMA</b>	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Oral /Drops		فقر الدم Anaemia	<b>Saudi Arabia</b>		
30 ml					
<b>ferro cal Capsules</b>	vitC 60mg+calcium carbonate 500mg+vitD3 400U.I+iron 10mg+folic	<b>Vitamines and Menirals</b>	<b>alabor city</b>	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Capsules		فقر الدم Anaemia	<b>Egypt</b>		
14capsule					
<b>Ferro Sanol-duodenal</b>	Ferrous Sulfate Capsules.	<b>Vitamines and Menirals</b>	<b>Schwarz pharma</b>	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Capsules		فقر الدم Anaemia	<b>Unknown</b>		
20 capsules					







Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>FerroCAL</b>	Calcium500mg+vit.C 60mg+vit.D 400IU+Ferrous Sulfate 10mg+folic acid 0.5 mg+zinc	<b>Vitamines and Menirals</b>	<b>EGYPHAR</b>	Unless otherwise prescribed by the physician, the usual dose is: One Capsule daily, preferable after meale.	
Capsules		Anaemia فقر الدم	<b>Egypt</b>		
14 capsules.					
<b>FERRO-FOL</b>	ferrous sulphate 150mg + folic acid 0.5mg	<b>Vitamines and Menirals</b>	<b>EIPICO</b>	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Capsules		Anaemia فقر الدم	<b>Egypt</b>		
3strip*10capsul					
<b>FERRO-FOL</b>	Ferrous sulphate 47mg & folic acid 500mcg/capsule.	<b>Vitamines and Menirals</b>	<b>EIPICO</b>	Adult Daily Dose:1 tablet once or twice aday or as directed by the physician.	
Capsules		Anaemia فقر الدم	<b>Egypt</b>		
30 capsules.					
<b>ferrotone</b>	ferrous fumarate 162.00mg +folic acid0.75mg+vitamineB127.50mcg	<b>Vitamines and Menirals</b>	<b>mega we care</b>	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
capsules		Anaemia فقر الدم	<b>Unknown</b>		
3*10softgel capsules					
<b>FERROTONE</b>	Ferrous furmate 162mg+ folic acid 0.75mg+vit.B12 7.50mcg/softgel cap.	<b>Vitamines and Menirals</b>	<b>MEGA We Care</b>	Adult Daily Dose:1 tablet once or twice aday or as directed by the physician.	
Capsules		Anaemia فقر الدم	<b>Unknown</b>		
30 capsules.					
<b>Ferrum</b>	iron	<b>Vitamines and Menirals</b>	<b>Unknown</b>	treatment of iron-deficiency anaemia is 100 to 200 mg of iron daily in divided doses. The usual adult prophylactic dose is about 60 to 120 mg of iron daily.	
Ampoules		Anaemia فقر الدم	<b>Unknown</b>		
5 X 2 ml					
<b>FERTAB</b>	clomifen 50	<b>Gynaecology drugs</b>	<b>ZYNOVA</b>	50 mg of clomifene citrate daily for 5 days, starting on the 5th day of the menstrual cycle .or at any time if there is amenorrhoea.	
Solid		العقم Infertility	<b>Unknown</b>		
10					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>FERTILAN</b>	clomifene citrate 2	<b>Gynaecology drugs</b>	<b>CODAL-SYNTO</b>	50 mg of clomifene citrate daily for 5 days, starting on the 5th day of the menstrual cycle .or at any time if there is amenorrhoea.	
Solid		العقم	<b>Cyprus</b>		
10					
<b>Festamin</b>	Dimetindene Maleate 1 mg / 1 ml	<b>Antihistamines</b>	<b>Global Pharma</b>	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Drops		Common Cold	<b>Yemen</b>		
20 ml		نزلات البرد			
<b>Festamin</b>	Dimetindene Maleate 0.5 mg / 5 ml	<b>Antihistamines</b>	<b>Global Pharma</b>	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Oral / Solution		Common Cold	<b>Yemen</b>		
100 ml		نزلات البرد			
<b>Fetax</b>	Cefotaxime Sodium	<b>Antibacterial</b>	<b>Youcare</b>	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
parental inj		Bacterial Infections	<b>Unknown</b>		
1Vial		الأسبابات البكتيرية			
<b>Fevadol</b>	Paracetamol syrup 160mg/5ml.	<b>Nonsteroidal Anti-</b>	<b>SEDICO</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic -	<b>Egypt</b>		
145 ml		مهدئات الأوجاع والحمى			
<b>Favorit</b>	triprolidine HCL+paracetamol	<b>Vitamines and Menirals</b>	<b>unknown</b>	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Drops		Anaemia فقر الدم	<b>Unknown</b>		
15 ml					
<b>Fexon</b>	Fexofenadine Hydrochloride	<b>Antihistamines</b>	<b>HIKMA</b>	by mouth in a dose of 120 mg daily either as a single dose or in two divided doses, Children 30 mg twice daily	
Tablets		Allergy الحساسية	<b>Jordan</b>		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Fexon</b>	Fexofenadine Hydrochloride 30 mg / 5 ml	<b>Antihistamines</b>	<b>HIKMA</b>	by mouth in a dose of 120 mg daily either as a single dose or in two divided doses, Children 30 mg twice daily	
Suspension		Allergy الحساسية	<b>Jordan</b>		
100 ml					
<b>Fibrolax</b>	Bran	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	20 to 35 g daily ; children 5 g daily	
Powder		Constipation الإمساك	<b>Unknown</b>		
200 gm					
<b>Fikxime</b>	Cefixime 400 mg / capsule and cefixime, 100 mg / 5ml	<b>Antibacterial</b>	<b>Pharmacare</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections	<b>Yemen</b>		
10 capsules		الأصابات البكتيرية			
<b>Finallerg</b>	Cetirizine Hydrochloride 10 mg	<b>Antihistamines</b>	<b>Pharma International</b>	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	
Tablets		Allergy الحساسية	<b>Jordan</b>		
20 tab					
<b>Fiocazole 150</b>	Fiocazole 150	<b>Antifungals</b>	<b>aldaweah</b>	Minimum/Maximum Adult Daily Dose: 100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis	<b>Unknown</b>		
1 capsules		الالتهابات الجلدية			
<b>Fixoral</b>	Cefixime	<b>Antibacterial</b>	<b>Alpha</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
capsule		Bacterial Infections	<b>Syria</b>		
1strip*6capsule		الأصابات البكتيرية			
<b>Fixoral</b>	Cefixime	<b>Antibacterial</b>	<b>Unknown</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
		Bacterial Infections	<b>Unknown</b>		
		الأصابات البكتيرية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Flagena 500</b>	Secnidazole 500 mg	<b>Antiprtozoal</b>	<b>Bahry medical</b>	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Syria</b>		
4 tab					
<b>Flagicure Forte</b>	Metronidazole	<b>Antiprtozoal</b>	<b>KAHIRA PHARM</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GardiasisIn: adults metronidazole 250mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Egypt</b>		
20 tab					
<b>Flaginol</b>	Secnidazole	<b>Antiprtozoal</b>	<b>DOMINA</b>	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Unknown</b>		
4tab					
<b>Flagydil</b>	Metronidazole 200mg + diloxnide 250mg	<b>Antiprtozoal</b>	<b>shaphaco</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Yemen</b>		
20 tab					
<b>Flagyl 250</b>	Metronidazole	<b>Antiprtozoal</b>	<b>Aventis</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Unknown</b>		
<b>Flagyl 500 mg</b>	Metronidazole	<b>Antiprtozoal</b>	<b>Sanofi Aventis</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>France</b>		
14 tab					
<b>Flagyzol</b>	Metronidazole	<b>Antiprtozoal</b>	<b>YEDCO</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Yemen</b>		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Flaticol</b>	Simethicone 30 ml	<b>Gastro Intestinal drugs</b>	<b>Global Pharma</b>	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
oral drops		سوء الهضم Indigestion	<b>Yemen</b>		
30 ml					
<b>Flaton</b>	Enzyme digestion	<b>Gastro Intestinal drugs</b>	<b>Bilim</b>	One tablet three times daily during or after meals.	
tab		سوء الهضم Indigestion	<b>Turkey</b>		
30 tab					
<b>Flazol</b>	Metronidazole 250 mg	<b>Antiprtozoal</b>	<b>Shiba pharma</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	<b>Yemen</b>		
20 tablets					
<b>Flazol</b>	Metronidazole 125 mg / 5 ml	<b>Antiprtozoal</b>	<b>Shiba pharma</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		Amoebiasis , Giardiasis جارديا واميبيا	<b>Yemen</b>		
100 ml					
<b>Flazol 500</b>	Metronidazole	<b>Antiprtozoal</b>	<b>shiba pharma</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	<b>Yemen</b>		
20 tab					
<b>Flazol Plus</b>	Metronidazole 100 mg + Diloxanide 125 mg	<b>Antiprtozoal</b>	<b>Shiba pharma</b>	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Suspension		Amoebiasis , Giardiasis جارديا واميبيا	<b>Yemen</b>		
100 ml					
<b>Flazol Plus</b>	Metronidazole +Diloxanide	<b>Antiprtozoal</b>	<b>Shiba pharma</b>	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	<b>Yemen</b>		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Flecoxine</b>	Bromhexine 8 mg +herbal	<b>Respiratory drugs</b>	<b>REMEDICA</b>	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
?????		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Unknown</b>		
20 tab					
<b>Fleming 1200</b>	Amoxicillin + Clavulanic Acid	<b>Antibiotics</b>	<b>medrich ph.</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Vial		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
5 vial					
<b>Flexen gel</b>	Ketoprofen	<b>Nonsteroidal Anti-</b>	<b>Unknown</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
		مهدئات الأوجاع	<b>Unknown</b>		
<b>Flixonase</b>	Fluticasone propionate	<b>Respiratory drugs</b>	<b>gsk glaxosmithkline</b>	100 to 250 micrograms twice daily in mild asthma up to 1 mg twice daily in severe asthma	
Nasal/Spray		Common Cold نزلات البرد	<b>UK</b>		
120 dose x 50 mcg					
<b>FLOGOFENAC</b>	Diclofenac Sodium 100 mg	<b>Non-Steroid Anti-</b>	<b>ECOBI</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Suppositoris		مهدئات الأوجاع	<b>Italy</b>		
10 sup					
<b>Flomist</b>	Fluticasone propionate	<b>Respiratory drugs</b>	<b>CIPLA</b>	100 to 250 micrograms twice daily in mild asthma up to 1 mg twice daily in severe asthma	
Nasal/Spray		Common Cold نزلات البرد	<b>India</b>		
100 dose (10 ml)					
<b>Flomist</b>	Fluticasone Propionate	<b>Respiratory drugs</b>	<b>Unknown</b>	100 to 250 micrograms twice daily in mild asthma up to 1 mg twice daily in severe asthma	
Nasal / Spray		Common Cold نزلات البرد	<b>Unknown</b>		








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>FLORALIN</b>	Domperidone	<b>Gastro Intestinal drugs</b>	<b>CODAL-SYNTO</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Cyprus</b>		
30 tabs					
<b>Floumizin</b>	Unknown	<b>Skin Disorders</b>	<b>Domin pharma</b>	As directed	
Cream		Burns الحروق	<b>Unknown</b>		
30 gm					
<b>Floxadex</b>	Ciprofloxacin Hydrochloride	<b>Antibacterial</b>	<b>Liqvor</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Suspension		Eye العين	<b>Armenia</b>		
10 ml					
<b>FLOXAMED</b>	Norfloxacin 300 mg	<b>Antibacterial</b>	<b>Unimed</b>	Tab 400mg	
		Bacterial Infections الأصابات البكتيرية	<b>Tunisia</b>		
<b>FLOXAMED</b>	Norfloxacin	<b>Antibacterial</b>	<b>Laboratories Unimed</b>	Tab 400mg	
		Bacterial Infections الأصابات البكتيرية	<b>Thailand</b>		
<b>Floximax</b>	Moxifloxacin Hydrochloride 400 mg	<b>Antibacterial</b>	<b>Shiba pharma</b>	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	
Caplets		Bacterial Infections الأصابات البكتيرية	<b>Yemen</b>		
5 F/C caplets					
<b>Flozak 20 mg</b>	Fluoxetine capsule 20mg	<b>Central Nervous system drugs</b>	<b>RIYADH PHARMA</b>	Minimum/Maximum Adult Daily Dose: 10 - 80 mg (milligram) OR 1 - 8 Capsule	
Capsules		Mental Disorders الأمراض العقلية	<b>Saudi Arabia</b>		
30 capsule					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>FLU OFF</b>	Pseudoephedrine 15 mg + Paracetamol 120 mg + Chloraphiniramine 2 mg	<b>Respiratory drugs</b>	<b>Shiba pharma</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	<b>Yemen</b>		
60 ml					
<b>FLU OFF</b>	Pseudoephedrine 15 mg + Paracetamol 150 mg + Chloraphiniramine 1 mg +	<b>Respiratory drugs</b>	<b>Shiba pharma</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	<b>Yemen</b>		
60 ml					
<b>Fluanxol</b>	flupentixol tablet 1mg	<b>Central Nervous system drugs</b>	<b>Lundbeck</b>	adult 2 tab dially maximum 4 tab per day. And childran not use .	
Tablets		Mental Disorders الأمراض العقلية	<b>Denmark</b>		
50 tablets					
<b>Fluanxol-Depot 20</b>	flupentixol ampule 20mg/ml	<b>Central Nervous system drugs</b>	<b>Lundbeck</b>	adult 2 tab dially maximum 4 tab per day. And childran not use .	
Ampoules		Mental Disorders الأمراض العقلية	<b>Denmark</b>		
1 ampoule					
<b>Fluanxol-Depot 40</b>	flupentixol ampule 40mg/2ml	<b>Central Nervous system drugs</b>	<b>Lundbeck</b>	adult 2 tab dially maximum 4 tab per day. And childran not use .	
Ampoules		Mental Disorders الأمراض العقلية	<b>Denmark</b>		
1 ampoule					
<b>FLUB</b>	flubendazole	<b>Anthelmentic</b>	<b>Unknown</b>	Adults and children: 100mgas a single dose repeated if necessary after 2-3 weeks. For ascariasis, hook worm, and Trichuriasis: 100mg twice daily for 3 days	
Tablets		Common Worms الديدان الشائعة	<b>Unknown</b>		
6 tab					
<b>Fluca</b>	Sodium chromoglycate	<b>Antihistamines</b>	<b>Jamjoum Pharma</b>	As directed	
Eye suspemsion		Allergy الحساسية	<b>Saudi Arabia</b>		
5 ml					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Flucan</b>	Fluconazole 150mg	<b>Antifungals</b>	<b>Pfizer</b>	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis التهابات الجدلية	<b>USA</b>		
2 capsules					
<b>Flucan-150</b>	Fluconazole capsule 150mg	<b>Antifungals</b>	<b>Shiba pharma</b>	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis التهابات الجدلية	<b>Yemen</b>		
2 capsule					
<b>Flucand</b>	Fluconazole	<b>Antifungals</b>	<b>Unknown</b>	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis التهابات الجدلية	<b>Unknown</b>		
<b>Fluconazole</b>	Fluconazole 150mg	<b>Antifungals</b>	<b>Bistol</b>	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis التهابات الجدلية	<b>Unknown</b>		
1 capsules					
<b>Fluconazole</b>	Fluconazole 400mg	<b>Antifungals</b>	<b>TEVN</b>	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Vial		Dermatitis التهابات الجدلية	<b>Unknown</b>		
200ml single dose vial					
<b>Fluconazole</b>	Fluconazole capsule 150mg	<b>Antifungals</b>	<b>BIOPHARM</b>	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis التهابات الجدلية	<b>Yemen</b>		
2 capsule					
<b>Fluconazole 150mg</b>	Fluconazole 150mg	<b>Antifungals</b>	<b>WOCKHADT</b>	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis التهابات الجدلية	<b>UK</b>		
1 hard capsules					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Flucoral</b>	Fluconazole 150mg	<b>Antifungals</b>	<b>SEDICO</b>	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis التهابات الجدلية	<b>Egypt</b>		
2 capsules					
<b>Flucosel</b>	Fluconazole	<b>Antifungals</b>	<b>HANSEL</b>	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis التهابات الجدلية	<b>Unknown</b>		
1 cap					
<b>Flucotal</b>	Fluconazole 200 mg / 100 ml	<b>Antifungals</b>	<b>Vitalis</b>	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Solution for I.V Injection		Dermatitis التهابات الجدلية	<b>USA</b>		
100 ml					
<b>Flucozal 150 mg</b>	Each capsule contains 150 mg Fluconazole	<b>Antifungals</b>	<b>DELORBIS</b>	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis التهابات الجدلية	<b>Cyprus</b>		
1 cap					
<b>Flucozal 150 mg</b>	Each capsule contains 150 mg Fluconazole	<b>Antifungals</b>	<b>EIPICO</b>	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis التهابات الجدلية	<b>Egypt</b>		
1 cap					
<b>Fludac</b>	Fluoxetine capsule 20mg	<b>Central Nervous system drugs</b>	<b>CADILA</b>	Minimum/Maximum Adult Daily Dose:10 - 80 mg (milligram) OR 1 - 8 Capsule	
Capsules		Mental Disorders الأمراض العقلية	<b>India</b>		
20 capsules					
<b>Fludinium</b>	Trifluoperazine 1 mg +Clidinium bromaid capsule 2.5mg	<b>Central Nervous system drugs</b>	<b>Medipharm</b>	Minimum/Maximum Adult Daily Dose:10 - 40 mg (milligram) OR 1 - 4 Tablets.	
Capsules		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
30 capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>FLUDITEC</b>	Carbocisteine 2%	<b>Respiratory drugs</b>	<b>INNOTECH</b>	Children from 2 up to 5 years may be given 62.5 to 125 mg four times daily and those aged 5 to 12 years 250 mg three times daily	
Syrup		Common Cold نزلات البرد	<b>France</b>		
125 ml					
<b>Fludrin</b>	Carbocisteine 2%	<b>Respiratory drugs</b>	<b>Global Pharma</b>	Children from 2 up to 5 years may be given 62.5 to 125 mg four times daily and those aged 5 to 12 years 250 mg three times daily	
Suspension		Common Cold نزلات البرد	<b>Yemen</b>		
60 ml					
<b>Fluimucil</b>	N-acetylcysteine 600 mg	<b>Respiratory drugs</b>	<b>Zambon</b>	100- 200 mg two times daily	
Effe. /Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Unknown</b>		
10 tab					
<b>Fluka-150</b>	Fluconazole 150mg	<b>Antifungals</b>	<b>CIPLA</b>	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Tablets		Dermatitis التهابات الجلدية	<b>India</b>		
1 tablet					
<b>Flukit</b>	pseudoephedrine +paracetamol+chloraphiniramine	<b>Respiratory drugs</b>	<b>julphar</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	<b>UAE</b>		
20 tablet					
<b>Flukit</b>	Pseudoephedrine 15 mg + Paracetamol 120 mg + Chloraphiniramine 2 mg	<b>Respiratory drugs</b>	<b>julphar</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	<b>UAE</b>		
60 ml					
<b>FLUMOX</b>	Amoxicillin and Flucloxacilline 250 mg / 5 ml	<b>Antibiotics</b>	<b>EIPICO</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Suspension		الأمراض الميكروبية Microbial Infections	<b>Egypt</b>		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>FLUMOX</b>	Amoxicillin and Flucloxacilline 500 mg / cap	<b>Antibiotics</b>	<b>EIPICO</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Egypt</b>		
2 x 8 cap					
<b>Flunil -N SR</b>	Each capsule contains : Cetirizine HCl 5 mg + Pseudoephedrine 120 mg As	<b>Respiratory drugs</b>	<b>Pharmacare</b>	One capsule twice daily. (Not recommended for children under 12 years.)	
Capsules		Common Cold نزلات البرد	<b>Yemen</b>		
20 cap					
<b>Fluoxet-20</b>	Fluoxetine capsule 20mg	<b>Central Nervous system drugs</b>	<b>Sothema</b>	Minimum/Maximum Adult Daily Dose:10 - 80 mg (milligram) OR 1 - 8 Capsule	
Capsules		Mental Disorders الأمراض العقلية	<b>Morocco</b>		
30 capsules					
<b>Flutab</b>	Paracetamol 500mg+pseudoephedrine 30mg+diphenhydramine 25mg/tablet	<b>Nonsteroidal Anti-</b>	<b>SPIMACO</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Saudi Arabia</b>		
20 tablets					
<b>Flutab</b>	pseudoephedrine+ triprolidin +paracetamol	<b>Respiratory drugs</b>	<b>SPIMACO</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	<b>Saudi Arabia</b>		
20 tab					
<b>Fluvoxin-50</b>	Fluvoxamine tablet 50mg	<b>Central Nervous system drugs</b>	<b>SUN</b>	Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>India</b>		
50 tablets					
<b>Folatine</b>	Folic Acid tablet 400mcg.	<b>Vitamines and Menirals</b>	<b>LIFEPLAN</b>	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Tablets		فقر الدم Anaemia	<b>Unknown</b>		
60 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Folic Acid</b>	Folic Acid tablet 400mcg.	<b>Vitamines and Menirals</b>	<b>CENTURY</b>	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Tablets		فقر الدم Anaemia	<b>USA</b>		
100 tablets.					
<b>Folic Acid</b>	Folic Acid tablet 400mcg.	<b>Vitamines and Menirals</b>	<b>Appeton</b>	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Tablets		فقر الدم Anaemia	<b>Unknown</b>		
90 tablets					
<b>Folic Acid</b>	Folic Acid tablet 400mcg.	<b>Vitamines and Menirals</b>	<b>Vitarenew</b>	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Tablets		فقر الدم Anaemia	<b>Unknown</b>		
90 tablets,					
<b>Folic Acid</b>	Folic Acid	<b>Vitamines and Menirals</b>	<b>NILE CO.</b>	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Tablets		فقر الدم Anaemia	<b>Egypt</b>		
5 x 10 tab					
<b>Folic Acid</b>	Folic Acid	<b>Vitamines and Menirals</b>	<b>Unknown</b>	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Tablets		فقر الدم Anaemia	<b>Unknown</b>		
50 tab					
<b>Folic Acid</b>	Folic Acid 5mg	<b>Vitamines and Menirals</b>	<b>Global Pharma</b>	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Tablets		فقر الدم Anaemia	<b>Yemen</b>		
30 tablets					
<b>Folic Acid 5 mg</b>	Folic Acid tablet 5mg.	<b>Vitamines and Menirals</b>	<b>WOCKHADT</b>	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Tablets		فقر الدم Anaemia	<b>UK</b>		
28 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Folic Acid Tablets</b>	Folic Acid tablet 400mcg.	<b>Vitamines and Menirals</b>	<b>Jamieson</b>	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Tablets		Anaemia فقر الدم	<b>Canada</b>		
200 tablets					
<b>Folin-B6</b>	Vitamin B6 5 mg + folic acid 50 mg	<b>Vitamines and Menirals</b>	<b>Modern Pharama</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Tablets		Vitamins Deficiency نقص فيتامينات	<b>Yemen</b>		
30 tab					
<b>FOLIRON</b>	Ferrous Sulfate150 mg+ Folic Acid 0.5mg/cap.	<b>Vitamines and Menirals</b>	<b>Medreich Limited</b>	Adult Daily Dose:1 tablet once or twice aday or as directed by the physician.	
Solid		Anaemia فقر الدم	<b>Unknown</b>		
<b>Folmid</b>	Folic Acid tablet 5mg.	<b>Vitamines and Menirals</b>	<b>Medeco Lab.</b>	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Tablets		Anaemia فقر الدم	<b>Unknown</b>		
50 tablets.					
<b>Folvit-12</b>	Hydroxocobalami n 1000mcg+ folic acid 1000mcg + vit.B6 20mg	<b>Vitamines and Menirals</b>	<b>MUP</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Ampoules		Vitamins Deficiency نقص فيتامينات	<b>Egypt</b>		
2 Ampoules of 2ml					
<b>Foracort 100</b>	budesonide +formoterol	<b>Respiratory drugs</b>	<b>CIPLA</b>	2 inh /bid or 200 - 300 mic g/BID	
Inhaler		Bronchial Asthma الربو الشعبي	<b>India</b>		
120 dose					
<b>Foracort- 200</b>	Budesonide +formoterol	<b>Respiratory drugs</b>	<b>CIPLA</b>	2 inh /bid or 200 - 300 mic g/BID	
Inhaler		Bronchial Asthma الربو الشعبي	<b>India</b>		
120 dose					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Foracort-100</b>	budesonide +formoterol	<b>Respiratory drugs</b>	<b>CIPLA</b>	2 inh /bid or 200 - 300 mic g/BID	
Capsules		Bronchial Asthma الربو الشعبي	<b>India</b>		
30 cap					
<b>Forasef</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>Bilim</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections	<b>Turkey</b>		
1 vial		الأصابات البكتيرية			
<b>forcan-150</b>	Fluconazole capsule 150mg	<b>Antifungals</b>	<b>CIPLA</b>	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis	<b>India</b>		
1 capsule		الالتهابات الجلدية			
<b>Forgine</b>	Combination	<b>Antiseptic and Desinfectants</b>	<b>Unknown</b>	As directed	
		Antiseptic مطهرات	<b>Unknown</b>		
<b>Forgyne</b>	Unknown	<b>Unknown</b>	<b>Unknown</b>	As directed	
		Unknown	<b>Unknown</b>		
<b>Forpar</b>	Cefepime	<b>Antibacterial</b>	<b>CIPLA</b>	The usual adult dose is 1 to 2 g daily in 2 divided doses for mild to moderate infections, increased to 4 g daily in 2 divided doses in severe infections, Children 50 mg/kg	
parental inj		Bacterial Infections	<b>India</b>		
1 vial		الأصابات البكتيرية			
<b>Forsef - 1 gm</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>Bilim</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parentral inj		Bacterial Infections	<b>Turkey</b>		
1 vial		الأصابات البكتيرية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Forsef 0.5 gm</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>Bilim</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections	<b>Turkey</b>		
1 vial		الأصابات البكتيرية			
<b>Fortazaar</b>	HCTZ + Losartan	<b>Cardio Vascular System drugs</b>	<b>MSD</b>	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension	<b>USA</b>		
28 tab		ارتفاع ضغط الدم			
<b>Forticef</b>	Unknown	<b>Antibiotics</b>	<b>Unknown</b>	As directed	
Suspension		الأصابات الميكروبية	<b>Unknown</b>		
75 ml		Microbial Infections			
<b>Fortymox</b>	Moxifloxacin Hydrochloride 0.5%	<b>Ophthalmic drugs</b>	<b>Orchidia Pharma</b>	As directed	
Solution		العين	<b>Egypt</b>		
10 ml					
<b>Forus</b>	Unknown	<b>Unknown</b>	<b>Unknown</b>	As directed	
Suspension		العين	<b>Unknown</b>		
10 ml					
<b>Forus</b>	Polymexin + Neomycin + Dexamethasone	<b>Antibacterial</b>	<b>Unknown</b>	As directed	
Suspension / Drops		العين	<b>Unknown</b>		
10 ml					
<b>Fosamax</b>	Alendronate sodium + Vitamine D3	<b>Osteoarthritis drugs</b>	<b>EGYPHAR</b>	Adults: 10 mg/d. Elderly: 10 mg/d. Children: Safety and effectiveness not established in children <18 years.	
Tablets		Osteoarthritis	<b>Egypt</b>		
2 tab		التهابات العظام			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Fricks</b>	lozenges	<b>Respiratory drugs</b>	<b>Lozen Pharma</b>	As directed	
24 Lozenges		Common Cold نزلات البرد	<b>India</b>		
<b>Fricks</b>	Different Lozenges Ingredients	<b>Antiseptic and Desinfectants</b>	<b>Lozen Pharma</b>	As directed	
Lozenges		Common Cold نزلات البرد	<b>India</b>		
24 Lozenges					
<b>Fromilid</b>	Clarithromycin 250 mg/ tab	<b>Antibiotics</b>	<b>KRKA</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>India</b>		
14 tabs					
<b>Fromilid Uno</b>	Clarithromycin 500 mg/ tab	<b>Antibiotics</b>	<b>KRKA</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>India</b>		
7 tabs					
<b>FRUTAMIN</b>	NaHCO 2.80 g + citric acid 1.33g+titraic acid 0.82 g	<b>Gastro Intestinal drugs</b>	<b>Modern Pharama</b>	One tablet three times daily during or after meals.	
EFF.salt		Indigestion سوء الهضم	<b>Yemen</b>		
6 sachets					
<b>Fucicort</b>	Fusidic Acid	<b>Antibacterial</b>	<b>Unknown</b>	As directed	
		Dermatitis التهابات الجلدية	<b>Unknown</b>		
<b>Fucidal</b>	Fusidic Acid 2 %	<b>Antibacterial</b>	<b>YEDCO</b>	As directed	
Cream		Dermatitis التهابات الجلدية	<b>Yemen</b>		
15 g					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Fucide</b>	Sodium Fusidate	<b>Antibacterial</b>	<b>Shaphaco</b>	Orally 500 mg every 8 hours, Topically as directed	
Cream		Dermatitis التهابات الجلدية	<b>Yemen</b>		
15 gm					
<b>Fucidol</b>	Fusidic Acid 2%	<b>Antibacterial</b>	<b>Global Pharma</b>	As directed	
Cream		Dermatitis التهابات الجلدية	<b>Yemen</b>		
15 g					
<b>Fucidol-B</b>	Fusidic Acid 2% + Betamethasone 0.1%	<b>Antibacterial</b>	<b>Unknown</b>	As directed	
		Dermatitis التهابات الجلدية	<b>Unknown</b>		
<b>Fucithalamic</b>	Fusidic Acid	<b>Antibacterial</b>	<b>LEO</b>	As directed	
Eye drops		Eye العين	<b>Denmark</b>		
5 gm					
<b>Fucithalamic</b>	Fusidic Acid	<b>Antibacterial</b>	<b>LEO</b>	As directed	
Ointment		Eye العين	<b>Denmark</b>		
5 gm					
<b>FUKOLE</b>	Fluconazole 150 mg	<b>Antifungals</b>	<b>Y.S.P.</b>	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis التهابات الجلدية	<b>Malaysia</b>		
1 cap					
<b>Fungidal Cream</b>	Miconazole Nitrate 200mg	<b>Antifungals</b>	<b>SQUARE</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Cream		Dermatitis التهابات الجلدية	<b>Unknown</b>		
10 grams					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Fungimid 150</b>	Fluconazole	<b>Antifungals</b>	<b>MID Pharma</b>	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
		Dermatitis التهابات الجلدية	<b>Jordan</b>		
<b>Fungistatin</b>	Nystatin 100000i.u.	<b>Antifungals</b>	<b>Delta pharma</b>	Three to four times daily	
Suspension		Dermatitis التهابات الجلدية	<b>Egypt</b>		
30 ml					
<b>Furamebe</b>	Metronidazole	<b>Antiprtozoal</b>	<b>Unknown</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
		Amoebiasis , Giardiasis جارديا واميبيا	<b>Unknown</b>		
<b>FURAMET</b>	Metronidazole 200mg+Diloxnide 250mg	<b>Antiprtozoal</b>	<b>BIOPHARM</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	<b>Yemen</b>		
30 tab					
<b>Furazina</b>	Nitrofurazone	<b>Antibacterial</b>	<b>Unknown</b>	As directed	
Ointment		Dermatitis التهابات الجلدية	<b>Unknown</b>		
30 gm					
<b>FURAZOL Suspension</b>	Metronidazole	<b>Antiprtozoal</b>	<b>EIPICO</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		Amoebiasis , Giardiasis جارديا واميبيا	<b>Egypt</b>		
100 ml					
<b>FURAZOL Tablets</b>	Metronidazole 200mg+diloxnide 250mg	<b>Antiprtozoal</b>	<b>EIPICO</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	<b>Egypt</b>		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Furopine</b>	Unknown	<b>Gastro Intestinal drugs</b>	<b>B.M Pharma</b>	As directed	
Suspension		Diarrhea الأسهال	<b>Thailand</b>		
60 ml					
<b>Fusi</b>	Unknown	<b>Antibacterial</b>	<b>PHARCO</b>	As directed	
Cream		Dermatitis التهابات الجذلية	<b>Egypt</b>		
15 gm					
<b>Fusidate</b>	Fusidic Acid	<b>Antibacterial</b>	<b>BALSAM</b>	As directed	
Ointment		Dermatitis التهابات الجذلية	<b>Syria</b>		
20 gm					
<b>Fusidate</b>	Sodium Fusidate	<b>Antibacterial</b>	<b>Unknown</b>	Orally 500 mg every 8 hours, Topically as directed	
		Dermatitis التهابات الجذلية	<b>Unknown</b>		
<b>fusimide 40</b>	Furosemide 40 mg / tablet	<b>Cardio Vascular System drugs</b>	<b>BIOPHARM</b>	40 to 80 mg daily by mouth, For children, the usual dose by mouth is 1 to 3 mg/kg daily up to a maximum of 40 mg daily	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Yemen</b>		
20 tab					
<b>Fusl</b>	Unknown	<b>Antibacterial</b>	<b>PHARCO</b>	As directed	
Cream		Dermatitis التهابات الجذلية	<b>Egypt</b>		
15 gm					
<b>Fybogel</b>	Ispaghula husk eff	<b>Gastro Intestinal drugs</b>	<b>Reckett Benckiser =UK</b>	20 to 35 g daily ; children 5 g daily	
granule		Constipation الأمساك	<b>Unknown</b>		
10 Sachets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Fybogel</b>	Natural Fibre	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	20 to 35 g daily ; children 5 g daily	
		Constipation الأمساك	<b>Unknown</b>		
<b>Fybogel</b>	Natural Fibre	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	20 to 35 g daily ; children 5 g daily	
Sachets		Constipation الأمساك	<b>Unknown</b>		
10 Sachets					
<b>Gabakern 300 mg</b>	Gabapentin tablet 300 mg	<b>Central Nervous system drugs</b>	<b>KERN pharma</b>	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	
Hard Gelatin Capsules		Epilepsy الصرع	<b>Korea</b>		
30 tablets					
<b>Gabantin 300</b>	Gabapentin tablet 300 mg	<b>Central Nervous system drugs</b>	<b>SUN</b>	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	
Tablets		Epilepsy الصرع	<b>India</b>		
30 tablets					
<b>Gabapentin-100</b>	Gabapentin capsule 100 mg	<b>Central Nervous system drugs</b>	<b>NCPI</b>	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	
Capsules		Epilepsy الصرع	<b>Syria</b>		
20 capsules					
<b>Gabatrex</b>	Gabapentin capsule 400mg	<b>Central Nervous system drugs</b>	<b>Hikma</b>	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	
Capsules		Epilepsy الصرع	<b>Jordan</b>		
50 capsules					
<b>GABATREX</b>	Gabapentin	<b>Central Nervous system drugs</b>	<b>HIKMA</b>	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	
Capsules		Epilepsy الصرع	<b>Jordan</b>		
50 cap					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Galfer</b>	Ferrous fumarate 140 mg / 5 ml	<b>Vitamines and Menirals</b>	<b>Unknown</b>	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
Suspension		فقر الدم Anaemia	<b>Unknown</b>		
100 ml					
<b>Galfer fa</b>	Ferrous fumarate 305 mg + 0.35 mg folic acid	<b>Vitamines and Menirals</b>	<b>Unknown</b>	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
Capsules		فقر الدم Anaemia	<b>Unknown</b>		
28 cap					
<b>Galvus</b>	Vildagliptin 50mg	<b>Antidiabetics</b>	<b>Novartis</b>	Vildagliptin 50 mg once daily by mouth	
Tablets		Diabetes Mellitus أمراض السكري	<b>Switzerland</b>		
28 tab.					
<b>Ganvir</b>	Ganciclovir 0.15%	<b>Ophthalmic drugs</b>	<b>Orchidia Pharma</b>	As directed	
Gel		العين Eye	<b>Egypt</b>		
10 gm					
<b>Gasec</b>	Omeprazol	<b>Gastro Intestinal drugs</b>	<b>Mephe</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
cap		قرحة المعدة Peptic ulcer	<b>Unknown</b>		
14 caps					
<b>Gasex</b>	Herbal extract	<b>Gastro Intestinal drugs</b>	<b>Himalaya Drug Co</b>	As directed	
		سوء الهضم Indigestion	<b>India</b>		
<b>Gastrazole</b>	Omeprazole	<b>Gastro Intestinal drugs</b>	<b>European Egyptian Pharma</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		قرحة المعدة Peptic ulcer	<b>Egypt</b>		
14 caps					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Gast-Reg</b>	Trimebutine 100 mg	<b>Gastro Intestinal drugs</b>	AMOUN	100 mg three times up to 600 mg daily by mouth in divided doses	
Tablets		Abdominal Spasm آلام البطن	Egypt		
20 tabs					
<b>Gast-Reg</b>	Trimebutine maleate 200 mg	<b>Gastro Intestinal drugs</b>	AMOUN	100 mg three times up to 600 mg daily by mouth in divided doses	
Tablets		Abdominal Spasm آلام البطن	Egypt		
20 tab					
<b>Gastrimut</b>	Omeprazole	<b>Gastro Intestinal drugs</b>	Normon	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
cap		Peptic ulcer قرحة المعدة	Spain		
14 caps					
<b>GASTROFAIT</b>	Sucralfate 1 gm	<b>Gastro Intestinal drugs</b>	EIPICO	The usual dose is 1 g four times daily or 2 g twice daily for 4 to 8 weeks	
Tablets		Peptic ulcer قرحة المعدة	Egypt		
20 tab					
<b>Gastrosec</b>	Pantoprazole	<b>Gastro Intestinal drugs</b>	HANSEL	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		Peptic ulcer قرحة المعدة	Unknown		
2 x 7 tab					
<b>Gatistar</b>	Gatifloxacin 0.5%	<b>Antibacterial</b>	Orchidia Pharma	by mouth, or by intravenous infusion as a 2 mg/mL solution over 60 minutes, The usual adult dose is 400 mg once daily, 0.3% eye drops for the treatment of bacterial	
Solution		Eye العين	Egypt		
5 ml					
<b>Gatistar</b>	Gatifloxacin 0.3%	<b>Antibacterial</b>	Orchidia Pharma	by mouth, or by intravenous infusion as a 2 mg/mL solution over 60 minutes, The usual adult dose is 400 mg once daily, 0.3% eye drops for the treatment of bacterial	
Solution		Eye العين	Egypt		
5 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Gaviscon</b>	Sodium Alginate + Sodium Bicarbonate while Gaviscon extra strenght contain	<b>Gastro Intestinal drugs</b>	Unknown	As directed	
Tablets		Indigestion سوء الهضم	Unknown		
24 tab					
<b>Gaviscone</b>	Na.Aligenate 500 mg + Na.bicarbonate 267 mg+Ca.carbonate 160 mg	<b>Gastro Intestinal drugs</b>	Reckett Benckiser =UK	bid after meal	
tab		Indigestion سوء الهضم	Unknown		
24 tabs					
<b>Gaviscone</b>	Na.Aligenate 500 mg + Na.bicarbonate 267 mg+Ca.carbonate 160 mg	<b>Gastro Intestinal drugs</b>	Reckett Benckiser =UK	bid after meal	
SUSP		Indigestion سوء الهضم	Unknown		
200 ml					
<b>Gelo Cough</b>	Dextromethorphan	<b>Respiratory drugs</b>	Unknown	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
		Common Cold نزلات البرد	Unknown		
<b>Gelofen</b>	Ibuprofen	<b>Non-Steroidal Anti-</b>	Unknown	Oral doses of 400 mg to 1.2 g daily .	
		Analgesic مهدئات الأوجاع	Unknown		
<b>Gelofen compound</b>	Acetaminophen 325 mg + Caffeine 40 mg + Ibuprofen 200 mg	<b>Non-Steroidal Anti-</b>	Daana Pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Capsules		Antipyretic - مهدئات الأوجاع والحمى	Unknown		
30 cap					
<b>Gelofen- Sinus</b>	Ibuprofen	<b>Non-Steroidal Anti-</b>	Unknown	Oral doses of 400 mg to 1.2 g daily .	
Capsules		Analgesic مهدئات الأوجاع	Unknown		
40 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Gencet</b>	Cetirizine Hydrochloride 10 mg	Antihistamines	Neopharma	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	
Tablets		Allergy الحساسية	UAE		
20 tablets					
<b>GENTALAB</b>	Gentamicin Sulfate 80 mg / 2 ml	Antibiotics	LABORATE	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Vial		Serious M. Infections	India		
2 ml / vial		الأمراض الميكروبية الخطرة			
<b>Gentamicin</b>	Gentamicin Sulfate	Antibiotics	MEDICO LABS	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ointment		Dermatitis	Syria		
30 gm		التهابات الجلدية			
<b>Gentamicin</b>	Gentamicin Sulfate	Antibiotics	EIPICO	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Eye drops		Eye العين	Egypt		
10 ml					
<b>Gentamicin</b>	Gentamicin Sulfate	Antibiotics	Unknown	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
		Serious M. Infections	Unknown		
		الأمراض الميكروبية الخطرة			
<b>Gentamicin</b>	Gentamicin Sulfate 40 mg / 1 ml	Antibiotics		intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections			
50 amp / 2 ml		الأمراض الميكروبية الخطرة			
<b>Gentamicin 40</b>	Gentamicin Sulfate 40 mg / 1 ml	Antibiotics	KRKA	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections	India		
10 amp x 1 ml		الأمراض الميكروبية الخطرة			



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Gentamicin 80</b>	Gentamicin Sulfate 80 mg / 2 ml	<b>Antibiotics</b>	<b>KRKA</b>	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections	<b>India</b>		
10 amp x 2 ml		الأصابات الميكروبية الخطرة			
<b>gentamicina solfato</b>	Gentamicin Sulfate 80 / 2 ml	<b>Antibiotics</b>	<b>LFM</b>	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections	<b>Italy</b>		
		الأصابات الميكروبية الخطرة			
<b>Gentamicine</b>	Gentamicin Sulfate 80 / 2 ml	<b>Antibiotics</b>	<b>NCPC</b>	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections	<b>China</b>		
		الأصابات الميكروبية الخطرة			
<b>Gentamycin</b>	Gentamicin Sulfate 80 mg	<b>Antibiotics</b>	<b>Shanghai pharmaceutical</b>	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections	<b>China</b>		
10 amp x 2 ml		الأصابات الميكروبية الخطرة			
<b>Gentamycin</b>	Gentamicin Sulfate 80 mg	<b>Antibiotics</b>	<b>HUAYANG</b>	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections	<b>China</b>		
10 amp x 2 ml		الأصابات الميكروبية الخطرة			
<b>Gentamycin</b>	Gentamicin Sulfate 80 mg / 2 ml = 40 mg/ml	<b>Antibiotics</b>	<b>KWALITY</b>	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections	<b>India</b>		
2 ml / amp		الأصابات الميكروبية الخطرة			
<b>Gentamycin</b>	Gentamicin Sulfate 80 mg / 2 ml = 40 mg / 1 ml	<b>Antibiotics</b>	<b>SHIN POONG</b>	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections	<b>Korea</b>		
2 ml / amp		الأصابات الميكروبية الخطرة			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>GENTAMYCIN EYE OIN</b>	Gentamicin Sulfate	Antibiotics	MEDICO LABS	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ointment		Eye العين	Syria		
5 gm / tube					
<b>GENTO</b>	Gentamicin Sulfate 40 mg / 1 ml	Antibiotics	WOCKHADT	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections			
2 ml / amp		الأصابات الميكروبية الخطرة			
<b>GERVIZINE</b>	vit,A 400I.U+vit.E 25 I.U+vit.C 200mg+vit.B1 2.5mg+vit.B2 5mg+vit.B6	Vitamines and Menirals	RAMEDA	As directed	
Capsules		Vitamins	Egypt		
20 capsules		نقص فيتامينات			
<b>GESAL Cream</b>	Diethylamine Salicylate 0.1 gm	NSAID	Shaphaco	As directed	
Cream		Analgesic مهدئات الأوجاع	Yemen		
40 gm					
<b>GESTAL</b>	progesteron	Gynaecology drugs	ALFURQAN PHARMA	It is important to take each dose as directed. If you miss a dose, take it as soon as remembered. Do not "double-up" the dose to catch up. If more than one dose is missed, contact your doctor	
Tablets		Amenorrhea انقطاع الطمث	Unknown		
20 tab					
<b>GESTAMRIT</b>	Allylestrenol	Gynaecology drugs	AMRIYA PHARMA	directet by ;dectore or phrmacist	
Tablets		Abortion الأجهاض	Egypt		
20 Tablets					
<b>Ginsana</b>	Multi vit +Ginseng	Vitamines and Menirals	Ginsana	As directed	
Capsules		Vitamins	Unknown		
30 cap		نقص فيتامينات			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>GINSAVIT</b>	vitamin, amino acids, mineral, ginseng	<b>Vitamines and Menirals</b>	<b>Huons</b>	As directed	
Capsules		Vitamins	<b>Korea</b>		
30 cap		نقص فيتامينات			
<b>GINSENG TON</b>	Multi vit +Ginseng	<b>Vitamines and Menirals</b>	<b>Huons</b>	As directed	
		Vitamins	<b>Korea</b>		
		نقص فيتامينات			
<b>Gioryl-M</b>	Metformin 500mg+glimepirid e 2mg	<b>Antidiabetics</b>	<b>Global Pharma</b>	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus	<b>Yemen</b>		
30 tab		أمراض السكري			
<b>Glafer</b>	Ferrous Fumarate oral suspension 140mg/5ml.	<b>Vitamines and Menirals</b>	<b>Thornton&amp;ross ltd(UK)</b>	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Syrup		Anaemia فقر الدم	<b>UK</b>		
100 ml.					
<b>Glafer-Fa</b>	Ferrous Sulfate 305mg+ Folic Acid 0.36mg/capsule.	<b>Vitamines and Menirals</b>	<b>Thornton&amp;ross ltd(UK)</b>	Adult Daily Dose:1 tablet once or twice aday or as directed by the physician.	
Capsules		Anaemia فقر الدم	<b>UK</b>		
28 capsules					
<b>Glaveral</b>	Omeprazole	<b>Gastro Intestinal drugs</b>	<b>Help pharmaceutical</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Tablets		قرحة المعدة	<b>Unknown</b>		
14 tab					
<b>Glecomin</b>	Metformin HCL 850mg	<b>Antidiabetics</b>	<b>Modern Pharama</b>	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus	<b>Yemen</b>		
30 coated tab		أمراض السكري			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Glemax 2</b>	Glimepiride 2mg	<b>Antidiabetics</b>	<b>JOSWE</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Caplets		Diabetes Mellitus أمراض السكري	<b>Jordan</b>		
30 cap					
<b>Glemax 3</b>	Glimepiride 3mg	<b>Antidiabetics</b>	<b>JOSWE</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Caplets		Diabetes Mellitus أمراض السكري	<b>Jordan</b>		
30 cap					
<b>Glemax 4</b>	Glimepiride 4mg	<b>Antidiabetics</b>	<b>JOSWE</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Caplets		Diabetes Mellitus أمراض السكري	<b>Jordan</b>		
30 cap					
<b>Glibenase</b>	Glibenclamide 5mg	<b>Antidiabetics</b>	<b>ADCO</b>	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
Tablets		Diabetes Mellitus أمراض السكري	<b>Egypt</b>		
20 tab					
<b>glibevance</b>	Metformin 500 mg + Metelopromide 5 mg	<b>Antidiabetics</b>	<b>BIOPHARM</b>	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 tab					
<b>GLIBIL 5mg</b>	Glibenclamide 5mg	<b>Antidiabetics</b>	<b>HIKMA</b>	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
Tablets		Diabetes Mellitus أمراض السكري	<b>Jordan</b>		
30 tab					
<b>GLIBONIL</b>	Glibenclamide 5 mg	<b>Antidiabetics</b>	<b>Shiba pharma</b>	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
20 tab					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Gliclazide</b>	Gliclazide 5mg	<b>Antidiabetics</b>	<b>Unknown</b>	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	
Tablets		Diabetes Mellitus أمراض السكري	<b>Unknown</b>		
60 tab					
<b>GLICOMIN 500</b>	Metformin HCL 500mg	<b>Antidiabetics</b>	<b>Modern Pharama</b>	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 tab					
<b>GLICOMIN 850</b>	Metformin HCL 850 mg	<b>Antidiabetics</b>	<b>Modern Pharama</b>	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 tab					
<b>Glifix 300 mg</b>	Pioglitazone Hydrochloride	<b>Antidiabetics</b>	<b>Bilim</b>	Minimum/Maximum Adult Daily Dose:30 mg (milligram) OR 1 Tablet	
Tablets		Diabetes Mellitus أمراض السكري	<b>Turkey</b>		
30 tab					
<b>Glifor 1000 mg</b>	Metformin 1000mg	<b>Antidiabetics</b>	<b>Bilim</b>	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	<b>Turkey</b>		
100 film tab.					
<b>Glifor 850 mg</b>	Metformin 850mg	<b>Antidiabetics</b>	<b>Bilim</b>	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	<b>Turkey</b>		
100 Film coated tab					
<b>Glimadel 1</b>	Glimepiride 1mg	<b>Antidiabetics</b>	<b>dp phrma</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Unknown</b>		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Glimadel 2</b>	Glimepiride 2mg	<b>Antidiabetics</b>	<b>dp</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Unknown</b>		
10 tab					
<b>GLIMARYL</b>	Glimepiride 3mg	<b>Antidiabetics</b>	<b>Y.E.PHARMA</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 tab					
<b>GLIMARYL 2</b>	Glimepiride 2mg	<b>Antidiabetics</b>	<b>Y.E.PHARMA</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 tab					
<b>GLIMARYL 2mg</b>	Glimepiride 2mg	<b>Antidiabetics</b>	<b>Y.E.PHARMA</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 tab					
<b>GLIMARYL 3</b>	Glimepiride 3 mg	<b>Antidiabetics</b>	<b>Y.E.PHARMA</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 tab					
<b>Glimcip 2</b>	Glimepiride 2mg	<b>Antidiabetics</b>	<b>CIPLA</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>India</b>		
10 tab					
<b>Glimepirid Denk 2</b>	Glimepiride 2mg	<b>Antidiabetics</b>	<b>Denk pharma</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Germany</b>		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Glimepirid Denk 3</b>	Glimepiride 3mg	<b>Antidiabetics</b>	<b>Denk pharma</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Germany</b>		
30 tab					
<b>Glipicrone</b>	Glipicrone	<b>Antidiabetics</b>	<b>Unknown</b>	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	
Tablets		Diabetes Mellitus أمراض السكري	<b>Unknown</b>		
20 tab					
<b>GLIPRYL ??</b>	Glimepiride 2mg	<b>Antidiabetics</b>	<b>RFA</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
20 tab					
<b>GLIPRYL ???</b>	Glimepiride 4mg	<b>Antidiabetics</b>	<b>RFA</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
20 tab					
<b>Glipryl 1</b>	Glimepiride 1mg	<b>Antidiabetics</b>	<b>RAF pharma</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Unknown</b>		
30 tab					
<b>GLIPRYL M</b>	Glimepiride 2 mg+Metformin 500 mg	<b>Antidiabetics</b>	<b>RFA</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 tab					
<b>GLIPRYL Tablets</b>	Glimepiride 3mg	<b>Antidiabetics</b>	<b>RFA</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Glired 2</b>	Glimepiride 2mg	<b>Antidiabetics</b>	<b>Modern Pharama</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 tab					
<b>Glired 3</b>	Glimepiride 3mg	<b>Antidiabetics</b>	<b>Modern Pharama</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 tab					
<b>GLITRA 3</b>	Glimepiride 3mg	<b>Antidiabetics</b>	<b>JPM</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Jordan</b>		
30 tab					
<b>GLITRA 4</b>	Glimepiride 4mg	<b>Antidiabetics</b>	<b>JPM</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Jordan</b>		
30 tab					
<b>Glivance</b>	Metformin + Glibenclamide	<b>Antidiabetics</b>	<b>Unknown</b>	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Tablets		Diabetes Mellitus أمراض السكري	<b>Unknown</b>		
30 tab					
<b>Glivance Tablets</b>	Metformin 400mg + glibenclamide 2.5mg	<b>Antidiabetics</b>	<b>Matcytl</b>	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Tablets		Diabetes Mellitus أمراض السكري	<b>Unknown</b>		
30 tab					
<b>Globacin</b>	Pefloxacin	<b>Central Nervous system drugs</b>	<b>GNP</b>	Minimum/Maximum Adult Daily Dose:20 - 60 mg (milligram) OR 2 - 6 Tablet	
Tablet		Mental Disorders الأمراض العقلية	<b>Egypt</b>		
1strip*10Tablet					









Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Gloclav</b>	Amoxicillin/Clavulanate Potassium	<b>Antibiotics</b>	<b>Global pharma</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Tablets		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
2strip*7tablet					
<b>Gloclav 1 g</b>	Amoxicillin 875 mg + Clavulanate Potassium 125 mg = 1000 mg / tablet	<b>Antibiotics</b>	<b>Global Pharma</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
<b>Glomox 1000</b>	Amoxicillin	<b>Antibiotics</b>	<b>Unknown</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
<b>Glomox 500</b>	Amoxicillin 500 mg	<b>Antibiotics</b>	<b>Global Pharma</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
100 cap					
<b>Glomox Capsules</b>	Amoxicillin*	<b>Antibiotics</b>	<b>Global pharma</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
capsules		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
10strip*10capsules					
<b>Glomox Tablets</b>	Amoxicillin*	<b>Antibiotics</b>	<b>Global pharma</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Tablets		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
1strip*14tablet					
<b>Glopidon</b>	Unknown	<b>Antihistamines</b>	<b>Global Pharma</b>	As directed	
Solution		الحساسية Allergy	<b>Yemen</b>		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>GLORION</b>	Glimepiride 4mg	<b>Antidiabetics</b>	<b>HIKMA</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Jordan</b>		
30 tab					
<b>GLORION 2</b>	Glimepiride 2mg	<b>Antidiabetics</b>	<b>HIKMA</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Jordan</b>		
30 tab					
<b>GLORION 3</b>	Glimepiride 3mg	<b>Antidiabetics</b>	<b>HIKMA</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Jordan</b>		
30 tab					
<b>Glorixone</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>Unknown</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
<b>Glormin 50</b>	Atenolol 50 mg	<b>Cardio Vascular System drugs</b>	<b>Global Pharma</b>	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
28 tab					
<b>Glota 150 mg</b>	Ranitidine	<b>Gastro Intestinal drugs</b>	<b>Global Pharma</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		قرحة المعدة	<b>Unknown</b>		
20 tab					
<b>Glotrim</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	<b>Antibacterial</b>	<b>Global pharma</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Syrup Dry		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
1bottel*60ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Glotrim</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	<b>Antibacterial</b>	<b>Global Pharma</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Syrup Dry		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
1bottle*100 ml					
<b>Glotrizine</b>	Cetirizine Hydrochloride 10 mg	<b>Antihistamines</b>	<b>Global Pharma</b>	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	
Tablets		Allergy الحساسية	<b>Unknown</b>		
20 tab					
<b>Glotrizine</b>	Unknown	<b>Unknown</b>	<b>global pharma</b>	As directed	
		Unknown	<b>Unknown</b>		
<b>Glovit 4 Lady</b>	Evening primrose oil 250mg, Ca	<b>Vitamines and Menirals</b>	<b>Global pharma</b>	As directed	
Capsules		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
30 Capsules					
<b>Glovit A C &amp; E</b>	vit(A,E,C) Copper,Selenium, Chromium picoliate,Excipients	<b>Vitamines and Menirals</b>	<b>Global pharma</b>	As directed	
Capsules		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
30 Capsules					
<b>Glovit cap</b>	Vit,A 5000I.U+vit.E 25mg+vit.C 100mg+copper 1.0mg+manganese sulphate	<b>Vitamines and Menirals</b>	<b>Global Pharma</b>	As directed	
Capsules		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
30 capsules					
<b>Glovit-CAL</b>	Calcium, Vit-D3-Minerals	<b>Vitamines and Menirals</b>	<b>Global Pharma</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Capsules		Osteoarthritis التهابات العظام	<b>Unknown</b>		
30 Caplets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Glovit-H</b>	ferrous fumarate 350mg + folic acid 0.5mg + copper 2.5mg + manganese 2.5mg + cyanocobalamin 2.5mg	<b>Vitamines and Menirals</b>	<b>Global Pharma</b>	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
capsules		Anaemia فقر الدم	<b>UAE</b>		
30 capsule					
<b>GLRMIN-M</b>	Glibenclamide 2.5 mg + metformin 500 mg	<b>Antidiabetics</b>	<b>RFA</b>	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 tab					
<b>GLRMIN-M</b>	Glibenclamide 5 mg + metformin 500 mg	<b>Antidiabetics</b>	<b>RFA</b>	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 tab					
<b>Glucofer</b>	Ferrous Gluconate 300 mg	<b>Vitamines and Menirals</b>	<b>CID</b>	by mouth in doses of up to 1.8 g daily (equivalent to up to 210 mg of iron daily).	
Tablets		Anaemia فقر الدم	<b>Egypt</b>		
60 tablets					
<b>Glucoless</b>	Metformin 500mg + glibenclamide 2.5mg	<b>Antidiabetics</b>	<b>Shiba pharma</b>	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Caplets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 caplets					
<b>Glucoless</b>	Metformin 500mg + glibenclamide 5mg	<b>Antidiabetics</b>	<b>Shiba pharma</b>	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Caplets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 caplets					
<b>Glucolow</b>	Metformin 500mg	<b>Antidiabetics</b>	<b>Shiba pharma</b>	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Glucolow</b>	Metformin 500mg Prolonged Release	<b>Antidiabetics</b>	<b>Shiba pharma</b>	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Caplets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 Caplets					
<b>Glucolow 850 mg</b>	Metformin 850 mg	<b>Antidiabetics</b>	<b>Shiba pharma</b>	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Caplets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 Caplets					
<b>Glucolow XR 750 mg</b>	Metformin 500 mg Prolonged Release	<b>Antidiabetics</b>	<b>Shiba pharma</b>	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Caplets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 Caplets					
<b>Glucophage 500mg</b>	Metformin 500mg	<b>Antidiabetics</b>	<b>MERCK</b>	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	<b>France</b>		
50 tab					
<b>Glucophage 1000 mg</b>	Metformin 1000 mg	<b>Antidiabetics</b>	<b>Merck</b>	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	<b>France</b>		
2 strips/box					
<b>glucophage 500mg</b>	Metformin 500mg	<b>Antidiabetics</b>	<b>MERCK</b>	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	<b>France</b>		
50 tablet					
<b>Glucophage 850mg</b>	Metformin 850mg	<b>Antidiabetics</b>	<b>MERCK</b>	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	<b>France</b>		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Glucophage XR</b>	Metformin 500mg HCL/chlorohydrate	<b>Antidiabetics</b>	<b>MERCK</b>	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	<b>France</b>		
30 tab					
<b>Glucophage XR 750</b>	Metformin HCL/chlorohydrate	<b>Antidiabetics</b>	<b>MERCK</b>	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	<b>France</b>		
30 tab					
<b>Glucoplus</b>	Glucosamine + Chondrotin	<b>Osteoarthritis drugs</b>	<b>SPN pharma</b>	As directed	
Capsules		Osteoarthritis التهابات العظام	<b>Unknown</b>		
60 capsules					
<b>GLUCORED FORTE</b>	Metformin 500mg+ glibenclamide 5mg	<b>Antidiabetics</b>	<b>SUN pharma</b>	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Tablets		Diabetes Mellitus أمراض السكري	<b>India</b>		
<b>Glucosamin compound</b>	Glucosamine + Chondrotin	<b>Osteoarthritis drugs</b>	<b>Unknown</b>	As directed	
Tablets		Osteoarthritis التهابات العظام	<b>Unknown</b>		
<b>Glucosamin plus</b>	Glucosamine HCL 1500mg + Chondrotin S 1200mg	<b>Osteoarthritis drugs</b>	<b>HZM</b>	As directed	
Tablets		Osteoarthritis التهابات العظام	<b>Syria</b>		
30 film coated tap					
<b>Glucosamine</b>	Glucosamine 500mg	<b>Osteoarthritis drugs</b>	<b>Unknown</b>	As directed	
Tablets		Osteoarthritis التهابات العظام	<b>Unknown</b>		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>GLUCOSAMINE PLUS</b>	Glucosamine + Chondroitin	<b>Osteoarthritis drugs</b>	<b>SUN</b>	As directed	
Capsules		Osteoarthritis التهابات العظام	<b>India</b>		
30 cap					
<b>Glucosamine T.S</b>	Glucosamine 500mg + Chondroitin 200mg + SMS 300mg	<b>Osteoarthritis drugs</b>	<b>HZM</b>	As directed	
Tablets		Osteoarthritis التهابات العظام	<b>Syria</b>		
30 tab					
<b>glucoseamine plus</b>	glucoseamine 1500mg + condrotin 1200mg	<b>Osteoarthritis drugs</b>	<b>HZM</b>	As directed	
Tablets		Osteoarthritis التهابات العظام	<b>Syria</b>		
30 film coated					
<b>Glucovance 500mg/2.5mg</b>	Metformin 500mg + glibenclamide 2.5mg	<b>Antidiabetics</b>	<b>Merck</b>	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Tablets		Diabetes Mellitus أمراض السكري	<b>France</b>		
30 Film coated tap.					
<b>Glucovance 500mg/5mg</b>	Glucovance 500mg/5mg	<b>Antidiabetics</b>	<b>Merck</b>	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Tablets		Diabetes Mellitus أمراض السكري	<b>France</b>		
30 tab.					
<b>Glucox</b>	Glucosamine + Chondroitin	<b>Osteoarthritis drugs</b>	<b>Unknown</b>	As directed	
Capsules		Osteoarthritis التهابات العظام	<b>Unknown</b>		
30 cap					
<b>Glufer</b>	ferrous gluconate 300mg + (equivalent to 37.5mg iron)	<b>Vitamines and Menirals</b>	<b>IBN Al Haytham</b>	by mouth in doses of up to 1.8 g daily (equivalent to up to 210 mg of iron daily).	
Vial		Anaemia فقر الدم	<b>Syria</b>		
10ml oral vial					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Glycerin</b>	Glycerin	<b>Skin Disorders</b>	<b>Shiba pharma</b>	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
Solution		Health Care الصحة العامة	<b>Yemen</b>		
100 ml					
<b>Glycerin Adult rectal</b>	Glycerin	<b>Gastro Intestinal drugs</b>	<b>PHARCO</b>	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
Suppositoris		Constipation الأمساك	<b>Egypt</b>		
5 supps					
<b>Glycerin 1800</b>	Glycerin 1800 mg	<b>Skin Disorders</b>	<b>Global Pharma</b>	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
Suppositoris		Health Care الصحة العامة	<b>Yemen</b>		
10 supp					
<b>Glycerin 900</b>	Glycerin 900 mg	<b>Skin Disorders</b>	<b>Global Pharma</b>	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
Suppositoris		Health Care الصحة العامة	<b>Yemen</b>		
10 supp					
<b>Glycerin infant</b>	Glycerin	<b>Gastro Intestinal drugs</b>	<b>PHARCO</b>	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
Suppositoris		Constipation الأمساك	<b>Egypt</b>		
5 supp					
<b>GLYCERIN Infants</b>	Glycerin + Gelatin	<b>Gastro Intestinal drugs</b>	<b>PHARCO</b>	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
supp		Constipation الأمساك	<b>Egypt</b>		
5 supps					
<b>Glyzide</b>	Gliclazide 80mg	<b>Antidiabetics</b>	<b>Julphar</b>	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	
Tablets		Diabetes Mellitus أمراض السكري	<b>UAE</b>		
60 tab					






Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>G-Mox</b>	Amoxicillin 125 mg / 5 ml	<b>Antibiotics</b>	<b>Global Pharma</b>	125 to 250 mg every 8 hours	
Suspension		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
100 ml					
<b>G-Mox</b>	Amoxicillin 100mg / 1 ml	<b>Antibiotics</b>	<b>Global Pharma</b>	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Powder for Suspension		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
10 ml					
<b>G-Mox</b>	Amoxicillin 250 mg / 5 ml	<b>Antibiotics</b>	<b>Global Pharma</b>	125 to 250 mg every 8 hours	
Powder for Suspension		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
100 ml					
<b>G-Mox 1000</b>	Amoxicillin 1000 mg	<b>Antibiotics</b>	<b>Global Pharma</b>	250 - 1000 mg three times daily	
Tablets		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
10 tabs					
<b>G-Mox 500</b>	Amoxicillin 500 mg / cap	<b>Antibiotics</b>	<b>Global Pharma</b>	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
10 x 10 cap					
<b>G-Mox 500</b>	Amoxicillin 500 mg / cap	<b>Antibiotics</b>	<b>Global Pharma</b>	250 - 1000 mg three times daily	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
10 x 10 cap					
<b>GOFEN</b>	Ibuprofen softgel capsule 400mg.	<b>Nonsteroidal Anti-</b>	<b>MEGA</b>	Oral doses of 400 mg to 1.2 g daily .	
Capsules		مهدئات الأوجاع	<b>Thailand</b>		
10 softgel capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Golden tab</b>	Tadalafil 20 mg	<b>Sex Stimulants</b>	<b>Shiba pharma</b>	10 - 20 mg depending on response, about 30 minutes before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	<b>Yemen</b>		
4 tab					
<b>GOLDn Green</b>	Fresh Natural Wheat Germ	<b>Gastro Intestinal drugs</b>	<b>unknown</b>	As directed	
Powder		Nutrition supplementation تغذية تكميلية	<b>Unknown</b>		
<b>Goldvite</b>	Multivitamins-minerals	<b>Vitamines and Menirals</b>	<b>Shine</b>	As directed	
Capsules		Vitamins Deficiency نقص فيتامينات	<b>unk</b>		
30 cap					
<b>Goovit-COD</b>	Cod Liver Oil	<b>Vitamines and Menirals</b>	<b>Global Pharma</b>	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
100 cap					
<b>Gordius 300 mg</b>	Gabapentin 300 mg	<b>Central Nervous system drugs</b>	<b>GEDEON RICHTER</b>	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	
Capsules		Epilepsy الصرع	<b>HUNGARY</b>		
50 cap					
<b>Gordius-300</b>	Gabapentin capsule 300mg	<b>Central Nervous system drugs</b>	<b>GEDEON RICHTER</b>	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	
Capsules		Epilepsy الصرع	<b>HUNGARY</b>		
50 capsules					
<b>GRAND-VIT with calcium</b>	Multi vitamin with hany	<b>Vitamines and Menirals</b>	<b>SIGMA</b>	As directed	
Syrup		Vitamins Deficiency نقص فيتامينات	<b>Egypt</b>		
120 ml syrup					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>GRAND-VIT with iron</b>	Multi vitamin with Iron.	<b>Vitamines and Menirals</b>	<b>SIGMA</b>	As directed	
Syrup		Vitamins	<b>Egypt</b>		
120ml		نقص فيتامينات			
<b>Gripe Water</b>	Terpeneless Seed Oil 2.3 mg + Sodium Bicarbonate 52.5 mg	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	150 to 300 micrograms up to four times daily by mouth	
Solution		Abdominal Spasm	<b>Yemen</b>		
100 ml		آلام البطن			
<b>Gripe water</b>	Each 5 ml contains : Oleum Anisi 0.0006 ml + Oleum Anethi .0.005 ml + Natrii Bicarbonas	<b>Gastro Intestinal drugs</b>	<b>Pharmacare</b>	Newborn: 2.5mL or ½ teaspoonful , 1-6 months: 5 ml or 1 teaspoonful , 6-12 months: 10 ml or 2 teaspoonfuls 1 year and above: 10-15 ml or 2-3 teaspoonfuls, The dose can	
Solution		Abdominal Spasm	<b>Yemen</b>		
100 ml		آلام البطن			
<b>Griseofulvin</b>	Griseofulvin 125mg/5ml	<b>Antifungals</b>	<b>ACTAVIS</b>	0.5 to 1 g daily in single or divided doses; children have been given 10 mg/kg daily	
Suspension		Fungal Infections	<b>Unknown</b>		
120ml		الأصابت الفطرية			
<b>Griseofulvin tap</b>	Griseofulvin 500mg	<b>Antifungals</b>	<b>Unknown</b>	0.5 to 1 g daily in single or divided doses; children have been given 10 mg/kg daily	
Tablets		Fungal Infections	<b>Unknown</b>		
10 tap		الأصابت الفطرية			
<b>Griseovin</b>	Griseofulvin	<b>Antifungals</b>	<b>Delta pharma</b>	0.5 to 1 g daily in single or divided doses; children have been given 10 mg/kg daily	
Suspension		Fungal Infections	<b>Egypt</b>		
120ml		الأصابت الفطرية			
<b>Grison-250</b>	Griseofulvin 250mg	<b>Antifungals</b>	<b>VIP</b>	0.5 to 1 g daily in single or divided doses; children have been given 10 mg/kg daily	
Tablets		Fungal Infections	<b>Unknown</b>		
200 tap.		الأصابت الفطرية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Guafacin</b>	guava leaves extract	<b>Respiratory drugs</b>	<b>Global Pharma</b>	As directed	
Oral /Drops		Common Cold نزلات البرد	<b>Yemen</b>		
15 ml					
<b>Guafacin</b>	guava leaves extract	<b>Respiratory drugs</b>	<b>Modern Pharama</b>	As directed	
Oral /Drops		Common Cold نزلات البرد	<b>Yemen</b>		
15 ml					
<b>Guaflex</b>	herbal extract	<b>Respiratory drugs</b>	<b>MEPACO</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>Egypt</b>		
120 ml					
<b>Guava</b>	herbal extract	<b>Respiratory drugs</b>	<b>Pharo pharma</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>Egypt</b>		
120 ml					
<b>Guava</b>	Unknown	<b>Unknown</b>	<b>PHARCO</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>Egypt</b>		
120 ml					
<b>Guava leaf</b>	Herbal extract	<b>Respiratory drugs</b>	<b>Unknown</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>Unknown</b>		
120 ml					
<b>Gupisone</b>	Prednisolone Acetate	<b>Corticosteroid</b>	<b>Julphar</b>	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Tablets		Inflammations الالتهابات	<b>UAE</b>		
20 tab					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>GUPISONE 20</b>	Prednisolone Acetate	<b>Corticosteroid</b>	<b>Julphar</b>	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Tablets		Inflammations الالتهابات	<b>UAE</b>		
20 tab					
<b>Gynera</b>	ethinylestradiol 0.03 mg + Gestodene 0.07 mg	<b>Gynaecology drugs</b>	<b>BAYER</b>	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	<b>Germany</b>		
21 tab					
<b>Gynera</b>	ethinylestradiol 0.03 mg + Gestodene 0.07 mg	<b>Gynaecology drugs</b>	<b>SCHERING</b>	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	<b>Germany</b>		
21 tab					
<b>Gyno-candizol</b>	Miconazole Nitrate 400mg	<b>Antifungals</b>	<b>United</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Dermatitis الالتهابات الجلدية	<b>Jordan</b>		
3 Vaginal ovules					
<b>Gyno-Mikozal</b>	Miconazole Nitarate 400mg	<b>Antifungals</b>	<b>Julphar</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Vaginal Ovules		Vaginal المهبل	<b>UAE</b>		
3 Ovules					
<b>Gynotrim</b>	Clotrimazole	<b>Antifungals</b>	<b>HANSEL</b>	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Tablets		Vaginal المهبل	<b>Pakistan</b>		
<b>Gynozol</b>	Miconazole Nitrate 400mg	<b>Antifungals</b>	<b>PHARCO</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	<b>Egypt</b>		
3 Vaginal soft gelatin capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>GYNOZOL</b>	Miconazole Nitrate	<b>Antifungals</b>	<b>PHARCO</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	<b>Egypt</b>		
6 vag. Supp					
<b>Gyzol 1200</b>	Miconazole Nitrate 1200mg	<b>Antifungals</b>	<b>Global Pharma</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	<b>Yemen</b>		
1supp					
<b>Gyzol 200</b>	Miconazole Nitrate 200mg	<b>Antifungals</b>	<b>Global Pharma</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	<b>Yemen</b>		
7 supp					
<b>Gyzol 400</b>	Miconazole Nitrate 400mg	<b>Antifungals</b>	<b>Global Pharma</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	<b>Yemen</b>		
3supp					
<b>Gyzol M</b>	Miconazole Nitrate 150 mg+Metronidazole 500 mg	<b>Antifungals</b>	<b>Global Pharma</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	<b>Yemen</b>		
10 supp					
<b>Haem plus</b>	ferrous fumarate45mg+folic acid500mg+vita minB1 1.5mg+vita minB	<b>Vitamines and Menirals</b>	<b>Unknown</b>	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
soft gel capsule		Anaemia فقر الدم	<b>Unknown</b>		
30soft gel capsule					
<b>Haem Plus</b>	Ferrous Sulfate150 mg+ Folic Acid 0.5mg+Zinc+ other vitamin and meniral /cap.	<b>Vitamines and Menirals</b>	<b>Unknown</b>	Adult Daily Dose:1 tablet once or twice aday or as directed by the physician.	
Capsules		Anaemia فقر الدم	<b>Unknown</b>		
15 Softgels					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Haema-caps</b>	ASCORBICACID ,BIOPTERIN,BIO TIN,COBALT,COPPER,CYANO COBALAMIN,FOLIC	<b>Vitamines and Menirals</b>	<b>Amoun Pharmaceutical</b>	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Capsules		فقر الدم Anaemia	<b>Unknown</b>		
14 cpsules					
<b>haemasave</b>	carbony iron+foli acid+adenosyl cobalamine+zinc	<b>Vitamines and Menirals</b>	<b>Y.E.PHARMA</b>	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Capsules		فقر الدم Anaemia	<b>Yemen</b>		
30soft gelatin capsule					
<b>Haemavit</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>BIOPHARM</b>	As directed	
		نقص فيتامينات Vitamins Deficiency	<b>Yemen</b>		
<b>Haemorich</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>Global Pharma</b>	As directed	
Soft Gelatin Capsules		نقص فيتامينات Vitamins Deficiency	<b>Unknown</b>		
30 cap					
<b>Haemovit gold</b>	iron 14mg+foli acid 400microgram+vit B12 2microgram+vitB6(pyridoxime)2mg	<b>Vitamines and Menirals</b>	<b>Unknown</b>	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
syrup		فقر الدم Anaemia	<b>Unknown</b>		
200ml					
<b>Haemovit Plus</b>	Ferrous Sulfate150 mg+ Folic Acid 0.5mg+vit B12+vit B6 /cap.	<b>Vitamines and Menirals</b>	<b>Health Aid</b>	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Capsules		فقر الدم Anaemia	<b>Thailand</b>		
30 capsules					
<b>HAEMUP</b>	Citrate ferrique 160mg+Acide folique 0.5mg+cyanocobalamin 7.5mcg+Sulfate	<b>Vitamines and Menirals</b>	<b>CADILA</b>	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Capsules		فقر الدم Anaemia	<b>India</b>		
30 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>HAEMUP</b>	Citrate ferrique 160mg+Acide folique 0.5mg+cyanocoba lamin 7.5mcg+Sulfate	<b>Vitamines and Menirals</b>	<b>CADILA</b>	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Syrup		Anaemia فقر الدم	<b>India</b>		
200 ml					
<b>HAEMUP</b>	Ferrus Fumarate 200 mg + Folic Acid 1.5 mg + Cupper sulphate 2.5 mg + Manganese 2.5 mg	<b>Vitamines and Menirals</b>	<b>CADILA</b>	As directed	
Syrup		Vitamins Deficiency نقص فيتامينات	<b>India</b>		
200 ml					
<b>Haldol</b>	Haloperidol oral drop 2mg/ml	<b>Central Nervous system drugs</b>	<b>Janssen cilag</b>	Minimum/Maximum Adult Daily Dose:10 - 100 mg (milligram) OR 1 - 10 Tablet	
Solution		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
15 ml					
<b>haldol Amp</b>	Haloperidol ampole 2mg/ml	<b>Central Nervous system drugs</b>	<b>Janssen cilag</b>	Minimum/Maximum Adult Daily Dose:10 - 100 mg (milligram) OR 1 - 10 Tablet	
Ampoules		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
1Ampoule					
<b>Halfan</b>	Halofantrine Hydrochloride	<b>Antimalarial medicines</b>	<b>Unknown</b>	by mouth as 3 doses of 500 mg at intervals of 6 hours, children is based on 24 mg/kg divided into 3 doses.	
All dosage forms		Malaria الملاريا	<b>Unknown</b>		
<b>Halfan</b>	Halofantrine Hydrochloride	<b>Antimalarial medicines</b>	<b>Unknown</b>	by mouth as 3 doses of 500 mg at intervals of 6 hours, children is based on 24 mg/kg divided into 3 doses.	
Liquid_ susp		Malaria الملاريا	<b>Unknown</b>		
30ml					
<b>Halothane-phabco</b>	Halothane	<b>Central Nervous system drugs</b>	<b>Pharco</b>	2 to 4% v/v of halothane in oxygen or mixtures of nitrous oxide and oxygen	
Inhaler		Anaesthetics General التخدير العام	<b>Egypt</b>		
bottleof 250 ml					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Hanmi Taxime</b>	Cefotaxime Sodium	<b>Antibacterial</b>	<b>Unknown</b>	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
<b>Hansprazole</b>	Esomeprazole 20 mg	<b>Gastro Intestinal drugs</b>	<b>HANSEL</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	<b>Unknown</b>		
14 capsules					
<b>Hantox</b>	Ceftriaxone Sodium 500 mg	<b>Antibacterial</b>	<b>Unknown</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
<b>HAR-AMOXYL 250 mg</b>	Amoxicillin 250 mg	<b>Antibiotics</b>	<b>HARBIN</b>	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Capsules		الأمراض الميكروبية Microbial Infections	<b>China</b>		
5 blisters x 10 cap					
<b>HAWKBEN</b>	Mebendazole 100 mg	<b>Anthelmentic</b>	<b>L.B.S</b>	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Tablets		Common Worms الديدان الشائعة	<b>Thailand</b>		
6 tab					
<b>Hayadol-1.5</b>	Haloperidol tablets 1.5mg	<b>Central Nervous system drugs</b>	<b>IBN-HYYANpharm</b>	Minimum/Maximum Adult Daily Dose: 10 - 100 mg (milligram) OR 1 - 10 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>Syria</b>		
30 tablets					
<b>HAZI Ca ViD</b>	Calcium, Vit-D3	<b>Vitamines and Menirals</b>	<b>Ben Al Haytham .syria</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	<b>Unknown</b>		
50 Tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Hb Plus</b>	Ferrous Sulfate+ Folic Acid	<b>Vitamines and Menirals</b>	<b>Unknown</b>	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Capsules		Anaemia فقر الدم	<b>Unknown</b>		
30 cap					
<b>HCQ 200</b>	Hydroxychloroqui ne sulfate 200 mg	<b>Antimalarial medicines</b>	<b>Getz pharma</b>	prophylaxis o 400 mg every 7 days, children a weekly prophylactic dose of 6.5 mg/kg - Treatment 800 mg followed after 6 to 8 hours by 400 mg and a further 400 mg on each of	
Tablets		Malaria الملاريا	<b>USA</b>		
30 tab					
<b>Healar</b>	Herbal extract	<b>Antihaemorrhages</b>	<b>APM</b>	As directed	
		Haemorrhoids البواسير	<b>Unknown</b>		
<b>Heamovit</b>	vit.C 75mg, vit.B6 5mg,folic acid 500mcg,vit.B12 100mcg,Iron 47mg,zinc 4mg,	<b>Vitamines and Menirals</b>	<b>HealthAid</b>	As directed	
Syrup		Vitamins Deficiency نقص فيتامينات	<b>England</b>		
120ml					
<b>Heamovit plus</b>	vit.C 75mg, vit.B6 5mg,folic acid 500mcg,vit.B12 100mcg,Iron 47mg,zinc 4mg,	<b>Vitamines and Menirals</b>	<b>HealthAid</b>	As directed	
Capsules		Vitamins Deficiency نقص فيتامينات	<b>England</b>		
30 capsules					
<b>Heel forte</b>	Unknown	<b>Skin Disorders</b>	<b>Unknown</b>	As directed	
		Dermatitis الالتهابات الجلدية	<b>Unknown</b>		
<b>Heel Forte</b>	Salicylic Acid	<b>Skin Disorders</b>	<b>OCTOBER PHARMA</b>	As directed	
Ointment		Warts الثآليل او النتوء الصغيرة	<b>Egypt</b>		
20 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Heli-cure</b>	Omeprazole 20 mg+ Tinidazole 500 mg+ Clarithromycin 250 mg	<b>Gastro Intestinal drugs</b>	<b>EGYPHAR</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Tablets		جرثومة المعدة H-Pylori	<b>Egypt</b>		
14 tabs					
<b>Hema-care</b>	300 mg// folic acid 1 mg + vit B12- 7.5 mg + vit B6 -1.2 mg zinc 66 mg	<b>Vitamines and Menirals</b>	<b>Modern Pharama</b>	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Capsules		فقر الدم Anaemia	<b>Yemen</b>		
30 cap					
<b>heme</b>	Iron	<b>Vitamines and Menirals</b>	<b>STADA</b>	As directed	
Ampoules		فقر الدم Anaemia			
10 ml x 20 amp					
<b>hemsyl-250mg</b>	Etamsylate-250mg	<b>Antihaemorrhages</b>	<b>indoco</b>	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	
Tablets		نزيف Haemorrhage	<b>Unknown</b>		
1*10tablet					
<b>hemsyl-inj</b>	Etamsylate-injection	<b>Antihaemorrhages</b>	<b>indoco</b>	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	
injection		نزيف Haemorrhage	<b>Unknown</b>		
5*2ml ampoules					
<b>Hepa-max plus</b>	silymarin +vit b complex+zink	<b>Gastro Intestinal drugs</b>	<b>marcyral</b>	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Soft Gelatin Capsules		اضطرابات الكبد Hepatic Disorders	<b>Unknown</b>		
20 cap					
<b>Hepa-Merz</b>	One 5mg sachets contains L-ornithin-aspartate 3mg	<b>Natural products</b>	<b>MERZ</b>	1-2 sachets of L-ornithin-L-aspartate three times daily.	
Sachets		اضطرابات الكبد Hepatic Disorders	<b>Unknown</b>		
10 sachets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Hepa-merz amp</b>	L-Ornithine +L-Aspartate	<b>Gastro Intestinal drugs</b>	<b>MERZ</b>	As directed	
Ampoules		Hepatic Disorders اضطرابات الكبد	<b>Unknown</b>		
5 amp					
<b>Hepa-merz sach</b>	l-ornithine-l-aspartate	<b>Gastro Intestinal drugs</b>	<b>MERZ</b>	As directed	
Granules		Hepatic Disorders اضطرابات الكبد	<b>Unknown</b>		
10 sachets					
<b>Heparin</b>	Heparin Sodium 25000 I.U/ 5 ml or 5000 I.U / 1 ml	<b>Cardio Vascular System drugs</b>	<b>PANPHARMA</b>	intravenous of 5000 to 10 000 units every 4 to 6 hours , Children and small adults continuous intravenous infusion of 15 to 25 units/kg per hour or subcutaneous of 250 units/kg	
Vial		Thrombosis الجلطات	<b>Unknown</b>		
10 vial					
<b>Heparin Vial</b>	heparine	<b>Cardio Vascular System drugs</b>	<b>PANPHARMA</b>	intravenous of 5000 to 10 000 units every 4 to 6 hours , Children and small adults continuous intravenous infusion of 15 to 25 units/kg per hour or subcutaneous of 250 units/kg	
Vial		Thrombosis الجلطات	<b>Unknown</b>		
15ml					
<b>Hepatic Forte</b>	Silymarin + Essential phospholipids	<b>Gastro Intestinal drugs</b>	<b>ADWIA</b>	200 mg/BID	
Capsules		Hepatic Disorders اضطرابات الكبد	<b>Egypt</b>		
30 cap					
<b>Hepatic Forte</b>	Silymarin 70mg+essential phospholipids 300mg+Orotic acid 10 mg/capsule.	<b>Gastro Intestinal drugs</b>	<b>Adwia</b>	Adult 1-2 capsule three tims daily after meals.	
Capsules		Hepatic Disorders اضطرابات الكبد	<b>Egypt</b>		
30 capsules					
<b>Hepato-forte</b>	essential phospholipids+vit b1,b2,b12,E	<b>Gastro Intestinal drugs</b>	<b>AMOUN</b>	Adluts : 1800mg/daily(divaded into 3 doses) childran mor than 12 years(about 43 kg) 600mg/daily(divaded into 3 doses).	
Capsules		Hepatic Disorders اضطرابات الكبد	<b>Egypt</b>		
20 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Hepaton</b>	cynarin+ dandelion	<b>Gastro Intestinal drugs</b>	<b>SEDICO</b>	200 mg/BID	
Tablets		Hepatic Disorders اضطرابات الكبد	<b>Egypt</b>		
20 tab					
<b>Hepavite cap</b>	silymarin +vit b complex	<b>Gastro Intestinal drugs</b>	<b>Shine</b>	200 mg/BID	
Capsules		Hepatic Disorders اضطرابات الكبد	<b>Unknown</b>		
100 CAP					
<b>Herbolax</b>	Combination	<b>Unknown</b>	<b>Himalaya drug co</b>	As directed	
Capsules		Unknown	<b>India</b>		
10x 10 cap					
<b>Herborist</b>	Combination	<b>Skin Disorders</b>	<b>Unknown</b>	As directed	
Solution		Dermatitis التهابات الجلدية	<b>Indonesia</b>		
<b>Herborist</b>	Combination	<b>Antiseptic and Desinfectants</b>	<b>Unknown</b>	As directed	
Solution		Feminine wash الغسولات الأنثوية	<b>Unknown</b>		
200 ml					
<b>HERMES Multivit</b>	Vit. A - Vit B1 - Vit. B2 - Vit. B3 - Vit. B5 - Vit. B6 - Vit. B12 - Vit. C - Vit. E - Vit. D3 - Biotine	<b>Vitamines and Menirals</b>	<b>HERMES Arzneimittel GmbH</b>	As directed	
Tablets		Vitamins نقص فيتامينات	<b>Unknown</b>		
20 effervecent					
<b>Hexadyl</b>	Chlorhexidine Gluconate 0.2% W/V	<b>Antiseptic and Desinfectants</b>	<b>Shiba pharma</b>	As directed	
Mouth Wash		Mouth Wash الغسولات الفموية	<b>Yemen</b>		
100 ml					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Hexadyl</b>	Chlorhexidine Gluconate 0.2% W/V	<b>Antiseptic and Desinfectants</b>	<b>Shiba pharma</b>	For pre-operative skin disinfection and hand-washing, chlorhexidine is used as a 0.5% solution of the acetate or gluconate in alcohol (70%) or as a 2 or 4% detergent solution	
Mouth Wash		Mouth Wash	<b>Yemen</b>		
100 ml		الغسولات الفموية			
<b>Hexadyl</b>	Chlorhexidine Gluconate 0.2% W/V	<b>Antiseptic and Desinfectants</b>	<b>Shiba pharma</b>	For pre-operative skin disinfection and hand-washing, chlorhexidine is used as a 0.5% solution of the acetate or gluconate in alcohol (70%) or as a 2 or 4% detergent solution	
Mouth Wash		Mouth Wash	<b>Yemen</b>		
100 ml		الغسولات الفموية			
<b>HICAND 16</b>	Candesartan Cilexetil 16 mg	<b>Cardio Vascular System drugs</b>	<b>Y.E.PHARMA</b>	8 mg once daily, but doses up to 32 mg daily, as a single dose or in 2 divided doses	
Tablets		Hypertension	<b>Yemen</b>		
30 tab		ارتفاع ضغط الدم			
<b>HICAND 8</b>	Candesartan Cilexetil 8 mg	<b>Cardio Vascular System drugs</b>	<b>Y.E.PHARMA</b>	8 mg once daily, but doses up to 32 mg daily, as a single dose or in 2 divided doses	
Tablets		Hypertension	<b>Yemen</b>		
30 tab		ارتفاع ضغط الدم			
<b>Hicipro</b>	Ciprofloxacin Hydrochloride	<b>Antibacterial</b>	<b>Unknown</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
		Bacterial Infections	<b>Unknown</b>		
		الأمراض البكتيرية			
<b>Hicipro</b>	Ciprofloxacin Hydrochloride	<b>Antibacterial</b>	<b>Unknown</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
		Bacterial Infections	<b>Unknown</b>		
		الأمراض البكتيرية			
<b>Hijuven</b>	Vit.E (tocopherols) 200 mg /capsule.	<b>Vitamines and Menirals</b>	<b>Eisai</b>	40 to 50 mg	
Soft Gelatin Capsules		Vitamins	<b>JAPAN</b>		
100 caps		نقص فيتامينات			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Hipres-50</b>	Atenolol	<b>Cardio Vascular System drugs</b>	<b>CIPLA</b>	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		<b>Hypertension</b> ارتفاع ضغط الدم	<b>India</b>		
14 tab					
<b>hiprogin</b>	250 mg hydroxyprogesterone caporate	<b>Gynaecology drugs</b>	<b>Duopharma</b>	doses of 250 to 500 mg weekly by intramuscular injection have been given during the first half of pregnancy.	
Ampoules		<b>Amenorrhea</b> انقطاع الطمث	<b>Malaysia</b>		
1 Ampoule					
<b>Hirudoid</b>	Heparinoids	<b>Unknown</b>	<b>Daiichi -Sankyo</b>	applied topically	
Cream		<b>Haemorrhoids</b> البواسير	<b>Germany</b>		
40 gm					
<b>Histaphen</b>	Chlorphenamine Maleate	<b>Antihistamines</b>	<b>Global Pharma</b>	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		<b>Common Cold</b> نزلات البرد	<b>Unknown</b>		
100 ml					
<b>Histat</b>	Chlorphenamine Maleate 2.5 mg / 5 ml	<b>Antihistamines</b>	<b>Shiba pharma</b>	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		<b>Common Cold</b> نزلات البرد	<b>Yemen</b>		
100 ml					
<b>Histat</b>	Chlorphenamine Maleate	<b>Antihistamines</b>	<b>Shiba pharma</b>	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Tablets		<b>Common Cold</b> نزلات البرد	<b>Yemen</b>		
20 tablet					
<b>Histavil</b>	Chlorphenamine Maleate 4 mg	<b>Antihistamines</b>	<b>Shaphaco</b>	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Tablets		<b>Common Cold</b> نزلات البرد	<b>Yemen</b>		
20 Tablet					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Histavil</b>	Chlorphenamine Maleate 2 mg	Antihistamines	Shaphaco	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold	Yemen		
100 ml		نزلات البرد			
<b>Histazin</b>	promethazine Hydrochloride	Antihistamines	United	Minimum/Maximum Adult Daily Dose:12.5 - 150 mg (milligram) OR 1 - 12 tablet.	
Syrup		Allergy الحساسية	Jordan		
125 ml for bottle					
<b>Histazin</b>	promethazine Hydrochloride	Antihistamines	United	Minimum/Maximum Adult Daily Dose:12.5 - 150 mg (milligram) OR 1 - 12 tablet.	
Tablets		Allergy الحساسية	Jordan		
20 tabs					
<b>HISTAZIN</b>	Promethazine	Antihistamines	United	Minimum/Maximum Adult Daily Dose:12.5 - 150 mg (milligram) OR 1 - 12 tablet.	
Tablets		Allergy الحساسية	Jordan		
20 tab					
<b>Histin</b>	Chlorphenamine Maleate	Antihistamines	YEDCO	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold	Yemen		
100 ml		نزلات البرد			
<b>Homtamin Ginseng</b>	Multi vitamine +Ginseng	Vitamines and Menirals	Korea united	As directed	
Capsules		Vitamins	Korea		
30 S.G capsules		Deficiency نقص فيتامينات			
<b>Honey Cure</b>	Honey	Skin Disorders	RAZA	2- 4 times daily topically	
Ointment		Burns الحروق	Unknown		
30 gm					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Hostacortin H</b>	Prednisolone 5 mg	<b>Corticosteroid</b>	<b>Aventis</b>	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Tablets		Inflammations الالتهابات	<b>Germany</b>		
20 tab					
<b>hovid OMEPRAZOLE</b>	Omeprazole	<b>Gastro Intestinal drugs</b>	<b>Hovid</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	<b>Malaysia</b>		
28 caps					
<b>HYCIP-500</b>	Ciprofloxacin*	<b>Antibacterial</b>	<b>Omega</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>Italy</b>		
1strip*10tablet					
<b>hydikal</b>	Amlodipine	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Oral only : Hypertension Adults: Individualize: 2.5-5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5-10 mg. Elderly: 5 mg.	
		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>Hydralazin</b>	Hydralazin	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	40 to 50 mg daily by mouth in divided doses	
10 ,20, 50 mg, amp		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>Hydro-Atheer</b>	Combination	<b>Health Care</b>	<b>Atheer</b>	As directed	
Drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>Yemen</b>		
10 ml					
<b>Hydrocortisone</b>	Hydrocortisone	<b>Corticosteroid</b>	<b>MISR</b>	Concentrations usually used have ranged from 0.1 to 2.5%	
0.5%-1%-2.5%		Dermatitis الالتهابات الجلدية	<b>Egypt</b>		
20gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Hydrocortisone</b>	Hydrocortisone	<b>Corticosteroid</b>	<b>Unknown</b>	Concentrations usually used have ranged from 0.1 to 2.5%	
Ointment		Dermatitis التهابات الجلدية	<b>Unknown</b>		
<b>Hydrocortisone Acetate</b>	Each 100 gm contains : Hydrocortisone Acetate 1 gm	<b>Corticosteroid</b>	<b>PHARCO</b>	Concentrations usually used have ranged from 0.1 to 2.5%	
Ointment 15 gm		Dermatitis التهابات الجلدية	<b>Egypt</b>		
<b>Hydrogen</b>	Hydrogen Peroxide	<b>Antiseptic and Desinfectants</b>	<b>Unknown</b>	As directed	
Ear Drops		Antiseptic مطهرات	<b>Unknown</b>		
<b>Hydrogen</b>	Hydrogen Peroxide	<b>Antiseptic and Desinfectants</b>	<b>Unknown</b>	As directed	
Ear Drops		Antiseptic مطهرات	<b>Unknown</b>		
<b>Hydrogen Peroxid</b>	Hydrogen peroxide 6%	<b>Antiseptic and Desinfectants</b>	<b>Pharmacare</b>	Apply Hydrogen peroxide solution on the affected area using clean cotton	
Solution 60 ml		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>Yemen</b>		
<b>Hyfresh</b>	Unknown	<b>Unknown</b>	<b>Unknown</b>	As directed	
Solution		Eye العين	<b>Unknown</b>		
<b>Hygiene</b>	chamomile + Aloe vera + Goldenseal + Propolis	<b>Antiseptic and Desinfectants</b>	<b>Unknown</b>	As directed	
Solution		Vaginal المهبل	<b>Unknown</b>		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>HYLO COMOD</b>	Unknown	<b>Unknown</b>	<b>Unknown</b>	As directed	
Eye drops		العين Eye	<b>Unknown</b>		
10 ml					
<b>Hymox</b>	Amoxicillin*	<b>Antibiotics</b>	<b>SPIMACO</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Saudi Arabia</b>		
2strip*10capsules					
<b>Hymox</b>	Amoxicillin*	<b>Antibiotics</b>	<b>SPIMACO</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Saudi Arabia</b>		
2strip*10capsules					
<b>Hymox</b>	Amoxicillin*	<b>Antibiotics</b>	<b>SPIMACO</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Dry syrup		الأصابات الميكروبية Microbial Infections	<b>Saudi Arabia</b>		
1bottel*100ml					
<b>HYOBROMID</b>	Hyoscine- N-Butylbromide 10 mg	<b>Gastro Intestinal drugs</b>	<b>unknown</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	<b>Unknown</b>		
30 tabs					
<b>Hyoscine- Butylbromide</b>	Hyoscine- N- Butylbromide	<b>Gastro Intestinal drugs</b>	<b>ROTEXMEDI CA</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Ampoules		Abdominal Spasm آلام البطن	<b>Germany</b>		
10 amps					
<b>Hyosed Tablets</b>	Hyoscine- N-Butylbromide 10 mg	<b>Gastro Intestinal drugs</b>	<b>SEDICO</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	<b>Egypt</b>		
20 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Hyper oil</b>	Herbal extract	<b>Unknown</b>	<b>Ri.MOS. Srl</b>	As directed	
Oil		Wounds Healing	<b>Italy</b>		
100 ml		التئام الجروح			
<b>hypopresor</b>	metoprolol	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	100- 200 mg daily by mouth	
		Hypertension	<b>Unknown</b>		
		ارتفاع ضغط الدم			
<b>Hyposec</b>	Omeprazole	<b>Gastro Intestinal drugs</b>	<b>RAM PHARMA</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer	<b>Jordan</b>		
14 caps		قرحة المعدة			
<b>Hyzaar</b>	HCTZ + Losartan	<b>Cardio Vascular System drugs</b>	<b>MERCK SHARP</b>	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension	<b>Unknown</b>		
differ		ارتفاع ضغط الدم			
<b>Hyzaar ???</b>	Hydrochlorothiazide + Losartan	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Hydrochlorothiazide :12.5 up to 50 mg daily, Losartan : 50-100 mg once daily	
		Hypertension	<b>Unknown</b>		
		ارتفاع ضغط الدم			
<b>Ibidroxil Capsules</b>	Cefadroxil 500 mg / cap	<b>Antibacterial</b>	<b>gsk glaxosmithkline</b>	1 to 2 g daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections	<b>UK</b>		
1strip*8capsule		الأمراض البكتيرية			
<b>Ibidroxil Syrup</b>	Cefadroxil 250 mg / 5 ml	<b>Antibacterial</b>	<b>gsk glaxosmithkline</b>	Children 6 – 12 years : 5 ml -10 ml twice daily, Children 1 - 5 years : 2.5 ml - 5 ml twice daily.	
Dry syrup		Bacterial Infections	<b>UK</b>		
1bottel*60ml		الأمراض البكتيرية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>IBOFEN</b>	Ibuprofen 400mg/ cap.	<b>NSAID</b>	<b>Modern Pharama</b>	Oral doses of 400 mg to 1.2 g daily .	
Capsules		مهدئات الأوجاع	<b>Yemen</b>		
10 cap					
<b>IBOFEN</b>	Ibuprofen 400mg/ tablet.	<b>NSAID</b>	<b>Modern Pharama</b>	Oral doses of 400 mg to 1.2 g daily .	
Tablets		مهدئات الأوجاع	<b>Yemen</b>		
10 x 10 tab					
<b>IBOFEN</b>	Ibuprofen 600mg/ tablet.	<b>NSAID</b>	<b>Modern Pharama</b>	Oral doses of 400 mg to 1.2 g daily .	
Tablets		مهدئات الأوجاع	<b>Yemen</b>		
10 x 10 tab					
<b>IBOFEN</b>	Ibuprofen 100mg/ 5 ml	<b>NSAID</b>	<b>Modern Pharama</b>	Oral doses of 400 mg to 1.2 g daily .	
Suspension		مهدئات الأوجاع	<b>Yemen</b>		
100 ml					
<b>IBUBID</b>	Ibuprofen 100mg	<b>NSAID</b>	<b>RFA</b>	Oral doses of 400 mg to 1.2 g daily .	
Suspension		مهدئات الأوجاع	<b>Yemen</b>		
60 ml					
<b>IBUBID 200</b>	Ibuprofen tablet 200mg.	<b>NSAID</b>	<b>RFA</b>	Oral doses of 400 mg to 1.2 g daily .	
Tablets		مهدئات الأوجاع	<b>Yemen</b>		
100 tablets.					
<b>IBUBID plus Susp</b>	Ibuprofen 100mg+paracetam ol 125mg suspention/5mg.	<b>NSAID</b>	<b>RFA</b>	Oral doses of 400 mg to 1.2 g daily .	
Suspension		مهدئات الأوجاع	<b>Yemen</b>		
60 ml					





Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>IBUBID400</b>	Ibuprofen tablet 400mg.	<b>NSAID</b>	<b>RFA</b>	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
100 tablets					
<b>IBUBID600</b>	Ibuprofen tablet 600mg.	<b>NSAID</b>	<b>RFA</b>	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
20 tablets					
<b>IBUBID-plus</b>	Ibuprofen+paracetamol tablet 400mg/325mg	<b>Nonsteroidal Anti-</b>	<b>RFA</b>	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
20 tablets					
<b>Ibufinal</b>	Ibuprofen 100 mg	<b>NSAID</b>	<b>Global Pharma</b>	Oral doses of mg to 1.2 g daily .	
Suspension		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
60 ml					
<b>Ibufinal</b>	Ibuprofen 100 mg	<b>NSAID</b>	<b>Global Pharma</b>	Oral doses of mg to 1.2 g daily .	
Suspension		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
100 ml					
<b>Ibuflam</b>	Ibuprofen 100 mg	<b>NSAID</b>	<b>Shaphaco</b>	Oral doses of mg to 1.2 g daily .	
Suspension		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
100 ml					
<b>Ibuflam</b>	Ibuprofen 100 mg	<b>NSAID</b>	<b>Shaphaco</b>	Oral doses of mg to 1.2 g daily .	
Suspension		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
50 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Ibukern 600 mg</b>	Ibuprofen	<b>Non-Steroidal Anti-</b>	<b>KERN pharma</b>	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	<b>Korea</b>		
<b>Ibuphil</b>	Ibuprofen	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	Oral doses of 400 mg to 1.2 g daily .	
Syrup		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
100 ml					
<b>Ibuprofen</b>	Ibuprofen tablet 400mg.	<b>Nonsteroidal Anti-</b>	<b>SHAPHAR</b>	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	<b>China</b>		
100 tablets					
<b>Ibuprofen 400</b>	Ibuprofen	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	Oral doses of 400 mg to 1.2 g daily .	
		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
<b>Ibuprofen 800</b>	Ibuprofen	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	Oral doses of 400 mg to 1.2 g daily .	
		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
<b>Ibuprofen Denk 400</b>	Ibuprofen	<b>Non-Steroidal Anti-</b>	<b>Denk Pharma</b>	Oral doses of 400 mg to 1.2 g daily .	
		Analgesic مهدئات الأوجاع	<b>Germany</b>		
<b>Ibuprofen-Denk</b>	Ibuprofen tablet 400mg.	<b>Nonsteroidal Anti-</b>	<b>Denk Pharma</b>	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	<b>Germany</b>		
100 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Idex</b>	Dexamethasone	<b>Corticosteroid</b>	<b>Unknown</b>	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
		Inflammations الالتهابات	<b>Unknown</b>		
<b>Ifenec</b>	Econazole Nitrate	<b>Antifungals</b>	<b>LIFEPHARMA</b>	Vaginal candidiasis as pessaries of 150 mg once daily at bedtime for 3 consecutive nights, topically up to 3 times daily as a 1% cream, lotion, powder, or solution.	
Suppositoris		Vaginal المهبل	<b>Italy</b>		
3 sup					
<b>Imodium</b>	loperamide Hydrochloride	<b>Gastro Intestinal drugs</b>	<b>Janseen</b>	In acute diarrhoea the usual initial dose for adults is loperamide hydrochloride 4 mg followed by 2 mg after each loose stool to a maximum of 16 mg daily; the usual daily dose	
cap		Diarrhea الأسهال	<b>Switzerland</b>		
6 caps in Strip					
<b>Imodium</b>	Loperamide Hydrochloride 2 mg	<b>Gastro Intestinal drugs</b>	<b>aspen</b>	In acute diarrhoea the usual initial dose for adults is loperamide hydrochloride 4 mg followed by 2 mg after each loose stool to a maximum of 16 mg daily; the usual daily dose	
Capsules		Diarrhea الأسهال	<b>Pakistan</b>		
10x 6 cap					
<b>Improfen</b>	Ibuprofen	<b>NSAID</b>	<b>Y.E.PHARMA</b>	Oral doses of 400 mg to 1.2 g daily .	
Suspension		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
60 ml					
<b>Imuran</b>	Azathioprine 50 mg / tab	<b>Immunosuppressive</b>	<b>aspen</b>	1 to 5 mg/kg daily	
Tablets		Immunosuppressive تثبيط المناعة	<b>Ireland</b>		
100 tab					
<b>Indacin</b>	Indometacin	<b>Non-Steroidal Anti-</b>	<b>Memphis</b>	Oral adult: 25-50 mg two or three times daily , children: an oral dose of 0.5 to 1 mg/kg twice daily, - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	
Suppositoris		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
10					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Inderal 10</b>	Propranolol Hydrochloride 10 mg , 40 mg	<b>Cardio Vascular System drugs</b>	<b>ASTRAZENECA</b>	Adult: 40 - 120 mg orally twice daily ,children 1- 4 mg/kg daily in divided doses by mouth	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
50 tab					
<b>INDERAL 40 mg</b>	Propranolol Hydrochloride	<b>Cardio Vascular System drugs</b>	<b>ASTRAZENECA</b>	Adult: 40 - 120 mg orally twice daily ,children 1- 4 mg/kg daily in divided doses by mouth	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
50 tab					
<b>INDO-250</b>	Erythromycin	<b>Antibiotics</b>	<b>Indoco</b>	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
tablet		الأصبايات الميكروبية Microbial Infections	<b>Unknown</b>		
10strip*10tablet					
<b>INDO-500</b>	Erythromycin	<b>Antibiotics</b>	<b>Indoco</b>	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Tablet		الأصبايات الميكروبية Microbial Infections	<b>Unknown</b>		
10strip*10tablet					
<b>Indocid</b>	Indometacin	<b>Non-Steroidal Anti-</b>	<b>ALGORITHM</b>	Oral adult: dise 25-50 mg two or three times daily , children: an oral dose of 0.5 to 1 mg/kg twice daily, - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	
Suppositoris		مهدئات الأوجاع	<b>Lebanon</b>		
10 sup					
<b>Indocine</b>	Indometacin	<b>Non-Steroidal Anti-</b>	<b>Razi Pharma</b>	Oral adult: dise 25-50 mg two or three times daily , children: an oral dose of 0.5 to 1 mg/kg twice daily, - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	
Suppositoris		مهدئات الأوجاع	<b>Syria</b>		
10 sup					
<b>Indomethacin</b>	Indomethacin entric coated tablet 50mg.	<b>Nonsteroidal Anti-</b>	<b>PHARCO</b>	Oral adult: dise 25-50 mg two or three times daily , children: an oral dose of 0.5 to 1 mg/kg twice daily, - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	
Capsules		مهدئات الأوجاع	<b>Egypt</b>		
24 capsule .					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Indomethacin</b>	Indomethacin enteric coated tablet 25mg.	<b>Nonsteroidal Anti-</b>	<b>PHARCO</b>	Oral adult: dose 25-50 mg two or three times daily , children: an oral dose of 0.5 to 1 mg/kg twice daily, - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	
Tablets		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
24 tablet .					
<b>Indomethacin E.C.</b>	Indometacin	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	Oral adult: dose 25-50 mg two or three times daily , children: an oral dose of 0.5 to 1 mg/kg twice daily, - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	
		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
<b>Indomethacine</b>	Indomethacin supp, 100mg.	<b>Nonsteroidal Anti-</b>	<b>MEDICO LABS</b>	Oral adult: dose 25-50 mg two or three times daily , children: an oral dose of 0.5 to 1 mg/kg twice daily, - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	
Suppositoris		Analgesic مهدئات الأوجاع	<b>Syria</b>		
10 supp					
<b>Indosan 25</b>	Indometacin	<b>NSAID</b>	<b>Shiba pharma</b>	Oral adult: dose 25-50 mg two or three times daily , children: an oral dose of 0.5 to 1 mg/kg twice daily, - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	
Capsules		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
20 cap					
<b>Infacol</b>	simethicone	<b>Gastro Intestinal drugs</b>	<b>Forest lab</b>	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Drop		Indigestion سوء الهضم	<b>UK</b>		
30 ml					
<b>INFLA-BAN 50</b>	Diclofenac Sodium tablet 50mg	<b>Nonsteroidal Anti-</b>	<b>APM</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>Jordan</b>		
20 tablets					
<b>INFLA-BAN 75</b>	Diclofenac Sodium 75 mg	<b>Non-Steroidal Anti-</b>	<b>APM</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		Analgesic مهدئات الأوجاع	<b>Jordan</b>		
5 amp x 3 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
مع تغيير الصورة Inflamac 100	Unknown	Non-Steroidal Anti-Analgesic مهدئات الأوجاع	Unknown	As directed	
		Unknown			
Ingredient Facts	glylatin + glycerin + soybean oil	Gastro Intestinal drugs	SUN Naturals	As directed	
Soft Gelatin Capsules		Nutrition supplementation تغذية تكميلية	Unknown		
cap					
Innohep	Tinzaparin Sodium Syringe	Cardio Vascular System drugs	LEO	3500 units of tinzaparin sodium are given by subcutaneous injection 2 hours before the procedure, followed by 3500 units once daily for 7 to 10 days.	
		Thrombosis الجلطات	Denmark		
2ml					
Inosert-50	Sertraline tablet 50mg	Central Nervous system drugs	Ipca	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
Tablets		Mental Disorders الأمراض العقلية	Unknown		
30 tablets					
INSAAR	Losartan Potassium	Cardio Vascular System drugs	Unknown	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
		Hypertension ارتفاع ضغط الدم	Unknown		
Insaar	losartan potassium	Cardio Vascular System drugs	Interbat	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Egypt		
30tab					
Insulatard	insulin human 100 i.u / ml	Antidiabetics	Novo Nordisk	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus أمراض السكري	Denmark		
10 ml / vial					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Insulated pinfill</b>	insulin human 100 i.u / ml	<b>Antidiabetics</b>	<b>Novo Nordisk</b>	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus	<b>Denmark</b>		
5 * 3 ml		أمراض السكري			
<b>insulet rapide</b>	insulin	<b>Antidiabetics</b>	<b>Sothema</b>	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus	<b>Morocco</b>		
1		أمراض السكري			
<b>Insulin h mix</b>	insulin human 100 i.u / ml	<b>Antidiabetics</b>	<b>SEDICO</b>	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus	<b>Egypt</b>		
10 ml vial		أمراض السكري			
<b>insulin H mix 100 iu</b>	insulin	<b>Antidiabetics</b>	<b>SEDICO</b>	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus	<b>Egypt</b>		
1		أمراض السكري			
<b>Insulin h r 100iu</b>	insulin human 100 i.u / ml	<b>Antidiabetics</b>	<b>SEDICO</b>	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus	<b>Egypt</b>		
10 ml vial		أمراض السكري			
<b>Insulin h r 40iu</b>	insulin human 40 i.u / ml	<b>Antidiabetics</b>	<b>SEDICO</b>	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus	<b>Egypt</b>		
10 ml vial		أمراض السكري			
<b>INTARD</b>	Diphenoxylate Hydrochloride	<b>Gastro Intestinal drugs</b>	<b>Julphar</b>	10 mg by mouth followed by 5 mg every six hours	
Tablets		Diarrhea الأسهال	<b>UAE</b>		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Interpril</b>	Lisinopril	<b>Cardio Vascular System drugs</b>	Unknown	usual oral dose is 5 -20 mg daily,	
		Hypertension ارتفاع ضغط الدم	Unknown		
<b>Intrataxime</b>	Unknown	<b>Antibiotics</b>	Unknown	As directed	
Ampoules		الأصابات الميكروبية Microbial Infections	Unknown		
1 amp					
<b>Intrataxime TTT</b>	Cefotaxime Sodium	<b>Antibacterial</b>	LDP	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
Vial		Bacterial Infections الأصابات البكتيرية	Unknown		
1 vial					
<b>Intrataxime Vial</b>	Cefotaxime Sodium	<b>Antibacterial</b>	LDP	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
Vial		Bacterial Infections الأصابات البكتيرية	Unknown		
1 vial					
<b>Intratiaxone</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	LDP	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parental inj		Bacterial Infections الأصابات البكتيرية	Unknown		
1 vial					
<b>Intratiaxone</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	Unknown	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
		Bacterial Infections الأصابات البكتيرية	Unknown		
<b>Iproid</b>	Hydrocortisone	<b>Corticosteroid</b>	Unknown	Concentrations usually used have ranged from 0.1 to 2.5%	
Suppositoris		Dermatitis التهابات الجلدية	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Iproid</b>	Hydrocortisone	<b>Corticosteroid</b>	<b>Unknown</b>	Concentrations usually used have ranged from 0.1 to 2.5%	
		Dermatitis الالتهابات الجلدية	<b>Unknown</b>		
<b>Irfen-400</b>	Ibuprofen	<b>Non-Steroidal Anti-</b>	<b>Mepha</b>	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgésic مهدئات الأوجاع	<b>Unknown</b>		
20 tab					
<b>IRON+C</b>	Iron 14mg&vitamin C 134mg	<b>Vitamines and Menirals</b>	<b>hansal</b>	treatment of iron-deficiency anaemia is 100 to 200 mg of iron daily in divided doses. The usual adult prophylactic dose is about 60 to 120 mg of iron daily.	
Tablets		Anaemia فقر الدم	<b>Unknown</b>		
20					
<b>IroVit</b>	Ferrous Sulfate	<b>Vitamines and Menirals</b>	<b>Vitane pharma</b>	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily)	
Oral /Drops		Anaemia فقر الدم	<b>Germany</b>		
30 ml					
<b>Isilin</b>	Pseudoephedrine + guaifenesin	<b>Respiratory drugs</b>	<b>NILE CO.</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	<b>Egypt</b>		
120 ml					
<b>Isocort</b>	Isoconazole 1 % + diflucortolone 0.1 %	<b>Antifungals</b>	<b>Global Pharma</b>	600 mg or 300 mg daily for 3 days, or as a 1% vaginal cream daily for 7 days. For skin infections a 1% or 2% cream or other topical formulation has been used.	
Cream		Dermatitis الالتهابات الجلدية	<b>Yemen</b>		
20 gm					
<b>Isopen</b>	Paracetamol	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - مهدئات الأوجاع والحمى	<b>Palestine</b>		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Isoket</b>	Isosorbide dinitrate 60 mg	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	oral doses of 20 to 120 mg daily in divided doses according to the patient's needs.	
Tablets		Angina الذبحة الصدرية	<b>Unknown</b>		
<b>Isoniazid</b>	Isoniazid 300mg	<b>Antibiotics</b>	<b>TEVN</b>	300 mg daily by mouth on an empty stomach. Children's doses vary from 5 mg/kg daily, as combination with other T.B drugs or as prophylaxis	
Tablets		Tuberculosis (T.B) الدرن	<b>Unknown</b>		
100 tap					
<b>Isoniazid Tab.</b>	Isoniazid 300mg	<b>Antibiotics</b>	<b>Tevn</b>	300 mg daily by mouth on an empty stomach. Children's doses vary from 5 mg/kg daily, as combination with other T.B drugs or as prophylaxis	
Capsules		Tuberculosis (T.B) الدرن	<b>Unknown</b>		
100 capsules					
<b>ISOPTIN 120 mg</b>	Verapamil	<b>Cardio Vascular System drugs</b>	<b>ABBOTT</b>	Oral dose 120 to 480 mg daily in 3 or 4 divided doses	
Tablets		Hypertension ارتفاع ضغط الدم	<b>USA</b>		
100 tab					
<b>Isoptin 240 mg</b>	Verapamil	<b>Cardio Vascular System drugs</b>	<b>ABBOTT</b>	Oral dose 120 to 480 mg daily in 3 or 4 divided doses	
Tablets		Hypertension ارتفاع ضغط الدم	<b>USA</b>		
30 tab					
<b>Isoptin 40 mg</b>	Verapamil	<b>Cardio Vascular System drugs</b>	<b>ABBOTT</b>	Oral dose 120 to 480 mg daily in 3 or 4 divided doses	
Tablets		Hypertension ارتفاع ضغط الدم	<b>USA</b>		
50 tab					
<b>ISOSORBIDE</b>	Isosorbide Dinitrate 10 mg	<b>Cardio Vascular System drugs</b>	<b>EIPICO</b>	oral doses of 20 to 120 mg daily in divided doses according to the patient's needs.	
Tablets		Angina الذبحة الصدرية	<b>Egypt</b>		
5 x 20 tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>ISOSORBIDE</b>	Isosorbide Dinitrate 4 mg	<b>Cardio Vascular System drugs</b>	<b>EIPICO</b>	oral doses of 20 to 120 mg daily in divided doses according to the patient's needs.	
Tablets		Angina الذبحة الصدرية	<b>Egypt</b>		
30 tablet					
<b>Isuprel</b>	Isoprenalin	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	200 micrograms (as 1 mL of a 0.02% solution) and by slow intravenous injection in initial doses of 20 to 60 micrograms (as 1 to 3 mL of a 0.002% solution);	
		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>Itracon</b>	Itraconazole INE 100mg	<b>Antifungals</b>	<b>Navana pharma</b>	100 - 200 mg daily as the type of fungi	
Capsules		Dermatitis الألتهايات الجلدية	<b>Bangladesh</b>		
12 capsules					
<b>Itracon</b>	Itraconazole 100mg	<b>Antifungals</b>	<b>REKO</b>	100 - 200 mg daily as the type of fungi	
Capsules		Dermatitis الألتهايات الجلدية	<b>Unknown</b>		
4 capsules					
<b>Itracon</b>	Itraconazole	<b>Antifungals</b>	<b>Cipharma</b>	100 - 200 mg daily as the type of fungi	
		Dermatitis الألتهايات الجلدية	<b>Unknown</b>		
<b>Itracon Capsules</b>	Itraconazole 100mg	<b>Antifungals</b>	<b>GNP</b>	100 - 200 mg daily as the type of fungi	
Capsules		Dermatitis الألتهايات الجلدية	<b>Egypt</b>		
4 capsules					
<b>Itranox</b>	Itraconazole 100mg	<b>Antifungals</b>	<b>ADWIA</b>	100 - 200 mg daily as the type of fungi	
Capsules		Dermatitis الألتهايات الجلدية	<b>Egypt</b>		
4 Capsules					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Itronazole-s</b>	Itraconazole 100mg	<b>Antifungals</b>	<b>BALSAM</b>	100 - 200 mg daily as the type of fungi	
Capsules		Dermatitis التهابات الجلدية	<b>Syria</b>		
4 Capsules					
<b>IVEMETRO</b>	Metronidazole	<b>Antiprtozoal</b>	<b>Torrent</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Liquid_inj. I.P		Amoebiasis , Giardiasis جارديا واميبيا	<b>India</b>		
100ml					
<b>Ivex</b>	Dried IVY leaf extract 35 mg	<b>Respiratory drugs</b>	<b>Shiba pharma</b>	As directed	
Syrup		Bronchitis التهاب الشعب الهوائية	<b>Yemen</b>		
100 ml					
<b>Ivex</b>	Dried IVY leaf extract 20 mg	<b>Respiratory drugs</b>	<b>Shiba pharma</b>	As directed	
Syrup		Bronchitis التهاب الشعب الهوائية	<b>Yemen</b>		
20 ml					
<b>IVY</b>	Dried IVY leaf extract	<b>Respiratory drugs</b>	<b>Deep</b>	As directed	
Syrup		Bronchitis التهاب الشعب الهوائية	<b>Saudi Arabia</b>		
100 ml					
<b>Ivy</b>	herbal extract cough & common cold	<b>Respiratory drugs</b>	<b>JOSWE</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>Jordan</b>		
100 ml					
<b>Ivytus</b>	Dried Ivy Leaf extract	<b>Respiratory drugs</b>	<b>neopharma</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>UAE</b>		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Ixime</b>	Cefixime	<b>Antibacterial</b>	<b>Lupin</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
tablet		Bacterial Infections	<b>Unknown</b>		
1strip*6tablet		الأصابات البكتيرية			
<b>Jamieson</b>	Glucosamine + Chondroitin	<b>Osteoarthritis drugs</b>	<b>Arthrimin</b>	As directed	
Capsules		Osteoarthritis	<b>Unknown</b>		
60 cap		التهابات العظام			
<b>Janucare M</b>	Sitagliptine 50 mg + Metformin 500 mg	<b>Antidiabetics</b>	<b>Y.E.PHARMA</b>	As directed	
Tablets		Diabetes Mellitus	<b>Yemen</b>		
30 tabs		أمراض السكري			
<b>Janucare M</b>	Sitagliptine 50 mg + Metformin 500 mg	<b>Antidiabetics</b>	<b>Y.E.PHARMA</b>	As directed	
Tablets		Diabetes Mellitus	<b>Yemen</b>		
30 tabs		أمراض السكري			
<b>Janumte 50/500</b>	Sitagliptine 50mg - Metformin 500mg	<b>Antidiabetics</b>	<b>MSD</b>	As directed	
Tablets		Diabetes Mellitus	<b>USA</b>		
56 tab		أمراض السكري			
<b>Januvia 100mg</b>	Sitagliptine 100mg	<b>Antidiabetics</b>	<b>MSD</b>	As directed	
Tablets		Diabetes Mellitus	<b>USA</b>		
28 film coated		أمراض السكري			
<b>JOFLEX</b>	Glucosamine sulphate 500mg	<b>Osteoarthritis drugs</b>	<b>EMA</b>	As directed	
Capsules		Osteoarthritis	<b>Unknown</b>		
30 cap		التهابات العظام			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>JOINT ACTION</b>	Glucosamine + Chondroitin	<b>Osteoarthritis drugs</b>	<b>LIFEPLAN</b>	As directed	
Tablets		Osteoarthritis	<b>Unknown</b>		
30 tab		التهابات العظام			
<b>Jointace Omega 3</b>	Glucosamine + Chondroitin + Omega 3	<b>Osteoarthritis drugs</b>	<b>Unknown</b>	As directed	
		Osteoarthritis	<b>Unknown</b>		
		التهابات العظام			
<b>JointFlex</b>	Glucosamine	<b>Osteoarthritis drugs</b>	<b>Unknown</b>	As directed	
Cream		Osteoarthritis	<b>Unknown</b>		
14 gm		التهابات العظام			
<b>Jointfree</b>	Glucosamine + Chondroitin	<b>Osteoarthritis drugs</b>	<b>Unknown</b>	As directed	
		Osteoarthritis	<b>Unknown</b>		
		التهابات العظام			
<b>JOINTLUBE</b>	Glucosamine + Chondroitin	<b>Osteoarthritis drugs</b>	<b>HA pharma</b>	As directed	
Tablets		Osteoarthritis	<b>Unknown</b>		
30 tab		التهابات العظام			
<b>JOLTAN</b>	Valsartan	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Oral doses 80 - 160 mg once daily	
		Hypertension	<b>Unknown</b>		
		ارتفاع ضغط الدم			
<b>Joltan Plus</b>	Valsartan 160 mg + Hydrochlorothiazid e 12.5 mg	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Oral doses 80 - 160 mg once daily	
		Hypertension	<b>Unknown</b>		
		ارتفاع ضغط الدم			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Jos-Pan</b>	herbal extract	<b>Respiratory drugs</b>	<b>PHARCO</b>	As directed	
Syrup		Common Cold	<b>Egypt</b>		
120 ml		نزلات البرد			
<b>Julmentin</b>	Amoxicillin/Clavulanate Potassium	<b>Antibiotics</b>	<b>Julphar</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg &250mg	
tablet		الأصابات الميكروبية	<b>UAE</b>		
3strip*5tablet		Microbial Infections			
<b>Jusline 30/70</b>	insulin human 100u/ml (30% soluble insulin and 70% isophane insulin)	<b>Antidiabetics</b>	<b>julphar</b>	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus	<b>UAE</b>		
10 ml vial		أمراض السكري			
<b>Jusline R</b>	insulin human 100u/ml	<b>Antidiabetics</b>	<b>julphar</b>	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus	<b>UAE</b>		
10 ml		أمراض السكري			
<b>Jusprin</b>	Acetylsalicylic acid	<b>Non-Steroidal Anti-</b>	<b>Julphar</b>	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours according to clinical needs, to a maximum of 4 g daily. The dose as	
Tablets		مهدئات الأوجاع	<b>UAE</b>		
40 E.C.Tablets					
<b>Juvamine Fizz</b>	Calcium 160mg+magnesium 60 mg+iron 6.9mg+zinc 11.9mg+iodine 150mcg/effer.tab.	<b>Vitamines and Menirals</b>	<b>JUVA sante</b>	Adluts 1tablet every morning . Child, half atablet every morning.	
Tablets		Osteoarthritis	<b>France</b>		
30 effer. Tablets		التهابات العظام			
<b>K-99</b>	Potassium	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	2 to 3 mmol/kg of potassium in 24 hours	
Capsules		Nutrition supplementation	<b>Unknown</b>		
30 cap		تغذية تكميلية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>KADOMET 250 mg</b>	Ketoprofen 100 mg	<b>Cardio Vascular System drugs</b>	<b>KAHIRA PHARM</b>	250 - 500 mg of methyldopa two or three times daily - children is 10-60 mg/kg daily in 2 to 4 divided doses	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Egypt</b>		
30 Tablets					
<b>Kafid</b>	Dextromethorphan + Quaiphenesin+ Pseudoephedrine	<b>Respiratory drugs</b>	<b>Shaphaco</b>	Adults 60 mg three or four times daily, Children 2.5 to 5 mg every 4 hours	
Syrup		Common Cold نزلات البرد	<b>Yemen</b>		
100 ml					
<b>Kafosed</b>	Dextromethorphan	<b>Respiratory drugs</b>	<b>SPIMACO</b>	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Syrup		Common Cold نزلات البرد	<b>Saudi Arabia</b>		
100 ml					
<b>Kandizol 150 mg</b>	Fluconazole	<b>Antifungals</b>	<b>Unknown</b>	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
		Dermatitis التهابات الجلدية	<b>Unknown</b>		
<b>kanzar 100</b>	Losartan Potassium	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>kanzar-h</b>	Losartan Potassium	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>Kartastamine</b>	Unknown	<b>Antihistamines</b>	<b>ALSHAHBA</b>	As directed	
Syrup		Allergy الحساسية	<b>Syria</b>		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Kartastamine</b>	Unknown	<b>Antihistamines</b>	<b>ALSHAHBA</b>	As directed	
Tablets		Allergy الحساسية	<b>Syria</b>		
20 tab					
<b>Kemadrin</b>	Procyclidine tablet 5 mg	<b>Central Nervous system drugs</b>	<b>Glaxo Wellcome</b>	Minimum/Maximum Adult Daily Dose:7.5 - 20 mg (milligram) OR 1.5 - 4 Tablet	
Tablets		Parkinson's disease مرض الرعاش	<b>Unknown</b>		
100 Tablet					
<b>Kemadrin</b>	Procyclidine 5 mg / tab	<b>Central Nervous system drugs</b>	<b>aspen</b>	2.5 mg three times daily by mouth may be increased gradually by 2.5 to 5 mg every 2 or 3 days	
Tablets		Parkinson's disease مرض الرعاش	<b>Ireland</b>		
100 tab					
<b>Kenacort-A</b>	Triamcinolone Acetonide	<b>Corticosteroid</b>	<b>Smthkline Beecham</b>	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily;topical application in creams, lotions,	
		Dermatitis الألتهابات الجلدية	<b>Unknown</b>		
1ml					
<b>Kenazol Cream</b>	Ketoconazole 30g	<b>Antifungals</b>	<b>Domin pharma</b>	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	
Cream		Dermatitis الألتهابات الجلدية	<b>Unknown</b>		
30 gm					
<b>Keppra</b>	Ketoprofen 500 mg	<b>Nonsteroidal Anti-</b>	<b>Unknown</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Tablets		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
30 tab					
<b>Keppra</b>	levetiracetam tablet 500mg	<b>Central Nervous system drugs</b>	<b>gsk glaxosmithkline</b>	1-3 gm increased gradually, children 50 kg is 20 mg/kg daily	
Tablets		Epilepsy الصرع	<b>UK</b>		
10 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Keppra-500</b>	levetiracetam tablet 500mg	<b>Central Nervous system drugs</b>	<b>UCB</b>	1-3 gm increased gradually, children 50 kg is 20 mg/kg daily	
Tablets		Epilepsy الصرع	<b>Unknown</b>		
30 tablets					
<b>Kernadol</b>	Paracetamol 100 mg / ml	<b>Non-Steroidal Anti-</b>	<b>KERN pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Solution		Antipyretic - مهدئات الأوجاع والحمى	<b>Korea</b>		
30 ml					
<b>KETAMINE</b>	Ketamine hydrochloride	<b>Central Nervous system drugs</b>	<b>ROTEXMEDI CA</b>	in adults and children the dose given by intravenous injection may range from the equivalent of 1 to 4.5 mg/kg of ketamine	
Vial		Anaesthetics التخدير العام	<b>Germany</b>		
50 mg / ml of vial of 10ml					
<b>KETESSE</b>	Dexketoprufen 25 mg	<b>Non-Steroidal Anti-</b>	<b>MENARINI</b>	Oral dose 12.5 mg every 4 to 6 hours or 25 mg every 8 hours; the total daily dose should not exceed 75 mg.	
Tablets		Analgesic مهدئات الأوجاع	<b>Italy</b>		
20 tab					
<b>Ketesse</b>	Dexketoprufen	<b>Non-Steroidal Anti-</b>	<b>MENARINI</b>	Oral dose 12.5 mg every 4 to 6 hours or 25 mg every 8 hours; the total daily dose should not exceed 75 mg.	
Ampoules		Analgesic مهدئات الأوجاع	<b>Italy</b>		
5 amp					
<b>KETESSE</b>	25 mg Dexketoprufen	<b>Non-Steroidal Anti-</b>	<b>MENARINI</b>	Oral dose 12.5 mg every 4 to 6 hours or 25 mg every 8 hours; the total daily dose should not exceed 75 mg.	
Tablets		Analgesic مهدئات الأوجاع	<b>Italy</b>		
4 tab					
<b>Ketlac-10</b>	Ketorolac Tromethamine tablet 10mg	<b>NSAID</b>	<b>RFA</b>	Oral Adult Daily Dose: 10 - 40 mg for 7 days . Single intramuscular 60 mg or intravenous 30 mg - children 0.5 mg/kg up to a maximum of 15 mg.	
Tablets		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
30 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Keto 100</b>	Ketoprofen tablet 100 mg .	<b>NSAID</b>	<b>Shiba pharma</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 tablets.	
Tablets		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
30 tablet					
<b>Ketofan 50</b>	Ketoprofen 50 mg	<b>Non-Steroidal Anti-</b>	<b>European Egyptian Pharma</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Capsules		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
20 caps					
<b>Ketofan gel</b>	Ketoprofen gel 2.5%.	<b>Nonsteroidal Anti-</b>	<b>AMRIYA PHARMA</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Gel		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
40 gm					
<b>Ketofan Susp</b>	Ketoprofen suspension 12.5mg/5ml	<b>Nonsteroidal Anti-</b>	<b>AMRIYA PHARMA</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Suspension		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
120 ml					
<b>Ketofan-200 SR</b>	Ketoprofen capsule 200mg.	<b>Nonsteroidal Anti-</b>	<b>AMRIYA PHARMA</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Capsules		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
14 capsules					
<b>Ketolgen SR</b>	Ketoprofen capsule 200mg.	<b>Nonsteroidal Anti-</b>	<b>Amoun</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Capsules		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
10 capsules.					
<b>Ketolgin</b>	Ketoprofen gel 2.5%.	<b>Nonsteroidal Anti-</b>	<b>Amoun</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Gel		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
40 g					




Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Ketolgin 50</b>	Ketoprofen	<b>Non-Steroidal Anti-</b>	<b>AMOUN</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Tablets		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
10 tab					
<b>Ketoprek 75 mg</b>	Ketoprofen	<b>Non-Steroidal Anti-</b>	<b>BORG</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Capsules		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
10 Caps					
<b>Ketoprof</b>	Ketoprofen tablet 100mg .	<b>NSAID</b>	<b>Y.E.PHARMA</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Tablets		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
30 tablets					
<b>Ketoprofen</b>	Ketoprofen 100mg/apmoule.	<b>Nonsteroidal Anti-</b>	<b>Huons</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Ampoules		Analgesic مهدئات الأوجاع	<b>Korea</b>		
10 Ampoules of 2 ml					
<b>KETORAL</b>	Ketoconazole 200mg	<b>Antifungals</b>	<b>Bilim</b>	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	
Tablets		Dermatitis الألتهايات الجلدية	<b>Turkey</b>		
10 Tab.					
<b>Ketoral</b>	Ketoconazole 200mg	<b>Antifungals</b>	<b>CPE</b>	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	
Capsules		Dermatitis الألتهايات الجلدية	<b>Unknown</b>		
<b>Ketoral</b>	Ketoconazole 2%	<b>Antifungals</b>	<b>Bilim</b>	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	
Cream		Dermatitis الألتهايات الجلدية	<b>Turkey</b>		
40 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Ketoral</b>	Ketoconazole 2%	<b>Antifungals</b>	<b>Bilim</b>	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	
SHAMPOO		Dermatitis التهابات الجذلية	<b>Turkey</b>		
100 ml					
<b>Ketotifen</b>	Ketotifen Fumarate	<b>Respiratory drugs</b>	<b>AMRIYA PHARMA</b>	adult dose 1-2 mg/bid or pead. 1 mg /bid	
Tablets		Bronchitis التهاب الشعب الهوائية	<b>Egypt</b>		
20 Coated Tablet					
<b>Ketotifen</b>	Ketotifen Fumarate	<b>Respiratory drugs</b>	<b>AMRIYA PHARMA</b>	adult dose 1-2 mg/bid or pead. 1 mg /bid	
Syrup		Bronchitis التهاب الشعب الهوائية	<b>Egypt</b>		
100 ml					
<b>Ketotifen</b>	Ketotifen Fumarate	<b>Respiratory drugs</b>	<b>hovid</b>	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Syrup		Bronchitis التهاب الشعب الهوائية	<b>Malaysia</b>		
100 ml					
<b>KETOTIPHEN</b>	Ketotifen Fumarate	<b>Respiratory drugs</b>	<b>AMRIYA PHARMA</b>	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Tablets		Bronchitis التهاب الشعب الهوائية	<b>Egypt</b>		
20 tab					
<b>KETOTIPHEN</b>	Ketotifen Fumarate	<b>Respiratory drugs</b>	<b>AMRIYA PHARMA</b>	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Tablets		Bronchitis التهاب الشعب الهوائية	<b>Egypt</b>		
20 tab					
<b>Ketovent</b>	Each 5 ml contains 1mg ketotifen	<b>Respiratory drugs</b>	<b>Pharmacare</b>	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Syrup		Bronchitis التهاب الشعب الهوائية	<b>Yemen</b>		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Ketya-200</b>	Quetiapine tablet 200mg	<b>Central Nervous system drugs</b>	<b>ABDIbrahim</b>	Minimum/Maximum Adult Daily Dose:200 - 800 mg (milligram) OR 2 - 8 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
30 Tablets					
<b>Kiddi pharmaton</b>	Multi vitamin and Menirals.	<b>Vitamines and Menirals</b>	<b>Ginsana</b>	As directed	
Syrup		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
100ml					
<b>Kiddilyte</b>	Dextrose + Fructose + Gripe flavor +Citric Acid + Potassium citrate +Sodium Chloride +	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	As directed	
Solution		Diarrhea الأسهال	<b>Yemen</b>		
200 ml					
<b>Kiddilyte</b>	Dextrose + Fructose + Gripe flavor +Citric Acid + Potassium citrate +Sodium Chloride +	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	As directed	
Solution		Diarrhea الأسهال	<b>Yemen</b>		
200 ml					
<b>Kidlyte</b>	Combination	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	As directed	
Solution		Diarrhea الأسهال	<b>Unknown</b>		
250 ml					
<b>Kids Plus</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>Unknown</b>	As directed	
Tablets		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
100 tab					
<b>Kidviton</b>	Multi Vitamines with Lysine + Calcium	<b>Vitamines and Menirals</b>	<b>satda</b>	As directed	
Syrup		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
120 ml / bottle					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>KIDZ KIT *3 Forte</b>	Rifampicin + isoniazid + pyrazinamide	Antibiotics	Unknown	The usual dose of rifampicin is 600 mg daily by mouth	
		Tuberculosis (T.B) الدرن	Unknown		
<b>Kinsol -5</b>	Benzhexol (Trihexyphenidyl) tablet 5 mg	Central Nervous system drugs	Shiba pharma	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	
Tablets		Parkinson's disease مرض الرعاش	Yemen		
30 tablets					
<b>Kinsol-2</b>	Benzhexol (Trihexyphenidyl) tablet 2mg	Central Nervous system drugs	Shiba pharma	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	
Tablets		Parkinson's disease مرض الرعاش	Yemen		
30 tablets					
<b>Kiroll</b>	Ofloxacin*	Antibacterial	gsk glaxosmithkline	tab 400mg & 200mg	
tablet		Bacterial Infections	UK		
1strip*10tablet		الأصابات البكتيرية			
<b>Kitpylo-c</b>	Combination	Gastro Intestinal drugs	Unknown	As directed	
kits		H-Pylori جرثومة المعدة	Unknown		
7 kits					
<b>Kitpylo-c</b>	tinidazole 30 mg + clarithromycin 250 mg+Lansoprazole 30 mg	Gastro Intestinal drugs	Medley	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
kits		قرحة المعدة	India		
7 Kits					
<b>Klacid</b>	Clarithromycin 125 mg / 5 ml	Antibiotics	ABBOTT	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Granules		Respiratory Disorders	USA		
60 ml		اضطرابات الجهاز التنفسي			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>KLACID 250</b>	Clarithromycin	<b>Antibiotics</b>	<b>ABBOTT</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders	<b>USA</b>		
14 Film Tablet		اضطرابات الجهاز التنفسي			
<b>KLACID 500</b>	Clarithromycin	<b>Antibiotics</b>	<b>ABBOTT</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablet		Respiratory Disorders	<b>USA</b>		
1strip*14tablet		اضطرابات الجهاز التنفسي			
<b>Klamoks</b>	Amoxicillin + Clavulanic Acid	<b>Antibiotics</b>	<b>Unknown</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
		الأصابات الميكروبية	<b>Unknown</b>		
		Microbial Infections			
<b>Klamoks</b>	Amoxicillin + Clavulanic Acid	<b>Antibiotics</b>	<b>Unknown</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
		الأصابات الميكروبية	<b>Unknown</b>		
		Microbial Infections			
<b>Klamoks BID</b>	Amoxicillin/Clavulanate Potassium	<b>Antibiotics</b>	<b>Bilim</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Tablets		الأصابات الميكروبية	<b>Turkey</b>		
2strip*5tablet		Microbial Infections			
<b>Klamoks BID</b>	Amoxicillin + Clavulanic Acid	<b>Antibiotics</b>	<b>Unknown</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
		الأصابات الميكروبية	<b>Unknown</b>		
		Microbial Infections			
<b>Klamoks BID</b>	Amoxicillin + Clavulanic Acid	<b>Antibiotics</b>	<b>Unknown</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
		الأصابات الميكروبية	<b>Unknown</b>		
		Microbial Infections			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Klamoks Tablets</b>	Amoxicillin/Clavulanate Potassium	<b>Antibiotics</b>	<b>Bilim</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Tablets		الأصباات الميكروبية Microbial Infections	<b>Turkey</b>		
3strip*5tablet					
<b>KLARI tab</b>	Clarithromycin 500 mg	<b>Antibiotics</b>	<b>Global Pharma</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفس	<b>Yemen</b>		
14 tabs					
<b>KLARI tab</b>	Clarithromycin 250 mg	<b>Antibiotics</b>	<b>Global Pharma</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفس	<b>Yemen</b>		
14 tabs					
<b>Klavox</b>	Amoxicillin/Clavulanate Potassium	<b>Antibiotics</b>	<b>SPIMACO</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Tablets		الأصباات الميكروبية Microbial Infections	<b>Saudi Arabia</b>		
2strip*10tablet					
<b>Kleen enema adult</b>	sodium phosphate+bi phosphate ad •Do not use more than 1 enema in 24 hours.	<b>Gastro Intestinal drugs</b>	<b>Nabqasim = pakistan</b>	adult = one bottle 120 ml delivered dose ) once dairy = child 60 ml once dairy	
Enema		Constipation الأمساك	<b>Unknown</b>		
120 ml for bottle					
<b>Kleen enema child</b>	sodium phosphate+bi phosphate	<b>Gastro Intestinal drugs</b>	<b>Nabqasim = pakistan</b>	adult = one bottle 120 ml delivered dose ) once dairy = child 60 ml once dairy	
Enema		Constipation الأمساك	<b>Unknown</b>		
60 ml for bottle					
<b>KLION_D 100</b>	Metronidazole 100mg + miconazole nitrate 100mg	<b>Antiprtozoal</b>	<b>MEGA</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	<b>Thailand</b>		
10 vaginal tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Klion-D 100</b>	Miconazole Nitrate+Metronidazole	<b>Antifungals</b>	<b>KLION</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	<b>Unknown</b>		
10 Vaginal Tab.					
<b>KLIRAX</b>	Chlordiazepoxide 5 mg+Clidinium Bromide2.5 mg	<b>Gastro Intestinal drugs</b>	<b>RFA</b>	Chlordiazepoxide up to 30 mg daily in divided doses.	
tab		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
30 tabs					
<b>Koalavit</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>Unknown</b>	As directed	
		Vitamins نقص فيتامينات	<b>Unknown</b>		
<b>Koflet</b>	herbal extract	<b>Respiratory drugs</b>	<b>Himalaya Drug Co</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>India</b>		
100 ml					
<b>Kofol</b>	Ammonium chloride + ipecacuanha + liquid glucose+ honey + lemon juice	<b>Respiratory drugs</b>	<b>Unknown</b>	As directed	
		Common Cold نزلات البرد	<b>Unknown</b>		
<b>Kofol</b>	Antiseptic	<b>Antiseptic and Desinfectants</b>	<b>Unknown</b>	As directed	
Lozenges		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>Unknown</b>		
12 Lozenges					
<b>Kofol</b>	Herbal extract	<b>Unknown</b>	<b>Unknown</b>	Adult 10 ml TID , Children 5 ml TID	
Syrup		Unknown	<b>Unknown</b>		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>KOKAST</b>	Montelukast Sodium 10 mg	<b>Respiratory drugs</b>	<b>EGYPHAR</b>	10 mg of montelukast once daily in the evening; children aged 6 to 14 years may be given the equivalent of 5 mg in the evening and children aged 6 months to 5 years may be	
Tablets		Bronchial Asthma الربو الشعبي	<b>Egypt</b>		
30 tab					
<b>KOKAST</b>	Montelukast Sodium 10 mg	<b>Respiratory drugs</b>	<b>EGYPHAR</b>	10 mg of montelukast once daily in the evening; children aged 6 to 14 years may be given the equivalent of 5 mg in the evening and children aged 6 months to 5 years may be	
Tablets		Bronchial Asthma الربو الشعبي	<b>Egypt</b>		
10 tab					
<b>KOKAST</b>	Montelukast Sodium 10 mg	<b>Respiratory drugs</b>	<b>EGYPHAR</b>	10 mg of montelukast once daily in the evening; children aged 6 to 14 years may be given the equivalent of 5 mg in the evening and children aged 6 months to 5 years may be	
Tablets		Bronchial Asthma الربو الشعبي	<b>Egypt</b>		
7 chewable tablets					
<b>Kold off</b>	pseudoephedrine + paracetamol + chloraphiniramine	<b>Respiratory drugs</b>	<b>shiba pharma</b>	Adults 60 mg three or four times daily by mouth, children 15 - 30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	<b>Yemen</b>		
20 tab					
<b>Kold Off</b>	Pseudoephedrine 120 mg + Loratidine 5 mg	<b>Respiratory drugs</b>	<b>Shiba pharma</b>	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Capsules		Common Cold نزلات البرد	<b>Yemen</b>		
10 cap					
<b>kontal</b>	niclosamide	<b>Anthelmentic</b>	<b>Unknown</b>	Tapeworms: Single dose niclosamide 2 gm chewed tablets on empty stomach. Hymenolepis (H.Nana): 2 gm initially + 1 gm daily for 6 days	
Tablets		Tape Worms الدودة الشريطية	<b>Unknown</b>		
4 tab					
<b>kopamin</b>	mecobalamine 500 micro gram	<b>Vitamines and Menirals</b>	<b>Korea Pharma</b>	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day.	
Tablets		فقر الدم Anaemia	<b>Korea</b>		
30 tablet					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Kopamin</b>	Mecobalamin 500mcg Tablets	<b>Vitamines and Menirals</b>	<b>Korea Pharma</b>	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Tablets		Anaemia فقر الدم	<b>Korea</b>		
30 Tablets					
<b>Krtoprek</b>	Ketoprofen capsule 75mg.	<b>Nonsteroidal Anti-</b>	<b>BORG</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Capsules		Analgésic مهدئات الأوجاع	<b>Egypt</b>		
10 capsules					
<b>Kupan 50 mg</b>	Ketoprofen 50 mg	<b>Nonsteroidal Anti-</b>	<b>ALKAN Pharma</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Capsules		Analgésic مهدئات الأوجاع	<b>Egypt</b>		
20 cap					
<b>K-Vita</b>	Vitamin K	<b>Antihæmorrhages</b>	<b>Vitalis</b>	Typical doses of phytomenadione are 0.5 to 5 mg by slow intravenous injection or up to 5 mg orally	
Ampoules		Haemorrhage النزيف	<b>USA</b>		
10 Amp					
<b>K-VITON</b>	Acetomenaphthone 10mg/ tablet.	<b>Vitamines and Menirals</b>	<b>KAHIRA PHARM</b>	Typical doses of phytomenadione are 0.5 to 5 mg 5 mg orally	
Tablets		Haemorrhage النزيف	<b>Egypt</b>		
20 tablets.					
<b>Kwnstan Forte</b>	Mefenamic Acid	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		Analgésic مهدئات الأوجاع	<b>Unknown</b>		
20 tab					
<b>L.C</b>	Glycerin	<b>Skin Disorders</b>	<b>L.C</b>	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
Cream		Dermatitis الألتهايات الجلدية	<b>Syria</b>		
60 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Labamezole</b>	Labamezole	<b>Antiprtozoal</b>	<b>LABATEC pharma</b>	As directed	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Switzerland</b>		
20 tab					
<b>LABMOX-125</b>	Amoxicillin 125 mg / 5 ml	<b>Antibiotics</b>	<b>MILAN</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Suspension		الاصابات الميكروبية Microbial Infections	<b>India</b>		
100 ml					
<b>LABMOX-250</b>	Amoxicillin 250 mg / 5 ml	<b>Antibiotics</b>		cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Suspension		الاصابات الميكروبية Microbial Infections			
100 ml					
<b>LABOZOL</b>	Secnidazole 1000 mg	<b>Antiprtozoal</b>	<b>LABORATE</b>	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>India</b>		
2x1 tab					
<b>Labrtalol</b>	Labetalol	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	100 mg twice daily by mouth with food	
5 mg/ml		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>LABTAC-150</b>	Ranitidine 150 mg	<b>Gastro Intestinal drugs</b>	<b>LABORATE</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		قرحة المعدة	<b>India</b>		
10 x 10 tab					
<b>LACALUT</b>	Antiseptic	<b>Antiseptic and Desinfectants</b>	<b>Unknown</b>	As directed	
Solution		Mouth Wash الغسولات الفموية	<b>Unknown</b>		
75 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>lacine 50mg</b>	losartan potassium (50mg)	<b>Cardio Vascular System drugs</b>	<b>JPM</b>	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
50tab					
<b>Lacteol fort</b>	Lactic Acid	<b>Gastro Intestinal drugs</b>	<b>AXCAN PHARMA</b>	As directed	
Sachets		Vaginal المهبل	<b>France</b>		
100 Sachets					
<b>Lacteol fort</b>	Lactic Acid	<b>Gastro Intestinal drugs</b>	<b>AXCAN PHARMA</b>	As directed	
Capsules		Vaginal المهبل	<b>France</b>		
12 cap					
<b>Lacteol forte</b>	Lactic Acid	<b>Gastro Intestinal drugs</b>	<b>AXCAN PHARMA</b>	As directed	
Sachets		Vaginal المهبل	<b>France</b>		
6 Sachets					
<b>Lacti vag</b>	Lactic Acid	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	As directed	
Solution		Vaginal المهبل	<b>Yemen</b>		
200 ml					
<b>Lactisyr</b>	Combination	<b>Antiseptic and Desinfectants</b>	<b>Unknown</b>	As directed	
Solution		Vaginal المهبل	<b>Unknown</b>		
300 ml					
<b>lactolac</b>	Lactulose	<b>Gastro Intestinal drugs</b>	<b>Domin = Jorden</b>	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
syf		Constipation الأمساك	<b>Unknown</b>		
100 ml for bottle					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Ladium</b>	Loperamide Hydrochloride	<b>Gastro Intestinal drugs</b>	<b>Stada</b>	In acute diarrhoea the usual initial dose for adults is loperamide hydrochloride 4 mg followed by 2 mg after each loose stool to a maximum of 16 mg daily; the usual daily dose	
Capsules		Diarrhea الأسهال	<b>Unknown</b>		
20 cap					
<b>Lakzil</b>	Bisacodyl	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	Oral =ADULTS: PO 10 to 15 mg as enteric-coated tablets . Suppository = ADULTS: 10 mg. CHILDREN > 2 YR 10 mg. CHILDREN < 2 YR: 5 mg.	
tab		Constipation الأمساك	<b>Unknown</b>		
30 tabs					
<b>Lamicream</b>	Terbinafine HCL 1%	<b>Antifungals</b>	<b>Global Pharma</b>	As directed	
Cream		Dermatitis الألتهايات الجلدية	<b>Yemen</b>		
15 g					
<b>Lamictal-25</b>	Lamotrigine tablet 25mg	<b>Central Nervous system drugs</b>	<b>gsk glaxosmithkline</b>	25 mg once daily by mouth for 2 weeks followed by 50 mg once daily for 2 weeks; thereafter the dose is increased by a maximum of 50 to 100 mg every 1 to 2 weeks to usual	
Tablets		Epilepsy الصرع	<b>UK</b>		
30 tablets					
<b>Lamictal-50</b>	Lamotrigine tablet 50mg	<b>Central Nervous system drugs</b>	<b>gsk glaxosmithkline</b>	25 mg once daily by mouth for 2 weeks followed by 50 mg once daily for 2 weeks; thereafter the dose is increased by a maximum of 50 to 100 mg every 1 to 2 weeks to usual	
Tablets		Epilepsy الصرع	<b>UK</b>		
30 tablets					
<b>LAMIFEN</b>	Terbinafine HCL 1% W/W	<b>Antifungals</b>	<b>Jamjoum Pharma</b>	As directed	
Cream		Dermatitis الألتهايات الجلدية	<b>Saudi Arabia</b>		
15 gm					
<b>Lamivir HBV</b>	Lamivudine 100mg	<b>Antivirals</b>	<b>CIPLA</b>	chronic hepatitis B, the adult dose is 100 mg once daily by mouth. A dose for children aged over 2 years is 3 mg/kg once daily to a maximum daily dose of 100 mg.	
Tablets		Hepatic Disorders اضطرابات الكبد	<b>India</b>		
10 tab.					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Lamivir HBV tab</b>	lamivudine	<b>Antivirals</b>	<b>CIPLA</b>	chronic hepatitis B, the adult dose is 100 mg once daily by mouth. A dose for children aged over 2 years is 3 mg/kg once daily to a maximum daily dose of 100 mg.	
Tablets		Hepatic Disorders	<b>India</b>		
28 tab		اضطرابات الكبد			
<b>LANASOPRAL-30</b>	Lansoprazole	<b>Gastro Intestinal drugs</b>	<b>Bahry medical</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	<b>Syria</b>		
20 caps					
<b>LANCER 30</b>	Lansoprazole	<b>Gastro Intestinal drugs</b>	<b>Aurobindo</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	<b>Unknown</b>		
30 caps					
<b>Lancid</b>	Lansoprazole	<b>Gastro Intestinal drugs</b>	<b>Micro lab =India</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
cap		Peptic ulcer قرحة المعدة	<b>Unknown</b>		
14 caps					
<b>Lancid</b>	Lansoprazole	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
		Peptic ulcer قرحة المعدة	<b>Unknown</b>		
<b>Lanoxin</b>	Digoxin 0.25 mg / tab	<b>Cardio Vascular System drugs</b>	<b>aspen</b>	If rapid digitalisation is required loading dose of 750 to 1500 micrograms of digoxin by mouth during the initial 24-hour period, maintenance is 125 to 250 micrograms by	
Tablets		Congstive Heart Failure	<b>Ireland</b>		
100 tab					
<b>Lanoxin</b>	Digoxin 0.5 mg / 2 ml	<b>Cardio Vascular System drugs</b>	<b>aspen</b>	If rapid digitalisation is required loading dose of 750 to 1500 micrograms of digoxin by mouth during the initial 24-hour period, maintenance is 125 to 250 micrograms by	
Ampoules		Congstive Heart Failure	<b>Ireland</b>		
5 amp x 2 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Lanprol</b>	Lansoprazole 30 mg	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		<b>Yemen</b>			
14 caps		قرحة المعدة			
<b>Lanprol</b>	Lansoprazole	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		<b>Yemen</b>			
10 x 10 cap		قرحة المعدة			
<b>Lanprol</b>	Lansoprazole 30 mg	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		<b>Yemen</b>			
10 x 10 Capsules		قرحة المعدة			
<b>Lansazol</b>	Lansoprazole	<b>Gastro Intestinal drugs</b>	<b>Hayat pharma</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
cap		<b>Unknown</b>			
14 caps		قرحة المعدة			
<b>lansec</b>	Lansoprazole	<b>Gastro Intestinal drugs</b>	<b>CIPLA</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		<b>India</b>			
14 caps		قرحة المعدة			
<b>Lansec</b>	Lansoprazole 30 mg	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		<b>Unknown</b>			
14 cap		قرحة المعدة			
<b>Lansoprazol</b>	Lansoprazole	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
		<b>Unknown</b>			
		قرحة المعدة			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Lansprol</b>	Lansoprazole	<b>Gastro Intestinal drugs</b>	<b>NOBEL</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Tablets		Peptic ulcer قرحة المعدة	<b>Unknown</b>		
28 tab					
<b>lansotac</b>	Lansoprazole	<b>Gastro Intestinal drugs</b>	<b>BIOPHARM</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
14 caps					
<b>Lanspral- 30</b>	Lansoprazole	<b>Gastro Intestinal drugs</b>	<b>Medical Bahri</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
		Peptic ulcer قرحة المعدة	<b>Syria</b>		
<b>LANTAK</b>	Lansoprazole 30 mg	<b>Gastro Intestinal drugs</b>	<b>Global Pharma</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
14 caps					
<b>Lantanon</b>	Lansoprazole	<b>Gastro Intestinal drugs</b>	<b>UNICHIMA</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	<b>Syria</b>		
14 caps					
<b>Lanzack</b>	Lansoprazole	<b>Gastro Intestinal drugs</b>	<b>Y.E.PHARMA</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
14 cap					
<b>Lanzin</b>	Lansoprazole 30 mg	<b>Gastro Intestinal drugs</b>	<b>YEDCO</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
14 caps					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>LANZOL</b>	Lansoprazole	<b>Gastro Intestinal drugs</b>	<b>Modern Pharama</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
14 caps					
<b>Lanzomac 30</b>	Lansoprazole	<b>Gastro Intestinal drugs</b>	<b>Shaphaco</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
100 cap					
<b>LANZOMAC 30</b>	Lansoprazole 30 mg	<b>Gastro Intestinal drugs</b>	<b>Shaphaco</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
14 cap					
<b>Lanzor</b>	Unknown	<b>Unknown</b>	<b>Unknown</b>	As directed	
		Unknown	<b>Unknown</b>		
<b>Lanzoram-30</b>	Lansoprazole 30 mg	<b>Gastro Intestinal drugs</b>	<b>RAM PHARMA</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	<b>Jordan</b>		
14 cap					
<b>lanzotec 15</b>	Lansoprazole 15 mg	<b>Gastro Intestinal drugs</b>	<b>JOSWE</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	<b>Jordan</b>		
15 caps					
<b>lanzotec 30</b>	Lansoprazole 30 mg	<b>Gastro Intestinal drugs</b>	<b>JOSWE</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	<b>Jordan</b>		
15 caps					









Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Lapril 5</b>	Enalapril	<b>Cardio Vascular System drugs</b>	<b>MID Pharma</b>	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Jordan</b>		
20 tab					
<b>Laredine</b>	Loratadine 10 mg	<b>Antihistamines</b>	<b>Shaphaco</b>	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Tablets		Allergy الحساسية	<b>Yemen</b>		
10 tab					
<b>larither</b>	Artemether	<b>Antimalarial medicines</b>	<b>Ipca</b>	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	
Liquid_ampoule		Malaria الملاريا	<b>Unknown</b>		
<b>Lasilactone</b>	Spironolactone	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	initial dose of 100 mg daily by mouth, subsequently adjusted as necessary; some patients may require doses of up to 400 mg daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
10 tab					
<b>Lasix 40</b>	Furosemide	<b>Cardio Vascular System drugs</b>	<b>Aventis Pharma</b>	40 to 80 mg daily by mouth, For children, the usual dose by mouth is 1 to 3 mg/kg daily up to a maximum of 40 mg daily	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Egypt</b>		
24 tab					
<b>Lasoprol 30 mg</b>	Lansoprazole	<b>Gastro Intestinal drugs</b>	<b>DELORBIS</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		قرحة المعدة	<b>Cyprus</b>		
14 cap					
<b>Lavia 10</b>	Vardenafil 10 mg	<b>Sex Stimulants</b>	<b>Modern Pharama</b>	10 mg taken about 25 minutes to one hour before sexual intercourse.	
Tablets		Sex Stimulants منشطات جنسية	<b>Yemen</b>		
4 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Lax -child</b>	sodium phosphate+bi phosphate	<b>Gastro Intestinal drugs</b>	<b>Hariri</b>	adult = one bottle 120 ml delivered dose ) once dairy = child 60 ml once dairy	
Enema		Constipation الأمساك	<b>Syria</b>		
60 ml for bottle					
<b>laxamid</b>	Bisacodyl	<b>Gastro Intestinal drugs</b>	<b>MEDICO LABS</b>	Oral =ADULTS: PO 10 to 15 mg as enteric-coated tablets . Suppository = ADULTS: 10 mg. CHILDREN > 2 YR 10 mg. CHILDREN < 2 YR: 5 mg.	
tab		Constipation الأمساك	<b>Syria</b>		
20 tabs					
<b>Laxdrop</b>	sodium picosulfate 7.5 mg / 1 ml	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	children aged less than 4 years 0.250 mg/kg.	
Drop Oral		Constipation الأمساك	<b>Yemen</b>		
20 ml					
<b>LAXIN</b>	Bisacodyl	<b>Gastro Intestinal drugs</b>	<b>PHARCO</b>	Oral =ADULTS: PO 10 to 15 mg as enteric-coated tablets . Suppository = ADULTS: 10 mg. CHILDREN > 2 YR 10 mg. CHILDREN < 2 YR: 5 mg.	
Tablets		Constipation الأمساك	<b>Egypt</b>		
20 tabs					
<b>LAXOFIN</b>	lactulose	<b>Gastro Intestinal drugs</b>	<b>EIPICO</b>	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Suspension		Constipation الأمساك	<b>egypt</b>		
125 ml / bottle					
<b>Laxolac</b>	lactulose	<b>Gastro Intestinal drugs</b>	<b>MUP</b>	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Syrup		Constipation الأمساك	<b>egypt</b>		
100 ml for bottle					
<b>LAXOLAC</b>	Lactulose 67%	<b>Gastro Intestinal drugs</b>	<b>MUP</b>	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Syrup		Constipation الأمساك	<b>Egypt</b>		
120 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Laxolac</b>	Lactulose 67%	<b>Gastro Intestinal drugs</b>	<b>MUP</b>	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Syrup		Constipation الأمساك	<b>Egypt</b>		
300 ml					
<b>laxolyne adult rectal</b>	Glycerin	<b>Gastro Intestinal drugs</b>	<b>Julphar</b>	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
supp		Constipation الأمساك	<b>UAE</b>		
10 supps					
<b>Laxonil</b>	sodium picosulfate 7.5 mg/1ml	<b>Gastro Intestinal drugs</b>	<b>Global Pharma</b>	adult = one bottle 120 ml delivered dose ) once dairy = child 60 ml once dairy	
Oral /Drops		Constipation الأمساك	<b>Yemen</b>		
15 ml					
<b>Lbidroxil</b>	Cefadroxil 1000 mg / tab	<b>Antibacterial</b>	<b>gsk glaxosmithkline</b>	1 to 2 g daily as a single dose or in two divided doses.	
Tablets		Bacterial Infections الأمساك البكتيرية	<b>UK</b>		
8 tab					
<b>L-Carnitine</b>	levocarnitine 350 mg	<b>Gastro Intestinal drugs</b>	<b>MEPACO</b>	up to 200 mg/kg daily of levocarnitine is given by mouth, in 2 to 4 divided doses.	
Capsules		Nutrition supplementation تغذية تكميلية	<b>Egypt</b>		
20 cap					
<b>L-Cet</b>	Levocetirizine	<b>Antihistamines</b>	<b>ZYNOVA</b>	by mouth in a dose of 5 mg once daily.	
Tablets		Allergy الحساسية	<b>Unknown</b>		
20 tab					
<b>Lecital-20</b>	Citalopram tablet 20mg	<b>Central Nervous system drugs</b>	<b>JOSWE</b>	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>Jordan</b>		
30 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Lee-Flox</b>	Levofloxacin*	<b>Antibacterial</b>	<b>Pharo pharma</b>	Tab 500mg & 250mg Infu 500mg	
tablet		Bacterial Infections	<b>Egypt</b>		
1strip*5tablet		الأمراض البكتيرية			
<b>Lefoxin</b>	Levofloxacin* 500 mg	<b>Antibacterial</b>	<b>Modern Pharama</b>	Tab 500mg & 250mg Infu 500mg	
Tablets		Bacterial Infections	<b>Yemen</b>		
5 tablet		الأمراض البكتيرية			
<b>Lermacine</b>	Vit. B1 + B2 +B6	<b>Vitamines and Menirals</b>	<b>LABATEC pharma</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Tablets		Vitamins	<b>Switzerland</b>		
20 Coated tablets		نقص فيتامينات			
<b>Lesflam</b>	Diclofenac Potassium	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		Analgic مهدئات الأوجاع	<b>Unknown</b>		
10 x 10 tab					
<b>Lesflam 50</b>	Diclofenac Potassium 50 mg	<b>Non-Steroidal Anti-</b>	<b>UNISON</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		Analgic مهدئات الأوجاع	<b>Thailand</b>		
10 x 10 tab					
<b>LETHAR amp</b>	Artemether 80 mg / 1 ml	<b>Antimalarial medicines</b>	<b>Unknown</b>	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	
Ampoules		Malaria الملاريا	<b>Unknown</b>		
6 amp					
<b>Letizen 10mg</b>	Cetirizine Hydrochloride	<b>Antihistamines</b>	<b>KRKA</b>	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	
Tablets		Allergy الحساسية	<b>India</b>		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>LETROX 100</b>	levothyroxine sodium	<b>Hormones</b>	<b>MENARINI</b>	Minimum/Maximum Adult Daily Dose:25 - 200 mcg	
tablete		Thyroid hormone الغدة الدرقية	<b>Italy</b>		
toon					
<b>LETROX 50</b>	levothyroxine sodium	<b>Hormones</b>	<b>MENARINL GERMANY</b>	Minimum/Maximum Adult Daily Dose:25 - 200 mcg	
TABLTE		Thyroid hormone الغدة الدرقية	<b>Unknown</b>		
toon					
<b>Levanic</b>	Levofloxacin*	<b>Antibacterial</b>	<b>MUP</b>	Tab 500mg & 250mg Infu 500mg	
tablet		Bacterial Infections الأمراض البكتيرية	<b>Egypt</b>		
1strip*5tablet					
<b>Levanic</b>	Levofloxacin	<b>Antibacterial</b>	<b>Unknown</b>	Tab 500mg & 250mg Infu 500mg	
		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
<b>Levar</b>	Levocetirizine	<b>Antihistamines</b>	<b>Unknown</b>	by mouth in a dose of 5 mg once daily.	
Tablets		Allergy الحساسية	<b>Unknown</b>		
10 tab					
<b>Levipil-250</b>	levetiracetam tablet 250mg	<b>Central Nervous system drugs</b>	<b>SUN</b>	1-3 gm increased gradually, children 50 kg is 20 mg/kg daily	
Tablets		Epilepsy الصرع	<b>India</b>		
30 tablets					
<b>Levobact Infusion</b>	Levofloxacin*	<b>Antibacterial</b>	<b>CIPLA</b>	Tab 500mg & 250mg Infu 500mg	
Infusion Bottle		Bacterial Infections الأمراض البكتيرية	<b>India</b>		
1bottel*100ml					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>LEVOBACT-250</b>	Levofloxacin*	<b>Antibacterial</b>	<b>CIPLA</b>	Tab 500mg & 250mg Infu 500mg	
tablet		Bacterial Infections	<b>India</b>		
1strip*10tablet		الأصابات البكتيرية			
<b>LEVOBACT-500</b>	Levofloxacin*	<b>Antibacterial</b>	<b>CIPLA</b>	Tab 500mg & 250mg Infu 500mg	
tablet		Bacterial Infections	<b>India</b>		
1strip*10tablet		الأصابات البكتيرية			
<b>Levocar</b>	Carbidopa/Levodopa tablet (25/250)mg	<b>Central Nervous system drugs</b>	<b>Alphamoun</b>	Minimum/Maximum Adult Daily Dose:2 - 8 Tablet, Sustained Action	
Tablets		Parkinson's disease	<b>Egypt</b>		
10 tablets		مرض الرعاش			
<b>Levolin</b>	levosalbutamol 50 mic g	<b>Respiratory drugs</b>	<b>CIPLA</b>	630 mcg are inhaled three times daily as a nebulised solution, increased if necessary to 1.25 mg three times daily. Children aged 6 to 11 years may be given 310 micrograms three	
Inhaler		Bronchial Asthma	<b>India</b>		
200 doses		الربو الشعبي			
<b>Levolin Rotacaps</b>	levosalbutamol 100 mic g	<b>Respiratory drugs</b>	<b>CIPLA</b>	630 mcg are inhaled three times daily as a nebulised solution, increased if necessary to 1.25 mg three times daily. Children aged 6 to 11 years may be given 310 micrograms three	
Capsules Rotacaps		Bronchial Asthma	<b>India</b>		
30 cap		الربو الشعبي			
<b>Levomac 500</b>	Levofloxacin	<b>Antibacterial</b>	<b>MACLEODS</b>	Tab 500mg & 250mg Infu 500mg	
Tablets		Bacterial Infections	<b>India</b>		
7 film-coated tablets		الأصابات البكتيرية			
<b>Levorid</b>	Levocetirizine 5 mg	<b>Antihistamines</b>	<b>CIPLA</b>	by mouth in a dose of 5 mg once daily.	
Tablets		Allergy	<b>India</b>		
10 tablets		الحساسية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Levoscot 500</b>	Levofloxacin 500 mg	<b>Antibacterial</b>	<b>Scott Edil Pharma</b>	Tab 500mg & 250mg Infu 500mg	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>India</b>		
<b>LEVOTA 250</b>	Levofloxacin 250 mg	<b>Antibacterial</b>	<b>RFA</b>	Tab 500mg & 250mg Infu 500mg	
tablet		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
10 TABS					
<b>LEVOTA 500</b>	Levofloxacin 500 mg	<b>Antibacterial</b>	<b>RFA</b>	Tab 500mg & 250mg Infu 500mg	
tablet		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
10 tabs					
<b>Levoxine 500</b>	Levofloxacin 500 mg	<b>Antibacterial</b>	<b>Shiba pharma</b>	Tab 500mg & 250mg Infu 500mg	
Caplets		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
10 F/C caplets					
<b>LEVOZIN</b>	Levocetirizine 2.5 mg/ 5 ml	<b>Antihistamines</b>	<b>Modern Pharama</b>	by mouth in a dose of 5 mg once daily.	
Oral / Solution		Allergy الحساسية	<b>Yemen</b>		
100 ml					
<b>LEVOZIN 5</b>	Levocetirizine 5 mg	<b>Antihistamines</b>	<b>Modern Pharama</b>	by mouth in a dose of 5 mg once daily.	
Tablets		Allergy الحساسية	<b>Yemen</b>		
30 Film Coated Tablets					
<b>Lexotanil</b>	Bromazepam tablets 3mg	<b>Central Nervous system drugs</b>	<b>ROCHE</b>	Tablets	
Anxiety, Insumnea		Anxiety, Insumnea الأرق والقلق	<b>Germany</b>		
30 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Lezin 5</b>	Levocetirizine 5 mg / tab	<b>Antihistamines</b>	<b>Global Pharma</b>	by mouth in a dose of 5 mg once daily.	
Tablets		Allergy الحساسية	<b>Yemen</b>		
10 tab					
<b>Librax</b>	Chlordiazepoxide 5 mg + Clidinium bromide capsule 2.5mg	<b>Gastro Intestinal drugs</b>	<b>MEDA</b>	Minimum/Maximum Adult Daily Dose: 1 - 8 Capsule	
Tablets		Abdominal Spasm آلام البطن	<b>Unknown</b>		
30 Tablets					
<b>Librax</b>	Chlordiazepoxide + Clidinium Bromide	<b>Gastro Intestinal drugs</b>	<b>ICN</b>	Chlordiazepoxide up to 30 mg daily in divided doses.	
tab		Peptic ulcer قرحة المعدة	<b>USA</b>		
30 tabs					
<b>Librocol</b>	Chlordiazepoxide + Clidinium bromide tablet (5/2.5)mg	<b>Gastro Intestinal drugs</b>	<b>Lagap</b>	Minimum/Maximum Adult Daily Dose: 1 - 8 Capsule	
Tablets		Abdominal Spasm آلام البطن	<b>Switzerland</b>		
30 tablets					
<b>Librocol</b>	Chlordiazepoxide Hydrochloride 5 mg + Clidinium Bromide 2.5 mg	<b>Central Nervous system drugs</b>	<b>Lagap</b>	30 mg daily in divided doses; in severe conditions up to 100 mg daily has been given	
Tablets		Anxiety, Insomnia الأرق والقلق	<b>Switzerland</b>		
30 tab					
<b>librocol</b>	Chlordiazepoxide + Clidinium Bromide	<b>Gastro Intestinal drugs</b>	<b>Lagap</b>	Chlordiazepoxide up to 30 mg daily in divided doses.	
tab		Peptic ulcer قرحة المعدة	<b>Switzerland</b>		
30 mg					
<b>Lidaprim forte</b>	Trimethoprim 160 mg + 800 mg Sulphamethoxazole	<b>Antibacterial</b>	<b>Nycomed</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Tablets		Bacterial Infections	<b>Viena, Austria</b>		
10 tab		الأصابات البكتيرية			





Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>LIDO 40</b>	lidocaine 40 mg / 2 ml	<b>Central Nervous system drugs</b>	<b>CSPC</b>	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Ampoules		Anaesthetics Local التخدير الموضعي	<b>China</b>		
10 amp x 2 ml					
<b>LIDOCAINE</b>	adrinaline	<b>Central Nervous system drugs</b>	<b>Huons</b>	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Tube		Anaesthetics Local التخدير الموضعي	<b>Korea</b>		
box of 10 cartridges of 36 mg					
<b>lidocaine injection BP2%</b>	lidocaine injection BP2%	<b>Central Nervous system drugs</b>	<b>ROTEXMEDI CA</b>	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Vial		Anaesthetics Local التخدير الموضعي	<b>Germany</b>		
bottle of 50 ml of 2%					
<b>LIDOGEL 2%</b>	lidocaine 2%	<b>Central Nervous system drugs</b>	<b>MEDICO LABS</b>	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Gel		Anaesthetics Local التخدير الموضعي	<b>Syria</b>		
bottle of 30mg					
<b>Lidosol</b>	lidocaine 5 gm / 50 ml Of 10 % w/v	<b>Central Nervous system drugs</b>	<b>Shiba pharma</b>	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Spray		Anaesthetics Local التخدير الموضعي	<b>Yemen</b>		
bottle of 10% w/w in 50ml					
<b>Lidosol Plus</b>	Lidocaine 5 gm + Cetrime 0.0357 gm / 50 ml	<b>Central Nervous system drugs</b>	<b>Shiba pharma</b>	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Spray		Anaesthetics Local التخدير الموضعي	<b>Yemen</b>		
50 ml					
<b>Limbitrol</b>	Amitriptyline + Chlordiazepoxide capsule (12.5/5)mg	<b>Central Nervous system drugs</b>	<b>MEDA</b>	Minimum/Maximum Adult Daily Dose: 2 - 6 Tablet	
Capsules		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
30 capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Lincocile</b>	Lincomycin	<b>Antibiotics</b>	<b>Unknown</b>	Cap 500mg Vial 600mg & 300mg	
		Anaerobic Infections الميكروبات اللاهوائية	<b>Unknown</b>		
<b>Lincocile - 500</b>	Lincomycin*	<b>Antibiotics</b>	<b>Alpha</b>	Cap 500mg Vial 600mg & 300mg	
Capsules		Anaerobic Infections الميكروبات اللاهوائية	<b>Syria</b>		
12 capsule					
<b>Lincocile 300</b>	Lincomycin*	<b>Antibiotics</b>	<b>Alpha</b>	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections الميكروبات اللاهوائية	<b>Syria</b>		
2 ml					
<b>Lincocile 500</b>	Lincomycin	<b>Antibiotics</b>	<b>Unknown</b>	Cap 500mg Vial 600mg & 300mg	
		Anaerobic Infections الميكروبات اللاهوائية	<b>Unknown</b>		
<b>Lincocile 600</b>	Lincomycin*	<b>Antibiotics</b>	<b>Alpha</b>	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections الميكروبات اللاهوائية	<b>Syria</b>		
2 ml					
<b>Lincocin</b>	Lincomycin 600 mg / 2 ml	<b>Antibiotics</b>	<b>Pfizer</b>	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections الميكروبات اللاهوائية	<b>USA</b>		
1 vial					
<b>LINCOLIFE</b>	Lincomycin 300 mg / ml	<b>Antibiotics</b>	<b>eurolife</b>	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections الميكروبات اللاهوائية	<b>India</b>		
30 vial of 2 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Lincomycin</b>	Lincomycin 300 mg / ml	<b>Antibiotics</b>	<b>SHIN POONG</b>	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections الميكروبات اللاهوائية	<b>Korea</b>		
10 vial x 2 ml					
<b>Lincomycin</b>	Lincomycin 300 mg / ml	<b>Antibiotics</b>	<b>Hemofarm</b>	Cap 500mg Vial 600mg & 300mg	
Ampoules		Anaerobic Infections الميكروبات اللاهوائية	<b>Yugoslavia</b>		
10 amp x 1 ml					
<b>Lincomycin</b>	Lincomycin	<b>Antibiotics</b>	<b>ZHEJIANG</b>	Cap 500mg Vial 600mg & 300mg	
		Anaerobic Infections الميكروبات اللاهوائية	<b>China</b>		
<b>Lincomycin</b>	Lincomycin	<b>Antibiotics</b>	<b>Hebel</b>	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections الميكروبات اللاهوائية	<b>China</b>		
2 ml / Vial					
<b>Lincomycin</b>	Lincomycin 600 mg / 2ml	<b>Antibiotics</b>	<b>Shanghai pharmaceutical</b>	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections الميكروبات اللاهوائية	<b>China</b>		
2 ml /vial					
<b>Lincomycin normon</b>	Lincomycin*	<b>Antibiotics</b>	<b>Normon</b>	Cap 500mg Vial 600mg & 300mg	
parentral inj		Anaerobic Infections الميكروبات اللاهوائية	<b>Spain</b>		
1 vial					
<b>Lincomycin vial</b>	Lincomycin 600 / 1 vial	<b>Antibiotics</b>	<b>ILDONG</b>	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections الميكروبات اللاهوائية	<b>Korea</b>		
10 vial x 2 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Lincomycin-UMD</b>	Lincomycin*	<b>Antibiotics</b>	<b>Unknown</b>	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections	<b>Unknown</b>		
1vial		الميكروبات اللاهوائية			
<b>Lincovit</b>	Lincomycin*	<b>Antibiotics</b>	<b>Vitalis</b>	Cap 500mg Vial 600mg & 300mg	
parentral inj		Anaerobic Infections	<b>USA</b>		
1vial		الميكروبات اللاهوائية			
<b>Lincovit</b>	Lincomycin	<b>Antibiotics</b>	<b>Unknown</b>	Cap 500mg Vial 600mg & 300mg	
		Anaerobic Infections	<b>Unknown</b>		
		الميكروبات اللاهوائية			
<b>Lindynette</b>	ethinylestradiol - desogestrel	<b>Gynaecology drugs</b>	<b>GEDEON RICHTER</b>	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives	<b>HUNGARY</b>		
21		موانع الحمل			
<b>lindynette</b>	ethinylestradiol - gestoden	<b>Gynaecology drugs</b>	<b>GEDEON RICHTER</b>	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives	<b>HUNGARY</b>		
21		موانع الحمل			
<b>Linocin</b>	Lincomycin 600 mg /vial	<b>Antibiotics</b>	<b>Thai</b>	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections	<b>Thailand</b>		
1vial of 2 ml		الميكروبات اللاهوائية			
<b>Linopril 10 mg</b>	Lisinopril	<b>Cardio Vascular System drugs</b>	<b>Pharma International</b>	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension	<b>Jordan</b>		
28 tablet		ارتفاع ضغط الدم			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Linopril 5 mg</b>	Lisinopril	<b>Cardio Vascular System drugs</b>	<b>PHARMA INTERNATIO</b>	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Jordan</b>		
28 tablet					
<b>Liocaine</b>	Lidocaine	<b>Central Nervous system drugs</b>	<b>Unknown</b>	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Spray		Anaesthetics التخدير الموضعي	<b>Unknown</b>		
60 ml					
<b>Lioraz 10</b>	Baclofen 10 mg	<b>Muscle relaxations</b>	<b>unknown</b>	Adult dose 5 - 20 mg three times daily , for children 0.75 to 2 mg/kg daily	
Syrup		Hiccup أو الفهقة الفواق	<b>Unknown</b>		
120 ml					
<b>lioraz 25</b>	Baclofen 25 mg	<b>Muscle relaxations</b>	<b>Razi Pharma</b>	Adult dose 5 - 20 mg three times daily , for children 0.75 to 2 mg/kg daily	
Tablets		Hiccup أو الفهقة الفواق	<b>Syria</b>		
3strip of 10 coated tablet of 25mg					
<b>lipanthyl-200mg</b>	fenofibrate200mg	<b>Cardio Vascular System drugs</b>	<b>reci pharama laboratory</b>	Primary H ypercholesterolemia/Mixed Hyperlipidemia: ADULTS: PO Initial dose is 160 mg/day. Hypertriglyceridemia: ADULTS: PO Start with 54 to	
capsule		Hyperlipidaemias زيادة الدهون في الدم	<b>Unknown</b>		
30capsule					
<b>Lipinorm 20</b>	Atorvastatin Calcium	<b>Cardio Vascular System drugs</b>	<b>MUP</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	<b>Egypt</b>		
28 tab					
<b>lipitor-20mg</b>	atorvastatin-20mg	<b>Cardio Vascular System drugs</b>	<b>Pfizer</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
tablet		Hyperlipidaemias زيادة الدهون في الدم	<b>USA</b>		
30film coated tablet					







Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Lipo-Flavonoid</b>	Combination	<b>Dietary Supplement</b>	<b>Unknown</b>	As directed	
Caplets		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>Unknown</b>		
100 cap					
<b>lipolysin-20mg</b>	atorvastatin20mg	<b>Cardio Vascular System drugs</b>	<b>OUBARY PHARMA</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
tablet		Hyperlipidaemias زيادة الدهون في الدم	<b>Syria</b>		
10film coated tablet					
<b>Liquid paraffin</b>	paraffin oil	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	Adults (15 – 45 ml). Children(5 – 15 ml) / a day. Liquid paraffin should not be given to children under 6 for fear of pulmonary aspiration.	
Solution		Constipation الأمساك	<b>Yemen</b>		
100 ml					
<b>Liquid Paraffin</b>	Paraffin oil	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	Adults (15 – 45 ml). Children(5 – 15 ml) / a day. Liquid paraffin should not be given to children under 6 for fear of pulmonary aspiration.	
Solution		Constipation الأمساك	<b>Unknown</b>		
60 ml					
<b>Liseva cap</b>	nicotinamide+vit b6,b12+riboflavin +thiamine	<b>Gastro Intestinal drugs</b>	<b>ILDONG</b>	2 tab /day or 10 ml /day	
Soft Gelatin Capsules		Hepatic Disorders اضطرابات الكبد	<b>Korea</b>		
30 SC					
<b>Lisinopril</b>	Lisinopril	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	usual oral dose is 5 -20 mg daily,	
12.5-5-10 mg		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>lisistril</b>	Lisinopril	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	usual oral dose is 5 -20 mg daily,	
		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>lisistril 10</b>	Lisinopril 10 mg	<b>Cardio Vascular System drugs</b>	<b>BIOPHARM</b>	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension	<b>Yemen</b>		
20 tabs		ارتفاع ضغط الدم			
<b>lisitens</b>	Lisinopril	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	usual oral dose is 5 -20 mg daily,	
		Hypertension	<b>Unknown</b>		
		ارتفاع ضغط الدم			
<b>lisopress</b>	Lisinopril	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	usual oral dose is 5 -20 mg daily,	
		Hypertension	<b>Unknown</b>		
		ارتفاع ضغط الدم			
<b>Lisopril 5 mg</b>	Lisinopril 5 mg	<b>Cardio Vascular System drugs</b>	<b>ACTAVIS</b>	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension	<b>Unknown</b>		
30 tab		ارتفاع ضغط الدم			
<b>LITOR-20</b>	atorvastatin20mg	<b>Cardio Vascular System drugs</b>	<b>BIOPHARM</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
tablet		Hyperlipidaemias	<b>Yemen</b>		
30tablet		زيادة الدهون في الدم			
<b>LITOR-40</b>	atorvastatin 40 mg	<b>Cardio Vascular System drugs</b>	<b>BIOPHARM</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	<b>Yemen</b>		
30tablet		زيادة الدهون في الدم			
<b>LiV-52</b>	herbal merial product	<b>Gastro Intestinal drugs</b>	<b>Himalaya Drug Co</b>	1-3 capsule daily.	
		Hepatic Disorders	<b>India</b>		
200ml		اضطرابات الكبد			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Liv-52 syr</b>	herbal products	<b>Gastro Intestinal drugs</b>	<b>Himalaya Drug Co</b>	2 tab b.i.d __ or __ 1 teaspoonful 2 or 3 tim dailt	
Syrup		Hepatic Disorders	<b>India</b>		
200 ml syr		اضطرابات الكبد			
<b>Liv-52 tab</b>	herbal products	<b>Gastro Intestinal drugs</b>	<b>Himalaya Drug Co</b>	2 tab b.i.d __ or __ 1 teaspoonful 2 or 3 tim dailt	
Tablets		Hepatic Disorders	<b>India</b>		
100 tab		اضطرابات الكبد			
<b>Liver albumin plus</b>	l-methionine+ methionine+ inositol+choline +vit b1,2,5,6,12	<b>Gastro Intestinal drugs</b>	drug agency	1-3 cap daily	
Capsules		Hepatic Disorders	<b>Unknown</b>		
20 cap		اضطرابات الكبد			
<b>Liver Albumin Plus</b>	L-gluta(thion10mc g+min10mg)+lecithin300mg+silymarin140mg+EggAlbumin100mg+Why	<b>Gastro Intestinal drugs</b>	International drug agency	1-3 capsule daily.	
Capsules		Hepatic Disorders	<b>Unknown</b>		
20 capsules		اضطرابات الكبد			
<b>Liver care</b>	herbal products	<b>Gastro Intestinal drugs</b>	<b>HealthAid</b>	2 tab b.i.d __ or __ 1 teaspoonful 2 or 3 tim dailt	
Tablets		Hepatic Disorders	<b>England</b>		
60 tab		اضطرابات الكبد			
<b>Livercare</b>	Hepatoprotective Agents	<b>Gastro Intestinal drugs</b>	<b>Health Aid</b>	1-3 capsule daily.	
Tablets		Hepatic Disorders	<b>Thailand</b>		
60 tab		اضطرابات الكبد			
<b>Livertonic</b>	l-methionine	<b>Gastro Intestinal drugs</b>	australin meda	1-3 cap daily	
Capsules		Hepatic Disorders	<b>Australia</b>		
30 cap		اضطرابات الكبد			



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Livolin forte</b>	essential phospholipids with vit	<b>Gastro Intestinal drugs</b>	<b>MEGA</b>	Adults : 1800mg/daily(divided into 3 doses) children mor than 12 years(about 43 kg) 600mg/daily(divided into 3 doses).	
Soft Gelatin Capsules		Hepatic Disorders	<b>Thailand</b>		
30 SC		اضطرابات الكبد			
<b>livolin Forte</b>	Essentiol phospholipids 300mg+vit.B1 10mg+vit.B2 6mg+vit.B6 10mg+ vit.B12	<b>Gastro Intestinal drugs</b>	<b>MEGA</b>	1-3 capsule daily.	
Capsules		Hepatic Disorders	<b>Thailand</b>		
30 CAPSULS		اضطرابات الكبد			
<b>lizo 10 mg</b>	Lisinopril	<b>Cardio Vascular System drugs</b>	<b>Shiba pharma</b>	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension	<b>Yemen</b>		
30 tablet		ارتفاع ضغط الدم			
<b>lizo 20 mg</b>	Lisinopril 20 mg	<b>Cardio Vascular System drugs</b>	<b>Shiba pharma</b>	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension	<b>Yemen</b>		
30 tablet		ارتفاع ضغط الدم			
<b>lizo 5</b>	Lisinopril 5 mg	<b>Cardio Vascular System drugs</b>	<b>Shiba pharma</b>	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension	<b>Yemen</b>		
30 tablet		ارتفاع ضغط الدم			
<b>Locain</b>	Lidocaine	<b>Central Nervous system drugs</b>	<b>Unknown</b>	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Gel		Anaesthetics	<b>Unknown</b>		
30 gm		التخدير الموضعي			
<b>Lodoz</b>	Bisoprolol + Hydrochlorothiazide	<b>Cardio Vascular System drugs</b>	<b>MERCK</b>	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Tablets		Hypertension	<b>France</b>		
28 TAB		ارتفاع ضغط الدم			








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Lofoto</b>	Tobramycin 0.3% + Dexamethasone 0.1%	Antibiotics	RAFARM	As directed	
Suspension		Eye العين	Unknown		
5 ml					
<b>Lohist</b>	Loratadine	Antihistamines	NPI Pharma	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
		Allergy الحساسية	Unknown		
<b>Lohist*</b>	Loratadine	Antihistamines	NP	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Tablets		Allergy الحساسية	Unknown		
10 tab					
<b>Lokit</b>	Omeprazole	Gastro Intestinal drugs	Kopran	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
cap		قرحة المعدة	India		
100 caps					
<b>LOKIT</b>	Omeprazole 20 mg	Gastro Intestinal drugs	Unknown	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		قرحة المعدة	Unknown		
10 cap					
<b>LOMAC vial</b>	Omeprazole	Gastro Intestinal drugs	CIPLA	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Vial		قرحة المعدة	India		
1 vial					
<b>LOMAC-20</b>	Omeprazole	Gastro Intestinal drugs	CIPLA	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Caplets		قرحة المعدة	India		
10x 10 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Lome Max</b>	Lomefloxacin HCl*	<b>antibacterial</b>	<b>Shiba pharma</b>	Tab 400mg	
Tablets		Bacterial Infections	<b>Yemen</b>		
1strip*10 tablet		الأصابات البكتيرية			
<b>Lomefent</b>	Fenticonazole nitrate 600mg	<b>Antifungals</b>	<b>Global Pharma</b>	200-mg pessary is inserted into the vagina at bedtime for 3 nights or a 600-mg pessary is inserted once only at bedtime.	
Suppositoris		Dermatitis	<b>Yemen</b>		
1 vaginal supp		الالتهابات الجلدية			
<b>Lomefent</b>	Fenticonazole nitrate 1000mg	<b>Antifungals</b>	<b>Global Pharma</b>	200-mg pessary is inserted into the vagina at bedtime for 3 nights or a 600-mg pessary is inserted once only at bedtime. Fenticonazole nitrate is also applied topically as a 2% cream	
Suppositoris		Dermatitis	<b>Yemen</b>		
1 vaginal supp		الالتهابات الجلدية			
<b>Lomenaz 1000</b>	Fenticonazole nitrate 1000mg	<b>Antifungals</b>	<b>Modern Pharama</b>	200-mg pessary is inserted into the vagina at bedtime for 3 nights or a 600-mg pessary is inserted once only at bedtime.	
vaginal ovule		Dermatitis	<b>Yemen</b>		
1 vaginal supp		الالتهابات الجلدية			
<b>Lomenaz 600</b>	Fenticonazole nitrate 600 mg	<b>Antifungals</b>	<b>Modern Pharama</b>	200-mg pessary is inserted into the vagina at bedtime for 3 nights or a 600-mg pessary is inserted once only at bedtime.	
vaginal ovule		Dermatitis	<b>Yemen</b>		
1 vaginal supp		الالتهابات الجلدية			
<b>Lomex</b>	Lomefloxacin HCl*	<b>antibacterial</b>	<b>SIGMA</b>	Tab 400mg	
tablet		Bacterial Infections	<b>Egypt</b>		
1strip*10tablet		الأصابات البكتيرية			
<b>Lomexin</b>	Fenticonazole nitrate 200 mg	<b>Antifungals</b>	<b>Unknown</b>	200-mg pessary is inserted into the vagina at bedtime for 3 nights or a 600-mg pessary is inserted once only at bedtime. Fenticonazole nitrate is also applied topically as a 2% cream	
Suppositoris		Dermatitis	<b>Unknown</b>		
3 Ovules		الالتهابات الجلدية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Lomflox</b>	Lomefloxacin HCl	<b>Antibacterial</b>	<b>Ipeca</b>	Tab 400mg	
Tablet		Bacterial Infections	<b>Unknown</b>		
1strip*5tablet		الأصابات البكتيرية			
<b>Lomiflox</b>	Lomefloxacin 400 mg / tab	<b>antibacterial</b>	<b>Pharmacare</b>	One tablet a day for 10 – 14 days.	
Tablets		Bacterial Infections	<b>Yemen</b>		
1strip *10 tablet		الأصابات البكتيرية			
<b>Lopid 600</b>	Gemfibrozil	<b>Cardio Vascular System drugs</b>	<b>Pfizer</b>	The usual dose, by mouth, is 1.2 g daily in 2 divided doses given 30 minutes before the morning and evening meals.	
Tablets		Hyperlipidaemias	<b>USA</b>		
30 tab		زيادة الدهون في الدم			
<b>Loprax 200</b>	Cefixime	<b>Antibacterial</b>	<b>EXIR</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Tablets		Bacterial Infections	<b>IRAN</b>		
10 tablet		الأصابات البكتيرية			
<b>Loprax 400</b>	Cefpodoxime Proxetil	<b>Antibacterial</b>	<b>EXIR</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Tablets		Bacterial Infections	<b>IRAN</b>		
6 tablet		الأصابات البكتيرية			
<b>Loprax Syrup</b>	Cefixime	<b>Antibacterial</b>	<b>EXIR</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Powder for Suspension		Bacterial Infections	<b>IRAN</b>		
100 ml		الأصابات البكتيرية			
<b>lopril</b>	Lisinopril	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	usual oral dose is 5 -20 mg daily,	
		Hypertension	<b>Unknown</b>		
		ارتفاع ضغط الدم			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>LORA</b>	Loratadine	<b>Antihistamines</b>	<b>Modern Pharama</b>	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Tablets		Allergy الحساسية	<b>Yemen</b>		
10 tab					
<b>Loracin</b>	Clarithromycin	<b>Antibiotics</b>	<b>OUBARY PHARMA</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
tablet		Respiratory Disorders	<b>Syria</b>		
Istrip*14tablet		اضطرابات الجهاز التنفسي			
<b>Loracin</b>	Clarithromycin	<b>Antibiotics</b>	<b>Unknown</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
		Respiratory Disorders	<b>Unknown</b>		
		اضطرابات الجهاز التنفسي			
<b>LORANS 1mg</b>	lorazepam tablets 1mg	<b>Central Nervous system drugs</b>	<b>Medochemia</b>	Minimum/Maximum Adult Daily Dose:0.5 - 10 mg (milligram) OR 1 - 20 Tablet	
Tablets		Anxiety, Insomnia الأرق والقلق	<b>Unknown</b>		
30 tablets					
<b>LORATIN</b>	Loratadine 10 mg	<b>Antihistamines</b>	<b>SEDICO</b>	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Tablets		Allergy الحساسية	<b>Egypt</b>		
20 tab					
<b>Loraxone</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>EXIR</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parental inj		Bacterial Infections	<b>IRAN</b>		
1vial		الأمراض البكتيرية			
<b>Lorista H</b>	Losartan Potassium 50 mg + Hydrochlorothiazid e 12.5 mg	<b>Cardio Vascular System drugs</b>	<b>KRKA</b>	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension	<b>India</b>		
28 tab		ارتفاع ضغط الدم			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>LORSEC 20</b>	Omeprazole	<b>Gastro Intestinal drugs</b>	<b>EXIR</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	<b>IRAN</b>		
14 caps					
<b>LOSAKAL</b>	Losartan Potassium	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>losakal 50mg</b>	losartan potssium	<b>Cardio Vascular System drugs</b>	<b>Torrent</b>	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>India</b>		
28tab					
<b>losart ???</b>	Losartan Potassium	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>losart Tablets</b>	losartan potassium	<b>Cardio Vascular System drugs</b>	<b>RAM PHARMA</b>	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Jordan</b>		
30tab					
<b>losartan 50</b>	Losarta potassium	<b>Cardio Vascular System drugs</b>	<b>AMRIYA PHARMA</b>	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Egypt</b>		
10tab					
<b>losartan 50mg</b>	losartan potassium	<b>Cardio Vascular System drugs</b>	<b>Pharma Check</b>	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
10tab					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>losartan-H</b>	Losartan potassium	<b>Cardio Vascular System drugs</b>	<b>BIOPHARM</b>	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Yemen</b>		
30 tab					
<b>losartic</b>	Losartan +hydrochlorothiazid	<b>Cardio Vascular System drugs</b>	<b>OUBARY PHARMA</b>	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Syria</b>		
30tab					
<b>Losil</b>	Hyoscine N-Butylbromide	<b>Gastro Intestinal drugs</b>	<b>Vitalis</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Ampoules		Abdominal Spasm آلام البطن	<b>USA</b>		
10 amp					
<b>Losiram 10 mg</b>	Escitalopram Oxalate 10 mg	<b>Central Nervous system drugs</b>	<b>Bilim</b>	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	<b>Turkey</b>		
28 tab					
<b>Losiram-10</b>	Escitalopram tablet 10mg	<b>Central Nervous system drugs</b>	<b>bilim</b>	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	<b>Turkey</b>		
28 tablets					
<b>Losiram-20</b>	Escitalopram tablet 20mg	<b>Central Nervous system drugs</b>	<b>bilim</b>	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	<b>Turkey</b>		
28 tablets					
<b>Lostamin</b>	Loratadine	<b>Antihistamines</b>	<b>Avenzor</b>	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Syrup		Allergy الحساسية	<b>Syria</b>		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>LOTAN</b>	Unknown	<b>Gastro Intestinal drugs</b>	<b>MEDICO LABS</b>	As directed	
Tablets		Diarrhea الأسهال	<b>Syria</b>		
20 tab					
<b>Lotensin 10</b>	Lisinopril 10 mg	<b>Cardio Vascular System drugs</b>	<b>Y.E.PHARMA</b>	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Yemen</b>		
30 tabs					
<b>Lotensin 20</b>	Lisinopril 20 mg	<b>Cardio Vascular System drugs</b>	<b>Y.E.PHARMA</b>	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Yemen</b>		
30 tabs					
<b>Lotensin 5</b>	Lisinopril 5 mg	<b>Cardio Vascular System drugs</b>	<b>Y.E.PHARMA</b>	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Yemen</b>		
30 tabs					
<b>Lotensin-H 10</b>	Lisinopril	<b>Cardio Vascular System drugs</b>	<b>Y.E.PHARMA</b>	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Yemen</b>		
30 tabs					
<b>Lotensin-H 20</b>	Lisinopril 20 mg	<b>Cardio Vascular System drugs</b>	<b>Y.E.PHARMA</b>	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Yemen</b>		
30 tabs					
<b>Lotensin-H 5</b>	Lisinopril 5 mg	<b>Cardio Vascular System drugs</b>	<b>Y.E.PHARMA</b>	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Yemen</b>		
30 tabs					











Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Lotriderm</b>	Clotrimazole	<b>Antifungals</b>	<b>Unknown</b>	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
		Dermatitis التهابات الجلدية	<b>Unknown</b>		
<b>Lover</b>	Vardenafil 10 mg	<b>Sex Stimulants</b>	<b>Y.E.PHARMA</b>	10 mg taken about 25 minutes to one hour before sexual intercourse.	
Tablets		Sex Stimulants منشطات جنسية	<b>Yemen</b>		
4 tab					
<b>lowrac 5</b>	Amlodipine	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Oral only : Hypertension Adults: Individualize: 2.5-5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5-10 mg. Elderly: 5 mg.	
		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>Loxtra</b>	Ofloxacin + Prednisolone + Tetracycline	<b>Antibacterial</b>	<b>Unknown</b>	tab 400mg & 200mg	
		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
<b>Lozole-20</b>	Omeprazole	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		قرحة المعدة	<b>Unknown</b>		
2 x 10 caps					
<b>Lumartem</b>	Artemether + Lumefantrine	<b>Antimalarial medicines</b>	<b>CIPLA</b>	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	
Tablets		Malaria الملاريا	<b>India</b>		
3 x 8 tab					
<b>Lumartem</b>	Artemether	<b>Antimalarial medicines</b>	<b>CIPLA</b>	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	
		Malaria الملاريا	<b>India</b>		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Lvertonic</b>	silybum marianum(milk thistle)fruit equiv.to dry 3000mg .cyanara scolymus(globe	<b>Gastro Intestinal drugs</b>	<b>vitex pharmaceutical (Australia)</b>	1-3 capsule daily.	
Capsules		Hepatic Disorders اضطرابات الكبد	<b>Unknown</b>		
30 capsules					
<b>Lyrica</b>	pregabalin capsule 75mg	<b>Central Nervous system drugs</b>	<b>Pfizer</b>	Initial 50 mg orally three times/day , increase to 100 mg orally three times/day(maximum dose) or 225 mg three times/day.	
Capsules		Epilepsy الصرع	<b>USA</b>		
14 capsules					
<b>Lyrolin</b>	Pregabalin	<b>Central Nervous system drugs</b>	<b>HIKMA</b>	Initial 50 mg orally three times/day , increase to 100 mg orally three times/day(maximum dose) or 225 mg three times/day.	
Capsules		Epilepsy الصرع	<b>Jordan</b>		
30 cap					
<b>Lyse</b>	Combination	<b>Respiratory drugs</b>	<b>PHARCO</b>	As directed	
Nasal / Drops		Nose	<b>Egypt</b>		
10 ml					
<b>Maalox</b>	Al(OH)+Mg(OH) +Simethicone	<b>Gastro Intestinal drugs</b>	<b>SANOFI</b>	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Sachets		سوء الهضم	<b>France</b>		
20 saches					
<b>Maalox Plus</b>	Aluminium Hydroxide 230 mg + Magnesium Hydroxide 430 mg + Simeticone	<b>Gastro Intestinal drugs</b>	<b>SANOFI</b>	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Suspension		سوء الهضم	<b>France</b>		
180 ml					
<b>Macriate -20</b>	Rabeprazole Sodium	<b>Gastro Intestinal drugs</b>	<b>MACLEODS</b>	*20 mg once daily 10 mg bid *	
Tablets		قرحة المعدة	<b>India</b>		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Magnacef</b>	Cefixime	<b>Antibacterial</b>	<b>RAM PHARMA</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Dry syrup		Bacterial Infections الأمراض البكتيرية	<b>Jordan</b>		
1bottel*60ml					
<b>Magnacef</b>	Cefixime	<b>Antibacterial</b>	<b>RAM PHARMA</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Capsules		Bacterial Infections الأمراض البكتيرية	<b>Jordan</b>		
1strip*8capsule					
<b>Magnacef</b>	Unknown	<b>Antibiotics</b>	<b>RAM PHARMA</b>	As directed	
Suspension		الأمراض الميكروبية Microbial Infections	<b>Unknown</b>		
30 ml					
<b>Magnacef Tablets</b>	Cefixime	<b>Antibacterial</b>	<b>RAM PHARMA</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>Jordan</b>		
1strip*6tablet					
<b>Magnafin</b>	Each 15 ml contains milk of magnesia USP 11.25 ml and Liquid paraffin BP 3.75 ml.	<b>Gastro Intestinal drugs</b>	<b>Pharmacare</b>	As laxative:Adults and children 5 - 20ml at bedtime -- As antacid : Adults and children 5 -10 ml.	
Suspension		Constipation الأمساك	<b>Yemen</b>		
90 ml					
<b>Magnesium</b>	Magnesium Citrate	<b>Gastro Intestinal drugs</b>	<b>BMP</b>	ADULTS: PO 1 glassful (approximately 240 ml) prn. CHILDREN 2-6 YR: PO 4-12 ml. CHILDREN 6-12 YR: PO 50-100 ml. Repeat if necessary.	
Suspension		Constipation الأمساك	<b>Thailand</b>		
240 ml					
<b>Magnesium</b>	Magnesium Citrate	<b>Gastro Intestinal drugs</b>	<b>hansal</b>	ADULTS: PO 1 glassful (approximately 240 ml) prn. CHILDREN 2-6 YR: PO 4-12 ml. CHILDREN 6-12 YR: PO 50-100 ml. Repeat if necessary.	
Solid		Constipation الأمساك	<b>Unknown</b>		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Magnesium</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>Unknown</b>	As directed	
Tablets		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
<b>Magnesium</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>JUVAMINE</b>	As directed	
Tablets		Vitamins Deficiency نقص فيتامينات	<b>France</b>		
30 eff. Tab					
<b>Magnesium Sulphate</b>	Magnesium Sulphate	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	ADULTS: PO 1 glassful (approximately 240 ml) prn. CHILDREN 2-6 YR: PO 4-12 ml. CHILDREN 6-12 YR: PO 50-100 ml. Repeat if necessary.	
amp, vial		Constipation الأمساك	<b>Unknown</b>		
<b>Malaquin</b>	Chloroquine Phosphate	<b>Antimalarial medicines</b>	<b>YEDCO</b>	Treatment :adult 600 mg followed after 6 to 8 hours by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - prophylaxis one dose each	
Syrup		Malaria الملاريا	<b>Yemen</b>		
60 ml					
<b>Malarim</b>	Sulfadoxine 500 mg + Pyrimethamine 25 mg	<b>Antimalarial medicines</b>	<b>Shiba pharma</b>	the usual dose by mouth is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	
Tablets		Malaria الملاريا	<b>Yemen</b>		
3 tab					
<b>Malartam</b>	Artemether 20 mg + lumefantrine 120 mg	<b>Antimalarial medicines</b>	<b>Modern Pharama</b>	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children artemether 20- 80 mg with lumefantrine 120- 480 mg	
Tablets		Malaria الملاريا	<b>Yemen</b>		
20 tabs					
<b>MALICUR FORTE</b>	Sulfadoxine 750 mg + Pyrimethamine 37.5 mg	<b>Antimalarial medicines</b>	<b>RFA</b>	the usual dose by mouth is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	
Tablets		Malaria الملاريا	<b>Yemen</b>		



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Maltofer</b>	Ferrous Sulfate 100mg/ chewable tablet.	<b>Vitamines and Menirals</b>	<b>Vifor</b>	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily)	
Tablets		Anaemia فقر الدم	<b>Unknown</b>		
30 chewable tablets.					
<b>Maltofer</b>	Ferrous Sulfate	<b>Vitamines and Menirals</b>	<b>Vifor</b>	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily)	
drops		Anaemia فقر الدم	<b>Unknown</b>		
30 ml					
<b>Maltofer</b>	Ferrous Sulfate	<b>Vitamines and Menirals</b>	<b>Vifor</b>	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily)	
Syrup		Anaemia فقر الدم	<b>Unknown</b>		
150 ml					
<b>Mamera</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>JOSWE</b>	As directed	
Capsules		Vitamins	<b>Jordan</b>		
30 Capsules		Deficiency نقص فيتامينات			
<b>Maquine</b>	Chloroquine Phosphate 120 mg	<b>Antimalarial medicines</b>	<b>Shaphaco</b>	Treatment :adult 600 mg followed after 6 to 8 hours by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - prophylaxis one dose each	
Syrup		Malaria الملاريا	<b>Yemen</b>		
60 ml					
<b>Maquine</b>	Chloroquine Phosphate 250 mg	<b>Antimalarial medicines</b>	<b>Shaphaco</b>	Treatment :adult 600 mg followed after 6 to 8 hours by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - prophylaxis one dose each	
Tablets		Malaria الملاريا	<b>Yemen</b>		
500 tabs					
<b>Maquine</b>	Chloroquine Phosphate 250 mg	<b>Antimalarial medicines</b>	<b>Shaphaco</b>	Treatment :adult 600 mg followed after 6 to 8 hours by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - prophylaxis one dose each	
Tablets		Malaria الملاريا	<b>Yemen</b>		
20 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Maquine Forte</b>	Chloroquine Phosphate	<b>Antimalarial medicines</b>	<b>Shaphaco</b>	Treatment :adult 600 mg followed after 6 by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - Prophylaxis one dose each	
Syrup		Malaria الملاريا	<b>Yemen</b>		
(60 ml)					
<b>Marevan 3 mg</b>	warfarin 3mg	<b>Cardio Vascular System drugs</b>	<b>glaxosmithkline</b>	3 - 10 mg daily	
Tablets		Thrombosis الجلطات	<b>UK</b>		
100 Tablets					
<b>Marevan 5 mg</b>	warfarin 5 mg	<b>Cardio Vascular System drugs</b>	<b>glaxosmithkline</b>	3 - 10 mg daily	
Tablets		Thrombosis الجلطات	<b>UK</b>		
100tablet					
<b>Mariagon</b>	silymarin 140 mg	<b>Gastro Intestinal drugs</b>	<b>Alphamoun</b>	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Capsules		Hepatic Disorders اضطرابات الكبد	<b>Egypt</b>		
20 cap					
<b>Mariagon</b>	silymarin capsule 140mg.	<b>Gastro Intestinal drugs</b>	<b>Alphamoun</b>	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Capsules		Hepatic Disorders اضطرابات الكبد	<b>Unknown</b>		
20 capsules					
<b>Marvelon</b>	ethinylestradiol - desogestrel 4	<b>Gynaecology drugs</b>	<b>organon</b>	one tablete daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	<b>Unknown</b>		
21					
<b>Maxgalin 150</b>	Pregabalin	<b>Central Nervous system drugs</b>	<b>Unknown</b>	Initial 50 mg orally three times/day , increase to 100 mg orally three times/day(maximum dose) or 225 mg three times/day.	
Capsules		Epilepsy الصرع	<b>Unknown</b>		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Maxgalin 50</b>	Pregabalin	<b>Central Nervous system drugs</b>	<b>SUN Pharma</b>	Initial 50 mg orally three times/day , increase to 100 mg orally three times/day(maximum dose) or 225 mg three times/day.	
		Epilepsy الصرع	<b>India</b>		
<b>Maxgalin-75</b>	pregabalin capsule 75mg	<b>Central Nervous system drugs</b>	<b>SUN</b>	Initial 50 mg orally three times/day , increase to 100 mg orally three times/day(maximum dose) or 225 mg three times/day.	
		Epilepsy الصرع	<b>India</b>		
<b>MAXI-CAL</b>	Ca+ Vit D	<b>Vitamines and Menirals</b>	<b>CENTURY</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Capsules		Osteoarthritis التهابات العظام	<b>USA</b>		
60 cap					
<b>MAXI-CAL</b>	Calcum 1200mg+ vit d 400IU/caplet.	<b>Vitamines and Menirals</b>	<b>CENTURY</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Caplets		Osteoarthritis التهابات العظام	<b>USA</b>		
60 caplet					
<b>MAXIDEX</b>	Dexamethasone 0.1%	<b>Corticosteroid</b>	<b>Alcon</b>	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Eye drops		Eye العين	<b>Unknown</b>		
5 ml					
<b>Maxime</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>Unknown</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
		Bacterial Infections الأصابات البكتيرية	<b>Unknown</b>		
<b>Maximum Strength</b>	Ibuprofen tablet 400mg tab.	<b>Nonsteroidal Anti-</b>		Oral doses of 400 mg to 1.2 g daily .	
Tablets		مهدئات الأوجاع			
84 coated tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>MAXIMUM STRENGTH</b>	Glucosamine + Chondroitin	<b>Osteoarthritis drugs</b>	<b>CENTURY</b>	As directed	
Tablets		Osteoarthritis	<b>USA</b>		
60 tab		التهابات العظام			
<b>Maxitrol</b>	Dexamethasone + Neomycin Sulfate + Polymyxin B Sulfate	<b>Corticosteroid</b>	<b>Alcon</b>	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Eye ointement		Inflamations	<b>Unknown</b>		
3.5 gm		الالتهابات			
<b>Mazit</b>	Azithromycin	<b>Antibiotics</b>	<b>Neopharma</b>	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Dry syrup		الأمراض الميكروبية	<b>UAE</b>		
1bottel*15ml		Microbial Infections			
<b>Mazit</b>	Azithromycin	<b>Antibiotics</b>	<b>Unknown</b>	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
		الأمراض الميكروبية	<b>Unknown</b>		
		Microbial Infections			
<b>Mazit</b>	Azithromycin	<b>Antibiotics</b>	<b>Unknown</b>	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
		الأمراض الميكروبية	<b>Unknown</b>		
		Microbial Infections			
<b>MEBO</b>	Sitosterol	<b>Skin Disorders</b>	<b>Unknown</b>	The usual dose is 3 to 6 g daily in divided doses by mouth	
		الحروق	<b>Unknown</b>		
<b>Mebo</b>	Herbal extract	<b>Skin Disorders</b>	<b>Julphar</b>	As directed	
Ointment		Wounds Healing	<b>UAE</b>		
30 gm		التئام الجروح			



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>MEBOROL</b>	Sitosterol 0.25 % w/w	<b>Skin Disorders</b>	<b>Global Pharma</b>	The usual dose is 3 to 6 g daily in divided doses by mouth	
Ointment		Burns الحروق	<b>Yemen</b>		
30 g					
<b>Mecam</b>	Meloxicam 7.5 mg	<b>NSAID</b>	<b>Y.E.PHARMA</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgésic مهدئات الأوجاع	<b>Yemen</b>		
10 tab					
<b>Mecan</b>	Meloxicam 7.5 mg	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgésic مهدئات الأوجاع	<b>Unknown</b>		
<b>Meclozin- B6</b>	Meclozine + Pyridoxine	<b>Gastro Intestinal drugs</b>	<b>BIOPHARM</b>	* Motion Sickness= ADULTS: PO 25-50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25-100 mg/day in divided doses	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
24 tabs					
<b>Mecobal</b>	Mecobalamin 500 mg /1 ml	<b>Vitamines and Menirals</b>	<b>BIOPHARM</b>	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Ampoules		Anaemia فقر الدم	<b>Yemen</b>		
6 amp					
<b>Mecobal</b>	Mecobalamin 500mcg . Tablets	<b>Vitamines and Menirals</b>	<b>BIOPHARM</b>	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Tablets		Anaemia فقر الدم	<b>Yemen</b>		
30 Tablets					
<b>Mecobal</b>	Mecobalamin 500 mg	<b>Vitamines and Menirals</b>	<b>BIOPHARM</b>	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Tablets		Anaemia فقر الدم	<b>Yemen</b>		
10 tabs					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Medacin T</b>	Clindamycin 1%	<b>Antibiotics</b>	<b>Unknown</b>	Adult :150 to 300 mg of clindamycin, Children: 3 to 6 mg/kg of clindamycin for both every 6 hours	
solution		Anaerobic Infections الميكروبات اللاهوائية	<b>Unknown</b>		
1bottel*30ml					
<b>Medafen</b>	Ibuprofen 100 mg / 5 ml	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	Oral doses of 400 mg to 1.2 g daily .	
Suspension		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
100 ml					
<b>Medazole</b>	Mebendazole 100 mg	<b>Anthelmentic</b>	<b>Shaphaco</b>	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Tablets		Common Worms الديدان الشائعة	<b>Yemen</b>		
6 tab					
<b>Medazole Tablets</b>	Metronidazole	<b>Antiprtozoal</b>	<b>MUP</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	<b>Egypt</b>		
20 tablete					
<b>MEDIAZOLE</b>	Metronidazole 500 mg / 100 ml	<b>Antiprtozoal</b>	<b>Mediocon Lifesciences</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Infusion		Amoebiasis , Giardiasis جارديا واميبيا	<b>India</b>		
100 ml					
<b>Medical Spirit</b>	Cloroform Spirit	<b>Antiseptic and Desinfectants</b>	<b>Shiba pharma</b>	As directed	
Solution		مطهرات Antiseptic	<b>Yemen</b>		
100 ml					
<b>MEDITROL ???</b>	Alpha calciferol	<b>Vitamines and Menirals</b>	<b>MEGA</b>	As directed	
		Ricketsia الكساح	<b>Thailand</b>		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Mediveine</b>	diosmine	<b>Antihaemorrhag es</b>	<b>Sothema</b>	hamorrhoidal crisis 1.2g to 1.8g -----or----- circulation disorders 600mg per day ----	
Tablets		Haemorrhoids البواسير	<b>Morocco</b>		
30					
<b>Medocalum</b>	Chlordiazepoxide 5 mg+Clidinium Bromide 2,5	<b>Gastro Intestinal drugs</b>	<b>MEDOCHEMI E</b>	Chlordiazepoxide up to 30 mg daily in divided doses.	
Tablets		Peptic ulcer قرحة المعدة	<b>Unknown</b>		
30 tabs					
<b>Medomycin</b>	Doxycycline	<b>Antibiotics</b>	<b>Medochimi</b>	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
capsules		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
1strip*10capsules					
<b>Medroxol</b>	Ambroxol	<b>Respiratory drugs</b>	<b>med pharma</b>	5 ml by mouth, in 2 or 3 divided doses.	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Unknown</b>		
100 ml					
<b>Mefamol</b>	Mefenamic Acid 50mg	<b>NSAID</b>	<b>Global Pharma</b>	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Suspension		مهدئات الأوجاع	<b>Yemen</b>		
60 ml					
<b>Mefex</b>	Mefenamic Acid	<b>Nonsteroidal Anti-</b>	<b>Neopharma</b>	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		مهدئات الأوجاع	<b>UAE</b>		
20 tab					
<b>MefnacD.S</b>	Mefenamic Acid tablet 500mg.	<b>Nonsteroidal Anti-</b>	<b>Efroze</b>	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		مهدئات الأوجاع	<b>Unknown</b>		
10 tablets.					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>mega h-40</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>Power Health</b>	Onc a day	
Capsules		Vitamins			
30 cap		Deficiency نقص فيتامينات			
<b>Megamox</b>	Amoxicillin/Clavulanate Potassium	<b>Antibiotics</b>	<b>JPI</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
tablet		الأصابات الميكروبية Microbial Infections	<b>Saudi Arabia</b>		
2strip*7tablet					
<b>Meki A-H</b>	Mequitazine	<b>Antihistamines</b>	<b>BORG</b>	5 mg twice daily by mouth.	
Syrup		الحساسية Allergy	<b>Egypt</b>		
60 ml					
<b>Melagin</b>	Miconazole 100mg Metronidazole 500mg	<b>Antifungals</b>	<b>Fulton-Italy</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		المهبل Vaginal	<b>Italy</b>		
10 supp					
<b>Melflam</b>	Meloxicam tablet 15 mg/3ml	<b>Nonsteroidal Anti-</b>	<b>CIPLA</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Ampoules		مهدئات الأوجاع Analgesic	<b>India</b>		
3 ampules					
<b>Melflam 7.5</b>	Meloxicam tablet 7.5mg.	<b>Nonsteroidal Anti-</b>	<b>CIPLA</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع Analgesic	<b>India</b>		
20 tablets.					
<b>melobak</b>	baclofen	<b>Muscle relaxations</b>	<b>pharo pharma</b>	Adult dose 5 - 20 mg three times daily , for children 0.75 to 2 mg/kg daily	
Tablets		الفهقة أو الفواق Hiccup	<b>Egypt</b>		
box of strip of 10 tablets of					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Melocam 15 mg</b>	Meloxicam 15 mg	<b>NSAID</b>	<b>Shiba pharma</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
20 tab					
<b>Melocam 15 mg</b>	Meloxicam tablet 15 mg	<b>NSAID</b>	<b>Shiba pharma</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
20 tablets.					
<b>Melocam 7.5</b>	Meloxicam tablet 7.5mg.	<b>NSAID</b>	<b>Shiba pharma</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
20 tablets.					
<b>Melocox 15</b>	Meloxicam tablet 15 mg.	<b>NSAID</b>	<b>Modern Pharama</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
10 tablets.					
<b>Meloria</b>	Mefloquine HCl 250 mg / tab	<b>Antimalarial medicines</b>	<b>Pharmacare</b>	Treatment: 5 tablets (1250 mg) as a single dose, Prophylaxis: 1 tablet (250 mg) weekly starting 1 week before travelling, continuing weekly during travel and for 4 weeks after leaving	
Tablets		Malaria الملاريا	<b>Yemen</b>		
5 tab					
<b>Melostone</b>	Betamethasone + Neomycin Sulfate	<b>Corticosteroid</b>	<b>Unknown</b>	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	
		Dermatitis الألتهايات الجلدية	<b>Unknown</b>		
<b>Melox</b>	Meloxicam	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
		Analgesic مهدئات الأوجاع	<b>Unknown</b>		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Melox 15 mg</b>	Meloxicam	<b>Non-Steroidal Anti-</b>	<b>NOBEL</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
10 tab					
<b>Melox FORT</b>	Meloxicam 15 mg	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
<b>Meloxi</b>	Meloxicam tablet 7.5mg.	<b>Nonsteroidal Anti-</b>	<b>MBC</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
20 tablets.					
<b>Meloxi</b>	Meloxicam 15 mg	<b>Non-Steroidal Anti-</b>	<b>BAHRI</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	<b>Syria</b>		
20 tab					
<b>Meloxican 15</b>	Meloxicam 15 mg	<b>NSAID</b>	<b>Y.E.PHARMA</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
20 tab					
<b>Meloxican 7.5</b>	Meloxicam 7.5 mg	<b>NSAID</b>	<b>Y.E.PHARMA</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
20 tab					
<b>Melrose</b>	herbal extract	<b>Respiratory drugs</b>	<b>YEDCO</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>Yemen</b>		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Melrosum</b>	herbal extract	<b>Respiratory drugs</b>	<b>Sanofi Aventis</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>France</b>		
100 ml					
<b>Mentat</b>	Herbal extract	<b>Natural products</b>	<b>Himalaya Drug Co</b>	2 tab b.i.d ___ or ___ 1 teaspoonful 2 or 3 tim dailt	
Syrup		غير معروف	<b>India</b>		
200 ml syr					
<b>Mepaco bran</b>	Bran 500 mg + Cellulose + Mineral 740 mg	<b>Gastro Intestinal drugs</b>	<b>MEPACO</b>	20 to 35 g daily ; children 5 g daily	
Tablets		Constipation الأمساك	<b>Egypt</b>		
60 caps					
<b>Mepaco bran</b>	Bran 400 mg + Cellulose+ Mineral	<b>Gastro Intestinal drugs</b>	<b>MEPACO</b>	20 to 35 g daily ; children 5 g daily	
Capsules		Constipation الأمساك	<b>Egypt</b>		
60 cap					
<b>Mepaco Bran</b>	Bran (treated) 400 mg	<b>Gastro Intestinal drugs</b>	<b>MEPACO</b>	20 to 35 g daily ; children 5 g daily	
Capsules		Constipation الأمساك	<b>Egypt</b>		
<b>MEPACOL</b>	L-methionine 1g+inositol 1g+chlorhydrte de choline 0.02g+vit.B2 o.002g+ vit.B6	<b>Vitamines and Menirals</b>	<b>A.B.C International</b>	2 tab /day or 10 ml /day	
Ampoules		Hepatic Disorers	<b>Italy</b>		
5 amp					
<b>MEPACOL Sy</b>	L-methionine 2g+inositol 0.56g+choline 1.6g+vit.pp 0.075g+vit.B1 0.02g+vit.B2	<b>Vitamines and Menirals</b>	<b>A.B.C International</b>	2 tab /day or 10 ml /day	
Solution		Hepatic Disorders اضطرابات الكبد	<b>Italy</b>		
150 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>MEPACOL tab</b>	L-methionine 2g+inositol 0.56g+choline 1.6g+vit.pp 0.075g+vit.B1 0.02g+vit.B2	<b>Vitamines and Menirals</b>	<b>A.B.C International Pharmacy</b>	2 tab /day or 10 ml /day	
Tablets		Hepatic Disorders اضطرابات الكبد	<b>Italy</b>		
40 tab /600 mg					
<b>MEPACURE</b>	Hepatoprotective Agents	<b>Gastro Intestinal drugs</b>	<b>MEPACO</b>	1-3 capsule daily.	
		Hepatic Disorders اضطرابات الكبد	<b>Egypt</b>		
<b>Mepacure cap</b>	silymarin+D.D.T(dicarboxlate)	<b>Gastro Intestinal drugs</b>	<b>MEPACO</b>	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Capsules		Hepatic Disorders اضطرابات الكبد	<b>Egypt</b>		
30 cap					
<b>MEPASIL</b>	Silymarin 160 mg+Milk thistle 200mg/tablet.	<b>Gastro Intestinal drugs</b>	<b>MEPACO</b>	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Tablets		Hepatic Disorders اضطرابات الكبد	<b>Egypt</b>		
20 tablets					
<b>Mepasil tab</b>	silymarin	<b>Gastro Intestinal drugs</b>	<b>MEPACO</b>	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Tablets		Hepatic Disorders اضطرابات الكبد	<b>Egypt</b>		
20 tab					
<b>MERCA-BURN</b>	Aloe Vera	<b>Skin Disorders</b>	<b>Unknown</b>	As directed	
Cream		Burns الحروق	<b>Unknown</b>		
<b>Mesi prazole</b>	Lansoprazole	<b>Gastro Intestinal drugs</b>	<b>MEDICO LABS</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
cap		قرحة المعدة	<b>Syria</b>		
20 caps					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Metacardia</b>	Trimetazidine di-HCl	<b>Cardio Vascular System drugs</b>	<b>GLOBAL NAPI</b>	40 to 60 mg is given daily by mouth in divided doses.	
Tablets		الذبحة الصدرية	<b>Egypt</b>		
20 tab					
<b>METADIL</b>	Chlorphenamine Maleate	<b>Antihistamines</b>	<b>Unknown</b>	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Tablets		نزلات البرد	<b>Unknown</b>		
10 x 10 tab					
<b>Metazol</b>	Metronidazole	<b>Antiprtozoal</b>	<b>Global Pharma</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		جارديا واميبيا	<b>Unknown</b>		
20 tab					
<b>Metazol</b>	Metronidazole	<b>Antiprtozoal</b>	<b>Global Pharma</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		جارديا واميبيا	<b>Yemen</b>		
100 ml					
<b>Metazol Fort</b>	Metronidazole 500mg	<b>Antiprtozoal</b>	<b>Global Pharma</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		جارديا واميبيا	<b>Yemen</b>		
20 tab					
<b>Metazol Plus</b>	Metronidazole 200 mg + Diloxanide 250 mg	<b>Antiprtozoal</b>	<b>Global Pharma</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		جارديا واميبيا	<b>Yemen</b>		
20 tab					
<b>Metazol Plus</b>	Metronidazole +Diloxanide	<b>Antiprtozoal</b>	<b>Global Pharma</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		جارديا واميبيا	<b>Yemen</b>		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Metazol_plus</b>	Metronidazole	<b>Antiprtozoal</b>	globar	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Semisolid		Amoebiasis , Giardiasis جارديا واميبيا	Unknown		
100ml					
<b>MetfoKern</b>	Metformin HCL 850mg	<b>Antidiabetics</b>	KERN pharma	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	Korea		
50 film coated tap					
<b>METFORAL 500 mg</b>	Metformin HCL 500mg	<b>Antidiabetics</b>	Berlin	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	Germany		
50 film coated tablets					
<b>METFORAL 850 mg</b>	Metformin HCL 850mg	<b>Antidiabetics</b>	Berlin	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	Germany		
30 coated tab					
<b>METFORMAX</b>	Metformin HCL 500mg	<b>Antidiabetics</b>	Y.E.PHARMA	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
20 tab					
<b>METFORMAX</b>	Metformin HCL 500mg	<b>Antidiabetics</b>	Y.E.PHARMA	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
10x10 tab					
<b>METFORMAX</b>	Metformin HCL 850 mg	<b>Antidiabetics</b>	Y.E.PHARMA	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Metformin 500</b>	Metformin HCL 500 mg	<b>Antidiabetics</b>	<b>Shaphaco</b>	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 tab					
<b>Metformin 850</b>	Metformin HCL 850 mg	<b>Antidiabetics</b>	<b>Shaphaco</b>	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	<b>Yemen</b>		
30 tab					
<b>Metformin Denk</b>	Metformin HCL 500mg	<b>Antidiabetics</b>	<b>Denk Pharma</b>	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	<b>Germany</b>		
100 tab.					
<b>Metformin Denk 850</b>	Metformin Hydrochloride	<b>Unknown</b>	<b>Unknown</b>	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
		Diabetes Mellitus أمراض السكري	<b>Unknown</b>		
<b>Metformin XR</b>	Metformin HCL 750mg	<b>Antidiabetics</b>	<b>Biomed</b>	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	<b>Syria</b>		
20 tab.					
<b>Mether 40 mg</b>	Artemether	<b>Antimalarial medicines</b>	<b>Unknown</b>	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	
		Malaria الملاريا	<b>Unknown</b>		
<b>METHER 80 mg</b>	Each 1ml contains 80 mg Artemether	<b>Antimalarial medicines</b>	<b>Unknown</b>	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	
Ampoules		Malaria الملاريا	<b>Unknown</b>		
6 ampoule					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Methergin</b>	Ergometrine	<b>Antihaemorrhages</b>	unknown	by mouth in a dose of 500 micrograms three times daily for 2 to 7 days.	
		Haemorrhage النزيف	Unknown		
<b>Methotrexat</b>	Methotrexate 5 mg / 5 ml	<b>Antineoplastics</b>	Unknown	Acute lymphoblastic leukaemia is 15 mg/m2 once or twice weekly	
Ampoules		Cancer ( الأمراض الخبيثة ) (السرطان)	Unknown		
5 amp of 5 ml					
<b>Methtrexat</b>	Methotrexate 2.5	<b>Antineoplastics</b>	Unknown	Acute lymphoblastic leukaemia is 15 mg/m2 once or twice weekly	
		Cancer ( الأمراض الخبيثة ) (السرطان)	Unknown		
<b>Methycobal</b>	Mecobalamin) Methylcobalamin. 500mcg Tablets	<b>Vitamines and Menirals</b>	Eisai	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Tablets		Anaemia فقر الدم	JAPAN		
30 Tablets					
<b>Methycobal ???</b>	Chloramphenicol	<b>Ophthalmic drugs</b>	Cusi	applied as a 0.5% solution or as a 1% ointment.	
Ointment		Eye العين	Spain		
3 gm / tube					
<b>methycobal</b>	Mecobalamin 500 micro gram / 1 ml	<b>Vitamines and Menirals</b>	Eisai	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day.	
Ampoules		Anaemia فقر الدم	JAPAN		
10 amp x 1 ml					
<b>Meticon</b>	Metformin HCL 500mg + Gliclazide 80mg	<b>Antidiabetics</b>	Biomed	Gliclazide 40 to 320 mg daily	
Tablets		Diabetes Mellitus أمراض السكري	Syria		
30 tab.					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Metlazel Drops</b>	metoclopramide	<b>Gastro Intestinal drugs</b>	<b>Shaphaco</b>	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Drops		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
15 ml					
<b>Metlazel Tablets</b>	metoclopramide	<b>Gastro Intestinal drugs</b>	<b>Shaphaco</b>	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
tab		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
20 tabs					
<b>Metoclopramide</b>	metoclopramide 10 mg	<b>Gastro Intestinal drugs</b>	<b>BIOPHARM</b>	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
20 tab					
<b>Metoclopramide</b>	metoclopramide 10 mg / 2 ml	<b>Gastro Intestinal drugs</b>	<b>BIOPHARM</b>	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Ampoules		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
5 amp					
<b>Metograin</b>	Ergotamine Tartarate 1 mg + Caffeine 50 mg + Paracetamol 325 mg	<b>Cardio Vascular System drugs</b>	<b>EVA PHARMA</b>	1 to 2 mg of ergotamine tartrate by mouth, repeated, if necessary, half an hour later. Usually not more than 6 mg should be given in 24 hours, although	
Tablets		Migraine	<b>Egypt</b>		
20 tab					
<b>Metoprolol</b>	Metoprolol	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	100- 200 mg daily by mouth	
100-200 mg		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>Metran cap</b>	Mecobalamin	<b>Vitamines and Menirals</b>	<b>Daewon</b>	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Capsules		فقر الدم Anaemia	<b>Unknown</b>		
30 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>metran</b>	mecobalamine	<b>Vitamines and Menirals</b>	<b>Daewon</b>	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day.	
Capsules		Anaemia فقر الدم	<b>Unknown</b>		
30 cap					
<b>Metrodilox</b>	Metronidazole + Diloxanide	<b>Antiprtozoal</b>	<b>Pharmacare</b>	500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Suspension		Amoebiasis , Gardiasis جارديا واميبيا	<b>Yemen</b>		
90 ml					
<b>Metrodilox</b>	Metronidazole 100mg + 125mg diloxnide/ 5 ml	<b>Antiprtozoal</b>	<b>Pharmacare</b>	500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Suspension		Amoebiasis , Gardiasis جارديا واميبيا	<b>Yemen</b>		
90 ml					
<b>Metrodilox</b>	Metronidazole 200mg + Diloxanide furoate 250mg / tablet	<b>Antiprtozoal</b>	<b>Pharmacare</b>	500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Yemen</b>		
3 x 10 tab					
<b>Metrogyl V-Gel</b>	Metronidazole	<b>Antiprtozoal</b>	<b>Unknown</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Gel		Vaginal المهبل	<b>Unknown</b>		
<b>Metrolag 259 mg</b>	Metronidazole	<b>Antiprtozoal</b>	<b>Unknown</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Unknown</b>		
100 tab					
<b>Metronidazole Infusion</b>	Metronidazole	<b>Antiprtozoal</b>	<b>unknown</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Infusion		Amoebiasis , Gardiasis جارديا واميبيا	<b>Unknown</b>		
100 ml					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Metronidazole Infusion</b>	Metronidazole 500 / 100 ml infusion single dose	<b>Antiprtozoal</b>	<b>euroffe</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Infusion		Amoebiasis , Giardiasis جارديا واميبيا	<b>Unknown</b>		
100 ml					
<b>Metronidazole Normon</b>	Metronidazole 250 mg	<b>Antiprtozoal</b>	<b>Normon</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	<b>Spain</b>		
20 tab					
<b>Metronir</b>	Metronidazole	<b>Antiprtozoal</b>	<b>Unknown</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
		Amoebiasis , Giardiasis جارديا واميبيا	<b>Unknown</b>		
<b>MEVA</b>	135 mg Mebeverine hydrochloride	<b>Gastro Intestinal drugs</b>	<b>Jamjoum Pharma</b>	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
Tablets		Abdominal Spasm آلام البطن	<b>Saudi Arabia</b>		
30 Film Coated Tablets					
<b>Mevluxa</b>	levetiracetam 100 mg / ml	<b>Central Nervous system drugs</b>	<b>WOCKHADT</b>	start by 1 g , then increased in increments of 1 g every 2 to 4 weeks until effective antiepileptic control is achieved, up to a maximum dose of 3 g daily.children 20	
Solution		Epilepsy الصرع	<b>Unknown</b>		
300 ml					
<b>Mezolam</b>	Midazolam 7.5 mg / tab	<b>Central Nervous system drugs</b>	<b>Shiba pharma</b>	insomnia; midazolam 7.5 to 15 mg at night. Intramuscularly as a premedicant 5 mg; Children may be premedicated with oral midazolam	
Tablets		Anaesthetics General التخدير العام	<b>Yemen</b>		
10 Tablets					
<b>Miconaz</b>	Miconazole Nitrate 2%	<b>Antifungals</b>	<b>MUP</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Cream		Fungal Infections الأصابات الفطرية	<b>Egypt</b>		
20 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Miconaz oral</b>	Miconazole 2%	<b>Antifungals</b>	<b>MUP</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Gel		Fungal Infections الأصابت الفطرية	<b>Egypt</b>		
20 gm					
<b>Miconaz oral</b>	Miconazole 2%	<b>Antifungals</b>	<b>MUP</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Gel		Fungal Infections الأصابت الفطرية	<b>Egypt</b>		
1 tupe 20g					
<b>Micozole</b>	Miconazole nitrate 150mg+Metronidazole 500mg	<b>Antifungals</b>	<b>Barakat pharm</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	<b>Syria</b>		
10 vag. Ovules					
<b>Microgynon</b>	levonorgestrel and ethinnylestradiol	<b>Gynaecology drugs</b>	<b>BAYER</b>	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	<b>Germany</b>		
21					
<b>Midazole</b>	Metronidazole 250 mg	<b>Antiprtozoal</b>	<b>MUP</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	<b>Egypt</b>		
20 tab					
<b>Midazole</b>	Metronidazole	<b>Antiprtozoal</b>	<b>MUP</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		Amoebiasis , Giardiasis جارديا واميبيا	<b>Egypt</b>		
120 ml					
<b>Midocef</b>	Cefaclor	<b>Antibiotics</b>	<b>Unknown</b>	tab 750mg & 375mg cap 500mg 250mg 125mg	
		الأصابت الميكروبية Microbial Infections	<b>Unknown</b>		





Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Mikalogis</b>	Amikacin Sulfate 500 mg/ 2 ml	<b>Antibiotics</b>	<b>Vitalis</b>	IM, IV. : Adults, children, older infants: 15 mg/kg in 2-3 divided doses, 7-10 days. Maximum: 15 mg/kg/d. Once daily dosing of amikacin has been advocated	
Vial		Serious M. Infections الأصابات الميكروبية الخطرة	<b>Unknown</b>		
1 vial / 2 ml					
<b>Miko-penotran</b>	Miconazole Nitrate 1200mg	<b>Antifungals</b>	<b>MEGA</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	<b>Thailand</b>		
1 Vaginal Pessary					
<b>Milk Thistle Extract</b>	Silymarin	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
		Hepatic Disorders اضطرابات الكبد	<b>Unknown</b>		
<b>MILOXY</b>	Amoxicillin 125 mg / 5 ml	<b>Antibiotics</b>	<b>MILAN</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Suspension		الأصابات الميكروبية Microbial Infections	<b>India</b>		
100 ml					
<b>Minadex</b>	Vit.A 195 mcg, vit.D 1.62 mcg , iron 12mg , potassium 2.25 mg , calcium 11.25 mg,	<b>Vitamines and Menirals</b>	<b>Unknown</b>	As directed	
Syrup		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
200 ml					
<b>MINERAVIT</b>	Multi vitamin and Menirals	<b>Vitamines and Menirals</b>	<b>EIPICO</b>	As directed	
Capsules		Vitamins Deficiency نقص فيتامينات	<b>Egypt</b>		
20 Capsules					
<b>Miniguava</b>	herbal extract	<b>Respiratory drugs</b>	<b>pharo pharma</b>	As directed	
Oral /Drops		Common Cold نزلات البرد	<b>Egypt</b>		
15 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Miniscar</b>	Combination	<b>Skin Disorders</b>	<b>Charak</b>	As directed	
Cream		Dermatitis التهابات الجذلية	<b>Unknown</b>		
30 gm					
<b>MINOFEN</b>	Aminophylline 250 mg / 10 ml	<b>Respiratory drugs</b>		16 mg/kg/daily	
Ampoules		Bronchial Asthma الربو الشعبي			
5 amp x 10 ml					
<b>Minox</b>	Minoxidil 2 gm / 100 ml	<b>Skin Disorders</b>	<b>Shiba pharma</b>	1 mL of a 2% or 5% solution of minoxidil is applied twice daily to the scalp. The 5% solution is not recommended for women.	
Solution		Health Care الصحة العامة	<b>Yemen</b>		
100 ml					
<b>Minox</b>	Minoxidil 5 gm / 100 ml	<b>Skin Disorders</b>	<b>Shiba pharma</b>	1 mL of a 2% or 5% solution of minoxidil is applied twice daily to the scalp. The 5% solution is not recommended for women.	
Solution		Health Care الصحة العامة	<b>Yemen</b>		
100 ml					
<b>Mirtaz-15</b>	Mirtazapine tablet 15mg	<b>Central Nervous system drugs</b>	<b>SUN</b>	PO for depression 15 mg/day at bedtime initially, increasing at 1-2-week intervals to a maximum of 45 mg/day. Minimum/Maximum Adult Daily Dose:15 - 45 mg	
Tablets		Mental Disorders الأمراض العقلية	<b>India</b>		
30 tablets					
<b>Miscadol</b>	Orphenadrine Citrate	<b>Muscle relaxations</b>	<b>julphar</b>	by mouth in a dose of 100 mg twice daily or by intramuscular or slow intravenous injection in a dose of 60 mg which has been repeated every 12 hours.	
Tablets		Parkinson's disease مرض الرعاش	<b>UAE</b>		
box of 20 tablets of 35mg/tablet					
<b>MISOCLEAR</b>	Misoprostol 200 microgrames	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	200 micrograms two to four times daily	
Tablets		Peptic ulcer قرحة المعدة	<b>Unknown</b>		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Mixderm</b>	Unknown	<b>Skin Disorders</b>	<b>Unknown</b>	As directed	
Cream		Dermatitis التهابات الجلدية	<b>Unknown</b>		
15 gm					
<b>Mixtard 30</b>	insulin human	<b>Antidiabetics</b>	<b>Novo Nordisk</b>	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus أمراض السكري	<b>Denmark</b>		
10 ml vial					
<b>Mixtard 30</b>	insulin	<b>Antidiabetics</b>	<b>Novo Nordisk</b>	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus أمراض السكري	<b>Denmark</b>		
1					
<b>Mixtard 30 hm penfill</b>	insulin human	<b>Antidiabetics</b>	<b>Novo Nordisk</b>	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus أمراض السكري	<b>Denmark</b>		
5 * 3 ml					
<b>Mixtard 30 penfill</b>	insulin human	<b>Antidiabetics</b>	<b>Novo Nordisk</b>	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus أمراض السكري	<b>Denmark</b>		
5 * 3 ml					
<b>Mixtard 50 penfill</b>	insulin human	<b>Antidiabetics</b>	<b>Novo Nordisk</b>	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus أمراض السكري	<b>Denmark</b>		
5*3ml					
<b>Mmusol</b>	ambroxol (15 mg/ 5ml)	<b>Respiratory drugs</b>	<b>Global Pharma</b>	5 ml by mouth, in 2 or 3 divided doses.	
Solution		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Unknown</b>		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Mobic</b>	Meloxicam tablet 15 mg	<b>Nonsteroidal Anti-</b>	<b>Boehringer Ingelheim</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	<b>Germany</b>		
10 tablets.					
<b>Mobicam</b>	Meloxicam tablet 15 mg & 7.5mg.	<b>NSAID</b>	<b>BIOPHARM</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
20 tablets.					
<b>Mobitil</b>	Meloxicam ampule 15mg/1.5ml.	<b>Nonsteroidal Anti-</b>	<b>MUP</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Ampoules		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
3 ampules.					
<b>MOBITIL</b>	Meloxicam 15 mg	<b>Non-Steroidal Anti-</b>	<b>MUP</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Suppositoris		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
6 rectal sup					
<b>Mobitil</b>	Meloxicam ampule 15mg/1.5ml.	<b>Nonsteroidal Anti-</b>	<b>MUP</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Ampoules		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
3 ampules.					
<b>Mobitil 15 mg</b>	Meloxicam tablet 15mg.	<b>Nonsteroidal Anti-</b>	<b>MUP</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
10film coated tablets.					
<b>Mobitil 15 mg</b>	Meloxicam	<b>Non-Steroidal Anti-</b>	<b>MUP</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
10 Film Coated Tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Mobitil 7.5 mg</b>	Meloxicam tablet 7.5mg.	<b>Nonsteroidal Anti-</b>	<b>MUP</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
10 tablets.					
<b>Mobitil 7.5 mg</b>	Meloxicam	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
<b>MOBIXIN 15</b>	Meloxicam	<b>NSAID</b>	<b>Global Pharma</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
10 tabs					
<b>MOBIXIN 15</b>	Meloxicam 15 mg	<b>NSAID</b>	<b>Global Pharma</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Suppositoris		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
6 supp					
<b>Modazar</b>	Losartan 100 mg + Hydrocholrothiazide 25 m / tab	<b>Cardio Vascular System drugs</b>	<b>EGYPHAR</b>	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Egypt</b>		
4tab OR 8tab					
<b>MODECEF</b>	Cephadrine 250 mg/ 5 ml	<b>Antibacterial</b>	<b>Modern Pharama</b>	Children may be given 25 to 100 mg/kg daily in divided doses to a maximum of 4 g daily.	
Dry syrup		Bacterial Infections الأصابات البكتيرية	<b>Yemen</b>		
100 ml					
<b>MODECEF 500</b>	Cephadrine 500 mg	<b>Antibacterial</b>	<b>Modern Pharama</b>	The usual dose for adults is 1 to 2 g daily given in divided doses, Children may be given 25 to 100 mg/kg daily in divided doses to a maximum of 4 g daily.	
Capsules		Bacterial Infections الأصابات البكتيرية	<b>Yemen</b>		
1strip*10capsul					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Moduretic</b>	Amiloride HCL 5 mg + Hydrochlorothiazide 50 mg	<b>Cardio Vascular System drugs</b>	<b>MSD</b>	Amiloride 5 to 10 mg daily, Hydrochlorothiazide 25 to 50 mg daily	
		Hypertension ارتفاع ضغط الدم	<b>USA</b>		
<b>Moduretic</b>	Amiloride +Hydrochlorothiazide	<b>Cardio Vascular System drugs</b>	<b>unknown</b>	Amiloride 5 to 10 mg daily, Hydrochlorothiazide 25 to 50 mg daily	
		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>Momenta</b>	Mometasone furoate 0.1% w/w+ Miconazole 2% w/w + Gentamicin 0.1% w/w	<b>Corticosteroid</b>	<b>Jamjoom Pharma</b>	Once daily or as directed	
Cream		Dermatitis التهابات الجلدية	<b>Saudi Arabia</b>		
30 gm /tube					
<b>MONICURE NH</b>	Miconazole Nitrate 100mg+Neomycin sulfate 50mg+Nystatin 100000iu	<b>Antifungals</b>	<b>Pharo pharma</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	<b>Egypt</b>		
6 Vaginal supp					
<b>Monotrate</b>	Isosorbide Mononitrate 20 mg	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	oral doses of 20 to 120 mg daily in divided doses according to the patient's needs.	
Tablets		Angina الذبحة الصدرية	<b>Unknown</b>		
10 x 10 tab					
<b>Montas</b>	Montelukast Sodium	<b>Respiratory drugs</b>	<b>ZYNOVA</b>	10 mg of montelukast once daily in the evening; children aged 6 to 14 years may be given the equivalent of 5 mg in the evening and children aged 6 months to 5 years may be	
Tablets		Bronchial Asthma الربو الشعبي	<b>Unknown</b>		
28 tab					
<b>Monte H5</b>	Montelukast Sodium	<b>Respiratory drugs</b>	<b>HETERO</b>	10 mg of montelukast once daily in the evening; children aged 6 to 14 years may be given the equivalent of 5 mg in the evening and children aged 6 months to 5 years may be	
Tablets		Bronchial Asthma الربو الشعبي	<b>Unknown</b>		
1x 10 chewable tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Mopidon</b>	Dexamethasone 0.5 mg + Chlorphenamine Maleate 2 mg	Antihistamines	Modern Pharama	As directed	
Solution		Allergy الحساسية	Yemen		
100 ml					
<b>Mosetifen</b>	Pizotifen 0.5 mg	Antihistamines	Modern Pharama	1.5 mg daily by mouth either in three divided doses or as a single dose at night	
Tablets		Appetizer Stimulant منشطات الشهية	Yemen		
30 tablet					
<b>Moti</b>	Domperidone	Gastro Intestinal drugs	Global Pharma	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
susp		Nausea and vomiting الغثيان والطرش	Yemen		
100 ml for bottle					
<b>Motidom</b>	Domperidone	Gastro Intestinal drugs	Medfey	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	Unknown		
3 x 10 tab					
<b>Motil</b>	Domperidone 1mg	Gastro Intestinal drugs	Global Pharma	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Drops		Nausea and vomiting الغثيان والطرش	Yemen		
30 ml					
<b>Motil</b>	Domperidone 10mg	Gastro Intestinal drugs	Global Pharma	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suppositoris		Nausea and vomiting الغثيان والطرش	Yemen		
5 supp					
<b>Motil</b>	Domperidone 30mg	Gastro Intestinal drugs	Global Pharma	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suppositoris		Nausea and vomiting الغثيان والطرش	Yemen		
5 supp					





Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Motil 10</b>	Domperidone 10 mg	<b>Gastro Intestinal drugs</b>	<b>Global Pharma</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
20 tabs					
<b>Motilat</b>	Domperidone 10 mg	<b>Gastro Intestinal drugs</b>	<b>RAM PHARMA</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Jordan</b>		
30 tab					
<b>Motilat</b>	Domperidone	<b>Gastro Intestinal drugs</b>	<b>RAM PHARMA</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suspension		Nausea and vomiting الغثيان والطرش	<b>Jordan</b>		
100 ml					
<b>Motildon</b>	Domperidone 10 mg	<b>Gastro Intestinal drugs</b>	<b>BIOPHARM</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
20 tab					
<b>Motilin</b>	Domperidone 5 mg	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suspension		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
60 ml					
<b>Motilin</b>	Domperidone 5 mg / 5 ml	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suspension		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
100 ml					
<b>Motilin</b>	Domperidone 1 mg / 1 ml	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suspension Oral Drops		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
30 ml					










Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Motilin Tablets</b>	Domperidone 10 mg / tab	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
20 tab					
<b>Motilium</b>	Domperidone	<b>Gastro Intestinal drugs</b>	<b>Janssen-Cilag</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suspension		Nausea and vomiting الغثيان والطرش	<b>Switzerland</b>		
200 ml for bottle					
<b>Motilium</b>	Domperidone	<b>Gastro Intestinal drugs</b>	<b>janssen</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Switzerland</b>		
30 tab					
<b>Motilium</b>	Domperidone 10 mg	<b>Gastro Intestinal drugs</b>	<b>Janssen-Cilag</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Germany</b>		
30 tab					
<b>Motilium</b>	Domperidone	<b>Gastro Intestinal drugs</b>	<b>Global Pharma</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suspension		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
100 ml					
<b>Motin</b>	Domperidone	<b>Gastro Intestinal drugs</b>	<b>OUBARY PHARMA</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suppositoris		Nausea and vomiting الغثيان والطرش	<b>Syria</b>		
10 child sup					
<b>Motin</b>	Domperidone	<b>Gastro Intestinal drugs</b>	<b>OUBARY PHARMA</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Syria</b>		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Motin Babies</b>	Domperidone	<b>Gastro Intestinal drugs</b>	<b>OUBARY PHARMA</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suppositoris		Nausea and vomiting الغثيان والطرش	<b>Syria</b>		
10 babies supps					
<b>MoviloX</b>	Moxifloxacin Hydrochloride	<b>Antibacterial</b>	<b>Unknown</b>	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	
		Bacterial Infections الأصابات البكتيرية	<b>Unknown</b>		
<b>Moxal plus Susp</b>	Al(OH) 215 mg+Mg(OH) 80 + Simethicone 25 mg	<b>Gastro Intestinal drugs</b>	<b>Julphar</b>	*tab = 40 -120 mg QID orall a.m * susp = 10 ml QID sachets = one sachet QID	
Suspension		Indigestion سوء الهضم	<b>UAE</b>		
100 ml for bottle					
<b>Moxal plus Tab</b>	Al(OH)200 mg+Mg(OH) 200mg+Simethicone 25 mg	<b>Gastro Intestinal drugs</b>	<b>Julphar</b>	tab = 40 -120 mg QID orall a.m * susp = 10 ml QID *sachets = one sachet QID	
Tablets		Indigestion سوء الهضم	<b>UAE</b>		
30 tabs					
<b>Moxalin</b>	Amoxicillin*	<b>Antibiotics</b>	<b>Modern Pharama</b>	125 to 250 mg every 8 hours	
Dry syrup		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
1bottel*100ml					
<b>Moxalin</b>	Amoxicillin*	<b>Antibiotics</b>	<b>Modern Pharama</b>	250 - 1000 mg three times daily	
capsules		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
10strip*10capsules					
<b>MOXALIN</b>	Amoxicillin	<b>Antibiotics</b>	<b>Modern Pharama</b>	125 to 250 mg every 8 hours	
Oral /Drops		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
10 ml					







Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Moxalin</b>	Amoxicillin 125 ml / 5 ml	Antibiotics	Modern Pharama	125 to 250 mg every 8 hours	
Dry Syrup		الأصابات الميكروبية Microbial Infections	Yemen		
100 ml					
<b>MOXALIN 500</b>	Amoxicillin 500 mg	Antibiotics	Modern Pharama	250 - 1000 mg three times daily	
Capsules		الأصابات الميكروبية Microbial Infections	Yemen		
20 cap					
<b>Moxaquin</b>	Moxifloxacin Hydrochloride	Antibacterial	Unknown	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	
		Bacterial Infections الأصابات البكتيرية	Unknown		
<b>Moxen 500mg</b>	Amoxicillin	Antibiotics	DELORBIS	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Capsules		الأصابات الميكروبية Microbial Infections	Cyprus		
100 cap					
<b>Moxicare</b>	Amoxicillin 500 mg / cap	Antibiotics	pharmacare	250 - 1000 mg three times daily	
Capsules		الأصابات الميكروبية Microbial Infections	Yemen		
2strip x 10 capsules					
<b>Moxicare</b>	Amoxicillin 250 mg / 5 ml	Antibiotics	Pharmacare	125 to 250 mg every 8 hours	
Dry syrup		الأصابات الميكروبية Microbial Infections	Yemen		
100 ml					
<b>Moxicin</b>	Moxifloxacin Hydrochloride	Antibacterial	Unknown	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	
Eye drops		Bacterial Infections الأصابات البكتيرية	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Moxicip</b>	Moxifloxacin HCl*	<b>Antibacterial</b>	<b>CIPLA</b>	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	
tablet		Bacterial Infections	<b>India</b>		
1strip*5tablet		الأصابات البكتيرية			
<b>Moxiflo</b>	Moxifloxacin Hydrochloride	<b>Antibacterial</b>	<b>Unknown</b>	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	
		Bacterial Infections	<b>Unknown</b>		
		الأصابات البكتيرية			
<b>Moxiram</b>	Amoxicillin*	<b>Antibiotics</b>	<b>RAM PHARMA</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
tablet		الأصابات الميكروبية	<b>Jordan</b>		
1strip*10tablet		Microbial Infections			
<b>MOXIVAL</b>	Moxifloxacin Hydrochloride 400 mg	<b>Antibacterial</b>	<b>Global Pharma</b>	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	
Tablets		Bacterial Infections	<b>Yemen</b>		
5 tabs		الأصابات البكتيرية			
<b>MUCACID</b>	Unknown	<b>Gastro Intestinal drugs</b>	<b>EIPICO</b>	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Suspension		سوء الهضم	<b>Egypt</b>		
125 ml					
<b>Mucodil</b>	Bromhexine (.....)	<b>Respiratory drugs</b>	<b>MEDREICH</b>	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Syrup		Respiratory Disorders	<b>Unknown</b>		
100 ml		اضطرابات الجهاز التنفسي			
<b>Muconil</b>	Each 5 ml contains : Ambroxol HCl 30mg + Guaiphenesin 50mg	<b>Respiratory drugs</b>	<b>Pharmacare</b>	5 ml by mouth, in 2 or 3 divided doses.	
Syrup		Respiratory Disorders	<b>Yemen</b>		
100 ml		اضطرابات الجهاز التنفسي			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Muconil</b>	Each 1 ml contains Ambroxol HCl 7.5 mg	<b>Respiratory drugs</b>	<b>Pharmacare</b>	Children 1 - 6 years: 1 ml 2-3 times daily and Children over 6 years: 2 ml 2 - 3 times daily	
Drops		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Yemen</b>		
30 ml					
<b>Muconil SR</b>	Each capsule contains Ambroxol HCl 75 mg	<b>Respiratory drugs</b>	<b>Pharmacare</b>	Adults & children over 12 years: 1 capsule once daily	
Capsules		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Yemen</b>		
10 cap					
<b>Mucosental</b>	Ambroxol Hydrochloride 7.5 mg / 1 ml	<b>Respiratory drugs</b>	<b>Shiba pharma</b>	usual daily dose of 60 to 120 mg	
Oral Drops / Solution		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Yemen</b>		
30 ml					
<b>Mucosin S.R.</b>	ambroxol 75 mg	<b>Respiratory drugs</b>	<b>RAMEDA</b>	1 capsule by mouth, in 2 or 3 divided doses.	
Hard Gelatin Capsules		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Egypt</b>		
10 Hard Gelatin Capsules					
<b>Mucosolvan</b>	ambroxol (15mg/5ml)	<b>Respiratory drugs</b>	<b>Boehringer Ingelheim</b>	5 ml by mouth, in 2 or 3 divided doses.	
Elixir		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Germany</b>		
100 ml					
<b>Mucosolvan</b>	Ambroxol Hydrochloride 30 mg /tab	<b>Respiratory drugs</b>	<b>Boehringer Ingelheim</b>	usual daily dose of 60 to 120 mg	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Germany</b>		
20 tab					
<b>MUFIK-15</b>	meloxicam 15mg/ tablet.	<b>NSAID</b>	<b>RFA</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع	<b>Yemen</b>		
20 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>MUFIK-7.5</b>	Meloxicam 7.5 mg/tablets.	<b>NSAID</b>	<b>RFA</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع	<b>Yemen</b>		
20 tablets					
<b>MULTIPLAN+IRON</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>LIFEPLAN</b>	As directed	
Tablets		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
60 tablet					
<b>Multiplus</b>	Multi vitamin and Menirals + omega3	<b>Vitamines and Menirals</b>	<b>Sona nutrition LTD. Ireland</b>	As directed	
Syrup		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
100 ml					
<b>Multiplus</b>	Multi vitamin and Menirals + omega3	<b>Vitamines and Menirals</b>	<b>Sona nutrition LTD. Ireland</b>	As directed	
Capsules		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
30 Capsules					
<b>Multi-sanostol</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>Unknown</b>	As directed	
Syrup		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
200 gm					
<b>Multi-sanostol</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>Unknown</b>	As directed	
		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
<b>Multi-sanostol with calcium</b>	multi vitamin with calcium	<b>Vitamines and Menirals</b>	<b>Nycomed .Germany</b>	As directed	
Syrup		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
200mg of syrup					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Multi-sanostol with iron</b>	multi vitamin with iron	<b>Vitamines and Menirals</b>	Nycomed ,Germany	As directed	
Syrup		Vitamins	<b>Unknown</b>		
syrup 285g		نقص فيتامينات			
<b>MULTITABLETS</b>	12 vitamins+11 minerals+iron	<b>Vitamines and Menirals</b>	lab. Wolfs N V	As directed	
Tablets		Vitamins	<b>Unknown</b>		
30 coated tabs		نقص فيتامينات			
<b>Multivitol Fort</b>	MULTIVITAMIN S + IRON + ZINC.	<b>Vitamines and Menirals</b>	OCTOBER PHARMA	As directed	
Syrup		Vitamins	<b>Egypt</b>		
120ml		نقص فيتامينات			
<b>Musol</b>	Ambroxol (7.5 mg/1 ml)	<b>Respiratory drugs</b>	Global Pharma	1 ml by mouth, in 2 or 3 divided doses.	
Oral /Drops		Respiratory Disorders	<b>Unknown</b>		
30 ml		اضطرابات الجهاز التنفسي			
<b>Musol</b>	Ambroxol Hydrochloride	<b>Respiratory drugs</b>	<b>Unknown</b>	usual daily dose of 60 to 120 mg	
		Respiratory Disorders	<b>Unknown</b>		
		اضطرابات الجهاز التنفسي			
<b>Muvit</b>	vitamins + minerals ,food supplement	<b>Vitamines and Menirals</b>	shaphaco	Adult : 5 ml three times a day , Children : 2.5 - 5 ml two times a day .	
Capsules		Vitamins	<b>Yemen</b>		
30 cap		نقص فيتامينات			
<b>Muvit antioxidant</b>	vitamins + minerals ,food supplement	<b>Vitamines and Menirals</b>	shaphaco	Adult : 5 ml three times a day , Children : 2.5 - 5 ml two times a day .	
Capsules		Vitamins	<b>Yemen</b>		
30 cap		نقص فيتامينات			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Muvit cal</b>	Calcium 500mg+ Vit d250IU+Mg oxide 40mg+Mg sulphate 1.8mg+Zinc 7.5mg+copper	<b>Vitamines and Menirals</b>	<b>Shaphaco</b>	Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Capsules		Osteoarthritis	<b>Yemen</b>		
30 softlets		التهابات العظام			
<b>Muvit Gold</b>	vitamin, amino acids, mineral, ginseng	<b>Vitamines and Menirals</b>	<b>shaphaco</b>	One capsule or more daily or as prescribed by the physician	
capsules		Vitamins	<b>Yemen</b>		
15 capsules		Deficiency نقص فيتامينات			
<b>Mybacin lozenges</b>	neomycin 2.5 mg +Bacitracin 100 mg +amyloczine 0.5 mg	<b>Antiseptic and Desinfectants</b>	<b>greater ph.</b>	As directed	
Lozenges		Common Cold	<b>Unknown</b>		
100 tab		نزلات البرد			
<b>Mycocur</b>	Terbinafine HCl 1%	<b>Antifungals</b>	<b>NOBEL</b>	As directed	
Cream		Dermatitis	<b>Unknown</b>		
15 gm		الالتهابات الجلدية			
<b>Mycosat Oral</b>	Nystatin 100000 i.u./ml+Propyl paraben 0.04mg+Methyl paraben 0.1mg	<b>Antifungals</b>	<b>Dar Al Dawa</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	<b>Jordan</b>		
7 Supositore vaginale					
<b>Mycoheal HC cream</b>	miconazol 20 mg + hydrocortisone 10 mg	<b>Antifungals</b>	<b>Dar Al Dawa</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Cream		Fungal Infections	<b>Jordan</b>		
1 tube 15 gm		الأصباغ الفطرية			
<b>Mycosat Oral</b>	Nystatin 100000 i.u./ml+Propyl paraben 0.04mg+Methyl paraben 0.1mg	<b>Antifungals</b>	<b>Amman pharma</b>	Three to four times daily	
Suspension		Fungal Infections	<b>Jordan</b>		
30 ml		الأصباغ الفطرية			











Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Mycosyst 150 mg</b>	Fluconazole	<b>Antifungals</b>	<b>Unknown</b>	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis الالتهابات الجلدية	<b>Unknown</b>		
2 cap					
<b>Mycoten</b>	Clotrimazole	<b>Antifungals</b>	<b>beit jala</b>	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Cream		Vaginal المهبل	<b>Palestine</b>		
20 gm					
<b>Mycoten Tablets</b>	Each vaginal tablet contains 500 mg Clotrimazole	<b>Antifungals</b>	<b>Beit Jala</b>	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Tablets		Vaginal المهبل	<b>Palestine</b>		
1					
<b>MYDOCALM</b>	Tolperisone Hydrochloride	<b>Central Nervous system drugs</b>	<b>Unknown</b>	doses of 50 to 150 mg three times daily by mouth. It has also been given by injection.	
Tablets		Muscle relaxation مرخيات العضلات	<b>Unknown</b>		
30 tab					
<b>MYDOCALM 50 mg</b>	Tolperisone Hydrochloride	<b>Central Nervous system drugs</b>	<b>Unknown</b>	doses of 50 to 150 mg three times daily by mouth. It has also been given by injection.	
Ampoules		Muscle relaxation مرخيات العضلات	<b>Unknown</b>		
5 amp					
<b>Mylobac</b>	Baclofen	<b>Muscle relaxations</b>	<b>Unknown</b>	Adult dose 5 - 20 mg three times daily , for children 0.75 to 2 mg/kg daily	
		Hiccup أو الفهقة الفواق	<b>Unknown</b>		
<b>Mylor</b>	herbal extract	<b>Respiratory drugs</b>	<b>Y.E.PHARMA</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>Yemen</b>		
120 ml					







Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Mylor</b>	Unknown	<b>Unknown</b>	<b>Unknown</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>Unknown</b>		
120 ml					
<b>Myogrel</b>	Clopidogrel Bisulfate	<b>Cardio Vascular System drugs</b>	<b>ADWIA</b>	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily. prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	<b>Egypt</b>		
30 tab					
<b>myogestic</b>	Orphenadrine Citrate + paracetamol	<b>Muscle relaxations</b>	<b>Dar Al Dawa</b>	by mouth in a dose of 100 mg twice daily or by intramuscular or slow intravenous injection in a dose of 60 mg which has been repeated every 12 hours.	
Tablets		Parkinson's disease مرض الرعاش	<b>Jordan</b>		
box of 20 tablet of 35mg					
<b>Myogestic</b>	Orphenadrine 35mg+paracetamol 1450mg /tablet.	<b>Muscle relaxations</b>	<b>Dar al dawa.</b>	Minimum/Maximum Adult Daily Dose:3 - 8 Tablets.	
Tablets		Parkinson's disease مرض الرعاش	<b>Unknown</b>		
20 tablets.					
<b>MYOLGESIC</b>	Ibuprofen	<b>Non-Steroidal Anti-</b>	<b>KAHIRA PHARM</b>	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
10 tab					
<b>Myolgin</b>	paracetamol	<b>Skeletal Muscle</b>	<b>Glaxo Wellcome</b>	250 mg three or four times daily, up to 750 mg three or four times daily may be given if necessary.	
Capsules		Muscle relaxation مرخيات العضلات	<b>Unknown</b>		
20 capsules of 250mg/capsule					
<b>Myonal</b>	Eperisone	<b>Muscle relaxations</b>	<b>Eisai</b>	by mouth in usual doses of 50 mg three times daily after food.	
Tablets		Muscle relaxation مرخيات العضلات	<b>JAPAN</b>		
30 talet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Nadine</b>	Ranitidine	<b>Gastro Intestinal drugs</b>	<b>DIC</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	<b>Jordan</b>		
10 tabs					
<b>Naklofen</b>	Diclofenac potassium	<b>Non-Steroidal Anti-</b>	<b>KRKA</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Ampoules		Analgic مهدئات الأوجاع	<b>India</b>		
5 amp of 3 ml					
<b>Naklofen</b>	Diclofenac Potassium	<b>Non-Steroidal Anti-</b>	<b>KRKA</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Capsules		Analgic مهدئات الأوجاع	<b>India</b>		
20 cap					
<b>Naldix</b>	Nalidixic Acid 125 mg / 5 ml	<b>Antibacterial</b>	<b>Shiba pharma</b>	Adult 4 gm , Children 50 to 60 mg/kg: daily by mouth in 4 divided doses for at least 7 days in acute infections	
Suspension		Diarrhea الأسهال	<b>Yemen</b>		
100 ml					
<b>Naldix 500</b>	Nalidixic Acid 500 mg / tab	<b>Antibacterial</b>	<b>Shiba pharma</b>	Adult 4 gm , Children 50 to 60 mg/kg: daily by mouth in 4 divided doses for at least 7 days in acute infections	
Tablets		Diarrhea الأسهال	<b>Yemen</b>		
20 tab					
<b>Nalacid</b>	Nalidixic Acid 250 mg / 5 ml and Nalidixic Acid 125 mg / 5 m	<b>Antibacterial</b>	<b>Pharmacare</b>	Adult 4 gm , Children 50 to 60 mg/kg: daily 4 divided doses for 7 days in acute infections	
Suspension		Diarrhea الأسهال	<b>Yemen</b>		
120 ml					
<b>Napilac</b>	Etodolac capsule 200mg.	<b>Nonsteroidal Anti-</b>	<b>GLOBAL NAPI</b>	Minimum/Maximum Adult Daily Dose:500 - 1000 mg (milligram) OR 1 - 2 Tablet	
Capsules		Analgic مهدئات الأوجاع	<b>Egypt</b>		
20 capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Naproxen 500 mg</b>	Naproxen	<b>Non-Steroidal Anti-</b>	<b>DELORBIS</b>	500 mg to 1 g of naproxen daily , children 10 to 15 mg/kg twice daily	
Tablets		Analgesic مهدئات الأوجاع	<b>Cyprus</b>		
20 tab					
<b>Napta-40</b>	Pantoprazole 40 mg	<b>Gastro Intestinal drugs</b>	<b>Alex</b>	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Vial		Peptic ulcer قرحة المعدة	<b>Unknown</b>		
1 vial					
<b>Nasal</b>	Combination	<b>Respiratory drugs</b>	<b>Global Pharma</b>	As directed	
Drops		Nose	<b>Unknown</b>		
10 ml					
<b>NASATAB</b>	Clopheniramine 4 mg + Pseudoephedrine 60 mg + Paracetamol 50 mg	<b>Respiratory drugs</b>	<b>Axcel</b>	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Tablets		Common Cold نزلات البرد	<b>Unknown</b>		
100 tab					
<b>Nasivin 0.025 %</b>	Oxymetazoline Hydrochloride	<b>Respiratory drugs</b>	<b>Julphar</b>	Nasal drops , or Orally in Adult 5 mg while children 1.25 to 2.5 mg as two or three times daily .	
Drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>UAE</b>		
10 ml					
<b>Nasivin Adult D</b>	Oxymetazoline HCL 0.05%	<b>Respiratory drugs</b>	<b>julphar</b>	Nasal drops , or Orally in Adult 5 mg while children 1.25 to 2.5 mg as two or three times daily .	
Adult Nasal / drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>UAE</b>		
10 ml					
<b>Nasivin Pediatric D</b>	Oxymetazoline HCL 0.025%	<b>Respiratory drugs</b>	<b>julphar</b>	Nasal drops , or Orally in Adult 5 mg while children 1.25 to 2.5 mg as two or three times daily .	
Pediatric Nasal / drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>UAE</b>		
10 ml					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Nasocin</b>	Sodium chloride 9 mg	<b>Respiratory drugs</b>	<b>Modern Pharama</b>	As directed	
Nasal Drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>Yemen</b>		
10 ml					
<b>Nasonex</b>	Mometasone Furoate	<b>Respiratory drugs</b>	<b>Schering-Plough</b>	Once daily	
Spray		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>Belgium</b>		
120 meterd sprays					
<b>Nasonex</b>	Mometasone Furoate 0.05% 50 mic g	<b>Respiratory drugs</b>	<b>schering-ploughg</b>	Once daily	
Nasal / Spray		Nose	<b>Belgium</b>		
120 dose					
<b>NATELAL</b>	Calcium +Vitamin D	<b>Vitamines and Menirals</b>	<b>LIFEPHARMA</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	<b>Italy</b>		
60 tab					
<b>Nature Tears</b>	Unknown	<b>Natural products</b>	<b>Liqvor</b>	As directed	
Drops		Eye العين	<b>Unknown</b>		
<b>Navidoxine</b>	Meclozine Hydrochloride 25 mg + PyridoxineHydrochloride 50 mg	<b>Gastro Intestinal drugs</b>	<b>UCB</b>	* Motion Sickness= ADULTS: PO 25-50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25-100 mg/day in divided doses	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Unknown</b>		
10 tabs					
<b>Navoproxin</b>	Meclozine Hydrochloride 25 mg + PyridoxineHydrochloride 50 mg	<b>Gastro Intestinal drugs</b>	<b>Delta pharma</b>	* Motion Sickness= ADULTS: PO 25-50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25-100 mg/day in divided doses	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Egypt</b>		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Naxiprazol</b>	Esomeprazole	<b>Gastro Intestinal drugs</b>	<b>NCPI</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	<b>Syria</b>		
20 caps					
<b>NEBILET</b>	Nebivolol 5 mg	<b>Cardio Vascular System drugs</b>	<b>MENARINI</b>	2.5 - 5 mg of nebivolol daily	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Italy</b>		
14 tab					
<b>Nebilol</b>	Nebivolol 5 mg	<b>Cardio Vascular System drugs</b>	<b>Shiba pharma</b>	2.5 - 5 mg of nebivolol daily	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Yemen</b>		
30 tab					
<b>Neo - HEALAR</b>	Combination	<b>Antihaemorrhages</b>	<b>Unknown</b>	As directed	
Suppositoris		Haemorrhoids البواسير	<b>Unknown</b>		
10 supp					
<b>Neo_Penotran</b>	Metronidazole 100mg+ miconazole 100mg	<b>Antiprtozoal</b>	<b>MEGA</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suppositoris		Amoebiasis , جارديا واميبيا	<b>Thailand</b>		
14 vaginal pessaries					
<b>Neocarbon</b>	Charcoal activated 315mg +soya oil 145 mg+essence of anise50 mg + essence of mint	<b>Gastro Intestinal drugs</b>	<b>MARNYS</b>	A usual adult dose for reduction of absorption is 50 g, but higher doses have been used. Children 1 to 12 years old may be given 25 to 50 g and infants under 1 year 1 g/kg.	
Soft Gelatin Capsules		Poisons التسمم	<b>UK</b>		
30 caps					
<b>Neoclav</b>	Amoxicillin/Clavulanate Potassium	<b>Antibiotics</b>	<b>Neopharma</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Neoclav</b>	Amoxicillin/Clavulanate Potassium	<b>Antibiotics</b>	<b>Neopharma</b>	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Tablets		الأصابات الميكروبية Microbial Infections	<b>UAE</b>		
20 tab					
<b>Neoclav</b>	Amoxicillin/Clavulanate Potassium	<b>Antibiotics</b>	<b>Neopharma</b>	Children up to 10 years 125 to 250 mg every 8 hours or Three times daily	
Suspension		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
70 ml					
<b>Neoclave</b>	Amoxicillin/Clavulanate Potassium	<b>Antibiotics</b>	<b>Neo pharma</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
tablet		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
2strip*7tablet					
<b>Neoday</b>	Loratadine	<b>Antihistamines</b>	<b>Neopharma</b>	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Tablets		الحساسية Allergy	<b>UAE</b>		
10 tab					
<b>Neoflam-Retard</b>	Diclofenac Sodium tablet 100mg	<b>Nonsteroidal Anti-</b>	<b>Neopharma</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع Analgesic	<b>UAE</b>		
10 tablets					
<b>Neogastro plus</b>	Unknown	<b>Gastro Intestinal drugs</b>	<b>Neopharma</b>	As directed	
Tablets		سوء الهضم Indigestion	<b>UAE</b>		
50 Chewable tablets					
<b>Neogyl</b>	Metronidazole	<b>Antiprtozoal</b>	<b>Neopharma</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		جارديا واميبيا Amoebiasis , Giardiasis	<b>Unknown</b>		
20 tab					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Neolax</b>	Lactulose	<b>Gastro Intestinal drugs</b>	<b>Global Pharma</b>	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
solution		Constipation الأمساك	<b>Yemen</b>		
100 ml for bottle					
<b>NEOMERCAZOLE</b>	carbimazole	<b>Hormones</b>	<b>AMDIPHARM</b>	in oral by dectore only	
Tablets		Thyroid hormone الغدة الدرقية	<b>Unknown</b>		
100					
<b>Neomet</b>	Metformin 500mg	<b>Antidiabetics</b>	<b>Neopharma</b>	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	<b>UAE</b>		
30 tab					
<b>Neomox</b>	Amoxicillin*	<b>Antibiotics</b>	<b>Neo pharma</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Capsules		الأصباات الميكروبية Microbial Infections	<b>Unknown</b>		
10strip * 10cap					
<b>Neomox</b>	Amoxicillin	<b>Antibiotics</b>	<b>Neo pharma</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Suspension		الأصباات الميكروبية Microbial Infections	<b>Unknown</b>		
100 ml					
<b>Neomycin</b>	Neomycin	<b>Antibiotics</b>	<b>Memphis</b>	tab 500mg	
Tablets		Serious M. Infections الأصباات الميكروبية الخطرة	<b>Egypt</b>		
2strip*10tablet					
<b>Neo-Penotran</b>	Miconazole nitrate 100mg+Metronidazole 500mg	<b>Antifungals</b>	<b>MEGA</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		المهبل Vaginal	<b>Thailand</b>		
14 vaginal pessaries					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Neoprazole - 40 mg</b>	Omeprazole	<b>Gastro Intestinal drugs</b>	<b>Neopharma</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	<b>UAE</b>		
14 cap					
<b>neopril</b>	Lisinopril	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	usual oral dose is 5 -20 mg daily,	
		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>Neoxicam</b>	Meloxicam tablet 15mg.	<b>Nonsteroidal Anti-</b>	<b>Neopharma</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
10 tablets					
<b>Nervamin</b>	Vit. B12(micobalamin e)	<b>Vitamines and Menirals</b>	<b>Pharma International</b>	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Tablets		Anaemia فقر الدم	<b>Jordan</b>		
30 Tablets					
<b>nervamine</b>	mecobalamine500 micro gram	<b>Vitamines and Menirals</b>	<b>Pharma International</b>	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Tablets		Anaemia فقر الدم	<b>Jordan</b>		
30 tablet					
<b>Neseom 20</b>	Esomeprazole 20 mg	<b>Gastro Intestinal drugs</b>	<b>YEDCO</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Tablets		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
10 tab					
<b>NEUROBILT</b>	Gabapentin tablet 300 mg	<b>Central Nervous system drugs</b>	<b>Modern Pharama</b>	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	
Capsules		Epilepsy الصرع	<b>Yemen</b>		
30 caps					




Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Neurobion</b>	vit B1 100mg+B6 200mg+B12 200Mg	<b>Vitamines and Menirals</b>	<b>MERCK</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Ampoules		Vitamins	<b>Germany</b>		
3 ampoules 3ml		نقص فيتامينات			
<b>Neurobion</b>	Vitamin B Substances	<b>Vitamines and Menirals</b>	<b>MERCK</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Tablets		Vitamins	<b>Germany</b>		
20 tablet		نقص فيتامينات			
<b>Neuromax</b>	vit [ B1+B6+B12]	<b>Vitamines and Menirals</b>	<b>Global Pharma</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Tablets		Vitamins	<b>Yemen</b>		
20 Tablets		نقص فيتامينات			
<b>Neuromeal</b>	vit B1 100mg+B6 200mg+B12 200Mg	<b>Vitamines and Menirals</b>	<b>Modern Pharama</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Tablets		Vitamins	<b>Yemen</b>		
20 tabs		نقص فيتامينات			
<b>Neurorubine</b>	Vitamin B Substances	<b>Vitamines and Menirals</b>	<b>Unknown</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Ampoules		Neuritis; vitamin B deficiency	<b>Unknown</b>		
5 amp					
<b>Neurorubine</b>	Vit. B1.100MG&B6-200MG&B12-200MG 5 Ampoules of 3ml	<b>Vitamines and Menirals</b>	<b>mepha</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Ampoules		Vitamins	<b>Unknown</b>		
5 ampoules of 3ml		نقص فيتامينات			
<b>Neurorubine-forte</b>	Vitamin B Substances	<b>Vitamines and Menirals</b>	<b>Acino</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Tablets		Vitamins	<b>Switzerland</b>		
20 tab		نقص فيتامينات			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>neurorubine-forte</b>	vitB1 200mg+vitB6 50mg+vitB12 1000microgram	<b>Vitamines and Menirals</b>	mepha	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Tablets		Vitamins نقص فيتامينات	Unknown		
20 tablet					
<b>Neurorubine-Forte</b>	vit B1 100mg+B6 200mg+B12 200Mg	<b>Vitamines and Menirals</b>	mepha	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Tablets		Vitamins نقص فيتامينات	Unknown		
20 Tablets					
<b>Neurotopretard 300</b>	carbamazepin tablet 600 mg	<b>Central Nervous system drugs</b>	GEROT LANNACH	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	Viena, Austria		
50 Tablet					
<b>Neurotopretard 600</b>	carbamazepin tablet 600 mg	<b>Central Nervous system drugs</b>	GEROT LANNACH	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	Viena, Austria		
50 Tablet					
<b>neurovit</b>	vit B1 100mg+B6 200mg+B12 200Mg	<b>Vitamines and Menirals</b>	AMRIYA PHARMA	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Tablets		Vitamins نقص فيتامينات	Egypt		
20 Tablets					
<b>Neurovit</b>	Vitamin B Substances	<b>Vitamines and Menirals</b>	AMRIYA PHARMA	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Ampoules		Vitamins نقص فيتامينات	Egypt		
3 ampoules					
<b>NEUROZAN Plus</b>	Ginkgo Biloba+L-Arginin e+Glutamine+Glutathione+Co-enzyme Q10+Phosphatidyl	<b>Vitamines and Menirals</b>	VITABIOTICS	As directed	
Capsules		Vitamins نقص فيتامينات	Unknown		
30 capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Nevxal</b>	Nepafenac 0.1%	<b>Ophthalmic drugs</b>	<b>Orchidia Pharma</b>	instilled 3 times daily starting on the day before surgery and continuing for 2 weeks after surgery.	
Suspension		Eye العين	<b>Egypt</b>		
5 ml					
<b>New-dol</b>	Paracetamol drops 100/ml.	<b>Nonsteroidal Anti-</b>	<b>Global Pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Oral /Drops		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Unknown</b>		
15 ml					
<b>New-dol</b>	Paracetamol 500 mg	<b>NSAID</b>	<b>Global Pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
20 tab					
<b>New-dol</b>	Paracetamol 500 mg	<b>NSAID</b>	<b>Global Pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
10x10 tab					
<b>New-dol</b>	Paracetamol 250 mg	<b>NSAID</b>	<b>Global Pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
60 ml					
<b>New-dol</b>	Paracetamol 160mg mg	<b>NSAID</b>	<b>Global Pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
60 ml					
<b>New-dol</b>	Pseudoephedrine +cetirizine ???	<b>Respiratory drugs</b>	<b>Global Pharma</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	<b>Unknown</b>		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>New-dol 125 mg</b>	Paracetamol supp, 125mg.	<b>Nonsteroidal Anti-</b>	<b>Global Pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - Analgasic مهدئات الأوجاع والحمى	<b>Unknown</b>		
10 supp,					
<b>New-dol 250 mg</b>	Paracetamol supp, 250mg.	<b>Nonsteroidal Anti-</b>	<b>Global Pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - Analgasic مهدئات الأوجاع والحمى	<b>Unknown</b>		
10 supp,					
<b>New-dol EXTRA</b>	Paracetamol	<b>NSAID</b>	<b>Global Pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgasic مهدئات الأوجاع والحمى	<b>Yemen</b>		
20 tab					
<b>New-gra</b>	Sildenafil Citrate 50 mg/ tablet	<b>Sex Stimulants</b>	<b>Global Pharma</b>	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	<b>Yemen</b>		
4 tab					
<b>new-gra</b>	Sildenafil Citrate 25 mg/ tablet	<b>Sex Stimulants</b>	<b>Global Pharma</b>	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	<b>Yemen</b>		
10 tab					
<b>NEXAZOL</b>	Esomeprazole	<b>Gastro Intestinal drugs</b>	<b>Modern Pharama</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		قرحة المعدة	<b>Yemen</b>		
14 cap					
<b>Nexazol 40 mg</b>	Esomeprazole	<b>Gastro Intestinal drugs</b>	<b>Modern Pharama</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		قرحة المعدة	<b>Yemen</b>		
14 caps					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>NEXITO-10</b>	Escitalopram tablet 10mg	<b>Central Nervous system drugs</b>	<b>SUN</b>	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	<b>India</b>		
30 tablets					
<b>NEXITOP</b>	Esomeprazole 20 mg	<b>Gastro Intestinal drugs</b>	<b>Y.E.PHARMA</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
100 caps					
<b>NEXITOP</b>	Esomeprazole 40 mg	<b>Gastro Intestinal drugs</b>	<b>Y.E.PHARMA</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
14 caps					
<b>Nexium 20 mg</b>	Esomeprazole	<b>Gastro Intestinal drugs</b>	<b>ASTRAZENECA</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Tablets		Peptic ulcer قرحة المعدة	<b>UK= United Kingdom</b>		
14 tabs					
<b>Nexium 40 mg</b>	Esomeprazole	<b>Gastro Intestinal drugs</b>	<b>ASTRAZENECA</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Tablets		Peptic ulcer قرحة المعدة	<b>UK= United Kingdom</b>		
14 tabs					
<b>NEXOL</b>	Esomeprazole 20mg	<b>Gastro Intestinal drugs</b>	<b>Global Pharma</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
14 caps					
<b>NEXOL</b>	Esomeprazole 20	<b>Gastro Intestinal drugs</b>	<b>Global Pharma</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
14 caps					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Nexpro</b>	Esomeprazole	<b>Gastro Intestinal drugs</b>	<b>Torrent</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
vial		Peptic ulcer قرحة المعدة	<b>India</b>		
1 vial					
<b>NICE-BABAY</b>	Unknown	<b>Skin Disorders</b>	<b>Unknown</b>	As directed	
Ointment		Dermatitis التهابات الجذلية	<b>Unknown</b>		
20 gm / tube					
<b>Nice-Derm</b>	Nystatin	<b>Antifungals</b>	<b>Global Pharma</b>	Three to four times daily	
Cream		Dermatitis التهابات الجذلية	<b>Yemen</b>		
15 g					
<b>Nicosamide</b>	Nicosamide	<b>Anthelmentic</b>	<b>Unknown</b>	Tapeworms: Single dose nicosamide 2 gm chewed tablets on empty stomach. Hymenolepis (H.Nana): 2 gm initially + 1 gm daily for 6 days	
Tablets		Tape Worms الدودة الشريطية	<b>Unknown</b>		
4 tab					
<b>Nifedipine</b>	Nifedipine	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	10 to 40 mg twice daily	
20, 10 mg		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>Night&amp;day</b>	pseudoephedrine + paracetamol + diphenhydramine	<b>Respiratory drugs</b>	<b>MUP</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	<b>Egypt</b>		
10 tab					
<b>Nilstat</b>	Nystatin 100000 I.U.24 ml	<b>Antifungals</b>	<b>SIGMA</b>	Three to four times daily	
Oral /Drops		Fungal Infections الأصابات الفطرية	<b>Egypt</b>		
24 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Nimodipine</b>	Nimodipine	<b>Cardio Vascular System drugs</b>	<b>BAYER</b>	orally in a dose of 60 mg every 4 hours	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Germany</b>		
30 tab					
<b>Nistan</b>	Nystatin 100000 I.u./ml suspension	<b>Antifungals</b>	<b>Modern Pharama</b>	Three to four times daily	
Oral /Drops		Fungal Infections الأصباغ الفطرية	<b>Yemen</b>		
30 ml					
<b>Nitrest 10</b>	Zolpidem Tartrate 10 mg	<b>Central Nervous system drugs</b>	<b>SUN Pharma</b>	10 mg taken immediately before retiring. In elderly or debilitated patients, treatment limited to a dose of 5 mg at night.	
Tablets		Anxiety, Insunnea الأرق والقلق	<b>India</b>		
10 tab					
<b>Nitrocor Retard</b>	Nitroglycerin 2.5 mg	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	One sublingual tablet (usual strength 300 to 600 micrograms) is placed under the tongue. ,for total of 3 doses within 15 minutes.	
6 x 10		Angina الذبحة الصدرية	<b>Unknown</b>		
<b>Nitromack Retard</b>	Nitroglycerin .2.5 and 5 mg	<b>Cardio Vascular System drugs</b>	<b>OCTOBER PHARMA</b>	One sublingual tablet (usual strength 300 to 600 micrograms) is placed under the tongue. ,for total of 3 doses within 15 minutes.	
Tablets		Angina الذبحة الصدرية	<b>Egypt</b>		
30 tab					
<b>Nitrotard</b>	Glyceryl Trinitrate ( Nitroglycerin)	<b>Cardio Vascular System drugs</b>	<b>MUP</b>	One sublingual tablet (usual strength 300 to 600 micrograms) is placed under the tongue. ,for total of 3 doses within 15 minutes.	
Caplets		Angina الذبحة الصدرية	<b>Egypt</b>		
60 cap					
<b>Nizoral</b>	Ketoconazole	<b>Antifungals</b>	<b>Janssen-Cilag</b>	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	
Cream		Dermatitis الالتهابات الجلدية	<b>Switzerland</b>		
30 gm					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Nizoral</b>	Ketoconazole	<b>Antifungals</b>	<b>Janssen-Cilag</b>	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	
Tablets		Dermatitis التهابات الجلدية	<b>Switzerland</b>		
10 tab					
<b>Nocuf</b>	Unknown	<b>Unknown</b>	<b>JOSWE</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>Jordan</b>		
120 ml					
<b>NOLVADEX</b>	tamoxifen citrate 10	<b>Gynaecology drugs</b>	<b>ASTRENECA</b>	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 2 - 4 Tablet	
Tablets		Infertility العقم	<b>Unknown</b>		
30					
<b>Nootropil</b>	Piracetam	<b>Central Nervous system drugs</b>	<b>Unknown</b>	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Tablets		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
200 ml					
<b>NOOTROPIL 800mg</b>	Piracetam 800mg	<b>Central Nervous system drugs</b>	<b>Unknown</b>	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Tablets		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
30 film coated tab					
<b>Noradrenaline</b>	Noradrenaline	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	intravenous infusion of a solution containing the equivalent of 4 micrograms of the base per mL in glucose 5%, or sodium chloride 0.9%	
amp		Hypotension انخفاض ضغط الدم	<b>Unknown</b>		
<b>Norcetam</b>	Piracetam 200mg / 1 ml	<b>Central Nervous system drugs</b>	<b>RAM pharma</b>	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Syrup		Mental Disorders الأمراض العقلية	<b>Jordan</b>		
120 ml /bottle					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Norcetam - 800</b>	Piracetam	<b>Central Nervous system drugs</b>	<b>RAM PHARMA</b>	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Tablets		Mental Disorders الأمراض العقلية	<b>Jordan</b>		
30 tab					
<b>Norcetam 400</b>	piracetam- 400 / cap	<b>Central Nervous system drugs</b>	<b>RAM Pharma</b>	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Capsules		Mental Disorders الأمراض العقلية	<b>Jordan</b>		
30 capsule					
<b>NORCOLUT</b>	norethisterone 1	<b>Gynaecology drugs</b>	<b>GEDEON RICHTER</b>	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	<b>HUNGARY</b>		
20					
<b>NOREGYN 5 mg</b>	norethisterone 5 mg	<b>Gynaecology drugs</b>	<b>ZAFA</b>	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	<b>Pakistan</b>		
3X 10 tablet					
<b>Norethisterone 5 mg</b>	norethisterone 5 mg	<b>Gynaecology drugs</b>	<b>WOCKHADT</b>	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	<b>UK</b>		
30 tablet					
<b>Norfloxx</b>	Norfloxacin 400	<b>Antibacterial</b>	<b>CIPLA</b>	Tab 400mg	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>India</b>		
1strip* 10tablet					
<b>Norfloxacin</b>	Norfloxacin	<b>Antibacterial</b>	<b>Huons</b>	Tab 400mg	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>Korea</b>		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Normalax</b>	Lactulose	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Syrup		Constipation الأمساك	<b>Yemen</b>		
100 ml for bottle					
<b>normodipine</b>	Amlodipine	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>Normolute N</b>	progesterone and northiesterone	<b>Gynaecology drugs</b>	<b>ASIA</b>	one tablet daily or As directed	
Tablets		Contraceptives موانع الحمل	<b>Syria</b>		
20 tab					
<b>Normovite</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>Normon</b>	As directed	
Dragees		Vitamins نقص فيتامينات	<b>Spain</b>		
50 Drages					
<b>NOROX</b>	Norfloxacin*400 mg	<b>Antibacterial</b>	<b>Modern Pharama</b>	Tab 400mg	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
10 tablet					
<b>Norplat</b>	Clopidogrel Bisulfate	<b>Cardio Vascular System drugs</b>	<b>Getz pharma</b>	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	<b>USA</b>		
28 tab					
<b>Nortival</b>	Nortriptyline+Flu phenazine tablet 10/0.5mg	<b>Central Nervous system drugs</b>	<b>ASIA</b>	Minimum/Maximum Adult Daily Dose: 1 - 4 Tablets three times daily	
Tablets		Mental Disorders الأمراض العقلية	<b>Syria</b>		
30 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Norvasc</b>	Amlodipine	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Oral only : Hypertension Adults: Individualize: 2.5-5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5-10 mg. Elderly: 5 mg.	
Capsules		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
30 cap					
<b>Norzol</b>	metronidazole	<b>Antiprtozoal</b>	<b>Y.E.PHARMA</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Liquid_ suspension		Amoebiasis , Giardiasis جارديا واميبيا	<b>Yemen</b>		
100ml					
<b>NO-SPA</b>	Drotaverine	<b>Gastro Intestinal drugs</b>	<b>Sanofi Synthelabo</b>	120 to 240 mg daily by mouth in divided doses.	
Tablets		Abdominal Spasm آلام البطن	<b>Unknown</b>		
20 tab					
<b>No-Spa 40</b>	Drotaverine	<b>Gastro Intestinal drugs</b>	<b>SANOFI</b>	120 to 240 mg daily by mouth in divided doses.	
Tablets		Abdominal Spasm آلام البطن	<b>HUNGARY</b>		
20 tablet					
<b>No-Spa 40</b>	Drotaverine	<b>Gastro Intestinal drugs</b>	<b>SANOFI</b>	120 to 240 mg daily by mouth in divided doses.	
Ampoules		Abdominal Spasm آلام البطن	<b>France</b>		
25 amp					
<b>No-Spa forte 80 mg</b>	Drotaverine	<b>Gastro Intestinal drugs</b>	<b>Sanofi Synthelabo</b>	120 to 240 mg daily by mouth in divided doses.	
Tablets		Abdominal Spasm آلام البطن	<b>HUNGARY</b>		
20 tablet					
<b>NO-Spalgin</b>	Drotaverine 40 mg +paracetamol 500 mg+ codeine 8 mg	<b>Gastro Intestinal drugs</b>	<b>Sanofi Aventis</b>	Usua dose is 40-80mg three daily.	
Tablets		Abdominal Spasm آلام البطن	<b>France</b>		
12 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
not clear	Unknown	Unknown	Unknown	As directed	
		Unknown	Unknown		
<b>Nova-75</b>	pregabalin capsule 75mg	<b>Central Nervous system drugs</b>	<b>CIPLA</b>	Initial 50 mg orally three times/day , increase to 100 mg orally three times/day(maximum dose) or 225 mg three times/day.	
Capsules		Epilepsy الصرع	<b>India</b>		
10 capsules					
<b>Novacetam</b>	Piracetam 1g/5ml	<b>Central Nervous system drugs</b>	<b>Shiba pharma</b>	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Syrup		Mental Disorders الأمراض العقلية	<b>Yemen</b>		
100 ml					
<b>Novatax</b>	Cefotaxime Sodium 1 gm	<b>Antibacterial</b>	<b>CIPLA</b>	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
		Bacterial Infections الأصابات البكتيرية	<b>India</b>		
<b>Novecin</b>	Ofloxacin*	<b>Antibacterial</b>	<b>United</b>	tab 400mg & 200mg	
tablet		Bacterial Infections الأصابات البكتيرية	<b>Jordan</b>		
1strip*10tablet					
<b>Novepam 1.5</b>	Bromazepam	<b>Central Nervous system drugs</b>	<b>RAM PHARMA</b>	A usual initial dose for anxiety is 6 to 18 mg daily in divided doses by mouth. Higher doses up to 60 mg daily have occasionally been given. Initial doses for elderly and	
Tablets		Anxiety, Insunnea الأرق والقلق	<b>Jordan</b>		
30 tablet					
<b>Novepam-3</b>	Bromazepam tablets 3mg	<b>Central Nervous system drugs</b>	<b>RAM PHARMA</b>	A usual initial dose for anxiety is 6 to 18 mg daily in divided doses by mouth. Higher doses up to 60 mg daily have occasionally been given. Initial doses for elderly and	
Tablets		Anxiety, Insunnea الأرق والقلق	<b>Jordan</b>		
30 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Novex</b>	Enoxaparin Sodium 4000 i.u / 0.4 ml	<b>Cardio Vascular System drugs</b>	<b>Sothema</b>	40 mg (4000 units) once daily for at least 6 days up to a maximum of 14 days, or 1 mg/kg (100 units/kg) every 12 hours, or 1.5 mg/kg (150 units/kg) once daily, for at least	
Ampoules		Thrombosis الجلطات	<b>Morocco</b>		
2 amp					
<b>Novo Norm 0.5mg</b>	Repaglinide 0.5mg	<b>Antidiabetics</b>	<b>Novo Nordisk</b>	Minimum/Maximum Adult Daily Dose:2 - 10 mg (milligram) OR 2 - 10 Tablet	
Tablets		Diabetes Mellitus أمراض السكري	<b>Denmark</b>		
30 tab					
<b>NOVOFEN 10</b>	tamoxifen	<b>Gynaecology drugs</b>	<b>REMEDICA</b>	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 2 - 4 Tablet	
Tablets		Infertility العقم	<b>Cyprus</b>		
30					
<b>NovoNorm 2mg</b>	Repaglinide 2mg	<b>Antidiabetics</b>	<b>Novo Nordisk</b>	Minimum/Maximum Adult Daily Dose:2 - 10 mg (milligram) OR 2 - 10 Tablet	
Tablets		Diabetes Mellitus أمراض السكري	<b>Denmark</b>		
30 tab					
<b>novorapid flexpen</b>	insulin	<b>Antidiabetics</b>	<b>Novo Nordisk</b>	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus أمراض السكري	<b>Denmark</b>		
1					
<b>NOVYNETTE</b>	ethinylestradiol - desogestrel	<b>Gynaecology drugs</b>	<b>GEDEON RICHTER</b>	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	<b>HUNGARY</b>		
21					
<b>Noxafil</b>	Posaconazole 200mg/5ml	<b>Antifungals</b>	<b>MSD</b>	orally at a dose of 400 mg twice daily with a meal	
Suspension		Fungal Infections الأصابات الفطرية	<b>USA</b>		
105 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>NOXAPARIN</b>	Enoxaparin Sodium 40 mg / 0.4 ml	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	40 mg (4000 units) once daily for at least 6 days up to a maximum of 14 days, or 1 mg/kg (100 units/kg) every 12 hours, or 1.5 mg/kg (150 units/kg) once daily, for at least	
Ampoules		Thrombosis الجلطات	<b>Unknown</b>		
1 amp					
<b>Noxban</b>	Unknown	<b>Skin Disorders</b>	<b>Unknown</b>	As directed	
Gel		Acne الشباب حب	<b>Unknown</b>		
50 gm					
<b>Nuflu</b>	Fluconazole 150mg	<b>Antifungals</b>	<b>Stellar</b>	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis الالتهابات الجلدية	<b>Unknown</b>		
<b>NU-SPASM</b>	Hyoscine-N-Butylbromide 10 mg / tablet	<b>Gastro Intestinal drugs</b>	<b>EIPICO</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	<b>Egypt</b>		
20 tabs					
<b>Nutrients for blood Formation</b>	Nutrients	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	As directed	
		Nutrition supplementation تغذية تكميلية	<b>Unknown</b>		
<b>Nutri-plus</b>	Multi vitamin and Menirals	<b>Vitamines and Menirals</b>	<b>Pharmacare</b>	One capsule or more daily or as prescribed by the physician	
Capsules		Vitamins Deficiency نقص فيتامينات	<b>Yemen</b>		
30 cap					
<b>Nutri-plus</b>	Multi vitamin and Menirals	<b>Vitamines and Menirals</b>	<b>Pharmacare</b>	Adult : 5 ml three times a day , Children : 2.5 - 5 ml two times a day .	
Syrup		Vitamins Deficiency نقص فيتامينات	<b>Yemen</b>		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Nuzac</b>	Fluoxetine capsule 20mg	<b>Central Nervous system drugs</b>	<b>CIPLA</b>	Minimum/Maximum Adult Daily Dose:10 - 80 mg (milligram) OR 1 - 8 Capsule	
Capsules		Mental Disorders الأمراض العقلية	<b>India</b>		
20 capsules					
<b>Nuzac</b>	Fluoxetine Hydrochloride	<b>Central Nervous system drugs</b>	<b>CIPLA</b>	20 mg once daily up to a maximum of 80 mg daily (60 mg in the elderly).	
Capsules		Mental Disorders الأمراض العقلية	<b>India</b>		
2 x 10 cap					
<b>NYAGRA 50 mg</b>	Sildenafil Citrate 50 mg/ tablet	<b>Sex Stimulants</b>	<b>Pharmacare</b>	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	<b>Yemen</b>		
2 tab					
<b>Nystagram</b>	Nystatin + Neomycin Sulfate + Gramicidin + Triamcinolone Acetonide	<b>Corticosteroid</b>	<b>Unknown</b>	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily;topical application in creams, lotions,	
Cream		Dermatitis الالتهابات الجلدية	<b>Unknown</b>		
20 gm					
<b>Nystagram</b>	Nystatin + Neomycin Sulfate + Gramicidin + Triamcinolone Acetonide	<b>Corticosteroid</b>	<b>Unknown</b>	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily;topical application in creams, lotions,	
Ointment		Dermatitis الالتهابات الجلدية	<b>Unknown</b>		
20 gm					
<b>Nystagram</b>	Nystatin 100000 IU/ g + Triamcinolone Acetonide 0.1 %	<b>Corticosteroid</b>	<b>Modern Pharama</b>	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily;topical application in creams, lotions,	
Cream		Dermatitis الالتهابات الجلدية	<b>Yemen</b>		
15 gm					
<b>Nystamed</b>	Nystatin 20mg	<b>Antifungals</b>	<b>Medico Labs</b>	Three to four times daily	
Tablets		Fungal Infections الأصابت الفطرية	<b>Syria</b>		
20 coated tablets					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Nystatin</b>	Nystatin 100000 i.u./ml	<b>Antifungals</b>	<b>EIPICO</b>	Three to four times daily	
Suspension		Fungal Infections الأصابات الفطرية	<b>Egypt</b>		
30 ml					
<b>Nystatin</b>	Nystatin 100000 I.u./ml	<b>Antifungals</b>	<b>Global Pharma</b>	Three to four times daily	
Oral /Drops		Fungal Infections الأصابات الفطرية	<b>Yemen</b>		
30 ml					
<b>Nystatin</b>	Nystatin 100000 i.u./ml	<b>Antifungals</b>	<b>BIOPHARM</b>	Three to four times daily	
Suspension		Fungal Infections الأصابات الفطرية	<b>Yemen</b>		
30 ml					
<b>Nystatin Asia</b>	Nystatin 1000000u/I	<b>Antifungals</b>	<b>Delta pharma</b>	Three to four times daily	
Suspension		Fungal Infections الأصابات الفطرية	<b>Egypt</b>		
60 ml					
<b>Nystatin Cream</b>	Nystatin 100000 I.U.	<b>Antifungals</b>	<b>TARO</b>	Three to four times daily	
Cream		Fungal Infections الأصابات الفطرية	<b>Unknown</b>		
<b>Nystatin Ointment</b>	Nystatin + Triamcinolone Acetonide	<b>Antifungals</b>	<b>TARO</b>	Three to four times daily	
Ointment		Fungal Infections الأصابات الفطرية	<b>Unknown</b>		
15 gm					
<b>Nystatin oral drops</b>	Nystatin 100000 I.u./ml	<b>Antifungals</b>	<b>Unknown</b>	Three to four times daily	
Oral /Drops		Fungal Infections الأصابات الفطرية	<b>Unknown</b>		
24 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>O.M strip</b>	Omeprazole 20 mg	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
100 caps					
<b>O2</b>	Ofloxacin & Ornidazole	<b>Antibacterial</b>	<b>MEDLEY</b>	tab 400mg & 200mg	
Tablets		Bacterial Infections	<b>India</b>		
10 tablet		الأصابات البكتيرية			
<b>Obariphyllin SR 12-150 mg</b>	Theophyllin	<b>Respiratory drugs</b>	<b>OUBARY PHARMA</b>	by mouth in doses ranging from 300 to 1000 mg daily in divided doses	
Capsules		Bronchial Asthma الربو الشعبي	<b>Syria</b>		
20 cap					
<b>Obenasin 200 mg</b>	Ofloxacin*	<b>Antibacterial</b>	<b>Huons</b>	tab 400mg & 200mg	
tablet		Bacterial Infections	<b>Korea</b>		
1strip*10tablet		الأصابات البكتيرية			
<b>Obenasin 400 mg</b>	Ofloxacin*	<b>Antibacterial</b>	<b>Huons</b>	tab 400mg & 200mg	
tablet		Bacterial Infections	<b>Korea</b>		
1strip*10tablet		الأصابات البكتيرية			
<b>Ocean Spray</b>	sodium chloride +bezyl alcohol	<b>Respiratory drugs</b>	<b>ORSA ph.</b>	sodium chloride solution 0.9%, being isotonic, is a useful fluid for sterile irrigations, for example, of the eye or bladder, and general skin or wound cleansing.	
Nasal /Spray		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>Unknown</b>		
15 ml					
<b>Octovent cr 4</b>	salbutamol 4mg	<b>Respiratory drugs</b>	<b>OCTOBER PHARMA</b>	2 -4 mg / or 2 buffs *qid	
Tablets		Bronchial Asthma الربو الشعبي	<b>Egypt</b>		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Ocuflox</b>	Ofloxacin	<b>Antibacterial</b>	<b>Samil</b>	tab 400mg & 200mg	
Ointment		Eye العين	<b>Unknown</b>		
3.5 gm					
<b>OcuFlox</b>	Ofloxacin	<b>Antibacterial</b>	<b>Samil</b>	0.3% eye drops	
Eye solution		Eye العين	<b>Unknown</b>		
5 ml					
<b>Ocuguard</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>Orchidia Pharma</b>	Onc a day	
Soft Gelatin Capsules		Vitamins	<b>Egypt</b>		
20 cap		Deficiency نقص فيتامينات			
<b>ODORAL</b>	Combination	<b>Antiseptic and Desinfectants</b>	<b>HPP</b>	As directed	
Solution		Mouth Wash	<b>Egypt</b>		
200 ml		الغسولات الفموية			
<b>Oflacin Ram</b>	Ofloxacin*	<b>Antibacterial</b>	<b>RAM PHARMA</b>	tab 400mg & 200mg	
tablet		Bacterial Infections	<b>Jordan</b>		
1strip*10tablet		الأصابات البكتيرية			
<b>Oflobac</b>	Ofloxacin 200 mg	<b>Antibacterial</b>	<b>Global Pharma</b>	tab 400mg & 200mg	
Tablets		Bacterial Infections	<b>Yemen</b>		
1strip*10tablet		الأصابات البكتيرية			
<b>OFLOBAC</b>	Ofloxacin 400 mg	<b>Antibacterial</b>	<b>Global Pharma</b>	tab 400mg & 200mg	
Tablets		Bacterial Infections	<b>Yemen</b>		
1strip*10tablet		الأصابات البكتيرية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Oflomed</b>	Ofloxacin*	<b>Antibacterial</b>	<b>Unimed</b>	0.3% ear drops	
Ear drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>Tunisia</b>		
4shets*5bottel					
<b>Oflosed</b>	Ofloxacin*	<b>Antibacterial</b>	<b>SEDICO</b>	tab 400mg & 200mg	
tablet		Bacterial Infections الأمراض البكتيرية	<b>Egypt</b>		
1strip*10tablet					
<b>Oflox</b>	Ofloxacin 200 mg / tab	<b>Antibacterial</b>	<b>Shiba pharma</b>	tab 400mg & 200mg	
tablet		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
1strip*10tablet					
<b>Oflox Forte 400</b>	Ofloxacin*	<b>Antibacterial</b>	<b>Shiba pharma</b>	tab 400mg & 200mg	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
1strip*10 tablet					
<b>OFLOXACIN</b>	Ofloxacin	<b>Antibacterial</b>	<b>ALSHAHBA</b>	tab 400mg & 200mg	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>Syria</b>		
10 tab					
<b>Ofloxin 200</b>	Ofloxacin*	<b>Antibacterial</b>	<b>Modern Pharama</b>	tab 400mg & 200mg	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
1strip* 10tablet					
<b>Ofloxin 400</b>	Ofloxacin 400 mg / tablet	<b>Antibacterial</b>	<b>Modern Pharama</b>	tab 400mg & 200mg	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
1strip*10 tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>OFTALMOLOSA</b>	5 mg of Erythromycin / 1 gm of ointment	<b>Ophthalmic drugs</b>	<b>Cusi</b>	As directed	
Ointment		Eye العين	<b>Spain</b>		
3.5 gm / tube					
<b>OFTALMOLOSA CUSI</b>	Erythromycin	<b>Antibiotics</b>	<b>Cusi</b>	tablet 500mg & 250mg & 400mg Dry syrup 400mg & 250mg & 200mg & 125mg Topical sul 4% & 2%	
Eye ointment		Eye العين	<b>Spain</b>		
1tube* 5gm					
<b>OLCA</b>	Calcitriol	<b>Vitamines and Menirals</b>	<b>Huons</b>	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Soft Gelatin Capsules		Osteoarthritis التهابات العظام	<b>Korea</b>		
20 cap					
<b>OlenzRapitab10</b>	Olanzapin tablet 10mg	<b>Central Nervous system drugs</b>	<b>SUN</b>	Minimum/Maximum Adult Daily Dose: 10 - 20 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>India</b>		
50 Tablet					
<b>Olexar-10</b>	Olanzapin tablet 10mg	<b>Central Nervous system drugs</b>	<b>CIPLA</b>	Minimum/Maximum Adult Daily Dose: 10 - 20 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>India</b>		
10 Tablet					
<b>Olexar-5</b>	Olanzapin tablet 5mg	<b>Central Nervous system drugs</b>	<b>CIPLA</b>	Minimum/Maximum Adult Daily Dose: 10 - 20 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>India</b>		
10 Tablets					
<b>Oligofer</b>	Mineral preparation with vitamin B12	<b>Vitamines and Menirals</b>	<b>Unknown</b>	Orally : 10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Ampoules		Vitamins نقص فيتامينات	<b>Unknown</b>		
10 amp					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>OLMETERO 20</b>	Olmesartan Medoxomil 20 mg	<b>Cardio Vascular System drugs</b>	<b>HETERO</b>	20 mg once daily	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
1 x 10 tab					
<b>OLMETERO 40</b>	Olmesartan Medoxomil 40 mg	<b>Cardio Vascular System drugs</b>	<b>HETERO</b>	20 mg once daily	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
1 x 10 tab					
<b>Olmetero H</b>	Olmesartan Medoxomil	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	20 mg once daily	
		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>Omafen</b>	Ibuprofen	<b>Non-Steroidal Anti-</b>	<b>NPI Pharma</b>	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
20 tab					
<b>Omatan</b>	Mefenamic Acid	<b>Nonsteroidal Anti-</b>	<b>Unknown</b>	Minimum/Maximum Adult Daily Dose: 250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
<b>Omec</b>	Each capsule contains omeprazole 20 mg as enteric-coated pellets.	<b>Gastro Intestinal drugs</b>	<b>Pharmacare</b>	20 mg , or 40 mg in severe cases, continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		قرحة المعدة	<b>Yemen</b>		
14 caps					
<b>Omefast</b>	Omeprazole 20 mg	<b>Gastro Intestinal drugs</b>	<b>Global Pharma</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		قرحة المعدة	<b>Yemen</b>		
10x10 caps					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>omega -3</b>	cod liver oil + omega -3	<b>Vitamines and Menirals</b>	<b>Vitex pharma</b>	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Hyperlipidaemias زيادة الدهون في الدم	<b>Unknown</b>		
30 cap					
<b>omega 3-6-9</b>	Borage Seed Oil 400 mg+ Flaxseed Oil.400 mg+Fish Oil , 400 mg+Omega 3 Fatty Acids 267	<b>Vitamines and Menirals</b>	<b>Jamieson</b>	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Soft Gelatin Capsules		Hyperlipidaemias زيادة الدهون في الدم	<b>Canada</b>		
80 softgels					
<b>omega -H3</b>	cod liver oil + omega -3	<b>Vitamines and Menirals</b>	<b>VITABIOTICS</b>	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Hyperlipidaemias زيادة الدهون في الدم	<b>Unknown</b>		
30 Capsules					
<b>Omega-3 plus</b>	fish oil 1000mg +wheat germ oil 100mg/Capsule.	<b>Vitamines and Menirals</b>	<b>SEDICO</b>	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Hyperlipidaemias زيادة الدهون في الدم	<b>Egypt</b>		
20 Capsules					
<b>Omegavyte 3-6-9</b>	Borage Seed Oil 400 mg+ Flaxseed Oil.400 mg+Fish Oil , 400 mg+Omega 3 Fatty Acids . . .	<b>Vitamines and Menirals</b>	<b>Vitane pharma</b>	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Soft Gelatin Capsules		Hyperlipidaemias زيادة الدهون في الدم	<b>Germany</b>		
90 softgels					
<b>Omepak</b>	Omeprazole	<b>Gastro Intestinal drugs</b>	<b>SEDICO</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
cap		قرحة المعدة	<b>Egypt</b>		
14 caps					
<b>OMEPR</b>	Omeprazole 20 mg / cap	<b>Gastro Intestinal drugs</b>	<b>Modern Pharama</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		قرحة المعدة	<b>Yemen</b>		
14 caps					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>OMEPR</b>	Omeprazole 20 mg	<b>Gastro Intestinal drugs</b>	<b>Modern Pharama</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
10 x 10 caps					
<b>omeprazole</b>	Omeprazole	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	<b>Unknown</b>		
100 caps					
<b>Omeprazole 40</b>	Omeprazole	<b>Gastro Intestinal drugs</b>	<b>Vitalis</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Powder for Solution Injection		Peptic ulcer قرحة المعدة	<b>USA</b>		
<b>Omeral 20</b>	Omeprazole	<b>Gastro Intestinal drugs</b>	<b>JPI</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	<b>Saudi Arabia</b>		
14 cap					
<b>Ometop</b>	Omeprazole	<b>Gastro Intestinal drugs</b>	<b>Shaphaco</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
tab		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
100 tabs					
<b>Omezin</b>	Omeprazole 20 mg	<b>Gastro Intestinal drugs</b>	<b>YEDCO</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
14 caps					
<b>Omezol</b>	Omeprazole	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
14 caps					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Omezol</b>	Omeprazole 20 mg	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		قرحة المعدة	<b>Yemen</b>		
14 caps					
<b>Omizac</b>	Omeprazole	<b>Gastro Intestinal drugs</b>	<b>Torrent</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
cap		قرحة المعدة	<b>India</b>		
50 caps					
<b>OMNIC</b>	Tamsulosin Hydrochloride 0.4 mg	<b>Urinary tract drugs</b>	<b>Saja pharmaceutical</b>	400 - 800 micrograms daily by mouth for up to 4 weeks	
Capsules		Urinary Tract Infection	<b>Saudi Arabia</b>		
30 cap		اصابات الجهاز البولي			
<b>Omnific</b>	Cefdinir	<b>Antibacterial</b>	<b>JPI</b>	600 mg daily as a single dose or in two divided doses. Children may be given 14 mg/kg daily up to a maximum of 600 mg daily.	
Capsul		Bacterial Infections	<b>Saudi Arabia</b>		
1bottel*10cap		الاصابات البكتيرية			
<b>Omnicin</b>	Tamsulosin Hydrochloride 0.4 mg	<b>Urinary tract drugs</b>	<b>Y.E.PHARMA</b>	400 - 800 micrograms daily by mouth for up to 4 weeks	
Capsules		Urinary Tract Infection	<b>Yemen</b>		
20 cap		اصابات الجهاز البولي			
<b>Omtran</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	<b>Antibacterial</b>	<b>OMEGA</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
tablet		Bacterial Infections	<b>Italy</b>		
10strip*10tablet		الاصابات البكتيرية			
<b>ONCEAIR 4 mg</b>	Montelukast Sodium	<b>Respiratory drugs</b>	<b>ABDIbrahim</b>	10 mg of montelukast once daily in the evening; children aged 6 to 14 years may be given the equivalent of 5 mg in the evening and children aged 6 months to 5 years may be	
Tablets		Bronchial Asthma	<b>Unknown</b>		
28 tab		الربو الشعبي			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>One-Alpha</b>	Alfacalcidol	<b>Vitamines and Menirals</b>	<b>LED pharma</b>	As directed	
		Osteoarthritis التهابات العظام	<b>Unknown</b>		
<b>One-Alpha 0.25mcg</b>	Alfacalcidol tablet 0.25mcg.	<b>Vitamines and Menirals</b>	<b>LEO</b>	As directed	
Tablets		Ricketsia الكساح	<b>Denmark</b>		
100 tablets.					
<b>ONSET-4</b>	Ondansetron Hydrochloride 4mg	<b>Gastro Intestinal drugs</b>	<b>RFA</b>	4-8 mg of ondansetron base	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
60 tabs					
<b>Opera</b>	Omeprazole	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
		Peptic ulcer قرحة المعدة	<b>Unknown</b>		
<b>Opizole-B</b>	Clotrimazole	<b>Antifungals</b>	<b>Unknown</b>	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Cream		Dermatitis الالتهابات الجلدية	<b>Unknown</b>		
20 gm					
<b>OPRED 20 mg</b>	Prednisolone Acetate	<b>Corticosteroid</b>	<b>Unknown</b>	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Tablets		Inflammations الالتهابات	<b>Unknown</b>		
30 tab					
<b>OPSAR</b>	Sulfacetamide	<b>Antibacterial</b>	<b>Thai P.D</b>	As directed	
Drops		Eye العين	<b>Thailand</b>		
5 ml					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>OP SARDEX</b>	Dexamethasone Phosphate + Neomycin Sulfate	<b>Antibacterial</b>	<b>Thai</b>	As directed	
Eye / Ear Drops		العين Eye	<b>Thailand</b>		
5 ml					
<b>Optal</b>	Combination	<b>Unknown</b>	<b>Olan</b>	As directed	
Solution		العين Eye	<b>Unknown</b>		
100 ml					
<b>Optanac</b>	Unknown	<b>Unknown</b>	<b>Unknown</b>	As directed	
Solution		العين Eye	<b>Unknown</b>		
5 ml					
<b>Opticin</b>	Ciprofloxacin Hydrochloride	<b>Antibacterial</b>	<b>Jamjoum Pharma</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Eye drops		العين Eye	<b>Saudi Arabia</b>		
<b>Optilone</b>	Fluorometholone	<b>Corticosteroid</b>	<b>Unknown</b>	one drop	
Eye drops		العين Eye	<b>Unknown</b>		
<b>OPTOVITE B12</b>	Vitamin B12 1000 gammas	<b>Vitamines and Menirals</b>	<b>Normon</b>	1000 micrograms every 2 to 3 months	
Ampoule		Vitamins Deficiency نقص فيتامينات	<b>Spain</b>		
5 ampoules of 2ml					
<b>Oracure</b>	Cetylpyridinium chloride 0,1 g	<b>Central Nervous system drugs</b>	<b>Amoun Pharmaceutical Co</b>	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Tube		Anaesthetics التخدير الموضعي	<b>Unknown</b>		
Tube of 2,0 g / 15 g					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Orafresh</b>	Thymol 0.06 % + Benzoic acid 0.15 % + Eucalyptol 0.09 % + Menthol 0.04 % +Methyl	<b>Antiseptic and Desinfectants</b>	<b>Pharmacare</b>	Gargle for 30 seconds every morning and night. For best results use undiluted	
Solution		Mouth Wash الغسولات الفموية	<b>Yemen</b>		
100 ml					
<b>oral contraceptive</b>	levonorgestrel 0.03	<b>Gynaecology drugs</b>	<b>BAYER</b>	one tablte daily from the frist day of menstution for 21 days.	
Tablets		Contraceptives موانع الحمل	<b>Germany</b>		
21					
<b>Oralux</b>	Cefpodoxime Proxetil	<b>Antibiotics</b>	<b>Alpha</b>	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Syria</b>		
1strip*10capsules					
<b>Oralux</b>	Cefpodoxime Proxetil	<b>Antibiotics</b>	<b>Alpha</b>	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
Dry syrup		الأصابات الميكروبية Microbial Infections	<b>Syria</b>		
1bottel*60ml					
<b>Oran-C</b>	Each efferv. tablet contains : Vitamin C B.P. 1000mg	<b>Vitamines and Menirals</b>	<b>Pharmacare</b>	1 tablet a day ( dissolve the effervescent tablet in half glass of water before taking it )	
Tablets		Vitamins نقص فيتامينات	<b>Yemen</b>		
Tube contains 10 effervescent tablets					
<b>ORAS</b>	Different Lozenges Ingredients	<b>Antiseptic and Desinfectants</b>	<b>ORAS</b>	As directed	
Lozenges		Common Cold نزلات البرد	<b>Unknown</b>		
24 lozenges					
<b>Oraxetil 100 mg</b>	Cefpodoxime Proxetil	<b>Antibiotics</b>	<b>NCPI</b>	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
tablet		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
1strip*10tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Oraxetil 200 mg</b>	Cefpodoxime Proxetil	<b>Antibiotics</b>	<b>NCPI</b>	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
Tablets		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
1strip*10tablet					
<b>Orazone</b>	Dexamethasone	<b>Corticosteroid</b>	<b>ADCO</b>	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Syrup		Inflamations الالتهابات	<b>Egypt</b>		
100 ml					
<b>Orchaped</b>	Prednisolone Acetate 1 %	<b>Ophthalmic drugs</b>	<b>Orchidia Pharma</b>	As directed	
Suspension		العين Eye	<b>Egypt</b>		
10 ml					
<b>Orchazid</b>	Ketotifen Fumarate 0.025%	<b>Ophthalmic drugs</b>	<b>Orchidia Pharma</b>	applied topically, as eye drops , twice daily in adults, and in children aged 3 years and older.	
Solution		العين Eye	<b>Egypt</b>		
5 ml					
<b>ORDAZOLE</b>	Ornidazole	<b>Antiprtozoal</b>	<b>MEYER</b>	500 mg twice daily by mouth for 5 to 10 days; children are given 25 mg/kg as a single daily dose for 5 to 10 days.	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Unknown</b>		
10 tab					
<b>Oringinal GuavaL eaf</b>	herbal extract cough & common cold	<b>Respiratory drugs</b>	<b>oringinal</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>Unknown</b>		
120 ml					
<b>Oritaxim 1000</b>	Cefotaxime Sodium	<b>Antibacterial</b>	<b>CADILA</b>	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
Vial		Bacterial Infections الأصابات البكتيرية	<b>India</b>		
1Vial					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Oritaxim 250</b>	Cefotaxime Sodium	<b>Antibacterial</b>	<b>CADILA</b>	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
Vial		Bacterial Infections	<b>India</b>		
1 vial		الأصابات البكتيرية			
<b>Oritaxim 500</b>	Cefotaxime Sodium	<b>Antibacterial</b>	<b>CADILA</b>	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
Vial		Bacterial Infections	<b>India</b>		
1 vial		الأصابات البكتيرية			
<b>ORIZOL 500</b>	Orinidazole	<b>Antiprtozoal</b>	<b>RFA</b>	500 mg twice daily by mouth for 5 to 10 days; children are given 25 mg/kg as a single daily dose for 5 to 10 days.	
Tablets		Amoebiasis ,	<b>Yemen</b>		
10 tab		جارديا واميبييا			
<b>ORIZOL PLUS</b>	Orinidazole 500mg + Ofloxacin 200mg	<b>Antiprtozoal</b>	<b>RFA</b>	500 mg twice daily by mouth for 5 to 10 days; children are given 25 mg/kg as a single daily dose for 5 to 10 days.	
Tablets		Amoebiasis ,	<b>Yemen</b>		
10 tab		جارديا واميبييا			
<b>Orlimac</b>	orlistat capsules 120mg	<b>Gastro Intestinal drugs</b>	<b>MACLEODS</b>	120 mg by mouth three times daily, immediately before, during, or up to 1 hour after meals	
tablet		Obesity	<b>India</b>		
3*10capsule					
<b>Orlimac</b>	Orlistat 120 mg / cap	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	120 mg by mouth three times daily, immediately before, during, or up to 1 hour after meals	
Capsules		Obesity	<b>Yemen</b>		
3*10 capsule					
<b>OROBI 3</b>	vit B1 100mg+B6 50mg+B12 1000 mcg	<b>Vitamines and Menirals</b>	<b>Jinlling pharmaceutical</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Ampoules		Vitamins	<b>China</b>		
10 amp x 3 ml		Deficiency نقص فيتامينات			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Orofar</b>	With Lidocaine	<b>Central Nervous system drugs</b>	<b>NOVARTIS</b>	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Bucal / Spray		Anaesthetics التخدير الموضعي	<b>Switzerland</b>		
30 ml					
<b>Orovex</b>	Combination	<b>Antiseptic and Desinfectants</b>	<b>MACRO</b>	As directed	
Solution		Mouth Wash الغسولات الفموية	<b>Unknown</b>		
250 ml					
<b>Orphamol</b>	Orphenadrine Citrate 35 mg + paracetamol	<b>Muscle relaxations</b>	<b>RAMEDA</b>	by mouth in a dose of 100 mg twice daily or by intramuscular or slow intravenous injection in a dose of 60 mg which has been repeated every 12 hours.	
Tablets		Parkinson's disease مرض الرعاش	<b>Egypt</b>		
box of 20 tablet of 35mg/tablet					
<b>ORS</b>	Combination	<b>Gastro Intestinal drugs</b>	<b>SAOG</b>	As directed	
Sachets		Diarrhea الاسهال	<b>Oman</b>		
25 sachet of 30 gm					
<b>OSCAL</b>	Calcium 600 mg + Vitamin D 200 i.u	<b>Vitamines and Menirals</b>	<b>Y.E.PHARMA</b>	Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	<b>Yemen</b>		
30 tab					
<b>OSEN</b>	Phenoxyethylpenicillin 250 mg / ml	<b>Antibiotics</b>	<b>Modern Pharama</b>	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Solution		الاصابات الميكروبية Microbial Infections	<b>Yemen</b>		
100 ml					
<b>Ospafel cap</b>	alphanipine + beta pinine + broneol + cineol	<b>Gastro Intestinal drugs</b>	<b>ospa pharma</b>	3-5 drop of liquid 4-5 times daily	
Tablets		Hepatic Disorders اضطرابات الكبد	<b>Unknown</b>		
100 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Ospaine</b>	Penicillin V Potassium	<b>Antibiotics</b>	<b>Unknown</b>	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Tablets		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
20 tab					
<b>Osparen</b>	Rhiz.Torment .05 gm + Fruct.Ros.Can 0.05 gm + Herb. Equiseti 0.05 gm +	<b>Urinary tract drugs</b>	<b>OSPAPHARM</b>	2 dragees three times daily , for 5 weeks , then 1 dragee three times daily	
Dragees		Urinary Tract Infection اصابات الجهاز البولي	<b>Germany</b>		
100 Dragees					
<b>Osteo -Mix</b>	Vitamin D Substances	<b>Osteoarthritis drugs</b>	<b>Sandoz</b>	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	
Tablets		Osteoarthritis التهابات العظام	<b>Unknown</b>		
20 Eff. Tab					
<b>OSTEO-ALFA</b>	Alpha calciferol	<b>Vitamines and Menirals</b>	<b>United</b>	As directed	
Soft Gelatin Capsules		Ricketsia الكساح	<b>Jordan</b>		
<b>Osteobion</b>	calcium + Magnesium + zinc + vitamin D3 /tab.	<b>Vitamines and Menirals</b>	<b>BIOPHARM</b>	Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	<b>Yemen</b>		
30 tablets					
<b>Osteocare ???</b>	Calcium 300 mg + Magnesium 150 mg + Zinc 6 mg + Vitamin D 3.8 µg/10ml	<b>Vitamines and Menirals</b>	<b>Vitabiotics</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Solution		Osteoarthritis التهابات العظام	<b>Unknown</b>		
200 ml					
<b>Osteocare Tablets</b>	calcium 800mg, Magnesium 200mg, zinc 8mg, vitamin D3 400IU	<b>Vitamines and Menirals</b>	<b>VITABIOTICS</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	<b>Unknown</b>		
30 tablets					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Osteocare</b> مكر	calcium 800mg, Magnesium 200mg, zinc 8mg, vitamin D3 400IU	<b>Vitamines and Menirals</b>	<b>VITABIOTICS</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	<b>Unknown</b>		
30 tablets					
<b>Osteoflex</b>	Glucosamin 500mg + Chondroitin 400mg	<b>Osteoarthritis drugs</b>	<b>Health Aid</b>	As directed	
Tablets		Osteoarthritis التهابات العظام	<b>Thailand</b>		
30 tab					
<b>Osteo-Health</b>	Calcium Carbonate 1500 mg /tablet.	<b>Vitamines and Menirals</b>	<b>Modern Pharama</b>	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Tablets		Osteoarthritis التهابات العظام	<b>Yemen</b>		
30 chewable tablets					
<b>Osteomeal</b>	calcium 1250mg&magnesium 40mg&zinc 7.50mg&vit D 250 IU/tab.	<b>Vitamines and Menirals</b>	<b>Modern Pharama</b>	Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	<b>Yemen</b>		
24 Soft tablet					
<b>OSTOVAL</b>	Ca+ Vit D , Meg., Zinc	<b>Vitamines and Menirals</b>	<b>EGYPHAR</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	<b>Egypt</b>		
14 tab					
<b>OSTRON</b>	Vit D 5 IU , Vit.B6 2mg ,folic acid 400mcg , calcium 800mg, magnesium 400mcg zinc	<b>Vitamines and Menirals</b>	<b>LIFEPLAN</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	<b>Unknown</b>		
60 Tablets					
<b>Otocalm</b>	Combination	<b>Unknown</b>	<b>PHARCO</b>	As directed	
Drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>Egypt</b>		
10 ml					





Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Otrivin 0.05%</b>	Xylometazolin HCL 0.05%	<b>Respiratory drugs</b>	<b>NOVARTIS</b>	As directed	
Pediatric Nasal / drops		Common Cold نزلات البرد	<b>Switzerland</b>		
10 ml					
<b>Otrivin 0.1%</b>	Xylometazolin HCL 0.1%	<b>Respiratory drugs</b>	<b>NOVARTIS</b>	As directed	
Adult Nasal / drops		Common Cold نزلات البرد	<b>Switzerland</b>		
10 ml					
<b>Otrivin 0.1%</b>	Xylometazoline Hydrochloride	<b>Respiratory drugs</b>	<b>Unknown</b>	As directed	
Nasal Drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>Unknown</b>		
10 ml					
<b>OVA-MIT</b>	CLOMIPHENE	<b>Gynaecology drugs</b>	<b>REMEDICA</b>	Minimum/Maximum Adult Daily Dose:50 - 100 mg (milligram) OR 1 - 2 Tablet.....	
Tablets		العقم Infertility	<b>Unknown</b>		
10					
<b>Ovumix</b>	Miconazole nitrate+Metronidazole+Neomycin Sulfate+Polymyxin Sulfate	<b>Antifungals</b>	<b>ELEN</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		المهبل Vaginal	<b>Argentina</b>		
6 Vaginal supp					
<b>OXETINE-20</b>	Fluoxetine tablet 10mg	<b>Central Nervous system drugs</b>	<b>JPM</b>	Minimum/Maximum Adult Daily Dose:10 - 80 mg (milligram) OR 1 - 8 Capsule	
Tablets		Mental Disorders الأمراض العقلية	<b>Jordan</b>		
10 tablets					
<b>OXETOL-300</b>	Oxcarbazepine tablet 300mg.	<b>Central Nervous system drugs</b>	<b>SUN</b>	600 mg daily by mouth, given in 2 divided doses up to 2400 mg daily .- children 8 to 30 mg/kg by mouth daily	
Tablets		الصرع Epilepsy	<b>India</b>		
30 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Ozip-10</b>	Olanzapin tablet 10 mg	<b>Central Nervous system drugs</b>	<b>MEDLEY</b>	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>India</b>		
30 tablets					
<b>P.T.B.</b>	Pyrazinamide	<b>Antibiotics</b>	<b>AMOUN</b>	Adults 35 mg/kg daily (maximum daily dose is 3 g); children may be given 35 mg/kg daily dose, instead, skip the missed dose and resume your usual dosing schedule. Do	
Tablets		Tuberculosis (T.B) الدرن	<b>Egypt</b>		
20 tablets					
<b>PACETAMOL</b>	Each 2 ml contains 300 mg paracetamol + Lidocaine 20 mg	<b>Non-Steroidal Anti-</b>	<b>ANB Laboratories CO.LTD</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Ampoules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Thailand</b>		
10 amp of 2 ml					
<b>Painex forte</b>	Mefenamic Acid	<b>Non-Steroidal Anti-</b>	<b>JOSWE</b>	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Capsules		Analgesic مهدئات الأوجاع	<b>Jordan</b>		
20 cap					
<b>Painpyrin</b>	Combination	<b>Non-Steroidal Anti-</b>	<b>BMP</b>	As directed	
Tablets		Analgesic مهدئات الأوجاع	<b>Thailand</b>		
1 x 10 tab					
<b>Panadol</b>	Paracetamol	<b>Non-Steroidal Anti-</b>	<b>gsk glaxosmithkline</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>UK</b>		
100 ml					
<b>Panadol</b>	pseudoephedrine +paracetamol+chl oraphiniramine	<b>Respiratory drugs</b>	<b>gsk glaxosmithkline</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	<b>UK</b>		
24 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Panadol Baby</b>	Paracetamol suspension 120mg/5ml.	<b>Nonsteroidal Anti-</b>	<b>gsk GlaxoSmithklin</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgasic مهدئات الأوجاع والحمى	<b>UK</b>		
100 ml					
<b>panadol Cold+flu</b>	paracetamol+chlorpheniramine	<b>Respiratory drugs</b>	<b>glaxosmithkline</b>	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Capsules		Common Cold نزلات البرد	<b>UK</b>		
box of 24 capsule of 30mg/capsule					
<b>Panadol Sinus</b>	paracetamol + pseudoephedrin	<b>Nonsteroidal Anti-</b>	<b>glaxosmithkline</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Caplets		Antipyretic - Analgasic مهدئات الأوجاع والحمى	<b>UK</b>		
24 cap					
<b>Panadol Advance</b>	Paracetamol tablet 500mg.	<b>Nonsteroidal Anti-</b>	<b>gskGlaxoSmith klin</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgasic مهدئات الأوجاع والحمى	<b>UK</b>		
96 tablets					
<b>Panadol Advance</b>	Paracetamol	<b>Non-Steroidal Anti-</b>	<b>gsk glaxosmithkline</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgasic مهدئات الأوجاع والحمى	<b>UK</b>		
24 tab					
<b>Panadol Cap</b>	Paracetamol 500mg+pseudoephedrine 30mg per caplet.	<b>Nonsteroidal Anti-</b>	<b>gskGlaxoSmith klin</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Caplets		Antipyretic - Analgasic مهدئات الأوجاع والحمى	<b>UK</b>		
24 caplets.					
<b>Panadol Caplets</b>	Paracetamol	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Caplets		Antipyretic - Analgasic مهدئات الأوجاع والحمى	<b>Unknown</b>		
24 Caplets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Panadol Caplets</b>	pseudoephedrine +paracetamol + chloraphiniramine	<b>Respiratory drugs</b>	<b>gsk glaxosmithkline</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Caplets		Common Cold نزلات البرد	<b>UK</b>		
24 Caplets					
<b>Panadol cold+flu</b>	Paracetamol 500mg+pseudoephedrine 30mg+chlorpheniramine 2mg per caplet.	<b>Nonsteroidal Anti-</b>	<b>gsk GlaxoSmithklin</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Caplets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>UK</b>		
24 caplets.					
<b>Panadol COLD+FLU</b>	Paracetamol 250mg+phenylephrine HCL 5mg+Guaifenesin 100mg per tablet.	<b>Nonsteroidal Anti-</b>	<b>gsk GlaxoSmithklin</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>UK</b>		
24 tablets.					
<b>Panadol Cold+Flu</b>	pseudoephedrine +paracetamol + chloraphiniramine	<b>Respiratory drugs</b>	<b>gsk glaxosmithkline</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Sachets		Common Cold نزلات البرد	<b>UK</b>		
10 Sachets					
<b>Panadol COLD+FLU DAY</b>	Paracetamol 500mg+pseudoephedrine 30mg+loratedin 5mg per caplet.	<b>Nonsteroidal Anti-</b>	<b>gskGlaxoSmith klin</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Caplets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>UK</b>		
24 caplets.					
<b>Panadol Extra</b>	Paracetamol	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Unknown</b>		
24 Tablets					
<b>Panadol night</b>	Paracetamol 500mg+diphenhydramine 25mg/caplet	<b>Nonsteroidal Anti-</b>	<b>gsk GlaxoSmithklin</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Caplets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>UK</b>		
24 caplets.					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Panadol sinus</b>	pseudoephedrine +paracetamol 1000mg	<b>Respiratory drugs</b>	<b>gsk glaxosmithkline</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	<b>UK</b>		
24 tab					
<b>Panadol Susp</b>	Paracetamol suspension 240mg/5ml.	<b>Nonsteroidal Anti-</b>	<b>gsk GlaxoSmithklin</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Elixir		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>UK</b>		
100 ml					
<b>Panadol Tablets</b>	Paracetamol tablet 500mg.	<b>Nonsteroidal Anti-</b>	<b>gskGlaxoSmith klin</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>UK</b>		
20 tablets.					
<b>Panadol-Joint</b>	Paracetamol 665mg per tablet.	<b>Nonsteroidal Anti-</b>	<b>gskGlaxoSmith klin</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>UK</b>		
18 tablets					
<b>Panalpic</b>	Paracetamol 500mg +caffeine 50mg/effervescent tablet.	<b>Nonsteroidal Anti-</b>	<b>Sothema</b>	As directed	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Morocco</b>		
16 effervescent tablets.					
<b>Panamol</b>	Paracetamol drops 100mg /ml.	<b>NSAID</b>	<b>Shaphaco</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
15 ml					
<b>Panamox</b>	Mebendazole	<b>Anthelmentic</b>	<b>Unknown</b>	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Tablets		Common Worms الديدان الشائعة	<b>Unknown</b>		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Pan-Benzathinpenicilli</b>	Penicillin G Benzathine	Antibiotics	Pan pharma	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	
Vial		الأصابات الميكروبية Microbial Infections	France		
1 vial					
<b>Pan-Benzyl penicillin</b>	Penicillin G(Benzylpenicillin)	Antibiotics	Pan pharma	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	
Vial		الأصابات الميكروبية Microbial Infections	France		
1 vial					
<b>PANDERM Cream</b>	Nystatin + Neomycin Sulfate + Gramicidin + Triamcinolone Acetonide	Corticosteroid	Julphar	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily; topical application in creams, lotions,	
Cream		الالتهابات الجلدية Dermatitis	UAE		
15 gm					
<b>PANDERM Ointment</b>	Nystatin + Neomycin Sulfate + Gramicidin + Triamcinolone Acetonide	Corticosteroid	Julphar	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily; topical application in creams, lotions,	
Ointment		الالتهابات الجلدية Dermatitis	UAE		
15 gm					
<b>Pan-Gentamicin 80 mg</b>	Gentamicin 80 mg /2 ml	Antibiotics	PANPHARMA	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections الأصابات الميكروبية الخطيرة			
10 amp x 2 ml					
<b>Pangesc Forte</b>	Mefenamic Acid	Non-Steroidal Anti-	RAM PHARMA	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		مهدئات الأوجاع Analgesic	Jordan		
50 Tablets					
<b>Pankreoflat</b>	Pancreatine 170 mg + Dimethylpolysiloxane 80 mg	Gastro Intestinal drugs	SOLVAY	1-2 tablet with meals without chewing	
Tablets		سوء الهضم Indigestion	Germany		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Pan-procaine penicillin</b>	Penicillin G Procaine	Antibiotics	Pan pharma	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	
Vial		الأصابات الميكروبية Microbial Infections	France		
1 vial					
<b>Pan-procaine penicillin ??</b>	Penicillin G Procaine	Antibiotics	Pan pharma	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	
Vial		الأصابات الميكروبية Microbial Infections	France		
1 vial					
<b>PANTAKUM-40</b>	Ranitidine	Gastro Intestinal drugs	Akums Drugs	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		قرحة المعدة Peptic ulcer	India		
10 tablet					
<b>Pantaz</b>	pantoprazole	Gastro Intestinal drugs	Medfey	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		قرحة المعدة Peptic ulcer	Unknown		
14 tabs					
<b>Pantazol</b>	Pantoprazole 40 mg	Gastro Intestinal drugs	SIGMA	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		قرحة المعدة Peptic ulcer	Unknown		
14 tab					
<b>PANTAZOL 40 mg</b>	pantoprazole	Gastro Intestinal drugs	Nycomed	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		قرحة المعدة Peptic ulcer	Viena, Austria		
15 tabs					
<b>Panthen-E</b>	Unknown	Skin Disorders	Unknown	As directed	
Cream		الالتهابات الجلدية Dermatitis	Unknown		
40 gm					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Panthophil</b>	Combination	<b>Skin Disorders</b>	<b>Unknown</b>	As directed	
Ointment		Dermatitis التهابات الجلدية	<b>Unknown</b>		
30 gm					
<b>Panthophil</b>	Unknown	<b>Skin Disorders</b>	<b>Unknown</b>	As directed	
Cream		Dermatitis التهابات الجلدية	<b>Unknown</b>		
30 gm					
<b>Pantocare- 40 mg</b>	Each capsule contains Pantoprazole 40mg mg as enteric-coated pellets.	<b>Gastro Intestinal drugs</b>	<b>Pharmacare</b>	40 mg once daily for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Capsules		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
14 caps					
<b>Pantocid</b>	Pantoprazole 40 mg	<b>Gastro Intestinal drugs</b>	<b>SUN Pharma</b>	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		Peptic ulcer قرحة المعدة	<b>India</b>		
<b>Pantocid 40 mg</b>	Pantoprazole	<b>Gastro Intestinal drugs</b>	<b>SUN Pharma</b>	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Ampoules		Peptic ulcer قرحة المعدة	<b>India</b>		
<b>Pantodar</b>	pantoprazole	<b>Gastro Intestinal drugs</b>	<b>Dar Al Dawa</b>	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Capsules		Peptic ulcer قرحة المعدة	<b>Jordan</b>		
14 caps					
<b>Pantogar</b>	Unknown	<b>Skin Disorders</b>	<b>Unknown</b>	As directed	
Capsules		Dermatitis التهابات الجلدية	<b>Unknown</b>		
90 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Pantoloc</b>	pantoprazole	<b>Gastro Intestinal drugs</b>	<b>MUP</b>	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		Peptic ulcer قرحة المعدة	<b>Egypt</b>		
14 tabs					
<b>Pantoloc</b>	pantoprazole	<b>Gastro Intestinal drugs</b>	<b>NOVARTIS</b>	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
tab		Peptic ulcer قرحة المعدة	<b>Switzerland</b>		
14 tabs					
<b>Pantoloc- 40</b>	Pantoprazole	<b>Gastro Intestinal drugs</b>	<b>MUP</b>	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		Peptic ulcer قرحة المعدة	<b>Egypt</b>		
14 tab					
<b>Pantoloc-40</b>	Pantoprazole 40 mg	<b>Gastro Intestinal drugs</b>	<b>MUP</b>	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		Peptic ulcer قرحة المعدة	<b>Egypt</b>		
14 tab					
<b>Pantomax</b>	pantoprazole	<b>Gastro Intestinal drugs</b>	<b>Saja pharmaceutical</b>	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
tab		Peptic ulcer قرحة المعدة	<b>Saudi Arabia</b>		
30 tabs					
<b>Pantosec</b>	Pantoprazole 40 mg	<b>Gastro Intestinal drugs</b>	<b>CIPLA</b>	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		Peptic ulcer قرحة المعدة	<b>India</b>		
14 ab					
<b>Pantozol</b>	Pantoprazole 20 mg	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		Peptic ulcer قرحة المعدة	<b>Unknown</b>		
15 tab					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Pantozol 40</b>	Pantoprazole	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
		Peptic ulcer قرحة المعدة	<b>Unknown</b>		
<b>Pantrol 40 mg</b>	Pantoprazole	<b>Gastro Intestinal drugs</b>	<b>Modern Pharama</b>	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
14 tab					
<b>Paracetamol</b>	Paracetamol suspension 120 mg/5ml.	<b>Nonsteroidal Anti-</b>	<b>Suthema</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Unknown</b>		
100 ml					
<b>Paracetamol ???</b>	Paracetamol infusion 10mg/ml.	<b>Nonsteroidal Anti-</b>	<b>Unknown</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Vial		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Unknown</b>		
100 ml					
<b>Para-Denk-125</b>	Paracetamol supp, 125mg.	<b>Nonsteroidal Anti-</b>	<b>Denk-pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Germany</b>		
10 supp,					
<b>Para-Denk-250</b>	Paracetamol supp, 250mg.	<b>Nonsteroidal Anti-</b>	<b>Denk-pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Germany</b>		
10 supp					
<b>Paradol</b>	Paracetamol drops 100mg/ml.	<b>NSAID</b>	<b>Modern Pharama</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Drops		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
15ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Paradol</b>	Paracetamol tablet 500mg/ tablet	<b>NSAID</b>	<b>Modern Pharama</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
24 tablets.					
<b>Paradol</b>	Paracetamol supp, 125mg / supp.	<b>NSAID</b>	<b>Modern Pharama</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
10 supp					
<b>Paradol</b>	Paracetamol 500 mg + cafeine 50 mg / tab	<b>NSAID</b>	<b>Modern Pharama</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
20 tab					
<b>Paradol</b>	pseudoephedrine+ triprolidin +paracetamol	<b>Respiratory drugs</b>	<b>Modern Pharama</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	<b>Yemen</b>		
20 tab					
<b>Paradol Cold&amp;Flu-D</b>	chloropheneramin 2mg+Pseudoephe drine 15mg+Paracetamo l 120mg/5ml.	<b>NSAID</b>	<b>Modern Pharama</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
60 ml					
<b>Paradol-250</b>	Paracetamol supp, 250mg.	<b>NSAID</b>	<b>Modern Pharama</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
10 supp,					
<b>Parafizz</b>	Paracetamol effer, tablet 500mg.	<b>Nonsteroidal Anti-</b>	<b>CIPLA</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>India</b>		
48 Soluble tab.					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Parafizz-Plus</b>	Paracetamol effer, tablet 500mg+65mg caffine.	<b>Nonsteroidal Anti-</b>	<b>CIPLA</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>India</b>		
24 effer, tablet.					
<b>paramol</b>	Paracetamol syrup 2.6mg/ml.	<b>NSAID</b>	<b>YEDCO</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
60 ml					
<b>paramol</b>	Paracetamol	<b>NSAID</b>	<b>YEDCO</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
drops		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
15 ml					
<b>paramol Extra</b>	Paracetamol	<b>NSAID</b>	<b>YEDCO</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Capsules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
20 caps					
<b>PARAX</b>	Mebendazole	<b>Anthelmentic</b>	<b>SHIN POONG</b>	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Suspension		Common Worms الديدان الشائعة	<b>Korea</b>		
10 ml					
<b>Pariet</b>	Rabeprazole	<b>Gastro Intestinal drugs</b>	<b>Janssen</b>	*20 mg once daily 10 mg bid *	
Tablets		Peptic ulcer قرحة المعدة	<b>Switzerland</b>		
14 caps					
<b>Parkinol-5</b>	Benzhexol(Trihex yphenidyl) tablet 2mg	<b>Central Nervous system drugs</b>	<b>NILE CO.</b>	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	
Tablets		Parkinson's disease مرض الرعاش	<b>Egypt</b>		
100 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Parkizol-2</b>	Benzhexol(Trihexyphenidyl) tablet 2mg	<b>Central Nervous system drugs</b>	<b>HIKMA</b>	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	
Tablets		Parkinson's disease مرض الرعاش	<b>Jordan</b>		
100 tablet					
<b>Paroxikern 20 mg</b>	Paroxetine	<b>Central Nervous system drugs</b>	<b>KERN pharma</b>	Minimum/Maximum Adult Daily Dose:20 - 60 mg (milligram) OR 2 - 6 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
Box					
<b>Paroxikern 20 mg</b>	Paroxetine	<b>Central Nervous system drugs</b>	<b>KERN pharma</b>	Minimum/Maximum Adult Daily Dose:20 - 60 mg (milligram) OR 2 - 6 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>Korea</b>		
28 tab					
<b>Patanol</b>	Olopatadine Hydrochloride	<b>Antihistamines</b>	<b>Alcon</b>	As directed	
Solution		Eye العين	<b>Unknown</b>		
5 ml					
<b>PCmol Plus</b>	Each tablet / Effervescent tablet of PCmol Plus contains : Paracetamol 500mg+ Caffeine	<b>NSAID</b>	<b>Pharmacare</b>	Adults and children 12 years and over :2 tablets up to 3 or 4 times a day.	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
20 tablets.					
<b>PCmol Plus</b>	Each tablet / Effervescent tablet of PCmol Plus contains : Paracetamol 500mg+ Caffeine	<b>NSAID</b>	<b>Pharmacare</b>	Adults and children 12 years and over :2 tablets up to 3 or 4 times a day.	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
24 effervescent tablets					
<b>Pectomed</b>	pseudoephedrine+ triprolidin +guaiphenesin	<b>Respiratory drugs</b>	<b>med pharma</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	<b>Unknown</b>		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Pedical</b>	each 5 ml contains : calcium glubionate 760 mg+vit. D3 400 IU+ vit. B12 10 mcg	<b>Vitamines and Menirals</b>	<b>EGYPHAR</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Syrup		Osteoarthritis التهابات العظام	<b>Egypt</b>		
100 ml					
<b>PEDNISOL</b>	Prednisolone Acetate 6.7 mg	<b>Corticosteroid</b>	<b>RFA</b>	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Syrup		Inflamations الالتهابات	<b>Yemen</b>		
50 ml					
<b>Peladol</b>	Paracetamol ampoule 300mg/ml.	<b>Nonsteroidal Anti-</b>	<b>Shaphar</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Ampoules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Unknown</b>		
10 ampoules					
<b>Pelikan- 500</b>	Levofloxacin	<b>Antibacterial</b>	<b>Unknown</b>	Tab 500mg & 250mg Infu 500mg	
Tablets		Bacterial Infections الأصابات البكتيرية	<b>Unknown</b>		
10 tab					
<b>Pendol</b>	Paracetamol	<b>NSAID</b>	<b>Y.E.PHARMA</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
20 Tablets					
<b>Pendol Cold &amp; Flu</b>	pseudoephedrine +paracetamol+chl oraphiniramine	<b>Respiratory drugs</b>	<b>Y.E.PHARMA</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	<b>Yemen</b>		
20 tab					
<b>Pendol Extra</b>	paracetamol + Caffeine	<b>NSAID</b>	<b>Y.E.PHARMA</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
20 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Pendol-D.S</b>	Paracetamol suspension 250mg/5ml.	<b>NSAID</b>	<b>Y.E.PHARMA</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
60 ml					
<b>Penicillin G</b>	Penicillin G Sodium	<b>Antibiotics</b>	<b>Vitalis</b>	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	
Vial		الأصابات الميكروبية Microbial Infections	<b>USA</b>		
10 vials					
<b>Penpiclox 500</b>	Ampicillin 250 mg + Cloxacillin 250 mg	<b>Antibiotics</b>	<b>Shaphaco</b>	Adults : 1 - 2 Capsule four times daily.	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
20 cap					
<b>Penpiclox 500</b>	Ampicillin 125 mg + Cloxacillin 125 mg	<b>Antibiotics</b>	<b>Shaphaco</b>	Children 2 – 10 years : 5 ml -10 ml four times daily. Children under 2 years : 2.5 ml - 5 ml four times daily.	
Suspension		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
100 ml					
<b>Penta</b>	pantoprazole	<b>Gastro Intestinal drugs</b>	<b>ALPHA</b>	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		قرحة المعدة Peptic ulcer	<b>Syria</b>		
20 tabs					
<b>Pentax</b>	pantoprazole	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Capsules		قرحة المعدة Peptic ulcer	<b>Yemen</b>		
14 caps					
<b>Pentrax</b>	Pantoprazole 40 mg	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Capsules		قرحة المعدة Peptic ulcer	<b>Yemen</b>		
14 cap					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Pentrax</b>	Pantoprazole 40 mg	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Capsules		قرحة المعدة	<b>Yemen</b>		
10 x 10 cap					
<b>Peptiloc 75 mg</b>	Ranitidine	<b>Gastro Intestinal drugs</b>	<b>SIGMA</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		قرحة المعدة	<b>Egypt</b>		
10 tabs					
<b>Pepzol</b>	Omeprazol 40 mg	<b>Gastro Intestinal drugs</b>	<b>ALKAN Pharma</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		قرحة المعدة	<b>Egypt</b>		
14 caps					
<b>Perdix</b>	Pyridoxine	<b>Gastro Intestinal drugs</b>	<b>Shijiazhuang =China</b>	Dietary Deficiency : ADULTS: PO/IM/IV 10 to 20 mg/day for 3 wk. Or oral once a day	
Ampoules		الغثيان والطرش	<b>China</b>		
10 amp x 2 ml					
<b>Perfalgan</b>	Paracetamol 10 mg / 1m	<b>Nonsteroidal Anti-</b>	<b>BMS</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Vial		مهدئات الأوجاع والحمى	<b>Denmark</b>		
Bottle					
<b>Perfectil</b>	Omega-3 Triglycerides	<b>Skin Disorders</b>	<b>VITABIOTICS</b>	As directed	
Tablets		الالتهابات الجلدية	<b>Unknown</b>		
28 Tablets					
<b>Perhepar cap</b>	cynarin+ dandelion	<b>Gastro Intestinal drugs</b>	<b>GLOBAL NAPI</b>	200 mg/BID	
Soft Gelatin Capsules		اضطرابات الكبد	<b>Egypt</b>		
20 cap					






Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Permax</b>	Mebendazole 100 mg /tab	<b>Anthelmentic</b>	<b>SHIN POONG</b>	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Tablets		Common Worms	<b>Korea</b>		
6 tab		الديدان الشائعة			
<b>Permax</b>	Mebendazole 600 mg / 30 ml	<b>Anthelmentic</b>	<b>SHIN POONG</b>	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Suspension		Common Worms	<b>Korea</b>		
30 ml		الديدان الشائعة			
<b>Persantin</b>	Dipyridamole	<b>Cardio Vascular System drugs</b>	<b>Boehringer Ingelhim</b>	ADULTS: PO 1 capsule (200 mg extended-release dipyridamole/25 mg aspirin) bid, 1 in morning and 1 in evening. Do not crush or chew.	
Tablets		Thrombosis	<b>Germany</b>		
20 tab		الجلطات			
<b>Persogel</b>	Lubricant gel	<b>Skin Disorders</b>	<b>Shiba pharma</b>	As directed	
Gel		Health Care	<b>Yemen</b>		
80 ml		الصحة العامة			
<b>PESDON</b>	Unknown	<b>Gastro Intestinal drugs</b>	<b>KP</b>	As directed	
Tablets		Nausea and vomiting	<b>Korea</b>		
2 x 10 tab		الغثيان والطرش			
<b>Petilin-200</b>	Na valproate tablet 200mg	<b>Central Nervous system drugs</b>	<b>Ramedica</b>	15 mg/kg/day in 2-3 divided doses initially, increasing at weekly intervals to an effective dosage, to a maximum of 60 mg/kg/day.	
Tablets		Epilepsy	<b>Cyprus</b>		
30 tablets		الصرع			
<b>Petro</b>	Drotaverine 40 mg +paracetamol 400 mg+ codeine 60 mg	<b>Gastro Intestinal drugs</b>	<b>BIOPHARM</b>	120 to 240 mg daily by mouth in divided doses.	
Tablets		Abdominal Spasm	<b>Yemen</b>		
30 tabs		آلام البطن			








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>PETRO</b>	Caffeine +Acetaminophen+ Drotaverine HCL	<b>Central Nervous system drugs</b>	<b>ACAPI</b>	50 to 100 mg by mouth, although doses of up to 200 mg may be used	
Tablets		المنبهات Stimulant	<b>Unknown</b>		
box of 2 strips of 10 tablets of					
<b>Pharmaton cap</b>	Multi vitamin and Menirals.	<b>Vitamines and Menirals</b>	<b>Ginsana</b>	As directed	
Capsules		Vitamins	<b>Unknown</b>		
30 capsules		Deficiency نقص فيتامينات			
<b>Pharobeta Cream</b>	Betamethasone	<b>Corticosteroid</b>	<b>PHARCO</b>	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	
Cream		Dermatitis	<b>Egypt</b>		
15 gm		الالتهابات الجلدية			
<b>Pharobeta ointment</b>	Betamethasone	<b>Corticosteroid</b>	<b>PHARCO</b>	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	
Ointment		Dermatitis	<b>Egypt</b>		
15 gm		الالتهابات الجلدية			
<b>PHAROFRUIT</b>	Each 5 gm contains: Sodium Bicarbonate 2.65 gm + Citric Acid 1.102 gm + Tartaric Acid	<b>Gastro Intestinal drugs</b>	<b>Pharo pharma</b>	Adult :1 sachet are to be added to half glass of water and taken during efferecence , children: half the adult's dose.	
Sachets		سوء الهضم Indigestion	<b>Egypt</b>		
6 Sachets					
<b>pharovit iron</b>	ferrous gluconate 1.04(equivalent to 120mg iron) + vitB6 120mg	<b>Vitamines and Menirals</b>	<b>Pharo pharma</b>	by mouth in doses of up to 1.8 g daily (equivalent to up to 210 mg of iron daily).	
syrup		فقر الدم Anaemia	<b>Egypt</b>		
100ml syrup					
<b>pharwa fruit</b>	NaHCO 2.80 g + citric acid 1.33g+titraic acid 0.82 g	<b>Gastro Intestinal drugs</b>	<b>PHARCO</b>	One tablet three times daily during or after meals.	
Eff ,salt		سوء الهضم Indigestion	<b>Egypt</b>		
6 sachets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Phenotal</b>	Phenobarbital 60 mg	<b>Central Nervous system drugs</b>	<b>Darou Bakhsh</b>	by mouth is 60 to 180 mg daily, taken at night, children 2.5 to 4 mg/kg once or twice daily	
Tablets		Epilepsy الصرع	<b>IRAN</b>		
30 tab					
<b>PHI-AXON</b>	Ceftriaxone Sodium 500 mg / vial	<b>Antibacterial</b>	<b>PHIL</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
1 vial					
<b>Philaquin</b>	Combination	<b>Skin Disorders</b>	<b>Unknown</b>	As directed	
Cream		Sunscreen واقبات الشمس	<b>Unknown</b>		
30 gm					
<b>photericin B</b>	Amphotericin B	<b>Antifungals</b>	<b>CIPLA</b>	IV, intrathecal, topical.: Adults: Initial: IV 0.25 mg/kg q2-6h. Maintenance: IV 0.25-1 mg/kg/d. Infants, children: Initial: IV 0.25 mg/kg/d. Maintenance: IV 0.25-1	
Vial		Dermatitis التهابات الجلدية	<b>India</b>		
1 vial					
<b>Photoblock plus</b>	Combination	<b>Skin Disorders</b>	<b>SPF</b>	As directed	
Cream		Sunscreen واقبات الشمس	<b>Unknown</b>		
50 gm					
<b>Phytovit MM</b>	Phytomenadione (Vit k1) 10 mg	<b>Vitamines and Menirals</b>	<b>MUP</b>	0.5 to 5 mg by slow intravenous injection or up to 5 mg orally	
Ampoules		Haemorrhage الذريف	<b>Egypt</b>		
3 amp x 1 ml					
<b>PICOLAX</b>	sodium picosulfate	<b>Gastro Intestinal drugs</b>	<b>EIPICO</b>	adult = one bottle 120 ml delivered dose ) once dairy = child 60 ml once dairy	
Oral /Drops		Constipation الأمساك	<b>Egypt</b>		
15 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Picolax</b>	Unknown	<b>Gastro Intestinal drugs</b>	Unknown	As directed	
Solution		Constipation الأمساك	Unknown		
15 ml					
<b>Pilex</b>	Herbal extract	<b>Skin Disorders</b>	Himalaya Drug Co	As directed	
Ointment		Dermatitis التهابات الجلدية	India		
30 gm					
<b>Pilic</b>	Herbal extract	<b>Unknown</b>	Unknown	As directed	
Cream		Haemorrhoids البواسير	Unknown		
20 gm					
<b>Pioglin-30</b>	Pioglitazone Hydrochloride 30 mg per tablet	<b>Antidiabetics</b>	Nexgen pharma	The usual dose is 15 or 30 mg once daily. This may be increased to a maximum of 45 mg once daily if necessary	
Tablets		Diabetes Mellitus أمراض السكري	UAE		
3 strips of 10 tablets					
<b>PIPRACILLIN 1000</b>	Piperacillin 1000 mg	<b>Antibiotics</b>	ELSaad Pharma	intravenously; the usual dose is 3 to 4 g every 4 or 6 hours.	
Vial		الأمراض الميكروبية Microbial Infections	Syria		
1 vial					
<b>Pizofen</b>	Pizotifen 0.5 mg / tab	<b>Antihistamines</b>	Shiba pharma	1.5 mg daily by mouth either in three divided doses or as a single dose at night	
Tablets		Appetizer Stimulant منشطات الشهية	Yemen		
30 tablet					
<b>Pizofen</b>	Pizotifen 0.25 mg / 5 ml	<b>Antihistamines</b>	Shiba pharma	1.5 mg daily by mouth either in three divided doses or as a single dose at night	
Syrup		Appetizer Stimulant منشطات الشهية	Yemen		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Pk-Merz tab</b>	amantadine sulphate	<b>Central Nervous system drugs</b>	<b>MERZ</b>	100 mg twice daily after a week or more. Doses up to a maximum of 400 mg daily	
Tablets		Parkinson's disease مرض الرعاش	<b>Unknown</b>		
100 tab					
<b>PLAGIN 75</b>	Clopidogrel Bisulfate	<b>Cardio Vascular System drugs</b>	<b>United</b>	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily. prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	<b>Jordan</b>		
30 tab					
<b>Platil 75</b>	clopidogrel (bisulfate) 75mg	<b>Cardio Vascular System drugs</b>	<b>Pharma International</b>	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily. prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	<b>Jordan</b>		
30 tablet					
<b>Plaviat 75</b>	Clopidogrel Bisulfate 75 mg	<b>Cardio Vascular System drugs</b>	<b>Modern Pharama</b>	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily. prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	<b>Yemen</b>		
30 tab					
<b>Plavigrel</b>	clopidogrel 75mg	<b>Cardio Vascular System drugs</b>	<b>Y.E.PHARMA</b>	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily. prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	<b>Yemen</b>		
30 tablet					
<b>Plavilat</b>	clopidogrel 75mg	<b>Cardio Vascular System drugs</b>	<b>Modern Pharama</b>	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily. prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	<b>Yemen</b>		
3*10 tablet					
<b>Plavitab</b>	Clopidogrel Bisulfate 75 mg	<b>Cardio Vascular System drugs</b>	<b>BIOPHARM</b>	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily. prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	<b>Yemen</b>		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>plavitab Tablets</b>	clopidogrel 75mg	<b>Cardio Vascular System drugs</b>	<b>BIOPHARM</b>	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
tablet		Thrombosis الجلطات	<b>Yemen</b>		
20film coated tablet					
<b>PLAVIX</b>	CLOPIDOGREL 75 mg	<b>Cardio Vascular System drugs</b>	<b>Sanofi Aventis</b>	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	<b>France</b>		
28 tab					
<b>plavix</b>	Clopidogrel Bisulfate 75 mg	<b>Cardio Vascular System drugs</b>	<b>Sanofi Aventis</b>	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	<b>France</b>		
Box					
<b>Plavix 75mg</b>	clopidogrel	<b>Cardio Vascular System drugs</b>	<b>Sanofi Aventis</b>	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	<b>France</b>		
28film coated tablet					
<b>Plazivom</b>	metoclopramide	<b>Gastro Intestinal drugs</b>	<b>Shijiazhuang =China</b>	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
amp		Nausea and vomiting الغثيان والطرش	<b>China</b>		
10 amps 2ml					
<b>Plazivom</b>	Metoclopramide	<b>Gastro Intestinal drugs</b>	<b>Shanghai pharmaceutical</b>	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Ampoules		Nausea and vomiting الغثيان والطرش	<b>China</b>		
10 amp x 2 ml					
<b>Plemazol</b>	Metoclopramide	<b>Gastro Intestinal drugs</b>	<b>PHARCO</b>	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Drops		Nausea and vomiting الغثيان والطرش	<b>Egypt</b>		
30 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Plemazol</b>	Metoclopramide 10 mg / 2 ml	<b>Gastro Intestinal drugs</b>	<b>PHARCO</b>	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Ampoules		Nausea and vomiting الغثيان والطرش	<b>Egypt</b>		
5 amp x 2 ml					
<b>Plemazol</b>	Metoclopramide 10 mg / tab	<b>Gastro Intestinal drugs</b>	<b>PHARCO</b>	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Egypt</b>		
20 tab					
<b>plemazol Amp</b>	metoclopramide	<b>Gastro Intestinal drugs</b>	<b>CID</b>	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Ampoules		Nausea and vomiting الغثيان والطرش	<b>Egypt</b>		
5 amps					
<b>Plemazol Drops</b>	metoclopramide	<b>Gastro Intestinal drugs</b>	<b>CID</b>	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Drops		Nausea and vomiting الغثيان والطرش	<b>Egypt</b>		
20 ml					
<b>Plemazol Tablets</b>	metoclopramide 10 mg	<b>Gastro Intestinal drugs</b>	<b>CID</b>	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Egypt</b>		
20 tabs					
<b>Plendil</b>	Felodipine	<b>Cardio Vascular System drugs</b>	<b>ASTRAZENECA</b>	5 mg daily by mouth, adjusted as required; the usual maintenance dose is 2.5 to 10 mg daily	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
30 tab					
<b>Plofexine 75 mg</b>	Clopidogrel Bisulfate	<b>Cardio Vascular System drugs</b>	<b>ASIA</b>	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily. prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	<b>Syria</b>		
20 tab					





Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>PODOXIM</b>	Cefpodoxime Proxetil 50mg/5ml	Antibiotics	RFA	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
Powder for Suspension		الأصابات الميكروبية Microbial Infections	Yemen		
60 ml					
<b>Polycort</b>	Oxymetazoline Hydrochloride + Hydrocortisone	Respiratory drugs	Unknown	Nasal drops , or Orally in Adult 5 mg while children 1.25 to 2.5 mg as two or three times daily .	
Ointment		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	Unknown		
5 gm					
<b>Polyfresh</b>	Sodium Hyaluronate 0.2%	Ophthalmic drugs	Orchidia Pharma	As directed	
Solution		العين	Egypt		
10 ml					
<b>Poly-X</b>	Ramipres 2.5 mg / tab	Cardio Vascular System drugs	adipharm	1.25 - 5 mg once daily is given by mouth	
Tablets		Hypertension ارتفاع ضغط الدم			
30 tab					
<b>Ponstan Forte</b>	Mefenamic Acid film coated tablet 500mg	Nonsteroidal Anti-	Parke Davis	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		مهدئات الأوجاع	Unknown		
20 film coated tablets.					
<b>PONSTEL</b>	Mefenamic Acid film coated tablet 500mg	Nonsteroidal Anti-	SHIN POONG	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		مهدئات الأوجاع	Korea		
20 film coated tablets.					
<b>Ponsten Forte</b>	Mefenamic Acid film coated tablet 500mg	Nonsteroidal Anti-	Parke Ravis	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		مهدئات الأوجاع	Unknown		
20 film coated tablets.					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Pontam-Forte</b>	Mefenamic Acid tablet 500mg	<b>NSAID</b>	<b>Modern Pharama</b>	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		مهدئات الأوجاع	<b>Yemen</b>		
20 f.caoted tablets.					
<b>Postan susp</b>	Mefenamic Acid suspension 50mg/5ml	<b>NSAID</b>	<b>Y.E.PHARMA</b>	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Suspension		مهدئات الأوجاع	<b>Yemen</b>		
60 ml					
<b>Postan Tablets</b>	Mefenamic Acid tablet 500mg	<b>NSAID</b>	<b>Y.E.PHARMA</b>	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		مهدئات الأوجاع	<b>Yemen</b>		
20 f.caoted tablets.					
<b>postinor</b>	levonorgestrel	<b>Gynaecology drugs</b>	<b>GEDEON RICHTER</b>	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	<b>HUNGARY</b>		
2					
<b>Povex Plus</b>	Povidone Iodine 1%	<b>Antiseptic and Desinfectants</b>	<b>Shiba pharma</b>	Dilute 1:3 with clean water and use as a general disinfecting wherever required	
Solution		المهبل	<b>Yemen</b>		
120 ml					
<b>Povicare Extra</b>	Povidone Iodine U.S.P. 10% ( 1% available Iodine)	<b>Antiseptic and Desinfectants</b>	<b>Pharmacare</b>	Dilute 1:3 with clean water and use as a general disinfecting wherever required	
Solution		التئام الجروح	<b>Yemen</b>		
100 ml					
<b>Poviset</b>	Povidone Iodine 1%	<b>Antiseptic and Desinfectants</b>	<b>Shiba pharma</b>	Dilute 1:3 with clean water and use as a general disinfecting wherever required	
Solution		التئام الجروح	<b>Yemen</b>		
60 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Poviset</b>	Povidone Iodine 1%	<b>Antiseptic and Desinfectants</b>	<b>Shiba pharma</b>	Dilute 1:3 with clean water and use as a general disinfecting wherever required	
Solution		Wounds Healing التئام الجروح	<b>Yemen</b>		
100 ml					
<b>Power B12</b>	Vitamine B12 500 mcg / tab	<b>Vitamines and Menirals</b>	<b>Power Health</b>	Orally :10 to 25 mg ( see cases up to 300 mg ) daily, in single or divided doses	
Tablets		Vitamins نقص فيتامينات			
30 Coated Tablets					
<b>Pranzole</b>	Ketoconazole	<b>Antifungals</b>	<b>Pharma International</b>	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	
Cream		Dermatitis التهابات الجذلية	<b>Jordan</b>		
15 gm					
<b>Praxilene</b>	Naftidrofuryl Oxalate	<b>Cardio Vascular System drugs</b>	<b>MERCK</b>	doses of 100 to 200 mg three times daily	
		Peripheral and cerebral	<b>France</b>		
<b>Prazin</b>	Alprazolam tablet 1mg	<b>Central Nervous system drugs</b>	<b>HIKMA</b>	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insunnea الأرق والقلق	<b>Jordan</b>		
30 tablets					
<b>Prazol 0.25</b>	Alprazolam tablet 0.25mg	<b>Central Nervous system drugs</b>	<b>Shiba pharma</b>	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insunnea الأرق والقلق	<b>Yemen</b>		
20 tablets					
<b>Prazol 0.5</b>	Alprazolam tablet 0.5mg	<b>Central Nervous system drugs</b>	<b>Shiba pharma</b>	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insunnea الأرق والقلق	<b>Yemen</b>		
20 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Prazol1</b>	Alprazolam tablet 1mg	<b>Central Nervous system drugs</b>	<b>Shiba pharma</b>	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insomnia الأرق والقلق	<b>Yemen</b>		
20 tablets					
<b>prazolam 0.25</b>	Alprazolam tablet 0.25mg	<b>Central Nervous system drugs</b>	<b>EVA PHARMA</b>	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insomnia الأرق والقلق	<b>Egypt</b>		
20 tablets					
<b>prazolam 0.5</b>	Alprazolam tablet 0.5mg	<b>Central Nervous system drugs</b>	<b>EVA PHARMA</b>	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insomnia الأرق والقلق	<b>Egypt</b>		
20 tablets					
<b>PRED FORTE</b>	Prednisolone Acetate 1%	<b>Corticosteroid</b>	<b>ALLERGAN</b>	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Suspension / Drops		Eye العين	<b>Denmark</b>		
5 ml					
<b>Predkern 5 mg tablets</b>	Prednisone	<b>Corticosteroid</b>	<b>KERN pharma</b>	As directed	
Tablets		Inflammations الالتهابات	<b>Korea</b>		
60 tab					
<b>PREDNISLONE</b>	Prednisolone Acetate 5 mg	<b>Corticosteroid</b>	<b>Unknown</b>	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Tablets		Inflammations الالتهابات	<b>Unknown</b>		
100 tab					
<b>Prednisolone</b>	Prednisolone Acetate	<b>Corticosteroid</b>	<b>WOCKHADT</b>	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Tablets		Inflammations الالتهابات	<b>UK</b>		
28 tablet					






Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Predsol</b>	Prednisolone Acetate	<b>Corticosteroid</b>	<b>BORG</b>	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Syrup		Inflammations الالتهابات	<b>Egypt</b>		
50 ml					
<b>Predsol</b>	Prednisolone Acetate	<b>Corticosteroid</b>	<b>BORG</b>	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Syrup		Inflammations الالتهابات	<b>Egypt</b>		
60 ml					
<b>Pregnacare plus</b>	Multivitamins-minerals and rich in folic acid , iron,zinc,vit D,omega-3 for pregnancy	<b>Vitamines and Menirals</b>	<b>VITABIOTICS</b>	As directed	
Tablets		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
Dubal pack 56 tab					
<b>Pregnacare ???</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>VITABIOTICS</b>	As directed	
		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
<b>Pregnacare Cap</b>	Multivitamins-minerals and rich in folic acid ,iron,zinc for pregnancy	<b>Vitamines and Menirals</b>	<b>VITABIOTICS</b>	As directed	
Capsules		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
30 cap					
<b>Pregnacare plus ??</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>VITABIOTICS</b>	As directed	
		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
<b>pregnacare with folic acid</b>	pregnacare with folic acid-	<b>Vitamines and Menirals</b>	<b>VITABIOTICS</b>	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
capsule		Anaemia فقر الدم	<b>Unknown</b>		
30capsule					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>pregnahealth</b>	Vit C 50 mg,Vit. B1.3mg,Vit. B2	<b>Vitamines and Menirals</b>	<b>BIOPHARM</b>	One capsule or more daily or as prescribed by the physician	
Capsules	Vitamins نقص فيتامينات	<b>Yemen</b>			
30 caps		5.mg,Nicotinamide .20 mg,Calcium .5 mg,vit.,B6			
<b>pregnahealth with folic acid</b>	vitamine and mineral including folic acid 400 mg	<b>Vitamines and Menirals</b>	<b>BIOPHARM</b>	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Capsules	Anaemia فقر الدم	<b>Yemen</b>			
30capsule	vit.B12.iron.vitB6 .ca.vit D				
<b>Pregnalife ???</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>Unknown</b>	As directed	
Capsules	Vitamins نقص فيتامينات	<b>Unknown</b>			
30 cap					
<b>Pregnaton</b>	Multivitamins-minerals and rich in folic acid ,iron,zinc for pregnancy	<b>Vitamines and Menirals</b>	<b>Global Pharma</b>	One capsule or more daily or as prescribed by the physician	
Capsules	Vitamins نقص فيتامينات	<b>Yemen</b>			
24 caps					
<b>Pregnavit</b>	Multivitamins-minerals for	<b>Vitamines and Menirals</b>	<b>Shaphaco</b>	One capsule or more daily or as prescribed by the physician	
Tablets	Vitamins نقص فيتامينات	<b>Yemen</b>			
30 S.G tab					
<b>Pregnavit</b>	Multivitamins and minerals	<b>Vitamines and Menirals</b>		One tab or more daily or as prescribed by the physician	
Tablets	Vitamins نقص فيتامينات				
30 F.C tab					
<b>Pregnazon</b>	Multivitamins-minerals and rich in folic acid ,iron,zinc for pregnancy	<b>Vitamines and Menirals</b>	<b>Health Aid</b>	As directed	
Tablets	Vitamins نقص فيتامينات	<b>Thailand</b>			
30 tab					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>PREGVIT ZINC</b>	Zink Sulfate	<b>Vitamines and Menirals</b>	<b>PHARCO</b>	As directed	
Capsules		Vitamins	<b>Egypt</b>		
24 S.G capsules.		Deficiency نقص فيتامينات			
<b>Prehepar</b>	Hepatoprotective Agents	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	1-3 capsule daily.	
Capsules		Hepatic Disorders	<b>Unknown</b>		
20 cap		اضطرابات الكبد			
<b>Premosan</b>	metoclopramide	<b>Gastro Intestinal drugs</b>	<b>Juphar</b>	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Tablets		Nausea and vomiting الغثيان والطرش	<b>UAE</b>		
20 tabs					
<b>Prenatal</b>	Multi Vitamines and minerals with folic acid	<b>Vitamines and Menirals</b>	<b>Sentinel</b>	As directed	
Tablets		Vitamins			
10 tab		Deficiency نقص فيتامينات			
<b>PrianilCR</b>	Lithium Carbonate tablet 400mg	<b>Central Nervous system drugs</b>	<b>NILE CO.</b>	Minimum/Maximum Adult Daily Dose:600 - 2400 mg (milligram) OR 2 - 8 tablets.	
Tablets		Mental Disorders	<b>Egypt</b>		
50 tablets		الأمراض العقلية			
<b>Primolut N</b>	Norethisterone 5 mg	<b>Gynaecology drugs</b>	<b>BAYER</b>	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives	<b>Germany</b>		
30 tab		موانع الحمل			
<b>PRIMOMRIT - N</b>	norethisterone acetate	<b>Gynaecology drugs</b>	<b>AMRIYA PHARMA</b>	one tablte daily from the frist day of menstution for 21 day	
TABLET		Contraceptives	<b>Egypt</b>		
20		موانع الحمل			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Prisolin</b>	Naphazolin +chlorpheniramin	<b>Respiratory drugs</b>	<b>KAHIRA PHARM</b>	As directed	
Eye & Nasal / drops		Common Cold نزلات البرد	<b>Egypt</b>		
15 ml					
<b>Probric</b>	bambuterol (>>>>>>>>>)	<b>Respiratory drugs</b>	<b>cherry flavour</b>	5 ml once daily	
Oral / Solution		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Unknown</b>		
125 ml					
<b>Procaine penicilin</b>	Penicillin G Procaine	<b>Antibiotics</b>	<b>Vitalis</b>	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	
Vial		الأصابات الميكروبية Microbial Infections	<b>USA</b>		
1 vial					
<b>Procaine Penicillin</b>	Procaine Penicillin 400,000 I.U	<b>Antibiotics</b>	<b>Vitalis</b>	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	
Vial		الأصابات الميكروبية Microbial Infections	<b>USA</b>		
10 vials					
<b>Procto Max</b>	Combination	<b>Antihæmorrhages</b>	<b>Unknown</b>	As directed	
Cream		Haemorrhoids البواسير	<b>Unknown</b>		
30 gm					
<b>Procto- Synalar</b>	Combination	<b>Antihæmorrhages</b>	<b>GRUNETHAL</b>	As directed	
Suppositoris		Haemorrhoids البواسير	<b>Unknown</b>		
10 supp					
<b>PROCTO-CINOLONE</b>	Combination	<b>Antihæmorrhages</b>	<b>MEDICO LABS</b>	As directed	
Suppositoris		Haemorrhoids البواسير	<b>Syria</b>		
10 supp					

















Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>PROCTO-CINOLONE</b>	Combination	<b>Antihemorrhagics</b>		As directed	
Suppositories		Haemorrhoids البواسير			
10 supp					
<b>PROCTO-GLYVENOL</b>	Combination	<b>Antihemorrhagics</b>	<b>Unknown</b>	As directed	
Suppositories		Haemorrhoids البواسير	<b>Unknown</b>		
10 supp					
<b>Profast</b>	Ketoprofen 100 mg	<b>NSAID</b>	<b>Global Pharma</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Tablets		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
30 tabs					
<b>Profast gel</b>	Ketoprofen 2.5%	<b>NSAID</b>	<b>Global Pharma</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Gel		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
40g					
<b>Profenal</b>	Ibuprofen suspension 20mg/ml or 100 mg / 5 ml	<b>Nonsteroidal Anti-</b>	<b>Julphar</b>	Oral doses of 400 mg to 1.2 g daily .	
Suspension		Analgesic مهدئات الأوجاع	<b>UAE</b>		
110 ml					
<b>Profenid</b>	Ketoprofen ampoule 100mg .	<b>Nonsteroidal Anti-</b>	<b>Sanofi Aventis</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Ampoules		Analgesic مهدئات الأوجاع	<b>France</b>		
6 ampoules					
<b>Profenid 100 mg</b>	Ketoprofen	<b>Non-Steroidal Anti-</b>	<b>SANOFI</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Tablets		Analgesic مهدئات الأوجاع	<b>France</b>		
30 Tablet					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Profenid 100 mg</b>	Ketoprofen tablet 100mg .	<b>Nonsteroidal Anti-</b>	<b>Sanofi Aventis</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Tablets		Analgesic مهدئات الأوجاع	<b>France</b>		
30 tablets.					
<b>Profenid-Gel</b>	Ketoprofen gel 2.5%.	<b>Nonsteroidal Anti-</b>	<b>Sanofi Aventis</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Gel		Analgesic مهدئات الأوجاع	<b>France</b>		
60 gm					
<b>PROFILAR</b>	Ketotifen Fumarate	<b>Respiratory drugs</b>	<b>United</b>	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Tablets		Bronchitis التهاب الشعب الهوائية	<b>Jordan</b>		
30 tab					
<b>PROFILAR</b>	Ketotifen Fumarate 1 mg / 5 ml	<b>Respiratory drugs</b>	<b>United</b>	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Syrup		Bronchitis التهاب الشعب الهوائية	<b>Jordan</b>		
120 ml					
<b>Profinal-200</b>	Ibuprofen tablet 200mg.	<b>Nonsteroidal Anti-</b>	<b>Julphar</b>	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	<b>UAE</b>		
20 tablets					
<b>Profinal-400</b>	Ibuprofen tablet 400mg.	<b>Nonsteroidal Anti-</b>	<b>Julphar</b>	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	<b>UAE</b>		
24 tablets					
<b>Progena</b>	Unknown	<b>Unknown</b>	<b>Razi Pharma</b>	As directed	
Cream		Unknown	<b>Syria</b>		
15 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>PROGYLUTON</b>	estradiol valerate 2 mg	<b>Gynaecology drugs</b>	<b>BYERE</b>	one table daily from the frist day of menstution for 21 day	
TABLET		Contraceptives موانع الحمل	<b>Unknown</b>		
21					
<b>Prolomet XL 100</b>	Metoprolol	<b>Cardio Vascular System drugs</b>	<b>SUN Pharma</b>	100- 200 mg daily by mouth	
Tablets		Hypertension ارتفاع ضغط الدم	<b>India</b>		
<b>proluton depot</b>	hydroxyprogesterone hexonate	<b>Gynaecology drugs</b>	<b>BAYER</b>	doses of 250 to 500 mg weekly by intramuscular injection have been given during the first half of pregnancy.	
Ampoules		Amenorrhea انقطاع الطمث	<b>Germany</b>		
1 amp					
<b>Promethazine Oubari</b>	Promethazine tablet 50mg	<b>Antihistamines</b>	<b>OUBARY PHARMA</b>	Minimum/Maximum Adult Daily Dose:12.5 - 150 mg (milligram) OR 1 - 12 tablet.	
Tablets		Allergy الحساسية	<b>Syria</b>		
20 tablets					
<b>Pronatal</b>	Multivitamines(11 vit)+(9)minerals.	<b>Vitamines and Menirals</b>	<b>Ginsana</b>	As directed	
Tablets		Vitamins نقص فيتامينات	<b>Unknown</b>		
30 film-coated tablets					
<b>Pronerv</b>	-vit.(B1) 100mg -vit.(B6) 100mg vit.(B12) 1mg	<b>Vitamines and Menirals</b>	<b>GEROT LANNACH</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Ampoules		Vitamins نقص فيتامينات	<b>Viena, Austria</b>		
5 ampoules of 2ml					
<b>Pronid 100</b>	Ketoprofen 100 mg	<b>NSAID</b>	<b>Modern Pharama</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Tablets		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Pronid S.R. 200</b>	Ketoprofen	<b>NSAID</b>	<b>Modern Pharama</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Capsules		Analgasic مهدئات الأوجاع	<b>Yemen</b>		
10 cap					
<b>Proof-100</b>	Ketoprofen f.c.tablet 100mg.	<b>NSAID</b>	<b>Shaphaco</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Tablets		Analgasic مهدئات الأوجاع	<b>Yemen</b>		
30 f.c.tablets					
<b>Prophallerge</b>	Ketotifen Fumarate 1 mg / 5 ml	<b>Respiratory drugs</b>	<b>RAMEDA</b>	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Syrup		Bronchitis التهاب الشعب الهوائية	<b>Egypt</b>		
120 ml					
<b>Propranolol</b>	Propranolol Hydrochloride	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Adult: 40 - 120 mg orally twice daily ,children 1- 4 mg/kg daily in divided doses by mouth	
1 mg in 1 ml		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>Prospan</b>	herbal extract	<b>Respiratory drugs</b>	<b>Engelhard</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>Unknown</b>		
100 ml					
<b>Prospan</b>	IVY LEAF EXTRACT	<b>Respiratory drugs</b>	<b>Unknown</b>	As directed	
Suppositoris		Common Cold نزلات البرد	<b>Unknown</b>		
5 sup					
<b>Prospan acute</b>	herbal extract	<b>Respiratory drugs</b>	<b>Engelhard</b>	As directed	
Tablets		Common Cold نزلات البرد	<b>Unknown</b>		
20 eff tablets					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Protec</b>	levonorgestrel and ethinylestradiol	<b>Gynaecology drugs</b>	famy care	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	<b>Unknown</b>		
28					
<b>protec ???</b>	medroxyprogestro ne	<b>Gynaecology drugs</b>	famy care	one tablte daily from the frist day of menstution for 21 day	
Ampoules		Contraceptives موانع الحمل	<b>Unknown</b>		
1					
<b>PROTEC-NOR</b>	levonorgestrel and ethinylestradiol	<b>Gynaecology drugs</b>	KFW	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	<b>Unknown</b>		
21					
<b>Protexin balance ???</b>	probiotics +fructooligosacch aride + anti caking agent + magnesium stearate	<b>Gastro Intestinal drugs</b>	probiotics international	One tablet three times daily during or after meals.	
caps		Indigestion سوء الهضم	<b>Unknown</b>		
10 caps					
<b>Protexin balance Cap</b>	probiotics +fructooligosacch aride + anti caking agent + magnesium stearate	<b>Gastro Intestinal drugs</b>	probiotics international	One tablet three times daily during or after meals.	
caps		Indigestion سوء الهضم	<b>Unknown</b>		
30 caps					
<b>PROTODID</b>	Metronidazole	<b>Antiprtozoal</b>	Y.E.PHARMA	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		Amoebiasis , Giardiasis جارديا واميبيا	<b>Yemen</b>		
120ml					
<b>Protocid</b>	Metronidazole	<b>Antiprtozoal</b>	<b>Unknown</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		Amoebiasis , Giardiasis جارديا واميبيا	<b>Unknown</b>		
120 ml					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>PROTOCID 250</b>	Diloxanide Furoate 250 mg + Metronidazole 250 mg	<b>Antiprtozoal</b>	<b>Y.E.PHARMA</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	<b>Yemen</b>		
20 tab					
<b>Protocid Forte</b>	Metronidazole	<b>Antiprtozoal</b>	<b>Y.E.PHARMA</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	<b>Yemen</b>		
20 tab					
<b>PROTOCID Plus</b>	Metronidazole 200 mg, +diloxnide 100 mg	<b>Antiprtozoal</b>	<b>Y.E.PHARMA</b>	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Suspension		Amoebiasis , Giardiasis جارديا واميبيا	<b>Yemen</b>		
120 ml					
<b>Protocid Plus</b>	Metronidazole	<b>Antiprtozoal</b>	<b>Y.E.PHARMA</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	<b>Yemen</b>		
30 tab					
<b>Protogen</b>	Tinidazole	<b>Antiprtozoal</b>	<b>Hayat pharma</b>	Amoebiasis: 2 gm is for 3 days: hepatic amoebiasis, 2 gm for 3 - 6 days , Children 50 to 60 mg/kg for 3- 5 days : Giardiasis, Trichomoniasis 2 gm by mouth: Anaerobic	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	<b>Unknown</b>		
4 tab					
<b>Proton</b>	pantoprazole	<b>Gastro Intestinal drugs</b>	<b>SIGMACO</b>	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		قرحة المعدة	<b>Saudi Arabia</b>		
14 tabs					
<b>Protozole</b>	Tinidazole	<b>Antiprtozoal</b>	<b>MUP</b>	Amoebiasis: 2 gm is for 3 days: hepatic amoebiasis, 2 gm for 3 - 6 days , Children 50 to 60 mg/kg for 3- 5 days : Giardiasis, Trichomoniasis 2 gm by mouth: Anaerobic	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	<b>Egypt</b>		
4 film tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Protozole</b>	Metronidazole	<b>Antiprtozoal</b>	<b>Unknown</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	<b>Unknown</b>		
4 tab					
<b>Prouziac</b>	Fluoxetine capsule 20mg	<b>Central Nervous system drugs</b>	<b>MBC</b>	Minimum/Maximum Adult Daily Dose:10 - 80 mg (milligram) OR 1 - 8 Capsule	
Capsules		Mental Disorders الأمراض العقلية	<b>Syria</b>		
20 capsules					
<b>PROUZIAC</b>	Unknown	<b>Central Nervous system drugs</b>	<b>BAHRI</b>	As directed	
Capsules		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
20 cap					
<b>Proviron</b>	mesterolone 25	<b>Hormones</b>	<b>BAYER</b>	by dectore	
tablet		Sex Hormones هرمونات جنسية	<b>Germany</b>		
20					
<b>Proxagel</b>	Naproxen	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	500 mg to 1 g of naproxen daily , children 10 to 15 mg/kg twice daily	
Capsules		مهدئات الأوجاع	<b>Unknown</b>		
40 cap					
<b>Proxagel</b>	Naproxen 200 mg	<b>Non-Steroidal Anti-</b>	<b>Daana Pharma</b>	500 mg to 1 g of naproxen daily , children 10 to 15 mg/kg twice daily	
Capsules		مهدئات الأوجاع	<b>Unknown</b>		
40 cap					
<b>Proxen 250 mg</b>	Naproxen	<b>Non-Steroidal Anti-</b>	<b>GRUNENTHA L</b>	500 mg to 1 g of naproxen daily , children 10 to 15 mg/kg twice daily	
Tablets		مهدئات الأوجاع	<b>Unknown</b>		
20 tab					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Proximol</b>	Unknown	<b>Miscellaneous drugs</b>	<b>KAHIRA PHARM</b>	As directed	
Granules		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
60 gm					
<b>Ptinolin</b>	Ranitidine 50mg/2 ml	<b>Gastro Intestinal drugs</b>	<b>help</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Ampoules		Peptic ulcer قرحة المعدة	<b>Greece</b>		
5 amps					
<b>Ptinolin 150</b>	Ranitidine 150 / tab	<b>Gastro Intestinal drugs</b>	<b>help</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	<b>Greece</b>		
20 tabs					
<b>Pulmocare</b>	terbutaline+guaifenesine	<b>Respiratory drugs</b>	<b>EVA PHARMA</b>	10 - 15 ml orally tid	
Syrup		Common Cold نزلات البرد	<b>Egypt</b>		
125 ml					
<b>Puradin</b>	Unknown	<b>Skin Disorders</b>	<b>Unknown</b>	As directed	
Solution		Dermatitis الأتهابات الجلدية	<b>Unknown</b>		
200 ml					
<b>Pure cod liver oil</b>	Pure cod liver oil 9.2g+Vit. A 1200 mcg+ Vit. D 10mcg+ Vit. E 7.6mg+EPA 828 mg+DhA 736	<b>Vitamines and Menirals</b>	<b>seven seas</b>	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Syrup		Vitamins نقص فيتامينات	<b>Unknown</b>		
170 ml					
<b>Pursennid</b>	Sennae glycoside	<b>Gastro Intestinal drugs</b>	<b>NOVARTIS</b>	15 to 30 mg once or twice daily	
Tablets		Constipation الإمساك	<b>Switzerland</b>		
20 tablets					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Pyral</b>	Paracetamol drops 100mg/ml.	<b>Nonsteroidal Anti-</b>	<b>KAHIRA PHARM</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Drops		Antipyretic - مهدئات الأوجاع والحمى	<b>Egypt</b>		
15 ml					
<b>Pyrantel</b>	Mebendazole	<b>Anthelmintic</b>	<b>Unknown</b>	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Tablets		Common Worms الديدان الشائعة	<b>Unknown</b>		
6 tab					
<b>Pyrantel</b>	Mebendazole	<b>Anthelmintic</b>	<b>AMRIYA PHARMA</b>	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Tablets		Common Worms الديدان الشائعة	<b>Egypt</b>		
6 tab					
<b>Pyridoxin</b>	Vitamin B Substances	<b>Vitamines and Menirals</b>	<b>Unknown</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Tablets		Neuritis; vitamin B deficiency	<b>Unknown</b>		
20 tab					
<b>Pyridoxin 40</b>	Prridoxine 40 mg	<b>Vitamines and Menirals</b>	<b>Unknown</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Tablets		Neuritis; vitamin B deficiency	<b>Unknown</b>		
20 tab					
<b>Pyridoxine</b>	pyridoxine	<b>Gastro Intestinal drugs</b>	<b>Juphar</b>	Dietary Deficiency : ADULTS: PO/IM/IV 10 to 20 mg/day for 3 wk. Or oral once a day	
Tablets		Nausea and vomiting الغثيان والطرش	<b>UAE</b>		
20 tabs					
<b>Qinarsol</b>	Quinine	<b>Antimalarial medicines</b>	<b>CIPLA</b>	600 mg of quinine every 8 hours for 7 days. For children, 10 mg / kg every 8 hours for 7 days is recommended.	
Ampoules		Malaria الملاريا	<b>India</b>		
10 amp x 2 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Quebril</b>	Theophyllin +guafenesin	<b>Respiratory drugs</b>	<b>k&amp;c pharma</b>	by mouth in doses ranging from 300 to 1000 mg daily in divided doses	
Capsules		Bronchial Asthma الربو الشعبي	<b>Syria</b>		
20 cap					
<b>Qubron-T/SR</b>	Theophylline 300 mg	<b>Respiratory drugs</b>	<b>Unknown</b>	by mouth in doses ranging from 300 to 1000 mg daily in divided doses	
Tablets		Bronchial Asthma الربو الشعبي	<b>Unknown</b>		
100 tab					
<b>Qutipin-200</b>	Quetiapine tablets 200mg	<b>Central Nervous system drugs</b>	<b>SUN</b>	Minimum/Maximum Adult Daily Dose:200 - 800 mg (milligram) OR 2 - 8 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>India</b>		
30 tablets					
<b>R.B.TONE</b>	ferrous gluconate200mg+foliolic acid0.5mg+vitB12 4mcg	<b>Vitamines and Menirals</b>	<b>MEDLEY</b>	by mouth in doses of up to 1.8 g daily (equivalent to up to 210 mg of iron daily).	
Capsules		Anaemia فقر الدم	<b>India</b>		
10*15capsule					
<b>R.B.Tone</b>	Ferrous Sulfate+ Folic Acid	<b>Vitamines and Menirals</b>	<b>MEDLEY</b>	Adult Daily Dose:1 tablet once or twice aday or as directed by the physician.	
Syrup		Anaemia فقر الدم	<b>India</b>		
200 ml					
<b>R.B.Tone ???</b>	Ferrous Sulfate+ Folic Acid	<b>Vitamines and Menirals</b>	<b>MEDLEY</b>	Adult Daily Dose:1 tablet once or twice aday or as directed by the physician.	
Capsules		Anaemia فقر الدم	<b>India</b>		
2 * 15 cap					
<b>Rabeloc ???</b>	Rabeprazole	<b>Gastro Intestinal drugs</b>	<b>CADILA</b>	*20 mg once daily 10 mg bid *	
tab		Peptic ulcer قرحة المعدة	<b>India</b>		
10 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Rabeloc Tab</b>	Rabeprazole	<b>Gastro Intestinal drugs</b>	<b>CADILA</b>	*20 mg once daily 10 mg bid *	
tab		Peptic ulcer قرحة المعدة	<b>India</b>		
10 tabs					
<b>Radian</b>	Combination	<b>Non-Steroidal Anti-</b>		As directed	
Cream		Analgesic مهدئات الأوجاع	<b>UK</b>		
<b>Rafamox Capsules</b>	Amoxicillin*	<b>Antibiotics</b>	<b>RFA</b>	250 - 1000 mg three times daily	
capsules		الأمراض الميكروبية Microbial Infections	<b>Yemen</b>		
10strip*10capsules					
<b>Rafamox Syrup</b>	Amoxicillin*	<b>Antibiotics</b>	<b>RFA</b>	125 to 250 mg every 8 hours	
Dry syrup		الأمراض الميكروبية Microbial Infections	<b>Yemen</b>		
1bottel*80ml					
<b>Ramecef</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>RAMEDA</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parentral inj		Bacterial Infections الأمراض البكتيرية	<b>Egypt</b>		
1 vial					
<b>Ramecef</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>Unknown</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
1 vial					
<b>Ramipres - 5</b>	Ramipres 5 mg	<b>Cardio Vascular System drugs</b>	<b>CIPLA</b>	1.25 - 5 mg once daily is given by mouth	
Tablets		Hypertension ارتفاع ضغط الدم	<b>India</b>		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Ramipres-10</b>	Ramipril	<b>Cardio Vascular System drugs</b>	<b>CIPLA</b>	1.25 - 5 mg once daily is given by mouth	
Tablets		Hypertension ارتفاع ضغط الدم	<b>India</b>		
10tab					
<b>Ramipres-2.5</b>	Ramipril	<b>Cardio Vascular System drugs</b>	<b>CIPLA</b>	1.25 - 5 mg once daily is given by mouth	
Tablets		Hypertension ارتفاع ضغط الدم	<b>India</b>		
10tab					
<b>Ramipres-H</b>	Ramipril	<b>Cardio Vascular System drugs</b>	<b>CIPLA</b>	1.25 - 5 mg once daily is given by mouth	
Tablets		Hypertension ارتفاع ضغط الدم	<b>India</b>		
10tab					
<b>Ramol</b>	Paracetamol syrup 120mg /5ml.	<b>NSAID</b>	<b>Shiba pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
60 ml					
<b>Ramol</b>	Paracetamol syrup 120mg /5ml.	<b>NSAID</b>	<b>Shiba pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
100 ml					
<b>Ramol</b>	Paracetamol syrup 120mg /5ml.	<b>NSAID</b>	<b>Shiba pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
60 ml					
<b>Ramol</b>	Paracetamol syrup 250mg /5ml.	<b>NSAID</b>	<b>Shiba pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
60 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Ramol</b>	Paracetamol 400 mg /tab	<b>NSAID</b>	<b>Shiba pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات والأوجاع والحمى	<b>Yemen</b>		
10 x 10 tab					
<b>Ramol</b>	Paracetamol 500 mg /caplet	<b>NSAID</b>	<b>Shiba pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Caplets		Antipyretic - Analgesic مهدئات والأوجاع والحمى	<b>Yemen</b>		
20 caplet					
<b>Ramol</b>	Paracetamol 100 mg /1 ml	<b>NSAID</b>	<b>Shiba pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Oral Drops		Antipyretic - Analgesic مهدئات والأوجاع والحمى	<b>Yemen</b>		
20 ml					
<b>Ramol Cold &amp; Flu</b>	Paracetamol 500 mg + Pseudoephedrine 30 mg + Chlorpheniramine 2 mg /caplet	<b>Respiratory drugs</b>	<b>Shiba pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Caplets		Common Cold نزلات البرد	<b>Yemen</b>		
20 caplet					
<b>Ramol Extra</b>	Paracetamol 500 mg + caffeine 65 mg /tab	<b>Respiratory drugs</b>	<b>Shiba pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Caplets		Common Cold نزلات البرد	<b>Yemen</b>		
20 caplet					
<b>Ramol Sinus</b>	Paracetamol 500 mg + Pseudoephedrine 30 mg /tab	<b>NSAID</b>	<b>Shiba pharma</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات والأوجاع والحمى	<b>Yemen</b>		
20 tab					
<b>Rana = strawberry</b>	Caster Oil	<b>Gastro Intestinal drugs</b>	<b>Shrivenu</b>	4 tablespoons (15ml to 60ml) in a single daily dose.	
solution		Constipation الأمساك	<b>India</b>		
60 ml for bottle					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Rana = mix fruit</b>	Caster Oil	<b>Gastro Intestinal drugs</b>	<b>Shrivenu</b>	4 tablespoons (15ml to 60ml) in a single daily dose.	
solution		Constipation الأمساك	<b>India</b>		
60 ml for bottle					
<b>Ranitidine 50 mh/2 ml</b>	Ranitidine	<b>Gastro Intestinal drugs</b>	<b>OUBARY PHARMA</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Ampoules		Peptic ulcer قرحة المعدة	<b>Syria</b>		
5 amps					
<b>RANDIN 150</b>	Ranitidine	<b>Gastro Intestinal drugs</b>	<b>Modern Pharama</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
10 x 10 tab					
<b>Rani 150</b>	Ranitidine	<b>Gastro Intestinal drugs</b>	<b>PHARCO</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Eff. Granules		Peptic ulcer قرحة المعدة	<b>Egypt</b>		
6 sachets					
<b>Rani 150</b>	Ranitidine	<b>Gastro Intestinal drugs</b>	<b>PHARCO</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Sachets		Peptic ulcer قرحة المعدة	<b>Egypt</b>		
6 Sachets					
<b>Rani-Denk 150 mg</b>	Ranitidine	<b>Gastro Intestinal drugs</b>	<b>Denk pharma</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	<b>Germany</b>		
20 tablets					
<b>Ranimax</b>	Ranitidine	<b>Gastro Intestinal drugs</b>	<b>JPI</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	<b>Saudi Arabia</b>		
20 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Ranimax 150</b>	Ranitidine	<b>Gastro Intestinal drugs</b>	<b>JPI</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	<b>Saudi Arabia</b>		
20 tabs					
<b>Ranisan 150</b>	Ranitidine 150 mg / tab	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
10 x 10 tab					
<b>Ranitak 150 mg</b>	Ranitidine	<b>Gastro Intestinal drugs</b>	<b>SEDICO</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	<b>Egypt</b>		
20 tablets					
<b>Ranitalis 50 mg/ 2 ml</b>	Ranitidine 50 mg/ 2 ml	<b>Gastro Intestinal drugs</b>	<b>Vitalis</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Ampoules		Peptic ulcer قرحة المعدة	<b>USA</b>		
10 amp					
<b>Raniticid 50 mg</b>	Ranitidine	<b>Gastro Intestinal drugs</b>	<b>shijiazhuang = china</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Ampoules		Peptic ulcer قرحة المعدة	<b>China</b>		
10 amps					
<b>Ranitidine Injection</b>	Ranitidine 25 mg / ml	<b>Gastro Intestinal drugs</b>	<b>GLAND</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Ampoules		Peptic ulcer قرحة المعدة	<b>India</b>		
5 amps x 2 ml					
<b>Ranitol 150 mg</b>	Ranitidine	<b>Gastro Intestinal drugs</b>	<b>MUP</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	<b>Egypt</b>		
20 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Ranitol 300 mg</b>	Ranitidine	<b>Gastro Intestinal drugs</b>	<b>MUP</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	<b>Egypt</b>		
10 tabs					
<b>Rantac 150 mg</b>	Ranitidine	<b>Gastro Intestinal drugs</b>	<b>Shaphaco</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	<b>Yemen</b>		
100 tab					
<b>Rantag 150</b>	Ranitidine	<b>Gastro Intestinal drugs</b>	<b>Juphar</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	<b>UAE</b>		
20 tablets					
<b>Rantiol 50 mg</b>	Ranitidine 50 mg	<b>Gastro Intestinal drugs</b>	<b>MUP</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Ampoules		Peptic ulcer قرحة المعدة	<b>Egypt</b>		
5 amps					
<b>RAPACE</b>	Losartan Potassium	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
Box					
<b>Rapidus-50</b>	Diclofenac Potassium coated tablet 50 mg.	<b>Non-Steroidal Anti-</b>	<b>Tabuk pharma</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		Analgesic مهدئات الأوجاع	<b>Saudi Arabia</b>		
20 coated tablets					
<b>RASHA</b>	Unknown	<b>Skin Disorders</b>	<b>SEDICO</b>	As directed	
Ointment		Dermatitis الألتهايات الجلدية	<b>Egypt</b>		
20 gm					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Rawel SR</b>	Indapamide 1.5 mg / tab	<b>Cardio Vascular System drugs</b>	<b>KRKA</b>	usual dose by mouth is 1.25 to 2.5 mg once daily,	
Tablets		Hypertension ارتفاع ضغط الدم	<b>India</b>		
20 tab					
<b>Raxidon-2</b>	Risperidone tablet 2mg	<b>Central Nervous system drugs</b>	<b>JPM</b>	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	<b>Jordan</b>		
20 tablets					
<b>Raxidon-4</b>	Risperidone tablet 2mg	<b>Central Nervous system drugs</b>	<b>JPM</b>	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	<b>Jordan</b>		
20 tablets					
<b>Razon 40</b>	pantoprazole	<b>Gastro Intestinal drugs</b>	<b>JPM</b>	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		قرحة المعدة	<b>Jordan</b>		
14 tabs					
<b>Razon 40</b>	Pantoprazole	<b>Gastro Intestinal drugs</b>	<b>JPM</b>	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		قرحة المعدة	<b>Jordan</b>		
14 tab					
<b>Redoxon</b>	Vitamin c 1000mg / Effervescent tab.	<b>Vitamines and Menirals</b>	<b>BAYER</b>	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	
Tablets		Vitamins نقص فيتامينات	<b>Switzerland</b>		
10 Effervescent tab					
<b>REEMOX</b>	Amoxicillin 500 mg / Cap	<b>Antibiotics</b>	<b>REYOUNG</b>	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Capsules		الأمراض الميكروبية Microbial Infections			
10 strip*10 Capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Reenia</b>	CaCo3+MgCO3+NaHCo3	<b>Gastro Intestinal drugs</b>	Bayer health care	one or two tab T I D	
chewable tab		Indigestion سوء الهضم	Unknown		
96 chewable tabs					
<b>REGULON</b>	ethinylestradiol - desogestrel 3	<b>Gynaecology drugs</b>	<b>GEDEON RICHTER</b>	one tablete daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	<b>HUNGARY</b>		
21					
<b>Relax</b>	chlorzoxazone 250mg+Paracetamol 300mg per capsule.	<b>Nonsteroidal Anti-</b>	<b>Alphamoun</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Capsules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Egypt</b>		
20 capsules.					
<b>Relax</b>	chlorzoxazone 250mg+Paracetamol 300mg per capsule.	<b>Skeletal Muscle</b>	<b>Alphamoun</b>	250 mg three or four times daily, up to 750 mg three or four times daily may be given if necessary.	
Capsules		Muscle relaxation مرخيات العضلات	<b>Egypt</b>		
20 capsules					
<b>Relaxon</b>	Chlorzoxazone 250 mg + Paracetamol 300mg /capsule	<b>Skeletal Muscle</b>	<b>jamjoom pharma</b>	250 mg three or four times daily, up to 750 mg three or four times daily may be given if necessary.	
Capsules		Muscle relaxation مرخيات العضلات	<b>Saudi Arabia</b>		
30 capsules					
<b>Relcer</b>	Al(OH)+Mg(OH) +Simethicone	<b>Gastro Intestinal drugs</b>	<b>Glenmark</b>	*tab = 40 -120 mg QID orall a.m * susp = 10 ml QID * sachets = one sachet QID	
Gel		Indigestion سوء الهضم	<b>India</b>		
180 ml for bottle					
<b>Reman`s Delay Spray</b>	lidocaine	<b>Central Nervous system drugs</b>	<b>reman</b>	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Solution		Anaesthetics التخدير الموضعي	Unknown		
bottle of 10 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Remora</b>	Roxithromycin 150 mg	<b>Antibiotics</b>	<b>Unknown</b>	150 mg twice daily, or sometimes 300 mg once daily, In children of 5 - 8 mg/kg daily , before meals	
Tablets		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
10 tab					
<b>Remotidine 50 mg</b>	Ranitidine	<b>Gastro Intestinal drugs</b>	<b>REYOUNG</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Ampoules		قرحة المعدة Peptic ulcer	<b>Unknown</b>		
10 amp x 2 ml					
<b>RENAL-S</b>	Combination	<b>Urinary tract drugs</b>	<b>pharo ph.</b>	As directed	
Sachets		اصابات الجهاز البولي Urinary Tract Infection	<b>Egypt</b>		
12 Sachets					
<b>Renfort</b>	Ranitidine	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Ampoules		قرحة المعدة Peptic ulcer	<b>Unknown</b>		
10 x 2 ml					
<b>Rennia</b>	CaCo3 680 mg +MgCO3 80 mg	<b>Gastro Intestinal drugs</b>	<b>Bayer health care</b>	one or two tab three times daily	
Chewable tab		سوء الهضم Indigestion	<b>Unknown</b>		
96 chewable tabs					
<b>Rennia Tab</b>	CaCo3 680 mg+MgCO3 80 mg	<b>Gastro Intestinal drugs</b>	<b>BAYER</b>	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Chewable Tablets		سوء الهضم Indigestion	<b>Germany</b>		
96 chewable_tab					
<b>Rennia</b>	Combination	<b>Gastro Intestinal drugs</b>	<b>BAYER</b>	As directed	
Tablets		سوء الهضم Indigestion	<b>Germany</b>		
96 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Repace</b>	losartan potassium	<b>Cardio Vascular System drugs</b>	<b>SUN</b>	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>India</b>		
30tab					
<b>REPACE H</b>	Losartan Potassium	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
Box					
<b>Reparil</b>	Aescin..... ..... Diethylamine salicylate..... .....	<b>Cardio Vascular System drugs</b>	<b>CID</b>	The maximum intravenous dose in adults stated to be 20 mg daily	
Tablets		Cardio Vascular الأوعية الدموية والقلب	<b>Egypt</b>		
40 TAB					
<b>Reparil®</b>	Aescin..... ..... ..... .....1 g Diethylamine	<b>Cardio Vascular System drugs</b>	<b>CID</b>	The maximum intravenous dose in adults stated to be 20 mg daily	
Semisolid		Cardio Vascular الأوعية الدموية والقلب	<b>Egypt</b>		
40 mg					
<b>Resclar</b>	Clarithromycin	<b>Antibiotics</b>	<b>Neopharma</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
tablet		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>UAE</b>		
2strip*7tablet					
<b>Resdon-2</b>	Risperidone tablet 2mg	<b>Central Nervous system drugs</b>	<b>RFA</b>	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	<b>Yemen</b>		
30 tablets					
<b>Resdon-3</b>	Risperidone tablet 3mg	<b>Central Nervous system drugs</b>	<b>RFA</b>	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	<b>Yemen</b>		
30 tablets					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Resdon-4</b>	Risperidone tablet 4mg	<b>Central Nervous system drugs</b>	RFA	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	Yemen		
30 tablets					
<b>Resprain</b>	Heptaminol	<b>Cardio Vascular System drugs</b>	PHARCO	As directed	
Syrup		Hypertension ارتفاع ضغط الدم	Egypt		
20ml					
<b>Res-Q 10</b>	Nutrients	<b>Gastro Intestinal drugs</b>	Unknown	As directed	
Capsules		Nutrition supplementation تغذية تكميلية	Unknown		
30 cap					
<b>Restlea</b>	Risperidone tablet 2mg	<b>Central Nervous system drugs</b>	ELEA	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	Argentina		
20 tablet					
<b>Restine</b>	Meclozine + Pyridoxine	<b>Gastro Intestinal drugs</b>	Alphamoun	* Motion Sickness= ADULTS: PO 25-50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25-100 mg/day in divided doses	
Tablets		Nausea and vomiting الغثيان والطرش	Egypt		
20 tabs					
<b>Restrla-2</b>	Risperidone tablet 2mg	<b>Central Nervous system drugs</b>	ELEA	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	Argentina		
20 tablets					
<b>Restrla-3</b>	Risperidone tablet 3mg	<b>Central Nervous system drugs</b>	ELEA	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	Argentina		
20 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Restyl1mg</b>	Alprazolam tablet 1mg	<b>Central Nervous system drugs</b>	<b>CIPLA</b>	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insunnea الأرق والقلق	<b>India</b>		
30 tablets					
<b>Resulen</b>	Policresulen	<b>Antihemorrhages</b>	<b>Unknown</b>	As directed	
Suppositoris		Vaginal المهبل	<b>Unknown</b>		
10 sup					
<b>Resyl</b>	Guaifenesin+bromohexine	<b>Respiratory drugs</b>	<b>natco ph.</b>	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>Unknown</b>		
100 ml					
<b>Retalin-50</b>	Sertraline tablet 50mg	<b>Central Nervous system drugs</b>	<b>pil</b>	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
Tablets		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
30 tab					
<b>Retane</b>	Isotretinoin 10 mg	<b>Vitamines and Menirals</b>	<b>ASIA</b>	oral : 500 micrograms/kg daily - Topical treatment of acne a gel 0.05% of isotretinoin is applied once or twice daily	
Soft Gelatin Capsules		حب الشباب Acne	<b>Syria</b>		
30 cap					
<b>Retin- A gel</b>	Tretinoin	<b>Skin Disorders</b>	<b>Janssen-Cilag</b>	As directed	
Gel		حب الشباب Acne	<b>Switzerland</b>		
20 gm					
<b>Revanin</b>	Paracetamol	<b>Non-Steroidal Anti-</b>	<b>APM</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - Mهدئات الأوجاع والحمى	<b>Jordan</b>		
5 sup					




Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Rexapin 5mg</b>	Olanzapin tablet 5mg	<b>Central Nervous system drugs</b>	<b>ABDIbrahim</b>	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
28 Tablets					
<b>Rexapin10mg</b>	Olanzapin tablet 10mg	<b>Central Nervous system drugs</b>	<b>ABDIbrahim</b>	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
28 Tablets					
<b>Rexetin</b>	Paroxetine	<b>Central Nervous system drugs</b>	<b>GEDEON RICHTER</b>	Minimum/Maximum Adult Daily Dose:20 - 60 mg (milligram) OR 2 - 6 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>HUNGARY</b>		
30 tab					
<b>Rexetin 20</b>	Paroxetine 20 mg	<b>Central Nervous system drugs</b>	<b>Unknown</b>	Minimum/Maximum Adult Daily Dose:20 - 60 mg (milligram) OR 2 - 6 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
30 tab					
<b>RFADAXIT</b>	Flupentixol Hydrochloride 0.5 mg + Melitracen Hydrochloride 10 mg	<b>Central Nervous system drugs</b>	<b>RFA</b>	3 to 9 mg of flupentixol twice daily or Adult 2 tab dialy maximum 4 tab per day. And childran not use .	
Tablets		Mental Disorders الأمراض العقلية	<b>Yemen</b>		
100 tablets					
<b>RFAFER</b>	Ferrous Sulfate	<b>Vitamines and Menirals</b>	<b>RFA</b>	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Syrup		Anaemia فقر الدم	<b>Yemen</b>		
100 ml					
<b>RFAFLU</b>	pseudoephedrine +paracetamol + diphenhydramine	<b>Respiratory drugs</b>	<b>RFA</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	<b>Yemen</b>		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>RFAFLU Tablets</b>	Paracetamol 500mg + Pseudoephedrine 30mg + Diphenhydramin 25mg per tablet.	<b>NSAID</b>	<b>RFA</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
20 tablets					
<b>RFAFLU-C</b>	chloropheneramin 2mg+Pseudoephedrine 15mg+Paracetamol 120mg/5ml.	<b>NSAID</b>	<b>RFA</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
60 ml					
<b>Rfaflu-C</b>	pseudoephedrine +paracetamol + diphenhydramine	<b>Respiratory drugs</b>	<b>RFA</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	<b>Yemen</b>		
60 ml					
<b>Rfagra 25</b>	Sildenafil Citrate 25 mg/ tablet	<b>Sex Stimulants</b>	<b>RFA</b>	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	<b>Yemen</b>		
20 tab					
<b>Rfagra 50</b>	Sildenafil Citrate 50 mg/ tablet	<b>Sex Stimulants</b>	<b>RFA</b>	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	<b>Yemen</b>		
4 tab					
<b>RFALIN-50</b>	Sertraline tablet 50mg	<b>Central Nervous system drugs</b>	<b>RFA</b>	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
Tablets		Mental Disorders الأمراض العقلية	<b>Yemen</b>		
30 tab					
<b>RFAMOL</b>	Paracetamol suspension 250mg/5ml.	<b>NSAID</b>	<b>RFA</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
60 ml					









Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>RFAMOL</b>	Paracetamol tablet 500mg.	<b>NSAID</b>	<b>RFA</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
100 tablets					
<b>RFAMOL</b>	Paracetamol 500 mg	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Unknown</b>		
20 Tablets					
<b>RFAMOL ???</b>	Paracetamol 500mg soluble tablet.	<b>NSAID</b>	<b>RFA</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
48 soluble tablets.					
<b>RFAMOL ????</b>	Paracetamol syrup 120 mg/5ml.	<b>NSAID</b>	<b>RFA</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
60 ml					
<b>RFAMOL cold</b>	Paracetamol 500mg + Phenylephrine 10mg + Certirizine 5mg per tablet.	<b>NSAID</b>	<b>RFA</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
4 tablets.					
<b>RFAMOL cold</b>	Paracetamol 125mg + Phenylephrine HCl 10mg + Cetirizine 2mg/5ml	<b>NSAID</b>	<b>RFA</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
60 ml					
<b>Rfamol cold</b>	pseudoephedrine +paracetamol+chl oraphiniramine	<b>Respiratory drugs</b>	<b>RFA</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	<b>Yemen</b>		
4 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Rfamol Cold</b>	pseudoephedrine +paracetamol+chloraphiniramine	<b>Respiratory drugs</b>	<b>RFA</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	<b>Yemen</b>		
4 tab					
<b>RFAMOL EXTRA</b>	Paracetamol 500 mg	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Unknown</b>		
20 Tablets					
<b>RFAMOLesextra</b>	Paracetamol 500mg+ Caffeine 65mg per tab.	<b>NSAID</b>	<b>RFA</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
100 tablets.					
<b>RFAMOLnight</b>	Paracetamol 125mg+ Diphenhydramine HCl 7mg+Sodium citrat	<b>NSAID</b>	<b>RFA</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
60 ml					
<b>RFAMOLplus</b>	Paracetamol 500mg + Codeine 8mg + Caffeine 30mg per effer, tablet.	<b>NSAID</b>	<b>RFA</b>	As directed	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
48 effer, tablets.					
<b>RFAMOLs.f</b>	Paracetamol syrup 160mg/5ml.	<b>NSAID</b>	<b>RFA</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
60 ml					
<b>RFAMOX</b>	Amoxicillin 250 MG/5 ML	<b>Antibiotics</b>	<b>RFA</b>	125 to 250 mg every 8 hours	
Powder for Suspension		الأمراض الميكروبية Microbial Infections	<b>Yemen</b>		
80 ML					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>RFAMOX</b>	Amoxicillin 125 MG/5 ML	<b>Antibiotics</b>	<b>RFA</b>	125 to 250 mg every 8 hours	
Powder for Suspension		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
80 ML					
<b>RFAMOX 250</b>	Amoxicillin 250 mg / Cap	<b>Antibiotics</b>	<b>RFA</b>	250 - 1000 mg three times daily	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
10 strip*10 Capsules					
<b>RFAMOX 500</b>	Amoxicillin 500 mg / Cap	<b>Antibiotics</b>	<b>RFA</b>	250 - 1000 mg three times daily	
Capsules		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
10 strip*10 Capsules					
<b>Rfapam 5</b>	Olanzapin tablet 5mg	<b>Central Nervous system drugs</b>	<b>RFA</b>	Minimum/Maximum Adult Daily Dose: 10 - 20 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>Yemen</b>		
30 Tablets					
<b>Rfapam10</b>	Olanzapin tablet 10mg	<b>Central Nervous system drugs</b>	<b>RFA</b>	Minimum/Maximum Adult Daily Dose: 10 - 20 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>Yemen</b>		
30 tablets					
<b>RFAPRIL 10</b>	Lisinopril 10mg	<b>Cardio Vascular System drugs</b>	<b>RFA</b>	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Yemen</b>		
30 tab					
<b>RFAPRIL 5</b>	Lisinopril 5mg	<b>Cardio Vascular System drugs</b>	<b>RFA</b>	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Yemen</b>		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>RFAPRIL-H</b>	Lisinopril 5mg+ Hydrochlorothiazide 12.5 mg	<b>Cardio Vascular System drugs</b>	<b>RFA</b>	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Yemen</b>		
30 tab					
<b>RFAROX 300</b>	Roxithromycin 300 mg/tab	<b>Antibiotics</b>	<b>RFA</b>	150 mg twice daily, or sometimes 300 mg once daily, In children of 5 - 8 mg/kg daily , before meals	
Tablets		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
5 tabs					
<b>RFASAN</b>	Mefenamic Acid suspension 50mg/5ml.	<b>NSAID</b>	<b>RFA</b>	Minimum/Maximum Adult Daily Dose: 250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Suspension		مهدئات الأوجاع	<b>Yemen</b>		
100 ml					
<b>RFAsan</b>	Mefenamic Acid tablet 500mg	<b>NSAID</b>	<b>RFA</b>	Minimum/Maximum Adult Daily Dose: 250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		مهدئات الأوجاع	<b>Yemen</b>		
20 tablets.					
<b>RFASAN</b>	Mefenamic Acid	<b>NSAID</b>	<b>RFA</b>	Minimum/Maximum Adult Daily Dose: 250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		مهدئات الأوجاع	<b>Yemen</b>		
20 tab					
<b>Rfasool</b>	glyceryl guaiacola +chlorphenoramine maleate	<b>Respiratory drugs</b>	<b>RFA</b>	As directed	
Syrup		نزلات البرد Common Cold	<b>Yemen</b>		
100 ml					
<b>Rfaspaspa</b>	Drotaverine	<b>Gastro Intestinal drugs</b>	<b>RFA</b>	120 to 240 mg daily by mouth in divided doses.	
Tablets		آلام البطن Abdominal Spasm	<b>Yemen</b>		
20 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Rfasp forte</b>	Drotaverine 80 mg	<b>Gastro Intestinal drugs</b>	RFA	120 to 240 mg daily by mouth in divided doses.	
Tablets		Abdominal Spasm آلام البطن	Yemen		
20 tabs					
<b>RFAZET</b>	Paracetamol 500mg + Phenylephrine 10mg + Chlorpheniramine Maleate 2mg per	<b>NSAID</b>	RFA	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
20 tablets.					
<b>Rfazet</b>	Paracetamol 500 mg + chloraphiniramine 2 mg & Phenylephrine 10 mg	<b>Respiratory drugs</b>	RFA	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	Yemen		
20 tab					
<b>RFAZET ???</b>	Paracetamol 125mg + Phenylephrine HCl 5mg+ Chlorpheniramine Maleate 2mg +	<b>NSAID</b>	RFA	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
60 ml					
<b>Rheumarene-25</b>	Diclofenac Sodium tablet 25mg	<b>Nonsteroidal Anti-</b>	SEDICO	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	Egypt		
20 tablets					
<b>Rheumarene-50</b>	Diclofenac Sodium tablet 50mg	<b>Nonsteroidal Anti-</b>	SEDICO	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	Egypt		
20 tablets					
<b>Rheumarene-75</b>	Diclofenac Sodium ampoule 75mg/3ml.	<b>Nonsteroidal Anti-</b>	SEDICO	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		Analgesic مهدئات الأوجاع	Egypt		
3 ampoules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Rheumarene-Gel</b>	Diclofenac Sodium 1 % gel	<b>Nonsteroidal Anti-</b>	<b>SEDICO</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Gel		Analgesic مهدئات الأوجاع	<b>Egypt</b>		
20 gm					
<b>Rhinathiol</b>	Carbocisteine	<b>Respiratory drugs</b>	<b>SANOFI</b>	Children from 2 up to 5 years may be given 62.5 to 125 mg four times daily and those aged 5 to 12 years 250 mg three times daily	
Syrup		Common Cold نزلات البرد	<b>France</b>		
125 ml					
<b>Rhinex</b>	Carbocisteine	<b>Respiratory drugs</b>	<b>Unknown</b>	Children from 2 up to 5 years may be given 62.5 to 125 mg four times daily and those aged 5 to 12 years 250 mg three times daily	
Drops		Common Cold نزلات البرد	<b>Unknown</b>		
<b>Rhinex</b>	Xylometazoline Hydrochloride	<b>Respiratory drugs</b>	<b>Unknown</b>	As directed	
Nasal Drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>Unknown</b>		
10 ml					
<b>Rhinex Adult</b>	Xylometazolin HCL 0.1%	<b>Respiratory drugs</b>	<b>CID</b>	As directed	
Adult Nasal / drops		Common Cold نزلات البرد	<b>Egypt</b>		
10 ml					
<b>Rhinex Infant</b>	Xylometazolin HCL 0.05%	<b>Respiratory drugs</b>	<b>CID</b>	As directed	
Infant Nasal /drops		Common Cold نزلات البرد	<b>Egypt</b>		
10 ml					
<b>RHINO</b>	Pseudoephedrine	<b>Respiratory drugs</b>	<b>Unknown</b>	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Powder		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>Unknown</b>		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Rhinofed</b>	pseudoephedrine+ triprolidine	<b>Respiratory drugs</b>	<b>JPI</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	<b>Saudi Arabia</b>		
100 ml					
<b>Rhinopro</b>	Pseudoephedrine	<b>Respiratory drugs</b>	<b>OCTOBER PHARMA</b>	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Syrup		Common Cold نزلات البرد	<b>Egypt</b>		
90 ml					
<b>Rhinopro</b>	Pseudoephedrine	<b>Respiratory drugs</b>	<b>OCTOBER PHARMA</b>	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Capsules		Common Cold نزلات البرد	<b>Egypt</b>		
10 cap					
<b>Ribazole</b>	ribavirin 400 mg or500 mg	<b>Antivirals</b>	<b>Getz pharma</b>	>75 kg - 400 mg t.i.d or <75 500 mg t.i.d	
Capsules		Viral Infections الأمراض الفيروسية	<b>USA</b>		
10 cap					
<b>RIDAZOL_400</b>	Metronidazole	<b>Antiprtozoal</b>	<b>Unknown</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	<b>Unknown</b>		
20 tab					
<b>Rifactine</b>	Rifampicin 300mg	<b>Antibiotics</b>	<b>MUP</b>	The usual dose of rifampicin is 600 mg daily by mouth	
Capsules		Tuberculosis (T.B ) الدرن	<b>Egypt</b>		
8 capsules					
<b>Rifadin inf</b>	Rifampicin 600mg infusion	<b>Antibiotics</b>	<b>Sanofi Aventis</b>	The usual dose of rifampicin is 600 mg daily by mouth	
Vial		Tuberculosis (T.B ) الدرن	<b>France</b>		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Rifazid</b>	Rifampicin 300 mg + isoniazid 150 mg / capsule	Antibiotics	Shiba pharma	The usual dose of rifampicin is 600 mg daily by mouth	
Capsules		Tuberculosis (T.B) الدرن	Yemen		
10 cap					
<b>RIGEVIDON</b>	ethinylestradiol +levonotgestrel	Gynaecology drugs	GEDEON RICHTER	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives	HUNGARY		
28		موانع الحمل			
<b>Rinof Pediatric</b>	Dextromethorphan	Respiratory drugs	Y.E.PHARMA	Adults 60 mg three or four times daily, Children 2.5 to 5 mg every 4 hours	
Syrup		Common Cold	Yemen		
120 ml		نزلات البرد			
<b>Rinof plus</b>	guaiphenesin+dextromethorphan+chlorpheniramin+ephedrin	Respiratory drugs	Y.E.PHARMA	Adults 60 mg three or four times daily, Children 2.5 to 5 mg every 4 hours	
Syrup		Common Cold	Yemen		
120 ml		نزلات البرد			
<b>Rinofed</b>	triprolidine HCL	Respiratory drugs	jazera pharmaceutical	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Syrup		Common Cold	Unknown		
bottle of 100ml of 30 mg		نزلات البرد			
<b>Rinofed plus</b>	pseudoephedrine +paracetamol+tirprolidine	Respiratory drugs	jpi	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold	Saudi Arabia		
120 ml		نزلات البرد			
<b>Rinofed plus</b>	pseudoephedrine+ triprolidin +paracetamol	Respiratory drugs	JPI	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold	Saudi Arabia		
30 tablet		نزلات البرد			



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Rinosin N/ Drops</b>	Naphazolin	<b>Respiratory drugs</b>	<b>PHARCO</b>	As directed	
Nasal / drops		Common Cold نزلات البرد	<b>Egypt</b>		
10 ml					
<b>Rinosin N/ Gel</b>	Naphazolin+chlorpheniramine	<b>Respiratory drugs</b>	<b>PHARCO</b>	As directed	
Nasal / gel		Common Cold نزلات البرد	<b>Egypt</b>		
5 g / Tube					
<b>Rinosin N/D</b>	Naphazolin 0.05% + chlorpheniramine 0.05%	<b>Respiratory drugs</b>	<b>PHARCO</b>	As directed	
Nasal / drops		Common Cold نزلات البرد	<b>Egypt</b>		
10 ml					
<b>RISDAL 2 mg</b>	Risperidone tablet 2 mg / tab	<b>Central Nervous system drugs</b>	<b>EIPICO</b>	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	<b>Egypt</b>		
20 Tablets					
<b>RISDAL 4 mg</b>	Risperidone tablet 4 mg / tab	<b>Central Nervous system drugs</b>	<b>EIPICO</b>	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	<b>Egypt</b>		
20 Tablets					
<b>Risek 40 mg</b>	Omeprazole	<b>Gastro Intestinal drugs</b>	<b>Julphar</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		قرحة المعدة	<b>UAE</b>		
14 cap					
<b>Risek Vial</b>	Omeprazole	<b>Gastro Intestinal drugs</b>	<b>Julphar</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
vial		قرحة المعدة	<b>UAE</b>		
1 vial					






Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Risnia-2</b>	Risperidone tablet 2mg	Central Nervous system drugs	CIPLA	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	India		
20 tablets					
<b>Risnia-3</b>	Risperidone tablets 3mg	Central Nervous system drugs	CIPLA	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	India		
20 tablets					
<b>Risperdal</b>	Risperidone tablet 2mg	Central Nervous system drugs	Janssen-Cilag	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	Switzerland		
20 tablets					
<b>Risperdal 3 mg</b>	Risperidone tablet 2mg	Central Nervous system drugs	Janssen-Cilag	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	Switzerland		
20 Tablets					
<b>Risperidone 3</b>	Risperidone tablet 3mg	Central Nervous system drugs	Biopharm	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	Yemen		
20 tablets					
<b>Risperidone Tablets</b>	Risperidone tablet 2mg	Central Nervous system drugs	BIOPHARM	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	Yemen		
20 tablets					
<b>Rispharm</b>	Risperidone tablet 3mg	Central Nervous system drugs	Pharma International	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	Unknown		
30 tablets					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Rithro</b>	Clarithromycin	<b>Antibiotics</b>	<b>Unknown</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders	<b>Unknown</b>		
14 F.C. Tablets		اضطرابات الجهاز التنفسي			
<b>Rithro</b>	Clarithromycin 250 mg	<b>Antibiotics</b>	<b>Avenzor</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders	<b>Unknown</b>		
14 F.C. Tablets		اضطرابات الجهاز التنفسي			
<b>Rivotril</b>	Clonazepam tablet 2 mg.	<b>Central Nervous system drugs</b>	<b>ROCHE</b>	Oral adult dose 4 to 8 mg daily- in the emergency management of status epilepticus The usual dose is 1 mg intravenous over at least 2 minutes or by intravenous	
Tablets		Epilepsy الصرع	<b>Germany</b>		
30 tablets					
<b>Rivotril</b>	Clonazepam oral drops 2.5mg/ml	<b>Central Nervous system drugs</b>	<b>ROCHE</b>	Oral adult dose 4 to 8 mg daily- in the emergency management of status epilepticus The usual dose is 1 mg intravenous over at least 2 minutes or by intravenous	
Drops		Epilepsy الصرع	<b>Germany</b>		
10 ml					
<b>Rocef TTT</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>Shifa</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parental inj		Bacterial Infections	<b>Syria</b>		
1 vial		الأمراض البكتيرية			
<b>Rocef Vial</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>Shifa</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parental inj		Bacterial Infections	<b>Syria</b>		
1 vial		الأمراض البكتيرية			
<b>Rocephin</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>ROCHE</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections	<b>Germany</b>		
1 vial		الأمراض البكتيرية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Rociflex</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>Alpha</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parentral inj		Bacterial Infections الأمراض البكتيرية	<b>Syria</b>		
1 vial					
<b>Rociflex</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>Unknown</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
1 vial					
<b>Rofenac</b>	Diclofenac Sodium gel 10mg/g	<b>Nonsteroidal Anti-</b>	<b>SPIMACO</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Gel		Analgesic مهدئات الأوجاع	<b>Saudi Arabia</b>		
50 g					
<b>ROFENAC S.R</b>	Diclofenac Sodium 100 mg	<b>Non-Steroidal Anti-</b>	<b>SPIMACO</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>Saudi Arabia</b>		
10 tab					
<b>ROFENAC-D</b>	Diclofenac Sodium tablet 50mg	<b>Nonsteroidal Anti-</b>	<b>SPIMACO</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>Saudi Arabia</b>		
20 tablets					
<b>Rofix</b>	Cefixime	<b>Antibacterial</b>	<b>RFA</b>	Children 8 mg/kg daily as an oral suspension, again as a single dose or in two divided doses	
Dry syrup		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
1bottel*30ml					
<b>Rofix</b>	Cefixime 100mg/5 ml	<b>Antibacterial</b>	<b>RFA</b>	Children 8 mg/kg daily as an oral suspension as a single dose or in two divided doses	
Dry syrup		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
60 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>ROFIX</b>	cefixim 100 mg/5 ml	<b>Antibiotics</b>	<b>RFA</b>	Children 8 mg/kg daily as an oral suspension as a single dose or in two divided doses	
Powder for Suspension		الأصابات الميكروبية Microbial Infections	<b>Yemen</b>		
60 ml					
<b>ROFIX 200</b>	Cefixime 200 MG	<b>Antibacterial</b>	<b>RFA</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections	<b>Yemen</b>		
10 CAPS		الأصابات البكتيرية			
<b>ROFIX 400</b>	Cefixime 400 MG	<b>Antibacterial</b>	<b>RFA</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections	<b>Yemen</b>		
5 CAPS		الأصابات البكتيرية			
<b>ROLEXINE</b>	Cephalexin 500 mg	<b>Antibacterial</b>	<b>RFA</b>	The usual dose for adults is 1 to 2 g daily given in divided doses, Children may be given 25 to 100 mg/kg daily in divided doses to a maximum of 4 g daily.	
Capsules		Bacterial Infections	<b>Yemen</b>		
20 caps		الأصابات البكتيرية			
<b>ROSIDEN</b>	Piroxicam 20 mg / cap	<b>Non-Steroidal Anti-</b>	<b>SHIN POONG</b>	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
Capsules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Korea</b>		
100 cap					
<b>ROSIDEN</b>	Piroxicam 10 mg/ cap	<b>Non-Steroidal Anti-</b>	<b>SHIN POONG</b>	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
Capsules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Korea</b>		
100 cap					
<b>Rosuvatin-10mg</b>	Rosuvastatin 10mg	<b>Cardio Vascular System drugs</b>	<b>CIPLA</b>	10 - 20 mg once daily	
Tablets		Hyperlipidaemias	<b>India</b>		
10 tablet		زيادة الدهون في الدم			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Rosuvatin-20</b>	Rosuvastatin Calcium	<b>Cardio Vascular System drugs</b>	<b>CIPLA</b>	10 - 20 mg once daily	
Tablets		<b>Hyperlipidaemias</b> زيادة الدهون في الدم	<b>India</b>		
10 tab					
<b>Rosuvatin-20mg</b>	rosuvastatin20mg	<b>Cardio Vascular System drugs</b>	<b>CIPLA</b>	10 - 20 mg once daily	
Tablets		<b>Hyperlipidaemias</b> زيادة الدهون في الدم	<b>India</b>		
10 tablet					
<b>Rovac</b>	Spiramycin*	<b>Antibacterial</b>	<b>Delta-pharma</b>	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
tablet		<b>Toxoplasmosis</b> الجرثومة الطفيلية	<b>Egypt</b>		
1strip*10tablet					
<b>Rovamycin</b>	Spiramycin 3000000 I.U.	<b>Antibacterial</b>	<b>Aventis</b>	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Tablet		<b>Toxoplasmosis</b> الجرثومة الطفيلية	<b>France</b>		
2strip*5tablet					
<b>Rovamycine</b>	Spiramycin	<b>Antibacterial</b>	<b>Unknown</b>	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Tablets		<b>Toxoplasmosis</b> الجرثومة الطفيلية	<b>Unknown</b>		
10 tab					
<b>ROVAZOLE</b>	Metronidazole 125mg + spiramycin 750000 I.U.	<b>Antiprtozoal</b>	<b>OUBARY PHARMA</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		<b>Amoebiasis , Giardiasis</b> جارديا واميبيا	<b>Syria</b>		
20 tab					
<b>Rowachol cap</b>	alphapinine +beta pinine +broneol+cineol	<b>Gastro Intestinal drugs</b>	<b>PHARCO</b>	3-5 drop of liquid 4-5 times daily	
Capsules		<b>Hepatic Disorders</b> اضطرابات الكبد	<b>Egypt</b>		
30 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Rowachol cap2</b>	alphaninine +beta pinine +broneol+cineol	<b>Gastro Intestinal drugs</b>	<b>PHARCO</b>	3-5 drop of liquid 4-5 times daily	
Capsules		Hepatic Disorders اضطرابات الكبد	<b>Egypt</b>		
30 cap					
<b>Roxef</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>APM</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parentral inj		Bacterial Infections الأمراض البكتيرية	<b>Jordan</b>		
1 vial					
<b>Roxicam 20</b>	Piroxicam capsule 20 mg.	<b>NSAID</b>	<b>Shiba pharma</b>	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
Capsules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>Yemen</b>		
10 capsules.					
<b>Roxil Capsules</b>	Cefadroxil 500 mg / cap	<b>Antibacterial</b>	<b>Tabuk pharma</b>	1 to 2 g daily as a single dose or in two divided doses.	
Capsul		Bacterial Infections الأمراض البكتيرية	<b>Saudi Arabia</b>		
2strip*10capsul					
<b>Roxil Syrup</b>	Cefadroxil 250 mg / 5 ml	<b>Antibacterial</b>	<b>Tabuk pharma</b>	Children 6 – 12 years : 5 ml -10 ml twice daily, Children 1 - 5 years : 2.5 ml - 5 ml twice daily.	
Dry syrup		Bacterial Infections الأمراض البكتيرية	<b>Saudi Arabia</b>		
1bottel*100ml					
<b>ROXONIN 60 mg</b>	Loxoprofen Sodium tablet 60mg.	<b>Nonsteroidal Anti-</b>	<b>Saja pharmaceutical</b>	Adult: PO 60 mg 3 times/day or 120 mg once daily.	
Tablets		Analgesic مهدئات الأوجاع	<b>Saudi Arabia</b>		
20 tablets					
<b>Roxy-300</b>	Roxithromycin	<b>Antibiotics</b>	<b>CIPLA</b>	150 mg twice daily,or sometimes 300 mg once daily, In children of 5 - 8 mg/kg daily , before meals	
Tablet		الأمراض الميكروبية Microbial Infections	<b>India</b>		
1strip*5tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Roxy-300</b>	Roxithromycin	<b>Antibiotics</b>	<b>Unknown</b>	150 mg twice daily, or sometimes 300 mg once daily, In children of 5 - 8 mg/kg daily , before meals	
Tablets		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
5 tab					
<b>Royamol</b>	10 mg / ml	<b>Nonsteroidal Anti-</b>	<b>Unknown</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Infusion		Antipyretic - مهدئات الأوجاع والحمى	<b>Unknown</b>		
100 ml					
<b>Rozif</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>NCPI</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parentral inj		Bacterial Infections	<b>Unknown</b>		
1 vial		الأصابات البكتيرية			
<b>Rozifax 250</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>ASIA</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections	<b>Syria</b>		
1 vial		الأصابات البكتيرية			
<b>Rozifax 500</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>Asia</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections	<b>Syria</b>		
1 vial		الأصابات البكتيرية			
<b>Rubifen 100 mg</b>	Ketoprofen	<b>Non-Steroidal Anti-</b>	<b>Antibiotice</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days. topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Tablets		مهدئات الأوجاع	<b>Unknown</b>		
30 tab					
<b>Rumalaya forte</b>	Herbal extract	<b>Natural products</b>	<b>Himalaya Drug Co</b>	1 tablet twice daily	
Tablets		مهدئات الأوجاع	<b>India</b>		
2 x 30 s					





Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Rytmonorm 150 mg</b>	Rytmonorm HCL	<b>Cardio Vascular System drugs</b>	<b>ABBOTT</b>	Orally: 150 mg three times daily up to a maximum of 300 mg three times daily	
Tablets		Arrhythmia عدم انتظام ضربات القلب	<b>USA</b>		
50 tab					
<b>Rytmonorm 300 mg</b>	Rytmonorm HCL	<b>Cardio Vascular System drugs</b>	<b>ABBOTT</b>	Orally: 150 mg three times daily up to a maximum of 300 mg three times daily	
Tablets		Arrhythmia عدم انتظام ضربات القلب	<b>USA</b>		
20 film tab					
<b>Rytmonorm Amp</b>	Propafenone HCl	<b>Cardio Vascular System drugs</b>	<b>ABBOTT</b>	Orally: 150 mg three times daily up to a maximum of 300 mg three times daily	
Ampoules		Arrhythmia عدم انتظام ضربات القلب	<b>USA</b>		
5 *20 ml					
<b>Rytmonorm SR 325 mg</b>	Propafenone HCl	<b>Cardio Vascular System drugs</b>	<b>ABBOTT</b>	Orally: 150 mg three times daily up to a maximum of 300 mg three times daily	
Capsules		Arrhythmia عدم انتظام ضربات القلب	<b>USA</b>		
60 CAPSUL					
<b>Saheal</b>	Tadalafil 20 mg	<b>Sex Stimulants</b>	<b>Shaphaco</b>	10 - 20 mg depending on response, about 30 minutes before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	<b>Yemen</b>		
4 tab					
<b>SALA</b>	Vardenafil 10 mg	<b>Sex Stimulants</b>	<b>Shiba pharma</b>	10 mg taken about 25 minutes to one hour before sexual intercourse.	
Tablets		Sex Stimulants منشطات جنسية	<b>Yemen</b>		
4 tab					
<b>Salbam</b>	Ampicillin + Sulbactam	<b>Antibiotics</b>	<b>Vitalis</b>	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Vial		الأصابات الميكروبية Microbial Infections	<b>USA</b>		
1 vial					






Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Salbutamol 2</b>	salbutamol 2 mg	<b>Respiratory drugs</b>	<b>Amriya Pharma</b>	2 -4 mg / or 2 buffs *qid	
Tablets		Bronchial Asthma الربو الشعبي	<b>Egypt</b>		
20 tab					
<b>Salidex</b>	Anhydrous glucose + sodium chloride	<b>Skin Disorders</b>	<b>phildelaphia</b>	As directed	
Solution		Dermatitis الألتهايات الجدلية	<b>Unknown</b>		
30 ml					
<b>Salil</b>	Vardenafil 20 mg	<b>Sex Stimulants</b>	<b>BIOPHARM</b>	10 mg taken about 25 minutes to one hour before sexual intercourse.	
Tablets		Sex Stimulants منشطات جنسية	<b>Yemen</b>		
4 tab					
<b>Salinose</b>	sodium chloride +sodium bicarbonate	<b>Respiratory drugs</b>	<b>Avalon ph.</b>	sodium chloride solution 0.9%, being isotonic, is a useful fluid for sterile irrigations, for example, of the eye or bladder, and general skin or wound cleansing.	
Nasal / Spray baby formula		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>Unknown</b>		
20 ml					
<b>Salinose</b>	sodium chloride +bezy alcohol	<b>Respiratory drugs</b>	<b>Avalon Pharma</b>	sodium chloride solution 0.9%, being isotonic, is a useful fluid for sterile irrigations, for example, of the eye or bladder, and general skin or wound cleansing.	
Nasal /drops baby formula		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>Unknown</b>		
20 ml					
<b>SALIX 200-C</b>	vitamin C240 mg +salix 200mg + zinc gluconate 6.4/c. tablet.	<b>Vitamines and Menirals</b>	<b>SIGMA</b>	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	
Tablets		Vitamins نقص فيتامينات	<b>Egypt</b>		
20 coated tablets					
<b>sanostol</b>	ironIIgluconate864mg corresponds to 100mg iron	<b>Vitamines and Menirals</b>	<b>TAKEDA</b>	by mouth in doses of up to 1.8 g daily (equivalent to up to 210 mg of iron daily).	
syrup		Anaemia فقر الدم	<b>Unknown</b>		
ml					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Sapofen</b>	Ibuprofen tablet 400mg.	<b>Nonsteroidal Anti-</b>	<b>SPIMACO</b>	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	<b>Saudi Arabia</b>		
20 tablets					
<b>Sapofen plus</b>	pseudoephedrine + ibuprofen	<b>Respiratory drugs</b>	<b>SPIMACO</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	<b>Saudi Arabia</b>		
20 tab					
<b>Saridon</b>	Paracetamol 250 mg + Propyphenazone 150 mg + Caffeine 50 mg	<b>Miscellaneous drugs</b>	<b>ROCHE Nicholas</b>	0.5 to 1 g up to four times daily.	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>France</b>		
10 tab					
<b>Scazol Forte</b>	Secnidazole 1000 mg / tab	<b>Antiprtozoal</b>	<b>Shiba pharma</b>	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Yemen</b>		
2 tab					
<b>Scazol Forte</b>	Secnidazole 1000 mg / tab	<b>Antiprtozoal</b>	<b>Shaphaco</b>	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Yemen</b>		
2 tab					
<b>S-citadep-10</b>	Escitalopram tablet 10mg	<b>Central Nervous system drugs</b>	<b>CIPLA</b>	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	<b>India</b>		
10 tablets					
<b>S-Citadep-10</b>	Escitalopram tablet 10mg	<b>Central Nervous system drugs</b>	<b>Unknown</b>	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>S-citadep-20</b>	Escitalopram tablet 20mg	<b>Central Nervous system drugs</b>	<b>CIPLA</b>	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	<b>India</b>		
10 tablets					
<b>Scolinc</b>	Lincomycin 600 mg / 2 ml	<b>Antibiotics</b>	<b>Scott Edil Pharma</b>	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections الميكروبات اللاهوائية	<b>India</b>		
2ml / vial					
<b>Scopinal</b>	Hyoscine- N- Butylbromide	<b>Gastro Intestinal drugs</b>	<b>Julphar</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Syrup		Abdominal Spasm آلام البطن	<b>UAE</b>		
100 ml for bottle					
<b>Scopinal</b>	Hyoscine- N-Butylbromide 10 mg	<b>Gastro Intestinal drugs</b>	<b>Julphar</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	<b>UAE</b>		
20 tab					
<b>Scotamol</b>	Paracetamol 300 mg / 2ml	<b>Non-Steroidal Anti-</b>	<b>Scott Edil</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Ampoules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>India</b>		
5 amp					
<b>SEACOD</b>	Cod Liver Oil	<b>Vitamines and Menirals</b>	<b>Unknown</b>	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Vitamins نقص فيتامينات	<b>Unknown</b>		
100 cap					
<b>SECNEZOLE 500</b>	Secnidazole	<b>Antiprtozoal</b>	<b>JPM</b>	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Jordan</b>		
4tab					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Secnitab</b>	Secnidazole 1000 mg / tab	<b>Antiprtozoal</b>	<b>Shaphaco</b>	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Yemen</b>		
2 tab					
<b>Sedalac</b>	lactulose	<b>Gastro Intestinal drugs</b>	<b>SEDICO</b>	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Syrup		Constipation الأمساك	<b>Egypt</b>		
120 ml for bottle					
<b>Sedalac</b>	Lactulose	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Syrup		constipation الأمساك	<b>Unknown</b>		
100 ml					
<b>Sedalac</b>	Lactulose	<b>Gastro Intestinal drugs</b>	<b>SEDICO</b>	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Syrup		Constipation الأمساك	<b>Egypt</b>		
120 ml					
<b>sedanox</b>	lorazepam 2mg/tablet	<b>Central Nervous system drugs</b>	<b>zahravi</b>	Minimum/Maximum Adult Daily Dose:0.5 - 10 mg (milligram) OR 1 - 20 Tablet	
Tablets		Anaesthetics التخدير العام	<b>Unknown</b>		
100 scared tablets					
<b>SEDASTERIL</b>	Combination	<b>Antiseptic and Desinfectants</b>	<b>Unknown</b>	As directed	
Lotion		Dermatitis الالتهابات الجلدية	<b>Unknown</b>		
<b>SEDIPROCT</b>	Unknown	<b>Antihaemorrhages</b>	<b>MUP</b>		
Suppositoris		Haemorrhoids البواسير	<b>Egypt</b>		
6 supp					






Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>SEDIPROCT</b>	Unknown	<b>Antihemorrhagics</b>	<b>MUP</b>		
Cream		<b>Haemorrhoids</b> البواسير	<b>Egypt</b>		
20 gm					
<b>Sefagen 0.5 gm</b>	Cefotaxime Sodium	<b>Antibacterial</b>	<b>Bilim</b>	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
Vial		<b>Bacterial Infections</b> الاصابات البكتيرية	<b>Turkey</b>		
1 vial					
<b>Sefagen 1 gm</b>	Cefotaxime Sodium	<b>Antibacterial</b>	<b>Bilim</b>	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
Vial		<b>Bacterial Infections</b> الاصابات البكتيرية	<b>Turkey</b>		
1 vial					
<b>Semicon</b>	Simethicone 40 mg	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	10-15 drops (0.5 - 0.75 ml) in the nursing bottle	
Oral Drops / Suspension		<b>Indigestion</b> سوء الهضم	<b>Yemen</b>		
30 ml					
<b>SENAZOL</b>	Secnidazole 100 mg	<b>Antiprotozoal</b>	<b>Modern Pharama</b>	Adult: 2 gm single dose , children: 30 mg / kg / day single dose ,	
Tablets		<b>Amoebiasis , Gardiasis</b> جارديا واميبيا	<b>Yemen</b>		
2tab					
<b>Sen-cold</b>	Butamirate citrate 5 mg/ml with Vanilla Flavour	<b>Respiratory drugs</b>	<b>global pharma</b>	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	
Oral / Solution		<b>Common Cold</b> نزلات البرد	<b>Unknown</b>		
20 ml					
<b>Sen-cold TTT</b>	Butamirate citrate	<b>Respiratory drugs</b>	<b>global pharma</b>	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	
Oral / Solution		<b>Common Cold</b> نزلات البرد	<b>Unknown</b>		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>SENIDAL</b>	Secnidazole 500 / tab	<b>Antiprtozoal</b>	<b>GLOBAL NAPI</b>	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Egypt</b>		
4 tab					
<b>Senna Lax</b>	Senna	<b>Gastro Intestinal drugs</b>	<b>NILE CO.</b>	15 to 30 mg once or twice daily	
Tablets		Constipation الأمساك	<b>Egypt</b>		
20 tab					
<b>SENORM1.5</b>	Haloperidol tablets 1.5mg	<b>Central Nervous system drugs</b>	<b>SUN</b>	Minimum/Maximum Adult Daily Dose:10 - 100 mg (milligram) OR 1 - 10 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>India</b>		
100 tablets					
<b>SENSODYNE</b>	Combination	<b>Health Care</b>	<b>Unknown</b>	As directed	
		Dental الأسنان	<b>Unknown</b>		
<b>Septazole</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	<b>Antibacterial</b>	<b>Alexendria</b>	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
syrup		Bacterial Infections الأمراض البكتيرية	<b>Egypt</b>		
1bottel*100ml					
<b>Septilin</b>	Lithium carbonate + lithium benzoate + anhydrous sodium hydrogen phosphate +	<b>Gastro Intestinal drugs</b>	<b>Himalaya Drug Co</b>	As directed	
Syrup		Indigestion سوء الهضم	<b>India</b>		
200 ml					
<b>Septram</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	<b>antibacterial</b>	<b>Y.E.PHARMA</b>	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
syrup		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
1bottel*50ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Septam</b>	Trimethoprim + Sulphamethoxazole	<b>Antibacterial</b>	<b>Unknown</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
Suspension		Bacterial Infections الأصابات البكتيرية	<b>Unknown</b>		
50 ml					
<b>Septam fort</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	<b>antibacterial</b>	<b>Y.E.PHARMA</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
tablet		Bacterial Infections الأصابات البكتيرية	<b>Yemen</b>		
1strip*10tablet					
<b>Septin</b>	Trimethoprim + Sulphamethoxazole	<b>Antibacterial</b>	<b>Glaxo Wellcome</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
Suspension		Bacterial Infections الأصابات البكتيرية	<b>Unknown</b>		
120 ml					
<b>Septin</b>	Trimethoprim 80 mg + Sulphamethoxazole 400 mg	<b>Antibacterial</b>	<b>aspen</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
Tablets		Bacterial Infections الأصابات البكتيرية	<b>Ireland</b>		
100 tab					
<b>Septin Syrup</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	<b>antibacterial</b>	<b>aspen</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
Suspension		Bacterial Infections الأصابات البكتيرية	<b>Ireland</b>		
1bottel*120ml					
<b>Septin Tablets</b>	Trimethoprim 80 mg / Sulfamethoxazole 400 mg (Co-trimoxazole; TMP-SMZ)	<b>antibacterial</b>	<b>gsk glaxosmithkline</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
Tablet		Bacterial Infections الأصابات البكتيرية	<b>UK</b>		
10strip*10tablet					
<b>Seretide Diskus 100</b>	Salmeterol 50 mcg + 100 mcg fluticasone propionate	<b>Respiratory drugs</b>	<b>gsk glaxosmithkline</b>	2 buffs *qid	
Powder for inhalation		Bronchial Asthma الربو الشعبي	<b>UK</b>		
60 inh					




Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Seretide Diskus 500</b>	Salmeterol 50 mcg + Fluticasone 500 mg	<b>Respiratory drugs</b>	<b>gsk glaxosmithkline</b>	2 buffs *qid	
Powder for inhalation		Bronchial Asthma الربو الشعبي	<b>UK</b>		
60 inhalation					
<b>SERFEAN 400 mg</b>	Unknown	<b>Unknown</b>	<b>unknown</b>	As directed	
Tablets		Unknown	<b>Unknown</b>		
100 tab					
<b>Serocip-100</b>	Quetiapine tablets 100mg	<b>Central Nervous system drugs</b>	<b>CIPLA</b>	Minimum/Maximum Adult Daily Dose:200 - 800 mg (milligram) OR 2 - 8 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>India</b>		
10 tablets					
<b>Serocip-200</b>	Quetiapine tablets 200mg	<b>Central Nervous system drugs</b>	<b>CIPLA</b>	Minimum/Maximum Adult Daily Dose:200 - 800 mg (milligram) OR 2 - 8 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>India</b>		
10 tablet					
<b>Serocip-25</b>	Quetiapine tablets 25mg	<b>Central Nervous system drugs</b>	<b>CIPLA</b>	Minimum/Maximum Adult Daily Dose:200 - 800 mg (milligram) OR 2 - 8 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>India</b>		
10 tablets					
<b>Serocip-25</b>	Quetiapine Fumarate 25 mg	<b>Central Nervous system drugs</b>	<b>CIPLA</b>	100 mg on day two, 200 mg on day three, and 300 mg on day four; in 2 divided doses. The dosage is then adjusted according to response	
Tablets		Mental Disorders الأمراض العقلية	<b>India</b>		
10 tab					
<b>Serocip-300</b>	Quetiapine tablets 300mg	<b>Central Nervous system drugs</b>	<b>CIPLA</b>	Minimum/Maximum Adult Daily Dose:200 - 800 mg (milligram) OR 2 - 8 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>India</b>		
10 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Serocip-50</b>	Quetiapine Fumarate 50 mg	<b>Central Nervous system drugs</b>	<b>CIPLA</b>	100 mg on day two, 200 mg on day three, and 300 mg on day four; in 2 divided doses. The dosage is then adjusted according to response	
Tablets		Mental Disorders الأمراض العقلية	<b>India</b>		
10 tab					
<b>Seroflo</b>	Salmeterol +fluticasone	<b>Respiratory drugs</b>	<b>CIPLA</b>	2 buffs *qid	
Powder for Inhaler		Bronchial Asthma الربو الشعبي	<b>India</b>		
30 doses					
<b>Seroxat</b>	Paroxetine tablet 20mg	<b>Central Nervous system drugs</b>	<b>gsk glaxosmithkline</b>	Minimum/Maximum Adult Daily Dose:20 - 60 mg (milligram) OR 2 - 6 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>UK</b>		
30 tablets					
<b>SERTAL-100</b>	Sertraline tablet 100mg	<b>Central Nervous system drugs</b>	<b>JBM</b>	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
Tablets		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
10 tablets					
<b>SERTAL-50</b>	Sertraline tablet 50mg	<b>Central Nervous system drugs</b>	<b>JBM</b>	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
Tablets		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
10 tablet					
<b>SERTEX</b>	Sertraline tablet 50 mg	<b>Central Nervous system drugs</b>	<b>Shiba pharma</b>	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
Tablets		Mental Disorders الأمراض العقلية	<b>Yemen</b>		
30 tab					
<b>Setral 100</b>	Sertraline Hydrochloride	<b>Central Nervous system drugs</b>	<b>JPM</b>	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
Tablets		Mental Disorders الأمراض العقلية	<b>Jordan</b>		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>SETRAL 100 mg</b>	Sertraline Hydrochloride	<b>Central Nervous system drugs</b>	<b>JPM</b>	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
Tablets		Mental Disorders الأمراض العقلية	<b>Jordan</b>		
10 C.T					
<b>SETRAL 50mg</b>	Sertraline Hydrochloride	<b>Central Nervous system drugs</b>	<b>Unknown</b>	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
Tablets		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
10 C.T					
<b>SEZOL</b>	Secnidazole 1000 mg	<b>Antiprtozoal</b>	<b>Global Pharma</b>	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Yemen</b>		
2 tab					
<b>Shabynil</b>	Diphenhydramin +ammonium chloride	<b>Respiratory drugs</b>	<b>shaphaco</b>	25 to 50 mg three or four times daily. for children 6.25 to 25 mg three or four times daily	
Syrup		Common Cold نزلات البرد	<b>Yemen</b>		
100 ml					
<b>Shamoxil</b>	Amoxicillin	<b>Antibiotics</b>	<b>Shaphaco</b>	125 to 250 mg every 8 hours	
Oral /Drops		الأمراض الميكروبية Microbial Infections	<b>Yemen</b>		
10 ml					
<b>Shamoxil</b>	Amoxicillin	<b>Antibiotics</b>	<b>Shaphaco</b>	250 - 1000 mg three times daily	
Capsules		الأمراض الميكروبية Microbial Infections	<b>Yemen</b>		
20 cap					
<b>Shamoxil</b>	Amoxicillin 125 mg / 5 ml	<b>Antibiotics</b>	<b>Shaphaco</b>	125 to 250 mg every 8 hours	
Suspension		الأمراض الميكروبية Microbial Infections	<b>Yemen</b>		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Shamoxil</b>	Amoxicillin 250 mg / 5 ml	Antibiotics	Shaphaco	125 to 250 mg every 8 hours	
Suspension		الأصابات الميكروبية Microbial Infections	Yemen		
100 ml					
<b>Shamoxil 250 DT</b>	Amoxicillin 250 mg Dispersable tablets	Antibiotics	Shaphaco	250 - 1000 mg three times daily	
Tablets		الأصابات الميكروبية Microbial Infections	Yemen		
20 tabs					
<b>Sharizol</b>	Metronidazole 200 mg	Antiprtozoal	Shaphaco	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	Yemen		
1000 tab					
<b>Shark Liver Oil</b>	Cod Liver Oil	Vitamines and Menirals	Vitex pharma	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Vitamins Deficiency نقص فيتامينات	Unknown		
30 cap					
<b>Shatrim</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial	Shaphaco	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
Tablets		Bacterial Infections الأصابات البكتيرية	Yemen		
20 tab					
<b>Shatrim</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial	Shaphaco	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
Tablets		Bacterial Infections الأصابات البكتيرية	Yemen		
500 tab					
<b>Shatrim Suspension</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial	Shaphaco	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
Suspension		Bacterial Infections الأصابات البكتيرية	Yemen		
50 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Shatrim Suspension</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	<b>Antibacterial</b>	<b>Shaphaco</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Suspension		Bacterial Infections الأصابات البكتيرية	<b>Yemen</b>		
100 ml					
<b>SHINCEF</b>	Cefuroxime 500 mg	<b>Antibacterial</b>	<b>SHIN POONG</b>	Oral doses for adults are 250 to 500 mg twice daily	
Vial		Bacterial Infections الأصابات البكتيرية	<b>Korea</b>		
10 vial					
<b>SHINTAXIME</b>	Cefotaxime Sodium	<b>Antibacterial</b>	<b>SHIN POONG</b>	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
Vial		Bacterial Infections الأصابات البكتيرية	<b>Korea</b>		
10 vial					
<b>Sianrex</b>	Antimalarial kit, composed of 9 tablets, 6 tablets (round) each of artesunate 100mg, and 3	<b>Antimalarial medicines</b>	<b>pharmacare</b>	The usual dose is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	
Tablets		Malaria الملاريا	<b>Yemen</b>		
One blister of 9 tablets					
<b>Sifloks 500</b>	Ciprofloxacin*	<b>Antibacterial</b>	<b>Zentiva</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
tablet		Bacterial Infections الأصابات البكتيرية	<b>Unknown</b>		
1strip*10tablet					
<b>Silca</b>	Herbal extract	<b>Health Care</b>	<b>Unknown</b>	As directed	
Solution		Mouth Wash الغسولات الفموية	<b>Unknown</b>		
Bottle					
<b>Silymarin plus</b>	silymarin	<b>Gastro Intestinal drugs</b>	<b>SEDICO</b>	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Soft Gelatin Capsules		Hepatic Disorders اضطرابات الكبد	<b>Egypt</b>		
20 cap					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Silymarin plus</b>	Silymarin 140 mg or 70mg/Sofet gelatin capsule.	<b>Gastro Intestinal drugs</b>	<b>SEDICO</b>	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Capsules		Hepatic Disorders اضطرابات الكبد	<b>Egypt</b>		
20 ccs					
<b>Simepar</b>	silymarin +vit b complex	<b>Gastro Intestinal drugs</b>	<b>Mepha</b>	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Capsules		Hepatic Disorders اضطرابات الكبد	<b>Unknown</b>		
40 cap					
<b>Simepar</b>	Silymarin	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Capsules		Hepatic Disorders اضطرابات الكبد	<b>Unknown</b>		
40 cap					
<b>SIMETHICONE</b>	actived dimethicone	<b>Gastro Intestinal drugs</b>	<b>MUP</b>	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Drops		سوء الهضم Indigestion	<b>Egypt</b>		
30 ml					
<b>Simethicone</b>	Semethicone	<b>Gastro Intestinal drugs</b>	<b>MUP</b>	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Emulsion		سوء الهضم Indigestion	<b>Egypt</b>		
30 ml					
<b>Simva-Denk 20</b>	simvastatin20mg	<b>Cardio Vascular System drugs</b>	<b>Denk Pharma</b>	Adults: Initial: 20 mg, Maintenance:up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance:10 mg/d.	
Tablets		زيادة الدهون في الدم Hyperlipidaemias	<b>Germany</b>		
28 film coated tablet					
<b>Simvagen 10</b>	Simvastatin	<b>Cardio Vascular System drugs</b>	<b>RIYADH PHARMA</b>	Adults: Initial: 20 mg, Maintenance:up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance:10 mg/d.	
Tablets		زيادة الدهون في الدم Hyperlipidaemias	<b>Saudi Arabia</b>		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Simvagen 20mg</b>	simvastatin 20mg	<b>Cardio Vascular System drugs</b>	<b>RIYADH PHARMA</b>	Adults: Initial: 20 mg, Maintenance: up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance: 10 mg/d.	
tablet		Hyperlipidaemias زيادة الدهون في الدم	<b>Saudi Arabia</b>		
30film coated tablet					
<b>simvalip 20</b>	Simvastatin 20mg	<b>Cardio Vascular System drugs</b>	<b>BIOPHARM</b>	Adults: Initial: 20 mg, Maintenance: up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance: 10 mg/d.	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	<b>Yemen</b>		
28tablet					
<b>Simvast 20 mg</b>	Simvastatin	<b>Cardio Vascular System drugs</b>	<b>Julphar</b>	Adults: Initial: 20 mg, Maintenance: up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance: 10 mg/d.	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	<b>UAE</b>		
28 tab					
<b>Simvast 40 mg</b>	Simvastatin 40 mg	<b>Cardio Vascular System drugs</b>	<b>Julphar</b>	Adults: Initial: 20 mg, Maintenance: up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance: 10 mg/d.	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	<b>UAE</b>		
30 tab					
<b>Simvatin 10</b>	simvastatin 10 mg	<b>Cardio Vascular System drugs</b>	<b>Pharma International</b>	Adults: Initial: 20 mg, Maintenance: up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance: 10 mg/d.	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	<b>Jordan</b>		
30 tablet					
<b>Simvatin 20</b>	simvastatin 20 mg	<b>Cardio Vascular System drugs</b>	<b>Pharma International</b>	Adults: Initial: 20 mg, Maintenance: up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance: 10 mg/d.	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	<b>Jordan</b>		
30 tab					
<b>Simvo-Denk 20</b>	Simvastatin 20 mg	<b>Cardio Vascular System drugs</b>	<b>Denk Pharma</b>	Adults: Initial: 20 mg, Maintenance: up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance: 10 mg/d.	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	<b>Germany</b>		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Sinarex</b>	Antimalarial kit of : Artesunate 100 mg + Sulfadoxine 500 mg + Pprimethamine 25	<b>Antimalarial medicines</b>	<b>Pharmacare</b>	The usual dose is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	
Tablets		Malaria الملاريا	<b>Yemen</b>		
9 tab (6 +3)					
<b>SINAWET</b>	Herbal extract	<b>Respiratory drugs</b>	<b>Sina Pharm</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>Unknown</b>		
120 ml					
<b>Sincomin</b>	Butamirate citrate 5 mg/ml with Vanilla Flavour	<b>Respiratory drugs</b>	<b>Modern Pharama</b>	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	
Oral/drops		Common Cold نزلات البرد	<b>Yemen</b>		
20 ml					
<b>Sincomin</b>	Butamirate citrate 7.5 mg / 5 ml	<b>Respiratory drugs</b>	<b>Modern Pharama</b>	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	
Oral / Solution		Common Cold نزلات البرد	<b>Yemen</b>		
100 ml					
<b>Sincuf</b>	Butamirate citrate	<b>Respiratory drugs</b>	<b>Y.E.PHARMA</b>	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	
Syrup		Common Cold نزلات البرد	<b>Yemen</b>		
120 ml					
<b>Sinecod</b>	Butamirate citrate	<b>Respiratory drugs</b>	<b>NOVARTIS</b>	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	
Syrup		Common Cold نزلات البرد	<b>Switzerland</b>		
200 ml					
<b>Sinecod</b>	Butamirate citrate	<b>Respiratory drugs</b>	<b>NOVARTIS</b>	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	
Drops		Common Cold نزلات البرد	<b>Switzerland</b>		
20 ml					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Sinemet</b>	Carbidopa/Levodopa tablet (25/250)mg	<b>Central Nervous system drugs</b>	<b>ALGORITHM</b>	Minimum/Maximum Adult Daily Dose:2 - 8 Tablet, Sustained Action	
Tablets		Parkinson's disease مرض الرعاش	<b>Lebanon</b>		
20 tablets					
<b>Sinerdol-150</b>	Rifampicin 300mg + isoniazid 150mg	<b>Antibiotics</b>	<b>Unknown</b>	The usual dose of rifampicin is 600 mg daily by mouth	
Capsules		Tuberculosis (T.B) الدرن	<b>Unknown</b>		
10 Capsules					
<b>SINOMOL INJECTION</b>	Paracetamol 300 mg + Lignocaine 2 mg / 2 ml	<b>Nonsteroidal Anti-</b>	<b>Sinochem Ningbo</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Ampoules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	<b>China</b>		
10 amp x 2 ml					
<b>sinopryl 10</b>	Lisinopril	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
30 tab					
<b>Sinotaxim</b>	Cefotaxime Sodium	<b>Antibacterial</b>	<b>Unknown</b>	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
Vial		Bacterial Infections الأصابات البكتيرية	<b>Unknown</b>		
1 vial					
<b>Sinotrim</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	<b>Antibacterial</b>	<b>ILDONG</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
tablet		Bacterial Infections الأصابات البكتيرية	<b>Korea</b>		
10strip*10tablet					
<b>Sinoven Adult N/D</b>	Oxymetazoline HCL 0.5%	<b>Respiratory drugs</b>	<b>ALPHA</b>	Nasal drops , or Orally in Adult 5 mg while children 1.25 to 2.5 mg as two or three times daily .	
Adult Nasal / drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>Syria</b>		
10 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Sinuven Pedi/N/D</b>	Oxymetazoline HCL 0.25%	<b>Respiratory drugs</b>	<b>ALPHA</b>	Nasal drops , or Orally in Adult 5 mg while children 1.25 to 2.5 mg as two or three times daily .	
Pediatric Nasal / drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>Syria</b>		
10 ml					
<b>Sipro 500</b>	Ciprofloxacin	<b>Antibacterial</b>	<b>ASIA</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections الأصابات البكتيرية	<b>Syria</b>		
1strip*10tablet					
<b>Siprodrogsan 500</b>	Ciprofloxacin	<b>Antibacterial</b>	<b>Drogsan</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
tablet		Bacterial Infections الأصابات البكتيرية	<b>Unknown</b>		
14 Film Tablet					
<b>SIRAGYL</b>	Metronidazole 125 mg + spiramycin 750000I.U	<b>Antiprtozoal</b>	<b>Pharo Pharma</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , جارديا واميبيا	<b>Egypt</b>		
2 tab					
<b>SIRAGYL FORTE</b>	Metronidazole 250 mg + soiramycin 1500000 I.U	<b>Antiprtozoal</b>	<b>Pharo Pharma</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , جارديا واميبيا	<b>Egypt</b>		
10 tab					
<b>Sirdalud</b>	Tizanidine Hydrochloride 2 mg	<b>Central Nervous system drugs</b>	<b>NOVARTIS</b>	4 mg, increased as required in steps of 2 to 4 mg, up to 36 mg daily.	
Tablets		Muscle relaxation مرخيات العضلات	<b>Switzerland</b>		
box of 30 tablets					
<b>Sitaram-20</b>	Citalopram tablet 20mg	<b>Central Nervous system drugs</b>	<b>Mediotic</b>	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
20 tablets					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Sizodon-3</b>	Risperidone tablet 3mg	<b>Central Nervous system drugs</b>	SUN	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	India		
50 tablets					
<b>SizodonMD-2</b>	Risperidone tablet 2mg	<b>Central Nervous system drugs</b>	SUN	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	India		
50 tablets					
<b>Sleep- Fine</b>	Zaleplon 5 mg	<b>Central Nervous system drugs</b>	Shiba pharma	The usual dose is 10 mg at bedtime	
Tablets		Anxiety, Insomnia الأرق والقلق	Yemen		
10 tab					
<b>Sleep- Fine</b>	Zaleplon 10 mg	<b>Central Nervous system drugs</b>	Shiba pharma	The usual dose is 10 mg at bedtime	
Tablets		Anxiety, Insomnia الأرق والقلق	Yemen		
10 tab					
<b>Slimcal</b>	Each capsule contains 120 mg of orlistat.	<b>Gastro Intestinal drugs</b>	Pharmacare	120 mg by mouth three times daily, immediately before, during, or up to 1 hour after meals	
Capsules		Obesity	Yemen		
4 blister , each contains 21					
<b>Sobycor</b>	Bisoprolol Fumarate 2.5 mg / tab	<b>Cardio Vascular System drugs</b>	KRKA	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Tablets		Hypertension ارتفاع ضغط الدم	India		
30 tab					
<b>Sobycor</b>	Bisoprolol Fumarate 5 mg / tab	<b>Cardio Vascular System drugs</b>	KRKA	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Tablets		Hypertension ارتفاع ضغط الدم	India		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Sodi vag</b>	Sodium Bicarbonate 4% + Sodium carbonate 0.025%	<b>Health Care</b>	<b>Shiba pharma</b>	As directed	
Solution		Vaginal المهبل	<b>Yemen</b>		
200 ml					
<b>Sodi vag</b>	Sodium Bicarbonate 2% + Sodium carbonate 0.025%	<b>Health Care</b>	<b>Shiba pharma</b>	As directed	
Solution		Vaginal المهبل	<b>Yemen</b>		
200 ml					
<b>Sodium Chloride</b>	Sodium Chloride 5 %	<b>Antiseptic and Desinfectants</b>	<b>Orchidia Pharma</b>	sodium chloride solution 0.9%, being isotonic, is a useful fluid for sterile irrigations, for example, of the eye or bladder, and general skin or wound cleansing.	
Solution		Eye العين	<b>Egypt</b>		
15 ml					
<b>Sodium nitroprusside</b>	Sodium nitroprusside	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	The usual dose is 0.5 to 6 micrograms/kg per minute	
Vial		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
1 vial					
<b>Solamin</b>	Combination	<b>Respiratory drugs</b>	<b>Modern Pharama</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>Yemen</b>		
100 ml					
<b>Solcogyn</b>	acetic acid - nitric acid - zinc nitrate - oxalic acid	<b>Health Care</b>	<b>MEDA</b>	As directed	
Solution		Vaginal المهبل	<b>Unknown</b>		
<b>Solcoseryl</b>	Solcoseryl (Calf blood extract)	<b>Skin Disorders</b>	<b>MEDA</b>	As directed	
Gel		Burns الحروق	<b>Unknown</b>		
20 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Solcoseryl</b>	Solcoseryl comp	<b>Unknown</b>	<b>Unknown</b>	As directed	
Gel		العين Eye	<b>Unknown</b>		
5 gm					
<b>Solcoseryl eye gel</b>	Solcoseryl (Calf blood extract)	<b>Ophthalmic drugs</b>	<b>Solco</b>	As directed	
Gel		العين Eye	<b>Switzerland</b>		
5 gm					
<b>Solcoseryl ointment</b>	Solcoseryl (Calf blood extract)	<b>Skin Disorders</b>	<b>MEDA</b>	As directed	
Ointment		الحروق Burns	<b>Unknown</b>		
20 gm					
<b>Solofresh</b>	Sodium Hyaluronate 0.2%	<b>Ophthalmic drugs</b>	<b>Orchidia Pharma</b>	As directed	
Solution		العين Eye	<b>Egypt</b>		
10 ml					
<b>Solpadeine</b>	Paracetamol 500mg+caffeine 30mg+codein 8mg per tablet.	<b>Nonsteroidal Anti-</b>	<b>gskGlaxoSmith klin</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - مهدئات الأوجاع والحمى	<b>UK</b>		
24 tablets					
<b>Solpadeine</b>	paracetamol+codeine phosphate +caffeine	<b>Non-Steroidal Anti-</b>	<b>glaxosmithkline</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Common Cold نزلات البرد	<b>UK</b>		
24 soluble tablet					
<b>Solu-Medrol</b>	Methylprednisolone 1000 mg	<b>Corticosteroid</b>	<b>Pfizer</b>	10 to 500 mg of methylprednisolone daily	
Powder for Solution Injection		Inflamations الألتهايات	<b>USA</b>		
1000 mg Sterile Powder					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>SOLUS one A day</b>	Multi vitamin and Menirals	<b>Vitamines and Menirals</b>	<b>LIFEPLAN</b>	As directed	
Tablets		Vitamins	<b>Unknown</b>		
30 Tab		نقص فيتامينات			
<b>Solvin</b>	Bromhexine (2mg/ml)	<b>Respiratory drugs</b>	<b>ADCO</b>	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily	
Syrup		Respiratory Disorders	<b>Egypt</b>		
120 ml		اضطرابات الجهاز التنفسي			
<b>Solvin</b>	Bromhexine	<b>Respiratory drugs</b>	<b>ADCO</b>	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily	
Tablets		Respiratory Disorders	<b>Egypt</b>		
20 tab		اضطرابات الجهاز التنفسي			
<b>Solvin Drops</b>	bromhexine (2 mg/ ml)	<b>Respiratory drugs</b>	<b>ADCO</b>	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Oral /Drops		Respiratory Disorders	<b>Egypt</b>		
15 ml		اضطرابات الجهاز التنفسي			
<b>Solvin Tablets</b>	Bromhexine ( 8 mg)	<b>Respiratory drugs</b>	<b>ADCO</b>	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Tablets		Respiratory Disorders	<b>Egypt</b>		
20 tab		اضطرابات الجهاز التنفسي			
<b>SomaCare</b>	Combination	<b>Antiseptic and Desinfectants</b>	<b>BioCare Pharma</b>	As directed	
Solution		مطهرات	<b>Egypt</b>		
Bottle					
<b>Sompraz</b>	Esomeprazole	<b>Gastro Intestinal drugs</b>	<b>SUN Pharma</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
cap		قرحة المعدة	<b>India</b>		
14 caps					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Soolan Pediatric</b>	Each 5 ml contains : Chlorphenamine Maleate 1mg + Phenylephrine Hydrochloride	<b>Antihistamines</b>	<b>Unknown</b>	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold نزلات البرد	<b>Unknown</b>		
100 ml					
<b>Sopalgin</b>	paracetamol 500 mg +codeine phosphate 8 mg +caffeine 30 mg	<b>NSAID</b>	<b>Modern Pharama</b>	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Common Cold نزلات البرد	<b>Yemen</b>		
24 tabs					
<b>Soral</b>	Tenoxicam 20mg supp.	<b>Nonsteroidal Anti-</b>	<b>GLOBAL NAPI</b>	maximum dose 20 mg one time daily (for two weeks only)	
Suppositoris		Analgic مهدئات الأوجاع	<b>Egypt</b>		
5 supp,					
<b>Sotilen</b>	Piroxicam 10 mg	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
Capsules		Analgic مهدئات الأوجاع	<b>Unknown</b>		
30 cap					
<b>Spasmcil</b>	Dicycloverine Hydrochloride	<b>Gastro Intestinal drugs</b>	<b>HUONS</b>	10 to 20 mg of dicycloverine hydrochloride is given 3 times daily, Children 10 mg three times daily.	
Tablets		Abdominal Spasm آلام البطن			
3 x 10 tab					
<b>Spasmcil</b>	Secnidazole 1000 mg	<b>Antiprtozoal</b>	<b>Global Pharma</b>	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Yemen</b>		
2x1 tab					
<b>Spasmo</b>	Homatropine methyl bromide	<b>Gastro Intestinal drugs</b>	<b>Shaphaco</b>	9 - 12 drops Tid	
Oral Paediatric Drops		Abdominal Spasm آلام البطن	<b>Yemen</b>		
15 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Spasmo - H</b>	Homatropine methyl bromide 10 mg	<b>Gastro Intestinal drugs</b>	<b>Shaphaco</b>	9 - 12 drops Tid	
Tablets		Abdominal Spasm آلام البطن	<b>Yemen</b>		
20 tabs					
<b>Spasmo-Canulase</b>	Methexin+cellulos e+pepsin+glutami c acid+pancreatin+ NaHco3	<b>Gastro Intestinal drugs</b>	<b>NOVARTIS</b>	once tab before all meal *If acute taken two tabs	
Bitabs		Abdominal Spasm آلام البطن	<b>Switzerland</b>		
20 Bitabs					
<b>Spasmocil</b>	Alerine citrate	<b>Gastro Intestinal drugs</b>	<b>Huons</b>	60 to 120 mg one to three times daily	
Tablets		Abdominal Spasm آلام البطن	<b>Korea</b>		
30 Tablets					
<b>spasmocin</b>	Hyoscine-N-Butylbromide 10 mg	<b>Gastro Intestinal drugs</b>	<b>Memphis</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	<b>Egypt</b>		
20 tabs					
<b>Spasmocure</b>	Drotaverine	<b>Gastro Intestinal drugs</b>	<b>Alphamoun</b>	120 to 240 mg daily by mouth in divided doses.	
Tablets		Abdominal Spasm آلام البطن	<b>Egypt</b>		
20 tabs					
<b>Spasmocure</b>	Drotaverine	<b>Gastro Intestinal drugs</b>	<b>APIC</b>	120 to 240 mg daily by mouth in divided doses.	
Tablets		Abdominal Spasm آلام البطن	<b>Egypt</b>		
20 tabs					
<b>SPASMO-DIGESTIN</b>	Methexin+cellulos e+pepsin+glutami c acid+pancreatin+ NaHco3	<b>Gastro Intestinal drugs</b>	<b>PHARCO</b>	once tab before all meal *If acute taken two tabs	
Tablets		Indigestion سوء الهضم	<b>Egypt</b>		
30 tab					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Spasmokid</b>	Hyoscyamine 0.125 mg / 1 ml	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	150 to 300 micrograms up to four times daily by mouth	
Oral /Drops		Abdominal Spasm آلام البطن	<b>Yemen</b>		
20 ml					
<b>Spasmoline</b>	Homatropine methyl bromide	<b>Gastro Intestinal drugs</b>	<b>YEDCO</b>	9 - 12 drops Tid	
Oral Paediatric Drops		Abdominal Spasm آلام البطن	<b>Yemen</b>		
15 ml					
<b>Spasmomen</b>	Otilonium Bromide 40 mg	<b>Gastro Intestinal drugs</b>	<b>MENARINI</b>	120 mg daily by mouth.	
Dragees		Abdominal Spasm آلام البطن	<b>Italy</b>		
30 Dragees					
<b>spasmopan Syrup</b>	Hyoscine- N-Butylbromide	<b>Gastro Intestinal drugs</b>	<b>APM</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Syrup		Abdominal Spasm آلام البطن	<b>Jordan</b>		
100 ml for bottle					
<b>SPASMOSAFE</b>	Drotaverine 60 mg	<b>Gastro Intestinal drugs</b>	<b>Modern Pharama</b>	120 to 240 mg daily by mouth in divided doses.	
Tablets		Abdominal Spasm آلام البطن	<b>Yemen</b>		
20 tabs					
<b>spasmoson</b>	Hyoscine- N-Butylbromide	<b>Gastro Intestinal drugs</b>	<b>Jayson</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Ampoules		Abdominal Spasm آلام البطن	<b>Unknown</b>		
10 amps					
<b>Spazmo-max</b>	Hyoscine- N-Butylbromide 10 mg	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	<b>Yemen</b>		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
<b>Spazmo-max</b>	Hyoscine-N-Butylbromide 5 mg / 5 ml	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Syrup		Abdominal Spasm آلام البطن	<b>Yemen</b>		
60 ml					
<b>Spazmotek</b>	Hyoscine Butylbromide 20 mg / ml	<b>Gastro Intestinal drugs</b>	<b>Bilim</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Ampoules		Abdominal Spasm آلام البطن	<b>Turkey</b>		
6 amp x 1 ml					
<b>Spazmotek plus</b>	Hyoscine-N-Butylbromide 10 mg + paracetamol 500 mg	<b>Gastro Intestinal drugs</b>	<b>Bilim</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	<b>Turkey</b>		
20 tabs					
<b>Spazomo-max</b>	Hyoscine-N-Butylbromide 10 mg	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	<b>Yemen</b>		
20 tabs					
<b>spectrum</b>	High potency Multivitamin and Multimineral formula with beta carotene.	<b>Vitamines and Menirals</b>	<b>CENTURY</b>	As directed	
Tablets		Vitamins نقص فيتامينات	<b>USA</b>		
30 tablets					
<b>Spedifen-400</b>	Ibuprofen f.c. tablet 400mg.	<b>Nonsteroidal Anti-</b>	<b>Zambon</b>	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
12 f.c.tablets					
<b>Spiradent</b>	Metronidazole 125mg + spiramycin 750000 I.U	<b>Antiprtozoal</b>	<b>BIOPHARM</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , جارديا واميبيا	<b>Yemen</b>		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Spiradent</b>	Spiramycin 750,000 IU + Metronidazol 125 mg / tablet	antibacterial	BIOPHARM	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Tablets		الأسنان Dental	Yemen		
2strip*10tablet					
<b>Spiradent</b>	Spiramycin 759,600 IU + Metronidazole 125 mg	Antibacterial	Unknown	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Tablets		Toxoplasmosis الجرثومة الطفيلية	Unknown		
20 tab					
<b>Spiragyl</b>	Spiramycin 750.000 I u+ Metronidazol 125 mg / tablet	Antibacterial	Pharo pharma	750000\125 & 1500000\250	
Tablets		الأسنان Dental	Egypt		
2strip*10tablet					
<b>Spiragyl Fort</b>	Spiramycin 1500000 IU + / Metronidazol 250 mg	antibacterial	Pharo pharma	tap 750000\125 & 1500000\250	
tablet		الأسنان Dental	Egypt		
1strip*10tablet					
<b>Spiramed</b>	Spiramycin*	Antibacterial	Modern Pharama	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
tablet		Toxoplasmosis الجرثومة الطفيلية	Yemen		
1strip*10tablet					
<b>Spiramycine</b>	Spiramycin*	Antibacterial	BALSAM	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
tablet		Toxoplasmosis الجرثومة الطفيلية	Syria		
1strip*10tablet					
<b>Spiratin 1.5</b>	Spiramycin 1.5 M.I.U / caplets	Antibacterial	Shiba pharma	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Caplets		Toxoplasmosis الجرثومة الطفيلية	Yemen		
1strip*16 caplet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Spiratin 3</b>	Spiramycin 3 M.I.U / caplets	<b>Antibacterial</b>	<b>Shiba pharma</b>	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Caplets		Toxoplasmosis الجرثومة الطفيلية	<b>Yemen</b>		
1strip*10 caplet					
<b>Spirazine</b>	Spiramycin 750,000 .I.U + 125 mg / tablet	<b>Antibacterial</b>	<b>Shiba pharma</b>	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Tablets		Toxoplasmosis الجرثومة الطفيلية	<b>Yemen</b>		
1strip*20 tab					
<b>SPIRAZOLE</b>	Metronidazole 125mg + spiramycin 750000 I.U	<b>Antiprtozoal</b>	<b>BALSAM</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , جارديا واميبيا	<b>Syria</b>		
20 tab					
<b>Spirazole</b>	Spiramycin+Metronidazol	<b>Antibacterial</b>	<b>BALSAM</b>	tap 750000\125 & 1500000\250	
tablet		Dental الأسنان	<b>Syria</b>		
2strip*10tablet					
<b>Spirex</b>	Spiramycin*	<b>Antibacterial</b>	<b>MUP</b>	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
tablet		Toxoplasmosis الجرثومة الطفيلية	<b>Egypt</b>		
2strip*5tablet					
<b>Spirex</b>	Spiramycin	<b>Antibacterial</b>	<b>Unknown</b>	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Tablets		Toxoplasmosis الجرثومة الطفيلية	<b>Unknown</b>		
10 tab					
<b>Spirocare</b>	Each tablet contains spironolactone 100mg .	<b>Cardio Vascular System drugs</b>	<b>Pharmacare</b>	One tablet one time or more daily (can be reached 400mg if directed by the physician )	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Yemen</b>		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Spirulina</b>	Silymarin	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Capsules		Hepatic Disorders	<b>Unknown</b>		
Bottle		اضطرابات الكبد			
<b>Sporanex</b>	Itraconazole	<b>Antifungals</b>	<b>Janssen-Cilag</b>	100 - 200 mg daily as the type of fungi	
Capsules		Dermatitis	<b>Switzerland</b>		
14 Capsules		التهابات الجلدية			
<b>Sporanox Capsules</b>	Itraconazole 100mg	<b>Antifungals</b>	<b>Janssen-Cilag</b>	100 - 200 mg daily as the type of fungi	
Capsules		Dermatitis	<b>Switzerland</b>		
15 capsules		التهابات الجلدية			
<b>Sporanox Solutions</b>	Itraconazole 10mg/ml	<b>Antifungals</b>	<b>Janssen-cilag</b>	100 - 200 mg daily as the type of fungi	
Solution		Dermatitis	<b>Sweden</b>		
150ml solution oral		التهابات الجلدية			
<b>Sporinex</b>	Tinidazole	<b>Antiprtozoal</b>	<b>Unknown</b>	Amoebiasis: 2 gm is for 3 days: hepatic amoebiasis, 2 gm for 3 - 6 days , Children 50 to 60 mg/kg for 3- 5 days : Giardia, Trichomoniasis 2 gm by mouth: Anaerobic	
Tablets		Amoebiasis ,	<b>Unknown</b>		
4 Tabletes		جارديا واميبيا			
<b>Spplin</b>	Metronidazole	<b>Antiprtozoal</b>	<b>Sandoz</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiaIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis ,	<b>Unknown</b>		
20 tab		جارديا واميبيا			
<b>S-prazo</b>	Esomeprazole	<b>Gastro Intestinal drugs</b>	<b>Flaming - pharma = India</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
tab		قرحة المعدة	<b>Unknown</b>		
10 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>SR Ketoprofen</b>	Ketoprofen 150 mg	<b>Nonsteroidal Anti-</b>	<b>UNICHIMA</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Capsules		Analgesic مهدئات الأوجاع	<b>Syria</b>		
10 Capsules					
<b>SR Ketoprofen</b>	Ketoprofen	<b>Nonsteroidal Anti-</b>	<b>Unknown</b>	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Capsules		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
10 cap					
<b>STALENE 200</b>	Fluconazole 200 mg	<b>Antifungals</b>	<b>UNISON</b>	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis التهابات الجدلية	<b>Thailand</b>		
1x1 cap					
<b>STATIX 10</b>	Atorvastatin10mg	<b>Cardio Vascular System drugs</b>	<b>NeoBiocon</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	<b>UAE</b>		
30 tablets					
<b>Stdoxin</b>	Ofloxacin*	<b>Antibacterial</b>	<b>Stada</b>	tab 400mg & 200mg	
tablet		Bacterial Infections	<b>Unknown</b>		
1strip*10tablet		الأصابات البكتيرية			
<b>Stellasil</b>	Trifluoperazine tablet 5mg	<b>Central Nervous system drugs</b>	<b>KAHIRA PHARM</b>	Minimum/Maximum Adult Daily Dose:10 - 40 mg (milligram) OR 1 - 4 Tablets.	
Tablets		Mental Disorders الأمراض العقلية	<b>Egypt</b>		
30 tablets					
<b>Sterema</b>	Prochlorperazine Malate 5mg / tab	<b>Gastro Intestinal drugs</b>	<b>REMEDICA</b>	As directed	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Cyprus</b>		
box					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Stericef - 1gm</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>Ipca</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parentral inj		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
1 vial					
<b>Stericef - 250 mg</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>Ipca</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parentral inj		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
1 vial					
<b>Stilnox</b>	Zolpidem Tartrate	<b>Central Nervous system drugs</b>	<b>Sanofi Aventis</b>	10 mg taken immediately before retiring. In elderly or debilitated patients, treatment limited to a dose of 5 mg at night.	
Tablets		Anxiety, Insomnia الأرق والقلق	<b>France</b>		
20 Tablets					
<b>Stimulan</b>	Piracetam 1g/5ml	<b>Central Nervous system drugs</b>	<b>Unknown</b>	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Syrup		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
1 gm / 5 ml					
<b>Stimulan</b>	Piracetam	<b>Central Nervous system drugs</b>	<b>Unknown</b>	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Tablets		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
30 tab					
<b>Storilat</b>	carbamazepin tablet 200 mg	<b>Central Nervous system drugs</b>	<b>REMEDICA</b>	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	<b>Cyprus</b>		
50 Tablet					
<b>Strepsils</b>	Different Lozenges Ingredients	<b>Antiseptic and Desinfectants</b>	<b>reckitt benckiser</b>	As directed	
Lozenges		Common Cold نزلات البرد	<b>Unknown</b>		
24 lozenges					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>stroka</b>	Clopidogrel bisulphate.....75 mg	<b>Cardio Vascular System drugs</b>	<b>Apex Pharma</b>	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	<b>Unknown</b>		
20 tab					
<b>Structum 500mg</b>	Chondroitin sulphate,Na 500mg	<b>Osteoarthritis drugs</b>	<b>Unknown</b>	As directed	
Capsules		Osteoarthritis التهابات العظام	<b>Unknown</b>		
60 caps					
<b>Stugeron</b>	Cinnarizine	<b>Antihistamines</b>	<b>Janssen-Cilag</b>	For Vertigo and vestibular disorders is 30 mg three times daily by mouth - For motion sickness 30 mg is taken 2 hours before the start of the journey . Children aged 5 to 12	
Tablets		الدوار او الدوخة Vertigo	<b>Sweden</b>		
25 tab					
<b>Stugeron</b>	Cinnarizine	<b>Antihistamines</b>	<b>Janssen</b>	For Vertigo and vestibular disorders is 30 mg three times daily by mouth - For motion sickness 30 mg is taken 2 hours before the start of the journey . Children aged 5 to 12	
Tablets		الدوار او الدوخة Vertigo	<b>Switzerland</b>		
50 tab					
<b>Stugeron</b>	Cinnarizine	<b>Antihistamines</b>	<b>Janssen-Cilag</b>	For Vertigo and vestibular disorders is 30 mg three times daily by mouth - For motion sickness 30 mg is taken 2 hours before the start of the journey . Children aged 5 to 12	
Tablets		الدوار او الدوخة Vertigo	<b>Switzerland</b>		
50 tab					
<b>SUCRATE gel</b>	Each bags of 5 ml sucralfate suspension	<b>Gastro Intestinal drugs</b>	<b>Lisapharma</b>	The usual dose is 1 g four times daily or 2 g twice daily for 4 to 8 weeks	
Gel		قرحة المعدة Peptic ulcer	<b>Egypt</b>		
30 monodose bags of 5 ml					
<b>Sucratec</b>	Glimepiride 2mg	<b>Antidiabetics</b>	<b>Neopharma</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		أمراض السكري Diabetes Mellitus	<b>UAE</b>		
30 tab					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Sucratec 3</b>	Glimepiride 3mg	<b>Antidiabetics</b>	<b>Neo pharma</b>	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	<b>Unknown</b>		
30 tab					
<b>Sulba750</b>	Ampicillin Sodium/Sulbactam Sodium	<b>Antibiotics</b>	<b>ALPHA</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Vial		الأصابات الميكروبية Microbial Infections	<b>Syria</b>		
1 vial					
<b>Sulfadiazine Silver</b>	Sulfadiazine Silver 1%	<b>Antibacterial</b>	<b>Shiba pharma</b>	1% cream	
Cream		التئام الجروح Wounds Healing	<b>Yemen</b>		
250 gm					
<b>Sulptiac 200</b>	Amisulpride	<b>Central Nervous system drugs</b>	<b>SUN Pharma</b>	*For acute psychotic episodes, oral doses between 400 mg/d and 800 mg/d * irritable bowel syndrem = tid	
Tablets		Mental Disorders الأمراض العقلية	<b>India</b>		
30 tabs					
<b>Sulptiac 400</b>	Amisulpride	<b>Central Nervous system drugs</b>	<b>SUN Pharma</b>	*For acute psychotic episodes, oral doses between 400 mg/d and 800 mg/d * irritable bowel syndrem = tid	
Tablets		Mental Disorders الأمراض العقلية	<b>India</b>		
30 tabs					
<b>Super GC</b>	Glucosamine + Chondroitin	<b>Osteoarthritis drugs</b>	<b>Power Health</b>	As directed	
Capsules		Osteoarthritis التهابات العظام	<b>Unknown</b>		
30 capsules					
<b>Super Joint</b>	Glucosamine + Chondroitin	<b>Osteoarthritis drugs</b>	<b>Nutraveda</b>	As directed	
Tablets		Osteoarthritis التهابات العظام	<b>Unknown</b>		
30 tab					







Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Super Sliming</b>	Combination	<b>Gastro Intestinal drugs</b>	<b>Tri Pharma</b>	As directed	
Capsules		Nutrition supplementation تغذية تكميلية	<b>not present</b>		
30 capsules					
<b>SUPIM</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	<b>Antibacterial</b>	<b>BMP</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Tablets		Bacterial Infections الأصابات البكتيرية	<b>Thailand</b>		
2strip *10 tablet					
<b>Supplin 500 mg</b>	Metronidazole	<b>Antiprtozoal</b>	<b>Sandoz</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	<b>Unknown</b>		
20 tab					
<b>Supra 25</b>	Sildenafil citrate 25 mg	<b>Sex Stimulants</b>	<b>Shiba pharma</b>	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	<b>Yemen</b>		
10 tab					
<b>Supra 25</b>	Sildenafil citrate 25 mg	<b>Sex Stimulants</b>	<b>Shiba pharma</b>	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	<b>Yemen</b>		
4 tab					
<b>Supra 50</b>	Sildenafil citrate 50 mg	<b>Sex Stimulants</b>	<b>Shiba pharma</b>	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	<b>Yemen</b>		
4 tab					
<b>SUPRA F&amp;S 50</b>	Sildenafil Citrate	<b>Sex Stimulants</b>	<b>Shiba pharma</b>	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	<b>Yemen</b>		
4 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>SUPRA VIT</b>	Calcium + Vit c	<b>Vitamines and Menirals</b>	<b>Unknown</b>	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
		Osteoarthritis التهابات العظام	<b>Unknown</b>		
<b>Supradyn</b>	Multi vitamin and Menirals	<b>Vitamines and Menirals</b>	<b>BAYER</b>	As directed	
Capsules		Vitamins Deficiency نقص فيتامينات	<b>Germany</b>		
30 Capsules					
<b>Supranil</b>	Clomipramine capsules 25mg	<b>Central Nervous system drugs</b>	<b>Alphamoun</b>	Oral doses of 10 mg daily initially, increasing gradually to 30 to 150 mg daily maximum up to 250 mg daily .	
Capsules		Mental Disorders الأمراض العقلية	<b>Egypt</b>		
20 capsules					
<b>Supranil</b>	Clomipramine Hydrochloride 25mg	<b>Central Nervous system drugs</b>	<b>ACAPI</b>	Oral doses of 10 mg daily initially, increasing gradually to 30 to 150 mg daily maximum up to 250 mg daily .	
Capsules		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
20 capsules					
<b>Supravit</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>YEDCO</b>	One capsule or more daily or as prescribed by the physician	
Capsules		Vitamins Deficiency نقص فيتامينات	<b>Yemen</b>		
30 caps					
<b>SUPRAX 100</b>	Cefixime	<b>Antibacterial</b>	<b>Hikma</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Dry syrup		Bacterial Infections الأمراض البكتيرية	<b>Jordan</b>		
1 bottel* 60ml					
<b>SUPRAX 100</b>	Cefixime	<b>Antibacterial</b>	<b>Hikma</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Dry syrup		Bacterial Infections الأمراض البكتيرية	<b>Jordan</b>		
30ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Suprax Capsules</b>	Cefixime	<b>Antibacterial</b>	<b>Hikma</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
capsul		Bacterial Infections الأمراض البكتيرية	<b>Jordan</b>		
1strip*8capsules					
<b>Suprax TTT</b>	Cefixime	<b>Antibacterial</b>	<b>Hikma</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Dry syrup		Bacterial Infections الأمراض البكتيرية	<b>Jordan</b>		
1bottel*30ml					
<b>SureCure</b>	Adapalene	<b>Skin Disorders</b>	<b>Jamjoum Pharma</b>	applied once daily at night as a 0.1% solution, cream, or gel to skin that has been cleansed and dried.	
Gel		حب الشباب Acne	<b>Saudi Arabia</b>		
30 gm					
<b>Surgical Spirit</b>	Surgical Spirit	<b>Antiseptic and Desinfectants</b>	<b>Shiba pharma</b>	Apply on the affected area using clean cotton	
Solution		مطهرات Antiseptic	<b>Yemen</b>		
60 ml					
<b>Surgical Spirit</b>	Surgical Spirit	<b>Antiseptic and Desinfectants</b>	<b>Shiba pharma</b>	Apply on the affected area using clean cotton	
Solution		مطهرات Antiseptic	<b>Yemen</b>		
100 ml					
<b>Surgical Spirit</b>	Castor Oil 2.5 % +Diethyl Phthalate 2.0 % +Methyl Salicylate 0.5 % +Industrial	<b>Antiseptic and Desinfectants</b>	<b>Pharmacare</b>	Apply on the affected area using clean cotton	
Solution		مطهرات Antiseptic	<b>Yemen</b>		
100 ml					
<b>susten 200</b>	progesterone	<b>Gynaecology drugs</b>	<b>sun</b>	:It is important to take each dose as directed. If you miss a dose, take it as soon as remembered. Do not "double-up" the dose to catch up. If more than one dose is missed,	
soft gelatin capsules		Amenorrhea انقطاع الطمث	<b>India</b>		
toon					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Sutrim</b>	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	<b>Antibacterial</b>	<b>Memphis</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
syrup		Bacterial Infections الأمراض البكتيرية	<b>Egypt</b>		
1bottel*100ml					
<b>Suvikan-20mg</b>	Rosuvastatin calcium 20.8mg(equivalent to 20mgRosuvastatin)	<b>Cardio Vascular System drugs</b>	<b>HIKMA</b>	10 - 20 mg once daily	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	<b>Jordan</b>		
28 film coated tablet					
<b>Suzin</b>	Flunarizine Hydrochloride 5 mg	<b>Antihistamines</b>	<b>STANDARD CHEM</b>	is 5 to 10 mg daily, usually given at night to minimise the effects of drowsiness.	
Capsules		Migraine	<b>Unknown</b>		
2 x 10 cap					
<b>sylate-250</b>	etamsylate250mg	<b>Antihemorrhages</b>	<b>RAF pharmaceutical</b>	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	
Tablets		Haemorrhage النزيف	<b>Unknown</b>		
20tablet					
<b>sylate-500mg</b>	etamsylate 500mg	<b>Antihemorrhages</b>	<b>RAF PHARMACEUTICAL</b>	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	
Tablets		Haemorrhage النزيف	<b>Unknown</b>		
20tablet					
<b>Synchrogit</b>	Domperidone 10 mg	<b>Gastro Intestinal drugs</b>	<b>RAMEDA</b>	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Egypt</b>		
20 tab					
<b>Synclar - 500</b>	Clarithromycin	<b>Antibiotics</b>	<b>CIPLA</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
tablet		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>India</b>		
2strip*7tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Synclar- 250</b>	Clarithromycin	<b>Antibiotics</b>	<b>CIPLA</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
tablet		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>India</b>		
2strip*7tablet					
<b>Synclar-500</b>	Clarithromycin	<b>Antibiotics</b>	<b>CIPLA</b>	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	<b>India</b>		
<b>SYNDOPA-275</b>	Carbidopa/Levodopa tablet (25/250)mg	<b>Central Nervous system drugs</b>	<b>SUN</b>	Minimum/Maximum Adult Daily Dose:2 - 8 Tablet, Sustained Action	
Tablets		Parkinson's disease مرض الرعاش	<b>India</b>		
50 tablets					
<b>Systane</b>	0.7 ml / vial	<b>Ophthalmic drugs</b>	<b>Alcon</b>	As directed	
Eye solution		Eye العين	<b>Ireland</b>		
30 vial x 10 ml					
<b>Tabiclor</b>	Cefaclor	<b>Antibiotics</b>	<b>Tabuk pharma</b>	tab 750mg & 375mg cap 500mg 250mg 125mg	
Capsules		الأمراض الميكروبية Microbial Infections	<b>Saudi Arabia</b>		
3 strip * 5capsules					
<b>Tabiclor</b>	Cefaclor	<b>Antibiotics</b>	<b>Tabuk pharma</b>	tab 750mg & 375mg cap 500mg 250mg 125mg	
Dry syrup		الأمراض الميكروبية Microbial Infections	<b>Saudi Arabia</b>		
1bottel*75ml					
<b>Talcef</b>	Cefotaxime Sodium	<b>Antibacterial</b>	<b>Ipca</b>	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	
parentral inj		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
1Vial					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Talizol</b>	Esomeprazole	<b>Gastro Intestinal drugs</b>	<b>Vitalis</b>	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Ampoules		قرحة المعدة	<b>USA</b>		
1 amp + 1 vial solvent					
<b>Tamadol</b>	Tramadol Hydrochloride	<b>Opioid analgesics</b>	<b>Shiba pharma</b>	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Capsules		مهدئات الأوجاع	<b>Yemen</b>		
10 cap					
<b>Tambac 100</b>	Cefpodoxime Proxetil	<b>Antibiotics</b>	<b>CADILA</b>	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
tablet		الأمراض الميكروبية	<b>India</b>		
1strip*10tablet		Microbial Infections			
<b>Tambac 200</b>	Cefpodoxime Proxetil	<b>Antibiotics</b>	<b>CADILA</b>	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
tablet		الأمراض الميكروبية	<b>India</b>		
1strip*10tablet		Microbial Infections			
<b>Tambac 200</b>	Cefpodoxime Proxetil	<b>Antibiotics</b>	<b>Unknown</b>	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
Tablets		الأمراض الميكروبية	<b>Unknown</b>		
10 tab		Microbial Infections			
<b>Tamol 200 mg</b>	Tramadol Hydrochloride 200 mg	<b>Opioid analgesics</b>	<b>Hikma</b>	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Tablets		مهدئات الأوجاع	<b>Jordan</b>		
10 tab					
<b>tamoxifen</b>	tamoxifen 20mg	<b>Gynaecology drugs</b>	<b>WOCKHADT</b>	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 2 - 4 Tablet	
Tablets		العقم	<b>UK</b>		
30					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>tamoxifen ???</b>	tamoxifen 10 mg	<b>Gynaecology drugs</b>	<b>WOCKHADT</b>	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 2 - 4 Tablet	
Tablets		العقم	<b>UK</b>		
30					
<b>Tamsiflow</b>	Tamsulosin Hydrochloride 0.4 mg	<b>Urinary tract drugs</b>	<b>Shiba pharma</b>	400 - 800 micrograms daily by mouth for up to 4 weeks	
Capsules		Urinary Tract Infection	<b>Yemen</b>		
30 cap		اصابات الجهاز البولي			
<b>Tamsulosin</b>	Tamsulosin Hydrochloride 0.4 mg	<b>Urinary tract drugs</b>	<b>Shaphaco</b>	400 - 800 micrograms daily by mouth for up to 4 weeks	
Capsules		Urinary Tract Infection	<b>Yemen</b>		
30 cap		اصابات الجهاز البولي			
<b>TANTUM</b>	Benzydamine hydrochloride	<b>Antiseptic and Desinfectants</b>	<b>EIPICO</b>	For pre-operative skin disinfection and hand-washing, chlorhexidine is used as a 0.5% solution of the acetate or gluconate in alcohol (70%) or as a 2 or 4% detergent solution	
Mouth Wash		Mouth Wash	<b>Egypt</b>		
125 ml		الغسولات القموية			
<b>TANTUM ROSA</b>	Benzydamine hydrochloride	<b>Antiseptic and Desinfectants</b>	<b>EIPICO</b>	For pre-operative skin disinfection and hand-washing, chlorhexidine is used as a 0.5% solution of the acetate or gluconate in alcohol (70%) or as a 2 or 4% detergent solution	
Sachets		Vaginal	<b>Egypt</b>		
5 Sachets		المهبل			
<b>TANTUM VERDE</b>	Benzydamine hydrochloride	<b>Antiseptic and Desinfectants</b>	<b>EIPICO</b>	As directed	
Lozenges		Ear Nose Throat (E.N.T)	<b>Egypt</b>		
20 Lozenges		الأنف والأذن والحنجرة			
<b>TardyFeron</b>	Ferrous sulphate 80 mg	<b>Vitamines and Menirals</b>	<b>Pierr Fabre</b>	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily)	
Tablets		Anaemia	<b>Unknown</b>		
30 coated tablet		فقر الدم			



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Tardyferon 80 mg</b>	Ferrous Sulfate	<b>Vitamines and Menirals</b>	<b>Unknown</b>	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily)	
Tablets		فقر الدم Anaemia	<b>Unknown</b>		
30 coated tablets					
<b>Tavacin 500 mg</b>	Levofloxacin	<b>Antibacterial</b>	<b>Unknown</b>	Tab 500mg & 250mg Infu 500mg	
Tablets		Bacterial Infections	<b>Unknown</b>		
5 tab		الأصابات البكتيرية			
<b>Tavanic</b>	Levofloxacin	<b>Antibacterial</b>	<b>Sanofi Aventis</b>	Tab 500mg & 250mg Infu 500mg	
Tablet		Bacterial Infections	<b>France</b>		
1strip*5tablet		الأصابات البكتيرية			
<b>Tazotalis</b>	Piperacillin	<b>Antibiotics</b>	<b>Unknown</b>	intravenously; the usual dose is 3 to 4 g every 4 or 6 hours.	
Vial		الأصابات الميكروبية	<b>Unknown</b>		
1 vial		Microbial Infections			
<b>Tears Guard</b>	Hydroxy Propyl Methyl Cellulose 0.3 %	<b>Ophthalmic drugs</b>	<b>Orchidia Pharma</b>	As directed	
Solution		العين Eye	<b>Egypt</b>		
10 ml					
<b>Tefanyl</b>	Ketotifen Fumarate	<b>Respiratory drugs</b>	<b>JPM</b>	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Syrup		التهاب الشعب الهوائية	<b>Jordan</b>		
100 ml					
<b>TEFANYL 1</b>	Ketotifen Fumarate	<b>Respiratory drugs</b>	<b>JPM</b>	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Tablets		التهاب الشعب الهوائية	<b>Jordan</b>		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Tegral 200</b>	carbamazepin tablet 200 mg	<b>Central Nervous system drugs</b>	<b>Interbat</b>	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	<b>Egypt</b>		
50 tablet					
<b>Tegranol</b>	carbamazepin tablet 200 mg	<b>Central Nervous system drugs</b>	<b>Biopharm</b>	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	<b>Yemen</b>		
50 Tablet					
<b>Tegretol 200</b>	Carbamazepin	<b>Central Nervous system drugs</b>	<b>Unknown</b>	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	<b>Unknown</b>		
50 tab					
<b>Tegretol 200</b>	Carbamazepin	<b>Central Nervous system drugs</b>	<b>Unknown</b>	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	<b>Unknown</b>		
50 tab					
<b>Tegretol 200 mg</b>	carbamazepin tablet 200 mg	<b>Central Nervous system drugs</b>	<b>NOVARTIS</b>	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	<b>Switzerland</b>		
50 Tablet					
<b>Tegretol 400</b>	Carbamazepin 400 mg	<b>Central Nervous system drugs</b>	<b>NOVARTIS</b>	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Divitabs		Epilepsy الصرع	<b>Switzerland</b>		
30 Divitabs					
<b>Tegretol CR 200mg</b>	carbamazepin tablet 200 mg	<b>Central Nervous system drugs</b>	<b>NOVARTIS</b>	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	<b>Switzerland</b>		
50 Tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Tegretol CR 400mg</b>	carbamazepin tablet 400 mg	<b>Central Nervous system drugs</b>	<b>NOVARTIS</b>	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	<b>Switzerland</b>		
50 Tablet					
<b>Tegretol syrap</b>	carbamazepin syrap 2%	<b>Central Nervous system drugs</b>	<b>NOVARTIS</b>	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Syrup		Epilepsy الصرع	<b>Switzerland</b>		
100 ml					
<b>Tegrsed</b>	Carbamazepine 200 mg	<b>Central Nervous system drugs</b>	<b>SEDICO</b>	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	<b>Egypt</b>		
50 tablets					
<b>Tehral 200</b>	Carbamazepin	<b>Central Nervous system drugs</b>	<b>Unknown</b>	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	<b>Unknown</b>		
50 tab					
<b>Telfast 120 mg</b>	Fexofenadine Hydrochloride	<b>Antihistamines</b>	<b>SANOFI</b>	by mouth in a dose of 120 mg daily either as a single dose or in two divided doses, Children 30 mg twice daily	
Tablets		Allergy الحساسية	<b>France</b>		
15 tab					
<b>Tenedone</b>	Atenolol + Chlorthalidone	<b>Cardio Vascular System drugs</b>	<b>SIGMA</b>	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI: Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Egypt</b>		
20 tab					
<b>TENIACID</b>	Niclosamide 500 mg / tab	<b>Anthelmentic</b>	<b>BMP</b>	Tapeworms: Single dose niclosamide 2 gm chewed tablets on empty stomach. Hymenolepis (H.Nana): 2 gm initially + 1 gm daily for 6 days	
Tablets		Tape Worms الدودة الشريطية	<b>Thailand</b>		
4 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>tenoretic ???</b>	Atenolol	<b>Cardio Vascular System drugs</b>	<b>ASTRAZENECA</b>	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
14tab					
<b>Tenoretic ???</b>	Atenolol + Chlorthalidone	<b>Cardio Vascular System drugs</b>	<b>ASTRAZENECA</b>	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
28tab					
<b>Tenormin ??</b>	Atenolol	<b>Cardio Vascular System drugs</b>	<b>ASTRAZENECA</b>	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
28 tab					
<b>tenormin ???</b>	Atenolol	<b>Cardio Vascular System drugs</b>	<b>ASTRAZENECA</b>	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
28tab					
<b>tenormin mite</b>	Atenolol	<b>Cardio Vascular System drugs</b>	<b>ASTRAZENECA</b>	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
30 tab					
<b>Tenormin Tablets</b>	Atenolol	<b>Cardio Vascular System drugs</b>	<b>ASTRAZENECA</b>	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
14 TAB					
<b>Tenox 20</b>	Tenoxicam 20 mg / cap	<b>Nonsteroidal Anti-</b>	<b>Unknown</b>	maximum dose 20 mg one time daily (for two weeks only)	
Capsules		مهدئات الأوجاع	<b>Unknown</b>		
8 cap					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Tenoxam 20</b>	Tenoxicam 20 mg	<b>NSAID</b>	<b>Shiba pharma</b>	maximum dose 20 mg one time daily (for two weeks only)	
Capsules		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
10 cap					
<b>Terbin</b>	Terbinafine	<b>Antifungals</b>	<b>GNP</b>	As directed	
Cream		Dermatitis التهابات الجلدية	<b>Unknown</b>		
15 gm					
<b>testovirone depot</b>	testosterone enanthate	<b>Hormones</b>	<b>BAYER</b>	by mouth in an initial dose of 120 to 160 mg daily for 2 to 3 weeks, f maintenance dose of 40 to 120 mg daily. intramuscular injection as oily solution at a dose of 1 g every	
ampole		Sex Hormones هرمونات جنسية	<b>Germany</b>		
3					
<b>Tetracycline</b>	Tetracycline	<b>Antibiotics</b>	<b>Julphar</b>	Cap 500 mg & 250mg	
Ointment		Dermatitis التهابات الجلدية	<b>UAE</b>		
20 gm					
<b>Tetracycline</b>	Tetracycline 1 %	<b>Antibiotics</b>	<b>Unknown</b>	Cap 500 mg & 250mg	
Ointment		Eye العين	<b>Unknown</b>		
4 gm					
<b>Tetracycline</b>	Tetracycline HCl	<b>Antibiotics</b>	<b>ADCO</b>	Cap 500 mg & 250mg	
Capsule		الاصابات الميكروبية Microbial Infections	<b>Egypt</b>		
10strip*10capsules					
<b>Tetracycline 250 mg</b>	Tetracycline 250 mg	<b>Antibiotics</b>	<b>ZMC</b>	Cap 500 mg & 250mg	
Capsules		الاصابات الميكروبية Microbial Infections	<b>China</b>		
10 x 10 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Tetracycline Hydrochloride</b>	Tetracycline	<b>Antibiotics</b>	<b>ZHEJIANG</b>	Cap 500 mg & 250mg	
Ointment		الأصابات الميكروبية Microbial Infections	<b>China</b>		
14 gm					
<b>Tetracycline skin</b>	Tetracycline 3%	<b>Antibiotics</b>	<b>Unknown</b>	Cap 500 mg & 250mg	
Ointment		الأصابات الميكروبية Microbial Infections	<b>Unknown</b>		
14 gm					
<b>Theobid 200</b>	Theophyllin 200 mg	<b>Respiratory drugs</b>	<b>CIPLA</b>	by mouth in doses ranging from 300 to 1000 mg daily in divided doses	
Tablets Sustained Release		Bronchial Asthma الربو الشعبي	<b>India</b>		
15 tab					
<b>Theobid-300</b>	Theophyllin 300 mg	<b>Respiratory drugs</b>	<b>CIPLA</b>	by mouth in doses ranging from 300 to 1000 mg daily in divided doses	
Sustained Release Tablets		Bronchial Asthma الربو الشعبي	<b>India</b>		
15 tab					
<b>three-B</b>	vitamineB1 100mg+vitamineB6 200mg+vitamineB12 200mg	<b>Vitamines and Menirals</b>	<b>BIOPHARM</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Tablets		Vitamins Deficiency نقص فيتامينات	<b>Yemen</b>		
20tablet					
<b>Three-B Amp</b>	vit B1 100mg+B6 200mg+B12 200Mg	<b>Vitamines and Menirals</b>	<b>BIOPHARM</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Ampoules		Vitamins Deficiency نقص فيتامينات	<b>Yemen</b>		
5ampoules of 3 ml					
<b>Three-B Tablets</b>	vit B1 100mg+B6 200mg+B12 200Mg	<b>Vitamines and Menirals</b>	<b>BIOPHARM</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Tablets		Vitamins Deficiency نقص فيتامينات	<b>Yemen</b>		
20 Tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Thri-B</b>	vit B1 100mg+B6 200mg+B12 200Mg	<b>Vitamines and Menirals</b>	<b>NILE CO.</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Tablets		Vitamins	<b>Egypt</b>		
20 Tablets		Deficiency نقص فيتامينات			
<b>Thrombocid</b>	Pentosan Polysulfate Sodium + Guaiazulene	<b>Antihaemorrhages</b>		As directed	
Suppositoris		Haemorrhoids			
10 supp		البواسير			
<b>Thymolyt</b>	thyme 250 mg	<b>Antiseptic and Desinfectants</b>	<b>Modern Pharama</b>	As directed	
Syrup		Common Cold	<b>Yemen</b>		
100 ml		نزلات البرد			
<b>Thymy</b>	lozenges+ thyme & ginger extract	<b>Antiseptic and Desinfectants</b>	<b>Pharo pharma</b>	As directed	
Lozenges		Common Cold	<b>Egypt</b>		
12 pastills		نزلات البرد			
<b>Thymy s</b>	lozenges+ thyme & ginger extract	<b>Antiseptic and Desinfectants</b>	<b>Pharo pharma</b>	As directed	
lozenges		Common Cold	<b>Egypt</b>		
12 pastills		نزلات البرد			
<b>Tiazol</b>	Tinidazole 500 mg / tab	<b>Antiprtozoal</b>	<b>Shiba Pharma</b>	Amoebiasis: 2 gm is for 3 days: hepatic amoebiasis, 2 gm for 3 - 6 days , Children 50 to 60 mg/kg for 3- 5 days : Giardiasis, Trichomoniasis 2 gm by mouth: Anaerobic	
Tablets		Amoebiasis ,	<b>Yemen</b>		
4 f/c tab		جارديا واميبييا			
<b>TIBEZOLE 500</b>	Orinidazole	<b>Antiprtozoal</b>	<b>Pharo Pharma</b>	500 mg twice daily by mouth for 5 to 10 days; children are given 25 mg/kg as a single daily dose for 5 to 10 days.	
Tablets		Amoebiasis ,	<b>Egypt</b>		
10 tab		جارديا واميبييا			







Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Tibezole 500</b>	Ornidazole	<b>Antiprtozoal</b>	<b>Unknown</b>	500 mg twice daily by mouth for 5 to 10 days; children are given 25 mg/kg as a single daily dose for 5 to 10 days.	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Unknown</b>		
10 tab					
<b>Tidilor</b>	Loratadine 5 mg/ 5 ml	<b>Antihistamines</b>	<b>PHARMA</b>	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Syrup		Allergy الحساسية	<b>Unknown</b>		
100 ml					
<b>Tindaz</b>	Tinidazole 500 mg / tab	<b>Antiprtozoal</b>	<b>Pharmacare</b>	Amoebiasis: 2 gm is for 3-6 days , Children 50 to 60 mg/kg for 3- 5 days : Giardiasis, Trichomoniasis 2 gm : Anaerobic bacterial infections 2 gm followed by 1 gm daily	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	<b>Yemen</b>		
4 f/c tab					
<b>Tobradex</b>	Tobramycin	<b>Antibiotics</b>	<b>Alcon</b>	As directed	
Drops		Eye العين	<b>Unknown</b>		
5 ml					
<b>Tolux lozenges</b>	Different Lozenges Ingredients	<b>Antiseptic and Desinfectants</b>	<b>MEDICO LABS</b>	As directed	
Lozenges		Common Cold نزلات البرد	<b>Syria</b>		
20 lozenges					
<b>TONIC-Z</b>	Zink Sulfate 55.6 ,Ferrous Sulphate 150mg + Folic acid 500mcg	<b>Vitamines and Menirals</b>	<b>Unipharma</b>	As directed	
Capsules		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
20 capsules					
<b>Topamate-100</b>	Topiramate 100 mg / tab	<b>Central Nervous system drugs</b>	<b>Unknown</b>	adults is 25 mg once daily by mouth , children 5 to 9 mg/kg daily given in 2 divided doses	
Tablets		Epilepsy الصرع	<b>Unknown</b>		
10 tab					










Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Topamate-25</b>	Topiramate tablet 25mg	<b>Central Nervous system drugs</b>	<b>CIPLA</b>	adults is 25 mg once daily by mouth , children 5 to 9 mg/kg daily given in 2 divided doses	
Tablets		Epilepsy الصرع	<b>India</b>		
10 tablets					
<b>Topamate-25</b>	Topiramate	<b>Central Nervous system drugs</b>	<b>CIPLA</b>	adults is 25 mg once daily by mouth , children 5 to 9 mg/kg daily given in 2 divided doses	
Tablets		Epilepsy الصرع	<b>India</b>		
10 tab					
<b>Topirol-25</b>	Topiramate tablet 25mg	<b>Central Nervous system drugs</b>	<b>SUN</b>	adults is 25 mg once daily by mouth , children 5 to 9 mg/kg daily given in 2 divided doses	
Tablets		Epilepsy الصرع	<b>India</b>		
30 tablets					
<b>Topirol-50</b>	Topiramate tablet 50mg	<b>Central Nervous system drugs</b>	<b>SUN</b>	adults is 25 mg once daily by mouth , children 5 to 9 mg/kg daily given in 2 divided doses	
Tablets		Epilepsy الصرع	<b>India</b>		
30 tablets					
<b>Toplexil</b>	Oxomemazine Hydrochloride 0.33 mg/ml	<b>Respiratory drugs</b>	<b>Sanofi Aventis</b>	by mouth in doses of 10 to 40 mg daily	
Syrup		Common Cold نزلات البرد	<b>France</b>		
150 ml					
<b>Topzol</b>	Tioconazole 1%	<b>Antifungals</b>	<b>HIKMA</b>	it is used as pessaries or vaginal ointment usually as a single dose.	
Cream		Dermatitis الالتهابات الجلدية	<b>Jordan</b>		
20 gm					
<b>Topzol-v</b>	Tioconazole 2 %	<b>Antifungals</b>	<b>HIKMA</b>	it is used as pessaries or vaginal ointment usually as a single dose.	
Cream		Vaginal المهبل	<b>Jordan</b>		
20 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>torfacol-10mg</b>	atorvastatin10mg	<b>Cardio Vascular System drugs</b>	<b>JPM</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
tablet		Hyperlipidaemias	<b>Jordan</b>		
30coated tablet		زيادة الدهون في الدم			
<b>torlex-10mg</b>	atorvastatin10mg	<b>Cardio Vascular System drugs</b>	<b>ALPHA</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
tablet		Hyperlipidaemias	<b>Syria</b>		
30film coated tablets		زيادة الدهون في الدم			
<b>TORMOXIN-500</b>	Amoxicillin	<b>Antibiotics</b>	<b>Torrent</b>	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Capsules		الأصباغ الميكروبية	<b>India</b>		
10 x 10 capsules		Microbial Infections			
<b>TORVACOL-10mg</b>	Atorvastatin Calcium	<b>Cardio Vascular System drugs</b>	<b>JPM</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	<b>Jordan</b>		
30 tab		زيادة الدهون في الدم			
<b>TORVACOL-40mg</b>	Atorvastatin40mg	<b>Cardio Vascular System drugs</b>	<b>JPM</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	<b>Jordan</b>		
30 coated tablet comperimes		زيادة الدهون في الدم			
<b>TORVAST 10 mg</b>	Atorvastatin 10 mg	<b>Cardio Vascular System drugs</b>	<b>Y.E.PHARMA</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	<b>Yemen</b>		
30 tabs		زيادة الدهون في الدم			
<b>TORVAST 20 mg</b>	Atorvastatin 20 mg	<b>Cardio Vascular System drugs</b>	<b>Y.E.PHARMA</b>	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	<b>Yemen</b>		
30 tabs		زيادة الدهون في الدم			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>tostonon</b>	Testosterone Cypionate 250 mg / 1 ml	<b>Hormones</b>	<b>Unknown</b>	by mouth in an initial dose of 120 to 160 mg daily for 2 to 3 weeks, f maintenance dose of 40 to 120 mg daily. intramuscular injection as oily solution at a dose of 1 g every	
Ampoules		Sex Hormones هرمونات جنسية	<b>Unknown</b>		
1 amp					
<b>tot hema</b>	iron gluconate quantity equivalent in iron to 50.00mg	<b>Vitamines and Menirals</b>	<b>INNOTECH</b>	by mouth in doses of up to 1.8 g daily (equivalent to up to 210 mg of iron daily).	
Syrup		Anaemia فقر الدم	<b>France</b>		
20 ampule of 10ml					
<b>totamol</b>	Atenolol	<b>Cardio Vascular System drugs</b>	<b>WOCKHADT</b>	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	<b>UK</b>		
28 tab					
<b>TOTAVIT</b>	Multi vitamin and Menirals + omega3	<b>Vitamines and Menirals</b>	<b>EGYPHAR</b>	As directed	
Tablets		Vitamins نقص فيتامينات	<b>Egypt</b>		
15 tab					
<b>TOTAVIT</b>	Multi vitamin and Menirals + omega3	<b>Vitamines and Menirals</b>	<b>EGYPHAR</b>	As directed	
Syrup		Vitamins نقص فيتامينات	<b>Egypt</b>		
100 ml					
<b>Tradol 50</b>	Tramadol Hydrochloride 50 mg	<b>Opioid analgesics</b>	<b>Modern Pharama</b>	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Capsules		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
10 ca0					
<b>TradyFeron</b>	Ferrous Sulfate 80mg coated tablet.	<b>Vitamines and Menirals</b>	<b>FierreFabre</b>	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily)	
Tablets		Anaemia فقر الدم	<b>Unknown</b>		
30 coated tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms			Country		
Package		Disease			
<b>TRAGESIC 50</b>	Tramadol Hydrochloride 50 mg	<b>Opioid analgesics</b>	<b>Global Pharma</b>	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Capsules		مهدئات الأوجاع	<b>Yemen</b>		
10 cap					
<b>Tramadol</b>	Tramadol Hydrochloride 50 mg /Capsule	<b>Opioid analgesics</b>	<b>PHARCO</b>	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Capsules		مهدئات الأوجاع	<b>Egypt</b>		
10 Cap					
<b>TRAMADOL</b>	Tramadol Hydrochloride	<b>Opioid analgesics</b>	<b>AMRIYA PHARMA</b>	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Ampoules		مهدئات الأوجاع	<b>Egypt</b>		
5 ampoules 2 ml					
<b>TRAMADOL</b>	Each amp 2 ml contains 100 mg of tramadol	<b>Opioid analgesics</b>	<b>hameln</b>	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Ampoules		مهدئات الأوجاع	<b>Germany</b>		
10 amp of 2ml					
<b>Tramadol</b>	Tramadol Hydrochloride 100 mg / 2 ml	<b>Opioid analgesics</b>	<b>BIOPHARM</b>	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Ampoules		مهدئات الأوجاع	<b>Yemen</b>		
5 amp					
<b>Tramadol</b>	Tramadol Hydrochloride 100 mg / 2 ml	<b>Opioid analgesics</b>	<b>KRKA</b>	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Ampoules		مهدئات الأوجاع	<b>India</b>		
5 amp x 2 ml					
<b>Tramadol 50 mg</b>	Tramadol Hydrochloride 50 mg /cap.	<b>Opioid analgesics</b>	<b>BIOPHARM</b>	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Capsules		مهدئات الأوجاع	<b>Yemen</b>		
10 caps					





Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Tramal</b>	Tramadol Hydrochloride	<b>Opioid analgesics</b>	<b>GRUNENTHA L</b>	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Drops		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
10 ml					
<b>Tramal</b>	Tramadol Hydrochloride	<b>Opioid analgesics</b>	<b>GRUNENTHA L</b>	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Capsules		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
10 cap					
<b>Tramal 100</b>	Each amp contains 100 mg Tramadol Hydrochloride	<b>Opioid analgesics</b>	<b>Unknown</b>	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Ampoules		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
5 amp of 2 ml					
<b>Tramal Gelules</b>	Tramadol Hydrochloride	<b>Opioid analgesics</b>	<b>GRUNENTHA L</b>	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Tablets		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
10 tab					
<b>Tramal Retard</b>	Tramadol Hydrochloride	<b>Opioid analgesics</b>	<b>GRUNENTHA L</b>	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Tablets		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
30 tab					
<b>TRAMALGIN</b>	Unknown	<b>Opioid analgesics</b>	<b>OUBARY PHARMA</b>	As directed	
Tablets		Analgesic مهدئات الأوجاع	<b>Syria</b>		
20 tab					
<b>TRAMZIC 100</b>	Tramadol Hydrochloride 100 mg	<b>Opioid analgesics</b>	<b>RFA</b>	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Capsules		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
10 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>TRAMZIC 50</b>	Tramadol Hydrochloride	<b>Opioid analgesics</b>	<b>RFA</b>	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Capsules		مهدئات الأوجاع	<b>Yemen</b>		
10 caps					
<b>TRAMZIC 50</b>	Tramadol Hydrochloride 50 mg	<b>Opioid analgesics</b>	<b>RFA</b>	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Capsules		مهدئات الأوجاع	<b>Yemen</b>		
10 cap					
<b>TRAMZIC Plus</b>	Tramadol +paracetamol	<b>Opioid analgesics</b>	<b>RFA</b>	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Tablets		مهدئات الأوجاع	<b>Yemen</b>		
20 tabs					
<b>TRANEXAMIC ACID</b>	Tranexamic Acid	<b>Antihemorrhages</b>	<b>SHIN POONG</b>	oral doses are 1 to 1.5 g (or 15 to 25 mg/kg) 2 to 4 times daily. or by slow intravenous injection doses are 0.5 to 1 g (or 10 mg/kg) 3 times daily.or by continuous infusion at a rate	
Ampoules		Haemorrhage النزيف	<b>Korea</b>		
5 ml x 10 amp					
<b>tranexamic acid injection</b>	tranexamic acid 500mg	<b>Antihemorrhages</b>	<b>SHIN POONG</b>	oral doses are 1 to 1.5 g (or 15 to 25 mg/kg) 2 to 4 times daily. or by slow intravenous injection doses are 0.5 to 1 g (or 10 mg/kg) 3 times daily.or by continuous infusion at a rate	
injection		Haemorrhage النزيف	<b>Korea</b>		
5ml*10ampoules					
<b>Tranfif</b>	Tranexamic Acid	<b>Antihemorrhages</b>	<b>CIPLA</b>	oral doses are 1 to 1.5 g (or 15 to 25 mg/kg) 2 to 4 times daily. or by slow intravenous injection doses are 0.5 to 1 g (or 10 mg/kg) 3 times daily.or by continuous infusion at a rate	
Tablets		Haemorrhage النزيف	<b>India</b>		
10 tab					
<b>Tranfif</b>	Tranexamic Acid	<b>Antihemorrhages</b>	<b>CIPLA</b>	oral doses are 1 to 1.5 g (or 15 to 25 mg/kg) 2 to 4 times daily. or by slow intravenous injection doses are 0.5 to 1 g (or 10 mg/kg) 3 times daily.or by continuous infusion at a rate	
Ampoules		Haemorrhage النزيف	<b>India</b>		
5 x 5 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Tratul Retard</b>	Diclofenac Sodium	<b>Non-Steroidal Anti-</b>	<b>GEROT LANNACH</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>Viena, Austria</b>		
10 tab					
<b>Travazol</b>	Unknown	<b>Antifungals</b>	<b>Bilim</b>	As directed	
Cream		Dermatitis التهابات الجلدية	<b>Turkey</b>		
15 gm					
<b>Travisil</b>	herbal extract	<b>Respiratory drugs</b>	<b>plethico</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>Unknown</b>		
100 ml					
<b>Travisil</b>	Different Lozenges Ingredients	<b>Antiseptic and Desinfectants</b>	<b>Unknown</b>	As directed	
lozenges		Common Cold نزلات البرد	<b>Unknown</b>		
16 Lozenges					
<b>Travonorm</b>	Travoprost 0.004%	<b>Ophthalmic drugs</b>	<b>Orchidia Pharma</b>	As directed	
Solution		Eye العين	<b>Egypt</b>		
5 ml					
<b>TRAZOL</b>	Metronidazole 250 mg	<b>Antiprtozoal</b>	<b>Modern Pharama</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبييا	<b>Yemen</b>		
20 tab					
<b>TRAZOL</b>	Metronidazole 200 mg	<b>Antiprtozoal</b>	<b>Modern Pharama</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		Amoebiasis , Giardiasis جارديا واميبييا	<b>Yemen</b>		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Trazol Forte</b>	Metronidazole 500 mg	<b>Antiprtozoal</b>	<b>Modern Pharama</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	<b>Yemen</b>		
20 tab					
<b>TRAZOL PLUS</b>	Metronidazole 200mg + diloxnaide 250 mg	<b>Antiprtozoal</b>	<b>Modern Pharama</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	<b>Yemen</b>		
20 tab					
<b>Trazol Plus</b>	Metronidazole	<b>Antiprtozoal</b>	<b>Modern Pharama</b>	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		Amoebiasis , Giardiasis جارديا واميبيا	<b>Yemen</b>		
100 ml					
<b>trenaxa 500mg</b>	Tranexamic acid	<b>Antihaemorrhages</b>	<b>MACLEODS</b>	oral doses are 1 to 1.5 g (or 15 to 25 mg/kg) 2 to 4 times daily. or by slow intravenous injection doses are 0.5 to 1 g (or 10 mg/kg) 3 times daily.or by continuous infusion at a rate	
tablet		Haemorrhage النزيف	<b>India</b>		
5*6tablets					
<b>Trental</b>	Pentoxifylline	<b>Cardio Vascular System drugs</b>	<b>SANFOI</b>	400 mg three times daily by	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
20 tab					
<b>TRI - REGOL</b>	ethiynilestradiol - levonorgestrel	<b>Gynaecology drugs</b>	<b>GEDON Richter</b>	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	<b>HUNGARY</b>		
21					
<b>TRIACTIN</b>	Cyproheptadine Hydrochloride 4 mg / tab	<b>Antihistamines</b>	<b>KAHIRA PHARM</b>	1.5 mg daily by mouth either in three divided doses or as a single dose at night	
Tablets		Appetizer Stimulant منشطات الشهية	<b>Egypt</b>		
20 tablet					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Triamcinolone</b>	Triamcinolone Acetonide	<b>Corticosteroid</b>	<b>Caspian</b>	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily; topical application in creams, lotions,	
Ampoules		Dermatitis التهابات الجلدية	<b>IRAN</b>		
5 amp x 1 ml					
<b>Triamcinolone</b>	Triamcinolone Acetonide	<b>Corticosteroid</b>	<b>SHIN POONG</b>	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily; topical application in creams, lotions,	
Ampoules		Inflamations التهابات	<b>Korea</b>		
5 amp x 1 ml					
<b>Triamil-25</b>	Clomipramine tablet 25mg	<b>Central Nervous system drugs</b>	<b>RAM PHARMA</b>	Oral doses of 10 mg daily initially, increasing gradually to 30 to 150 mg daily maximum up to 250 mg daily .	
Tablets		Mental Disorders الأمراض العقلية	<b>Jordan</b>		
30 Tablet					
<b>Tri-B</b>	Vitamin B1100 mg+ Vitamin B6 100 mg+Vitamin B121 mg	<b>Vitamines and Menirals</b>	<b>NILE CO.</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Ampoules		Vitamins نقص فيتامينات	<b>Egypt</b>		
3 ampoules 3ml					
<b>Tricefine</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>Sothema</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parentral inj		Bacterial Infections الأمراض البكتيرية	<b>Morocco</b>		
1 vial					
<b>Tricho vag</b>	Acetic acid 2%	<b>Health Care</b>	<b>Shiba pharma</b>	As directed	
Solution		Vaginal المهبل	<b>Yemen</b>		
200 ml					
<b>Trileptal 600</b>	Oxcarbazepine	<b>Central Nervous system drugs</b>	<b>Unknown</b>	600 mg daily by mouth, given in 2 divided doses up to 2400 mg daily .- children 8 to 30 mg/kg by mouth daily	
Tablets		Epilepsy الصرع	<b>Unknown</b>		
50 F.C.T					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Trimedat</b>	Trimebutline maleate	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	100 mg three times up to 600 mg daily by mouth in divided doses	
Tablets		Abdominal Spasm آلام البطن	<b>Unknown</b>		
30 tab					
<b>Tri-OMEGA</b>	fish oil continig 500mg+EPA % +DHA 12%/cap.	<b>Vitamines and Menirals</b>	<b>Y.E.PHARMA</b>	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Hyperlipidaemias زيادة الدهون في الدم	<b>Yemen</b>		
20 capsules					
<b>Tritace 2.5 mg</b>	Ramipril	<b>Cardio Vascular System drugs</b>	<b>SANOFI AVENTIS</b>	1.25 - 5 mg once daily is given by mouth	
Tablets		Hypertension ارتفاع ضغط الدم	<b>France</b>		
14 tab					
<b>Tritace 5 mg</b>	Ramipril	<b>Cardio Vascular System drugs</b>	<b>SANOFI AVENTIS</b>	1.25 - 5 mg once daily is given by mouth	
Tablets		Hypertension ارتفاع ضغط الدم	<b>France</b>		
14 tab					
<b>Trittico</b>	Trazodone tablet 50 mg	<b>Central Nervous system drugs</b>	<b>EIPICO</b>	Minimum/Maximum Adult Daily Dose:100 - 600 mg (milligram) OR 1 - 6 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>Egypt</b>		
20 tablets					
<b>TriVag forte</b>	Each vaginal Tablet contains Metronidazole 750 mg and Miconazole nitrate 200 mg.	<b>Health Care</b>	<b>Pharmacare</b>	One tablet should be inserted into the vagina at night for 7 days. In recurrent cases, one tablet at night for 14 days .	
Vaginal Tablets		Vaginal المهبل	<b>Yemen</b>		
7 vaginal tablets.					
<b>Tryptizol</b>	Amitriptyline tablet 25mg	<b>Central Nervous system drugs</b>	<b>ALGORITHM</b>	Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>Lebanon</b>		
30 Tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Tryptoline 10 mg</b>	Amitriptyline tablet 10 mg	<b>Central Nervous system drugs</b>	<b>KAHIRA PHARM</b>	Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>Egypt</b>		
100 Tablet					
<b>TRYPTOLINE 25 mg</b>	Amitriptyline 25 mg	<b>Central Nervous system drugs</b>	<b>KAHIRA PHARM</b>	In the treatment of depression, amitriptyline hydrochloride is given by mouth initially in a daily dose of 50 to 75 mg in divided doses (or as a single dose at night).	
Tablets		Mental Disorders الأمراض العقلية	<b>Egypt</b>		
30 tablet					
<b>Tryptophen10</b>	Amitriptyline tablet 10 mg	<b>Central Nervous system drugs</b>	<b>IBN-HYYANpharm</b>	Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	
Tablets		Mental Disorders الأمراض العقلية	<b>Syria</b>		
20 coated tablet					
<b>Tullin-D</b>	pseudoephedrine +paracetamol+chl oraphiniramine	<b>Respiratory drugs</b>	<b>ASIA</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Soft Gelatin Capsules		Common Cold نزلات البرد	<b>Syria</b>		
20 cap					
<b>TULLIN-D</b>	Pseudoephedrine	<b>Respiratory drugs</b>	<b>ASIA</b>	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Soft Gelatin Capsules		Common Cold نزلات البرد	<b>Syria</b>		
20 S.G.C					
<b>Tusil</b>	Dextromethorphan 7.5 mg + psedoeephedrine 15 mg + Chlorpheniramine 1 mg	<b>Respiratory drugs</b>	<b>Shifa</b>	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Syrup		Common Cold نزلات البرد	<b>Syria</b>		
125 ml					
<b>Tuspel</b>	Pseudoephedrine + Guaifenesin	<b>Respiratory drugs</b>	<b>andoco remedies lid</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	<b>Unknown</b>		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Tussifen without codiene</b>	Pseudoephedrine + Guaifenesin للتأكد من المكونات	<b>Respiratory drugs</b>	<b>APM</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	<b>Jordan</b>		
120 ml					
<b>Tussifin with codeine</b>	Codiene phosphate + Chlorpheniramine + Glyceryl + Potassium citrate + sodium	<b>Respiratory drugs</b>	<b>APM</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>Jordan</b>		
120 ml					
<b>TUSSIFLU</b>	Chlorphenamine Maleate 4 mg + Dexamethasone 6.25 mg	<b>Antihistamines</b>	<b>RFA</b>	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold نزلات البرد	<b>Yemen</b>		
120 ml					
<b>Tussilar</b>	Dextromethorphan + Chlorpheniramine + Ephedrine + Guaifensine	<b>Respiratory drugs</b>	<b>KAHIRA PHARM</b>	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Syrup		Common Cold نزلات البرد	<b>Egypt</b>		
125 ml					
<b>Tussilar</b>	Dextromethorphan	<b>Respiratory drugs</b>	<b>KAHIRA PHARM</b>	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Oral/drops		Common Cold نزلات البرد	<b>Egypt</b>		
15 ml					
<b>Tussilar</b>	dextromethorphan	<b>Respiratory drugs</b>	<b>KAHIRA PHARM</b>	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Tablets		Common Cold نزلات البرد	<b>Egypt</b>		
20 tab					
<b>Tussimax</b>	Dextromethorphan + Chlorpheniramine + Ephedrine + Guaifensine	<b>Respiratory drugs</b>	<b>Shiba pharma</b>	Adults 60 mg three or four times daily, Children 2.5 to 5 mg every 4 hours	
Syrup		Common Cold نزلات البرد	<b>Yemen</b>		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Tussin</b>	Calcium	<b>Antihistamines</b>	<b>YEDCO</b>	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold نزلات البرد	<b>Yemen</b>		
100 ml					
<b>Tussinor</b>	Chlorphenamine Maleate 4 mg + Dexamethasone 6.25 mg	<b>Antihistamines</b>	<b>Global Pharma</b>	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold نزلات البرد	<b>Yemen</b>		
100 ml					
<b>Tussivan Syrup</b>	Chloropheniramin e 2 mg + phenylephrine 5 mg +ephedrine 5 mg +codiene phosphate 8 mg	<b>Respiratory drugs</b>	<b>MISR</b>	As directed	
Syrup		Common Cold نزلات البرد	<b>Egypt</b>		
125 ml					
<b>Tussskan TTT</b>	Pseudoephedrine + guaifenesin+diphenhydramine	<b>Respiratory drugs</b>	<b>HIKMA</b>	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	<b>Jordan</b>		
100 ml					
<b>Twinzol</b>	Dorzolamide Hydrochloride 2% + Timolol 0.5%	<b>Ophthalmic drugs</b>	<b>Orchidia Pharma</b>	three times daily; or twice daily is recommended when used with a beta blocker.	
Solution		Eye العين	<b>Egypt</b>		
5 ml					
<b>Tymer</b>	Gatifloxacin	<b>Antibacterial</b>	<b>Jamjoom Pharma</b>	by mouth, or by intravenous infusion as a 2 mg/mL solution over 60 minutes, The usual adult dose is 400 mg once daily, 0.3% eye drops for the treatment of bacterial	
Solution		Eye العين	<b>Saudi Arabia</b>		
5 ml					
<b>Tymer</b>	Gatifloxacin	<b>Antibacterial</b>	<b>Unknown</b>	by mouth, or by intravenous infusion as a 2 mg/mL solution over 60 minutes, The usual adult dose is 400 mg once daily, 0.3% eye drops for the treatment of bacterial	
suspension		Eye العين	<b>Unknown</b>		
5 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Tyrotab</b>	Tyrothircin 1mg + Tetracaine HCL 0.1 mg	<b>Antiseptic and Desinfectants</b>	<b>PHARMEDIC JSC</b>	As directed	
Lozenges		Common Cold نزلات البرد			
<b>Ulcedex</b>	Chlordiazepoxide + Clidinium Bromide	<b>Gastro Intestinal drugs</b>	<b>Pharmadex</b>	Chlordiazepoxide up to 30 mg daily in divided doses.	
tab		Peptic ulcer قرحة المعدة	<b>Unknown</b>		
25 tabs					
<b>Ulcinorm</b>	Ranitidine	<b>Gastro Intestinal drugs</b>	<b>AUROBINDO</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	<b>Unknown</b>		
100 tabs					
<b>Ulgel</b>	dimethicone +	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
susp		Indigestion سوء الهضم	<b>Unknown</b>		
120 ml					
<b>Ulgel</b>	A combination of aluminium and magnesium hydroxides and sulfates.	<b>Gastro Intestinal drugs</b>	<b>Alembic</b>	2 g by mouth	
Solution		Indigestion سوء الهضم	<b>Unknown</b>		
170 ml					
<b>Ulstop</b>	Omeprazole	<b>Gastro Intestinal drugs</b>	<b>PHARCO</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	<b>Egypt</b>		
14 caps					
<b>Ultac-150</b>	Ranitidine	<b>Gastro Intestinal drugs</b>	<b>CIPLA</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	<b>India</b>		
100 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Ultop hard</b>	Omeprazole 20 mg / cap	<b>Gastro Intestinal drugs</b>	<b>KRKA</b>	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	<b>India</b>		
14 caps					
<b>Ultradex.G</b>	Unknown	<b>Skin Disorders</b>	<b>MEDICO LABS</b>	As directed	
Cream		Dermatitis التهابات الجلدية	<b>Syria</b>		
40 gm					
<b>Ultraflox -500</b>	Ciprofloxacin 500 mg	<b>Antibacterial</b>	<b>Bal pharma</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
1strip*10tablet					
<b>Ultraflox IV</b>	Ciprofloxacin 200 mg /100 ml	<b>Antibacterial</b>	<b>Bal pharma</b>	250 to 750 mg twice daily depending on the severity and nature of the infection	
Infusion Bottle		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
1bottle*100ml					
<b>Ultra-Omega-3</b>	Omega-3 Fish Oil 540 mg+Cod Liver Oil 540 mg+ EPA 116 mg + DHA 106 mg Vitami D (as	<b>Vitamines and Menirals</b>	<b>VITABIOTICS</b>	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Hyperlipidaemias زيادة الدهون في الدم	<b>Unknown</b>		
60 capsules					
<b>Ultravit-M</b>	Ascorbic Acid)50 mg/ml +D3 400 IU/ml Vitamin A2000 IU/ml+ B1 0.5 mg/ml, B2 0.5 mg/ml, B6	<b>Vitamines and Menirals</b>	<b>ASIA</b>	As directed	
Syrup		Vitamins نقص فيتامينات	<b>Syria</b>		
200 ml syup					
<b>Unicam-20</b>	Piroxicam capsule 20mg.	<b>Nonsteroidal Anti-</b>	<b>United</b>	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
Capsules		Antipyretic - مهدئات	<b>Jordan</b>		
10 capsules.		الأوجاع والحمى			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Unicefin</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>Unknown</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections الأمراض البكتيرية	<b>Unknown</b>		
1 vial					
<b>Uniceftam</b>	Piracetam	<b>Central Nervous system drugs</b>	<b>Unknown</b>	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Capsules		Mental Disorders الأمراض العقلية	<b>Unknown</b>		
20 cap					
<b>UNICRON Tablets</b>	Gliclazide 80 mg	<b>Antidiabetics</b>	<b>UNICHIMA</b>	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	
Tablets		Diabetes Mellitus أمراض السكري	<b>Unknown</b>		
30 tab					
<b>Unidox</b>	Doxycycline	<b>Antibiotics</b>	<b>United</b>	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
capsules		الأمراض الميكروبية Microbial Infections	<b>Jordan</b>		
1strip*10capsules					
<b>UNIMAX</b>	Meloxicam	<b>Non-Steroidal Anti-</b>	<b>SUN Pharma</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع	<b>India</b>		
10 tab					
<b>Uniphyllin</b>	Theophyllin 150 mg	<b>Respiratory drugs</b>	<b>UNICHIMA</b>	by mouth in doses ranging from 300 to 1000 mg daily in divided doses	
Capsules		Bronchial Asthma الربو الشعبي	<b>Syria</b>		
20 cap					
<b>uniphyllin 150</b>	Theophylline 150 mg / cap	<b>Respiratory drugs</b>	<b>UNICHIMA</b>	by mouth in doses ranging from 300 to 1000 mg daily in divided doses	
Capsules		Bronchial Asthma الربو الشعبي	<b>Syria</b>		
20 capsules					






Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Unispa</b>	Drotaverine	<b>Gastro Intestinal drugs</b>	<b>UNICHIMA</b>	120 to 240 mg daily by mouth in divided doses.	
Tablets		Abdominal Spasm آلام البطن	<b>Syria</b>		
20 tabs					
<b>Unispira</b>	Spiramycin*	<b>Antibacterial</b>	<b>UNICHIMA</b>	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
tablet		Toxoplasmosis الجرثومة الطفيلية	<b>Syria</b>		
Istrip*10tablet					
<b>univan</b>	Valsartan	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Oral doses 80 - 160 mg once daily	
Capsules		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
20 cap					
<b>UNOCRON</b>	Gliclazide	<b>Antidiabetics</b>	<b>EGYPHAR</b>	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	
Tablets		Diabetes Mellitus أمراض السكري	<b>Egypt</b>		
30 tab					
<b>UNTANO</b>	Unknown	<b>Skin Disorders</b>	<b>Unknown</b>	As directed	
Cream		Dermatitis الالتهابات الجلدية	<b>Unknown</b>		
30 gm					
<b>Uri soda</b>	Sodium citrate + sodium bicarbonate + tartaric acid + citric acid	<b>Urinary tract drugs</b>	<b>CIPLA</b>	about 1 to 5 g of sodium bicarbonate in water	
Sachets		Urinary Tract Infection اصابات الجهاز البولي	<b>India</b>		
10 Sachets					
<b>URICARE</b>	Combination	<b>Urinary tract drugs</b>	<b>Global Pharma</b>	As directed	
Sachets		Urinary Tract Infection اصابات الجهاز البولي	<b>Yemen</b>		
12 sachet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>URICOL</b>	Combination	<b>Urinary tract drugs</b>	<b>PHARCO</b>	As directed	
Sachets		Urinary Tract Infection	<b>Egypt</b>		
12 sachet		اصابات الجهاز البولي			
<b>URIKIN</b>	Hexamine 500 mg + Piprazine 190. mg + Khelline 1.83 mg	<b>Urinary tract drugs</b>	<b>Modern Pharama</b>	1- 2 Sachets three to four times daily	
Sachets		Urinary Tract Infection	<b>Yemen</b>		
12 Sachets		اصابات الجهاز البولي			
<b>URINEX</b>	Pinene 31 mg + Camphene 15 mh + Borneol 10 mg ... etc.	<b>Urinary tract drugs</b>	<b>PHARCO</b>	one capsule 3-4 times daily taken half hour before meals	
Soft Gelatin Capsules		Urinary Tract Infection	<b>Egypt</b>		
24 Enteric Coated Cap.		اصابات الجهاز البولي			
<b>Uripan</b>	Oxybutynin syrup 120gm	<b>Urinary tract drugs</b>	<b>ADWIA</b>	5 mg two or three times daily by mouth, increased to 5 mg four times daily if required	
Syrup		Nocturnal Enuresis	<b>Egypt</b>		
120 ml					
<b>Uripan</b>	Oxybutynin Hydrochloride	<b>Urinary tract drugs</b>	<b>ADWIA</b>	5 mg two or three times daily by mouth, increased to 5 mg four times daily if required	
Tablets		Urinary Tract Infection	<b>Egypt</b>		
20 tab		اصابات الجهاز البولي			
<b>Urisept</b>	Hexamine + Piprazine + Khelline	<b>Urinary tract drugs</b>	<b>Shiba pharma</b>	1- 2 Sachets three to four times daily	
Sachets		Urinary Tract Infection	<b>Yemen</b>		
12 Sachets		اصابات الجهاز البولي			
<b>URISpas</b>	Flavoxate tablet 200mg.	<b>Antispasmodic</b>	<b>ALGORITHM</b>	usual dose is 200 mg by mouth three times daily	
Tablets		Urinary Tract Infection	<b>Lebanon</b>		
30 tablets		اصابات الجهاز البولي			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>UROPIMID</b>	Pipemidic acid	<b>Antibacterial</b>	CT Lap	Cap 400mg	
capsules		Urinary Tract Infection اصابات الجهاز البولي	Unknown		
2strip*10capsules					
<b>Ursochol cap</b>	ursodeoxycholic acid 250 mg	<b>Gastro Intestinal drugs</b>	MUP	13 - 15 mg/kg/ d for 12 -24 months	
Capsules		Hepatic Disorders اضطرابات الكبد	Egypt		
20 cap					
<b>Ursofalk</b>	ursodeoxycholic acid 250 mg	<b>Gastro Intestinal drugs</b>	MINA PHARMA	13 - 15 mg/kg/ d for 12 -24 months	
Capsules		Hepatic Disorders اضطرابات الكبد	Unknown		
20 cap					
<b>ursoflor</b>	ursodeoxycholic acid	<b>Gastro Intestinal drugs</b>	Sa.Sa Pharm	13 - 15 mg/kg/ d for 12 -24 months	
Capsules		hepatic disorders	Unknown		
20 cap					
<b>Ursoflor 300 mg</b>	ursodeoxycholic acid 300 mg	<b>Gastro Intestinal drugs</b>	So.Se.PHARM	13 - 15 mg/kg/ d for 12 -24 months	
Capsules		Hepatic Disorders اضطرابات الكبد	Unknown		
20 cap					
<b>Ursogal-300</b>	Ursodeoxycholic acid capsule 300mg.	<b>Gastro Intestinal drugs</b>	SIGMA	13 - 15 mg/kg/ d for 12 -24 months	
Capsules		hepatic disorders	Egypt		
20 capsule					
<b>Ursogall 300</b>	ursodeoxycholic acid 300 mg	<b>Gastro Intestinal drugs</b>	SIGMA	13 - 15 mg/kg/ d for 12 -24 months	
Capsules		Hepatic Disorders اضطرابات الكبد	Egypt		
20 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>USIX</b>	Furosemide 40 mg	<b>Cardio Vascular System drugs</b>	<b>RFA</b>	40 to 80 mg daily by mouth, For children, the usual dose by mouth is 1 to 3 mg/kg daily up to a maximum of 40 mg daily	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Yemen</b>		
30 tab					
<b>V 2 plus</b>	vit(A,D3,E,B1,B2, B6,B12,C)And menirals	<b>Vitamines and Menirals</b>	<b>PHARCO</b>	As directed	
Capsules		Vitamins نقص فيتامينات	<b>Egypt</b>		
24 s.G cap					
<b>Vagi balance</b>	Acetic acid 1.25%	<b>Health Care</b>	<b>Shiba pharma</b>	As directed	
Solution		Vaginal المهبل	<b>Yemen</b>		
200 ml					
<b>Vagi-Atheer</b>	Chlorhexidine + Cetrimide + Menthol + Glycerine	<b>Health Care</b>	<b>Atheer</b>	20 ml diluted with one liter of warm water and wash two times daily	
Solution		Vaginal المهبل	<b>Yemen</b>		
200 ml					
<b>Vagi-Atheer</b>	Chlorhexidine + Cetrimide + Menthol + Glycerine	<b>Health Care</b>	<b>Atheer</b>	20 ml diluted with one liter of warm water and wash two times daily	
Solution		Vaginal المهبل	<b>Yemen</b>		
200 ml					
<b>Vagilisse</b>	Antiseptic	<b>Antiseptic and Desinfectants</b>	<b>Unknown</b>	As directed	
Solution		Dermatitis الالتهابات الجلدية	<b>Unknown</b>		
bottle					
<b>Vagyl</b>	Sodium chloride + Sodium carbonate	<b>Antiseptic and Desinfectants</b>	<b>MUP</b>	As directed	
Sachets		Vaginal المهبل	<b>Egypt</b>		
10 Sachets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Valacyclovir</b>	Valacyclovir 500mg	<b>Antivirals</b>	<b>MBTC</b>	Minimum/Maximum Adult Daily Dose:1000 - 6000 mg (milligram) OR 2 - 12 Tablet	
Tablets		Viral Infections الأمراض الفيروسية	<b>Unknown</b>		
14 tab.					
<b>Valian-X</b>	Valerian + melissa	<b>Health Care</b>	<b>MEGA We Care</b>	As directed	
Soft Gelatin Capsules		Anxiety, Insomnia الأرق والقلق	<b>Unknown</b>		
3 X 10 S.G. Capsules					
<b>valium</b>	diazepam	<b>Central Nervous system drugs</b>	<b>ROCHE</b>	Severe anxiety in oral doses of 2 mg three times daily to a maximum of 30 mg daily, in seizures Adults :Diazepam 10 to 20 mg ( I.V 5 mg/minute) or infusion every 15 min for up	
Tablets		Anxiety, Insomnia الأرق والقلق	<b>Germany</b>		
25 tablets of 5mg					
<b>Valiuzam</b>	Diazepam	<b>Central Nervous system drugs</b>	<b>Unknown</b>	Severe anxiety in oral doses of 2 mg three times daily to a maximum of 30 mg daily, in seizures Adults :Diazepam 10 to 20 mg ( I.V 5 mg/minute) or infusion every 15 min for up	
Tablets		Anxiety, Insomnia الأرق والقلق	<b>Unknown</b>		
20 tab					
<b>Valokeen</b>	Combination	<b>Antifungals</b>	<b>Unknown</b>	As directed	
Selica Gel		Dermatitis التهابات الجلدية	<b>Unknown</b>		
30 gm					
<b>Valricaps</b>	Valerian	<b>Gastro Intestinal drugs</b>	<b>Unknown</b>	As directed	
Capsules		Abdominal Spasm الأم البطن	<b>Unknown</b>		
20 cap					
<b>Valtec CR-200</b>	Valproic Acid&Na valproate tablet 200mg	<b>Antiepileptics</b>	<b>CIPLA</b>	PO for epilepsy (valproic acid) 15 mg/kg/day in 2-3 divided doses initially, increasing in 5-10 mg/kg/day increments at weekly intervals to an effective dosage,	
Tablets		Epilepsy الصرع	<b>India</b>		
10 tab					




Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Valtec CR-500</b>	Valproic Acid&Na valproate tablet 500mg	<b>Central Nervous system drugs</b>	<b>CIPLA</b>	PO for epilepsy (valproic acid) 15 mg/kg/day in 2-3 divided doses initially, increasing in 5-10 mg/kg/day increments at weekly intervals to an effective dosage,	
Tablets		<b>Epilepsy</b> الصرع	<b>India</b>		
10 tablets					
<b>Vanbiotic</b>	Vancomycin	<b>Antibiotics</b>	<b>Unknown</b>	500 mg of vancomycin every 6 hours or 1 g every 12 hours. For Children 10- 15 mg/kg every 12 hours	
Vial		<b>Serious M. Infections</b>	<b>Unknown</b>		
1 vial		الأصابات الميكروبية الخطرة			
<b>Vancolon</b>	Vancomycin	<b>Antibiotics</b>	<b>Julphar</b>	500 mg of vancomycin every 6 hours or 1 g every 12 hours. For Children 10- 15 mg/kg every 12 hours	
Vial		<b>Serious M. Infections</b>	<b>UAE</b>		
1 vial		الأصابات الميكروبية الخطرة			
<b>Vancotech-1000</b>	Vancomycin	<b>Antibiotics</b>	<b>Unknown</b>	500 mg of vancomycin every 6 hours or 1 g every 12 hours. For Children 10- 15 mg/kg every 12 hours	
Vial		<b>Serious M. Infections</b>	<b>Unknown</b>		
1 vial		الأصابات الميكروبية الخطرة			
<b>VANLID</b>	Vancomycin	<b>Antibiotics</b>	<b>Unknown</b>	500 mg of vancomycin every 6 hours or 1 g every 12 hours. For Children 10- 15 mg/kg every 12 hours	
Vial		<b>Serious M. Infections</b>	<b>Unknown</b>		
1 vial		الأصابات الميكروبية الخطرة			
<b>Varcovit B12</b>	essential phospholipids+vit b1,b2,b12,E	<b>Gastro Intestinal drugs</b>	<b>PHARCO</b>	Adluts : 1800mg/daily(divaded into 3 doses) childran mor than 12 years(about 43 kg) 600mg/daily(divaded into 3 doses).	
Capsules		<b>Hepatic Disorders</b>	<b>Egypt</b>		
24 cap		اضطرابات الكبد			
<b>vasso dipine</b>	Amlodipine	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Oral only : Hypertension Adults: Individualize: 2.5-5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5-10 mg. Elderly: 5 mg.	
Tablets		<b>Hypertension</b>	<b>Unknown</b>		
30 tab		ارتفاع ضغط الدم			





Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>VASTAREL 20 mg</b>	Trimetazidine Hydrochloride	<b>Cardio Vascular System drugs</b>	<b>Servier</b>	40 to 60 mg is given daily by mouth in divided doses.	
Tablets		Angina الذبحة الصدرية	<b>Denmark</b>		
60 tab					
<b>VASTAREL MR</b>	Trimetazidine Hydrochloride	<b>Cardio Vascular System drugs</b>	<b>Servier</b>	40 to 60 mg is given daily by mouth in divided doses.	
Tablets		Angina الذبحة الصدرية	<b>Denmark</b>		
30 tab					
<b>vazkor</b>	Amlodipine	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
20 tab					
<b>VB Complex</b>	Vit.B1 20mg+ Vit.B6 2mg + Riboflavine 2mg+ nicotinamide 30mg	<b>Vitamines and Menirals</b>	<b>SHAPHAR</b>	Orally : 10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Ampoules		Vitamins نقص فيتامينات	<b>China</b>		
10 ampoules x 2 ml					
<b>V-D3</b>	Vitamin D Substances	<b>Vitamines and Menirals</b>	<b>Razi Pharma</b>	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	
Solution		Ricketsia الكساح	<b>Syria</b>		
10 ml					
<b>Vectavir</b>	Penciclovir 1%	<b>Antivirals</b>	<b>Unknown</b>	It is applied topically as a 1% cream every 2 hours during waking hours for 4 days in the treatment of herpes labialis	
Cream		Viral Infections الأصابات الفيروسية	<b>Unknown</b>		
1 tube					
<b>Vental</b>	Salbutamol 2 mg	<b>Respiratory drugs</b>	<b>ADCO</b>	2 -4 mg / or 2 buffs *qid	
Tablets		Bronchial Asthma الربو الشعبي	<b>Egypt</b>		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Vental</b>	Salbutamol 0.1 mg/dose	<b>Respiratory drugs</b>	<b>ADCO</b>	2 -4 mg / or 2 buffs *qid	
Inhaler		Bronchial Asthma الربو الشعبي	<b>Egypt</b>		
200 Inhalations					
<b>Ventol</b>	Each 5 ml contains Salbutamol 2 mg	<b>Respiratory drugs</b>	<b>Shiba pharma</b>	2 -4 mg / or 2 buffs *qid	
Syrup		Bronchial Asthma الربو الشعبي	<b>Yemen</b>		
100 ml					
<b>Ventol 4</b>	Salbutamol	<b>Respiratory drugs</b>	<b>Shiba pharma</b>	2 -4 mg / or 2 buffs *qid	
Tablets		Bronchial Asthma الربو الشعبي	<b>Yemen</b>		
20 tab					
<b>Ventolin</b>	Salbutamol 2 mg	<b>Respiratory drugs</b>	<b>gsk glaxosmithkline</b>	2 -4 mg / or 2 buffs *qid	
Tablets		Bronchial Asthma الربو الشعبي	<b>UK</b>		
100 tab					
<b>Ventolin</b>	salbutamol 2 mg	<b>Respiratory drugs</b>	<b>gsk glaxosmithkline</b>	2 -4 mg / or 2 buffs *qid	
Tablets		Bronchial Asthma الربو الشعبي	<b>UK</b>		
100 tab					
<b>Ventolin</b>	salbutamol 100 mcg	<b>Respiratory drugs</b>	<b>Glaxo Wellcome</b>	2 -4 mg / or 2 buffs *qid	
Inhaler		Bronchial Asthma الربو الشعبي	<b>Unknown</b>		
200 dose					
<b>Ventolin</b>	salbutamol 2 mg/ 5 ml	<b>Respiratory drugs</b>	<b>gsk glaxosmithkline</b>	2 -4 mg / or 2 buffs *qid	
Syrup		Bronchial Asthma الربو الشعبي	<b>UK</b>		
150 ml					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Verapamil</b>	Verapamil	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Oral doses 120 to 480 mg daily in 3 or 4 divided doses	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
<b>VERBEN</b>	Albendazole 400 mg	<b>Anthelmintic</b>	<b>Unknown</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms الديدان الشائعة	<b>Unknown</b>		
2 x 1 tab					
<b>VERBEN</b>	Albendazole 400 mg	<b>Anthelmintic</b>	<b>SHIN POONG</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms الديدان الشائعة	<b>Korea</b>		
1 tab					
<b>Verdol</b>	Combination	<b>Antiseptic and Desinfectants</b>	<b>Unknown</b>	As directed	
Solution		مطهرات	<b>Unknown</b>		
250 ml					
<b>Verine</b>	mebeverine	<b>Gastro Intestinal drugs</b>	<b>SIGMACO</b>	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
Tablets		Abdominal Spasm آلام البطن	<b>Saudi Arabia</b>		
30 tabs					
<b>Vermed</b>	Mebendazole 100 mg	<b>Anthelmintic</b>	<b>Modern Pharama</b>	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Suspension		Common Worms الديدان الشائعة	<b>Yemen</b>		
30 ml					
<b>Vermed</b>	Mebendazole 100 mg	<b>Anthelmintic</b>	<b>Modern Pharama</b>	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Tablets		Common Worms الديدان الشائعة	<b>Yemen</b>		
6 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Vermox</b>	Mebendazole	<b>Anthelmintic</b>	<b>Janssen</b>	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Tablets		Common Worms	<b>Switzerland</b>		
48 tab		الديدان الشائعة			
<b>Vermox</b>	Mebendazole 2%	<b>Anthelmintic</b>	<b>JANSSEN-CILAG</b>	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Suspension		Common Worms	<b>Belgium</b>		
30 ml		الديدان الشائعة			
<b>Vertizin-75</b>	Cinnarizine	<b>Antihistamines</b>	<b>RAM PHARMA</b>	For Vertigo and vestibular disorders is 30 mg three times daily by mouth - For motion sickness 30 mg is taken 2 hours before the start of the journey . Children aged 5 to 12	
Capsules		Vertigo او الدوار	<b>Jordan</b>		
20 cap		الدوخة			
<b>Vfend</b>	Voriconazole 50mg	<b>Antifungals</b>	<b>Pfizer</b>	200 - 300 mg twice daily	
Tablets		Fungal Infections	<b>Unknown</b>		
14 Film tab.		الأصابت الفطرية			
<b>VG-Norm</b>	Combination	<b>Antiseptic and Disinfectants</b>	<b>PIXEL</b>	As directed	
Solution		Feminine wash	<b>Unknown</b>		
200 ml		الغسولات الأنثوية			
<b>Vibramycin</b>	Doxycycline	<b>Antibiotics</b>	<b>Pfizer</b>	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
Tablets		الأصابت الميكروبية	<b>USA</b>		
1strip*10 tablet		Microbial Infections			
<b>Vibrocil Gel</b>	Dimetindene maleate + neomycin	<b>Antihistamines</b>	<b>NOVARTIS</b>	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Gel /tube		Allergy الحساسية	<b>Switzerland</b>		
12 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Vibrocil N/D</b>	Dimetindene maleate + neomycin	Antihistamines	NOVARTIS	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Nasal /drops		Common Cold نزلات البرد	Switzerland		
15 ml					
<b>Vibrocil N/Spray</b>	Dimetindene maleate + neomycin	Antihistamines	NOVARTIS	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Nasal / Spray		Common Cold نزلات البرد	Switzerland		
10 ml					
<b>Vibron</b>	Dimetindene maleate 0.25 mg + phenyla	Antihistamines	Modern Pharama	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Nasal Drops		Common Cold نزلات البرد	Yemen		
15 ml					
<b>Vibronas</b>	Dimetindene maleate + neomycin	Antihistamines	Global Pharma	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Nasal / Spray		Common Cold نزلات البرد	Yemen		
15ml					
<b>Vibronas</b>	Dimetindene maleate + neomycin	Antihistamines	Global Pharma	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Gel		Common Cold نزلات البرد	Yemen		
15 g					
<b>Vibsix 300</b>	Vitamine B6 = Pyridoxine Hydrochloride 300 mh / 3 ml	Vitamines and Menirals	Unknown	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Ampoules		Neuritis; vitamin B deficiency	Unknown		
5 amp x 2 ml					
<b>VIDROP</b>	Vitamin D Substances	Vitamines and Menirals	Unknown	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	
Drops		الكساح Ricketsia	Unknown		
15 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Vifenac</b>	Diclofenac Sodium ampoule 75mg/3ml.	<b>Nonsteroidal Anti-</b>	<b>Vitalis</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		Analgesic مهدئات الأوجاع	<b>USA</b>		
10 ampoules					
<b>Vigamox</b>	Moxifloxacin HCl*	<b>Antibacterial</b>	<b>Alcon</b>	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	
Eye drops		Bacterial Infections	<b>Unknown</b>		
1bottel*5ml		الأصابات البكتيرية			
<b>Vikadic</b>	Phytomenadione 10 mg / ml	<b>Antihemorrhages</b>	<b>Caspian</b>	Typical doses of phytomenadione are 0.5 to 5 mg by slow intravenous injection or up to 5 mg orally	
Ampoules		Haemorrhage النزيف	<b>IRAN</b>		
10 amp x 1 ml					
<b>Vinor</b>	Meclozine Hydrochloride 25 mg + Pyridoxine 50 mg	<b>Gastro Intestinal drugs</b>	<b>Global Pharma</b>	* Motion Sickness= ADULTS: PO 25-50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25-100 mg/day in divided doses	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Unknown</b>		
20 tab					
<b>Viramed</b>	Acyclovir	<b>Antivirals</b>	<b>MEDICO LABS</b>	1 g t.i.d., 7 days.	
Cream		Eye العين	<b>Syria</b>		
20 gm					
<b>Viramed 400</b>	Acyclovir 400mg	<b>Antivirals</b>	<b>MEDICO LABS</b>	1 g t.i.d., 7 days.	
Tablets		Viral Infections الأصابات الفيروسية	<b>Syria</b>		
20 film coated tablets					
<b>Viranet</b>	Valacyclovir	<b>Antifungals</b>	<b>Kampel martian</b>	200 - 300 mg twice daily	
???		Fungal Infections الأصابات الفطرية	<b>Unknown</b>		
10 tap.					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Virovir</b>	Famciclovir 250mg	<b>Antivirals</b>	<b>FDC</b>	250 mg three times daily, or 750 mg once daily, for 7 days	
Tablets		Viral Infections الاصابات الفيروسية	<b>Unknown</b>		
1 x 6 tab.					
<b>Visalgin</b>	Tiemonium	<b>Gastro Intestinal drugs</b>	<b>Biomed = syria</b>	2 tabs (100 -300) mg bid	
Tablets		Abdominal Spasm آلام البطن	<b>Unknown</b>		
15 tabs					
<b>Viscor 20</b>	Simvastatin	<b>Cardio Vascular System drugs</b>	<b>NP</b>	Adults: Initial: 20 mg, Maintenance: up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance: 10 mg/d.	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	<b>Unknown</b>		
30 tab					
<b>Visionace original</b>	Vit,A vit.E ,vit.C copper+manganese sulphate+zinc+,selenium +	<b>Vitamines and Menirals</b>	<b>VITABIOTICS</b>	As directed	
Capsules		Vitamins نقص فيتامينات	<b>Unknown</b>		
30 cpsules					
<b>Visionace plus</b>	Vit,A vit.E ,vit.C copper+manganese sulphate+zinc+,selenium +	<b>Vitamines and Menirals</b>	<b>VITABIOTICS</b>	As directed	
Capsules		Vitamins نقص فيتامينات	<b>Unknown</b>		
30 cpsules					
<b>Vit.A</b>	vit. A 5000 IU	<b>Vitamines and Menirals</b>	<b>PHARCO</b>	An intramuscular dose of 100 000 units every 2 to 4 months has been suggested.	
Capsules		Vitamins نقص فيتامينات	<b>Egypt</b>		
20 cap					
<b>Vita C</b>	Ascorbic acid 500mg/ ampoule.	<b>Vitamines and Menirals</b>	<b>Shanghai pharmaceutical</b>	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	
Ampoules		Vitamins نقص فيتامينات	<b>China</b>		
10 Ampoules					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Vita globin</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>Vitane pharma</b>	As directed	
Solution		Vitamins	<b>Germany</b>		
200 ml		Vitamins Deficiency نقص فيتامينات			
<b>Vitacal</b>	Each 5 ml contains: Calcium Levulinate 50 mg+Vitamin D3 1,000 IU + Vitamin B12 10	<b>Vitamines and Menirals</b>	<b>EVA PHARMA</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Syrup		Osteoarthritis التهابات العظام	<b>Egypt</b>		
120ml					
<b>Vitacap</b>	Multi vitamin and Menirals	<b>Vitamines and Menirals</b>	<b>MEGA</b>	As directed	
Capsules		Vitamins Deficiency نقص فيتامينات	<b>Thailand</b>		
30 capsuies					
<b>VITACID CALCIUM</b>	Calcium + Vit C 1000mg+800mg/Effer, tab.	<b>Vitamines and Menirals</b>	<b>CID</b>	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Tablets		Common Cold نزلات البرد	<b>Egypt</b>		
10 Effer, tablets					
<b>VITADAY</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>Pharmetics</b>	As directed	
Tablets		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
50 Tablets					
<b>Vitadol - D</b>	Vitamin D Substances	<b>Vitamines and Menirals</b>	<b>HANSEL</b>	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	
Ampoules		Ricketsia الكساح	<b>Unknown</b>		
1 ml amp					
<b>vitaferrol</b>	iron+vitamine	<b>Vitamines and Menirals</b>	<b>EVA PHARMA</b>	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
syripe		Anaemia فقر الدم	<b>Egypt</b>		
120ml syripe					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>vitaferrol</b>	ferrous fumarate 350mg+cyanocobalamin 7.5 mg+folic acid 1mg+ascorbic	<b>Vitamines and Menirals</b>	<b>EVA PHARMA</b>	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
capsule		فقر الدم Anaemia	<b>Egypt</b>		
20capsule					
<b>Vitaferrol</b>	Ferrous Fumarate 350 mg , Cyanocobalamin 7.5 mcg,Folic Acid 1mg,Ascorbic Acid 150	<b>Vitamines and Menirals</b>	<b>EVA-PHARMA</b>	Adult Daily Dose: 1 tablet once or twice a day or as directed by the physician.	
Capsules		فقر الدم Anaemia	<b>Unknown</b>		
30 capsules.					
<b>VITALJECT</b>	Vitamin B Substances	<b>Vitamines and Menirals</b>	<b>Unknown</b>	Orally : 10 to 25 mg ( see cases up to 300 mg ) daily, in single or divided doses	
Ampoules		Neuritis; vitamin B deficiency	<b>Unknown</b>		
3 amp x 10 ml					
<b>VITAM</b>	Multi vitamin and Menirals	<b>Vitamines and Menirals</b>	<b>PHARCO</b>	As directed	
Syrup		Vitamins Deficiency نقص فيتامينات	<b>Egypt</b>		
syrup					
<b>Vitamax plus</b>	vitamin, amino acids, mineral, ginseng, royal jelly	<b>Vitamines and Menirals</b>	<b>Glaxo Wellcome</b>	As directed	
capsule		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
10 capsule					
<b>VITAMEDINE CO</b>	Vit. B Complex ampule.	<b>Vitamines and Menirals</b>	<b>Kunming Pharma</b>	Orally : 10 to 25 mg ( see cases up to 300 mg ) daily, in single or divided doses	
Ampoules		Vitamins Deficiency نقص فيتامينات	<b>Unknown</b>		
10 ampoules					
<b>Vitamin A</b>	Vitamin A	<b>Vitamines and Menirals</b>	<b>PHARCO</b>	An intramuscular dose of 100 000 units every 2 to 4 months has been suggested.	
Soft Gelatin Capsules		Vitamins Deficiency نقص فيتامينات	<b>Egypt</b>		
24 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
<b>Vitamin A+E</b>	Vit A 30000 IU+ E70mg /capsule	<b>Vitamines and Menirals</b>	<b>PHARCO</b>	As directed	
Capsules		Vitamins	<b>Egypt</b>		
24 S.G capsules.		نقص فيتامينات			
<b>Vitamin B6</b>	pyridoxine	<b>Gastro Intestinal drugs</b>	<b>Jinlling pharmaceutical</b>	Dietary Deficiency : ADULTS: PO/IM/IV 10 to 20 mg/day for 3 wk. Or oral once a day	
amp		Nausea and vomiting الغثيان والطرش	<b>China</b>		
10 amps					
<b>Vitamin c</b>	Ascorbic acid 1000mg/ ampoule.	<b>Vitamines and Menirals</b>	<b>Normon</b>	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	
Ampoules		Vitamins	<b>Spain</b>		
10 ampoules		نقص فيتامينات			
<b>VITAMIN C</b>	Vitamin c 240mg	<b>Vitamines and Menirals</b>	<b>hansal</b>	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	
Tablets		Vitamins	<b>Unknown</b>		
20 Effervescent tab		نقص فيتامينات			
<b>Vitamin C</b>	Ascorbic acid 1 gm / Sachets	<b>Vitamines and Menirals</b>	<b>Shiba pharma</b>	25 to 250 mg daily in divided doses	
Sachets		Vitamins	<b>Yemen</b>		
10 Sachets		نقص فيتامينات			
<b>Vitamin -c</b>	Vitamin c 1000 mg	<b>Vitamines and Menirals</b>	<b>Global Pharma</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Sachets		Vitamins	<b>Yemen</b>		
10 Sachets		نقص فيتامينات			
<b>VITAMIN C GALENICA</b>	Vitamin c 1000mg/ Effervescent tab.	<b>Vitamines and Menirals</b>	<b>GALENICA</b>	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	
Tablets		Vitamins	<b>Unknown</b>		
10 Effervescent tab		نقص فيتامينات			



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Vitamin C-Sedico</b>	Ascorbic acid	<b>Vitamines and Menirals</b>	<b>SEDICO</b>	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	
Tablets		Vitamins	<b>Egypt</b>		
eff. Tabl		نقص فيتامينات			
<b>Vitamin D3</b>	Vitamin D 50,000 I.U	<b>Vitamines and Menirals</b>	<b>BOSCOGEN</b>	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	
Capsules		Ricketsia الكساح	<b>USA</b>		
14 cap					
<b>VITAMIN E</b>	Vit.E (tocopherols) 100 mg	<b>Vitamines and Menirals</b>	<b>PHARCO</b>	40 to 50 mg	
Capsules		Vitamins	<b>Egypt</b>		
24 caps		نقص فيتامينات			
<b>VITAMIN E</b>	Vitamin E 400 I.U	<b>Unknown</b>	<b>SUN Naturals</b>	40 to 50 mg	
Capsules		Vitamins	<b>Unknown</b>		
30 S.G.C		نقص فيتامينات			
<b>VITAMIN E soft</b>	Vit.E (tocopherols) 400 I.U/capsule.	<b>Vitamines and Menirals</b>	<b>HUONS</b>	40 to 50 mg	
Capsules		Vitamins	<b>Korea</b>		
20 caps		نقص فيتامينات			
<b>Vitamine B complex</b>	Vitamin B Substances	<b>Vitamines and Menirals</b>	<b>NCPC</b>	Orally :10 to 25 mg ( seer cases up to 300 mg ) daily, in single or divided doses	
Ampoules		Vitamins	<b>China</b>		
10 amp x 2 ml		نقص فيتامينات			
<b>Vitamount</b>	vit,A 1800I.U,vit.E 30I.U,vit.C 60mg,vit.B1 2.5mg,vit.B2 1.7mg,vit.vit.B3	<b>Vitamines and Menirals</b>	<b>Amoun pharmaceutical</b>	As directed	
Syrup		Vitamins	<b>Unknown</b>		
120 ml		نقص فيتامينات			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Vitane</b>	vit.A ,vit.D3,vit.E vit.B1,vit.B12,vit. B12,vit.B6, vit.C,niacinamid, l ysin	<b>Vitamines and Menirals</b>	<b>Vitane pharma</b>	As directed	
Syrup		Vitamins	<b>Germany</b>		
200ml		Deficiency نقص فيتامينات			
<b>Vitane</b>	Multi Vitamines	<b>Vitamines and Menirals</b>	<b>Vitane pharma</b>	As directed	
Oral /Drops		Vitamins	<b>Germany</b>		
30 ml		Deficiency نقص فيتامينات			
<b>VITA-PHOS</b>	vit(B1+B2+B6+ni cotinamide+calciu m glycerophosphate +sodium glycerophosphate	<b>Vitamines and Menirals</b>	<b>mataria .egypt</b>	As directed	
Elixir		Vitamins	<b>Egypt</b>		
200ml elixir		Deficiency نقص فيتامينات			
<b>Vitarenew</b>	Unknown	<b>Skin Disorders</b>	<b>Unknown</b>	As directed	
Tablets		Dermatitis	<b>Unknown</b>		
30 Tablets		الالتهابات الجلدية			
<b>vitazine</b>	zinc gluconate,vit.A,vit .E	<b>Vitamines and Menirals</b>	<b>EIPICO</b>	As directed	
Capsules		Vitamins	<b>Egypt</b>		
30 cap		Deficiency نقص فيتامينات			
<b>Vit-C</b>	Ascorbic acid	<b>Vitamines and Menirals</b>	<b>Medical Bahri</b>	25 to 250 mg daily in divided doses	
Tablets		Vitamins	<b>Syria</b>		
10 tab		Deficiency نقص فيتامينات			
<b>VIT-G</b>	Multivitamins- minerals	<b>Vitamines and Menirals</b>	<b>Global Pharma</b>	One capsule or more daily or as prescribed by the physician	
Capsules		Vitamins	<b>Yemen</b>		
24 caps		Deficiency نقص فيتامينات			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>VITIX</b>	vitamins (C, E, B9, B12) and minerals (Selenium, Copper, Zinc)	<b>Vitamines and Menirals</b>	ACM	As directed	
Tablets		Vitamins	Unknown		
30 tab		نقص فيتامينات			
<b>VITONA</b>	Multi vitamin and Menirals + omega3	<b>Vitamines and Menirals</b>	EIPICO	As directed	
Capsules		Vitamins	Egypt		
12 cap		نقص فيتامينات			
<b>Vitop</b>	Multi vitamin and minerals.	<b>Vitamines and Menirals</b>	MISR	As directed	
Capsules		Vitamins	Egypt		
30 cpsules		نقص فيتامينات			
<b>vitron</b>	Multivitamins-minerals	<b>Vitamines and Menirals</b>	Mepha	As directed	
Capsules		Vitamins	Unknown		
30 cap		نقص فيتامينات			
<b>VIVA</b>	ginseng 50mg, garlic 15mg, fat solubl vit. 4 type, water solubl vit. 9 type, phsphlipid, mi	<b>Vitamines and Menirals</b>	Alpha chem advanced	As directed	
Capsules		Vitamins	Unknown		
7 capsules		نقص فيتامينات			
<b>Vokam</b>	Diclofenac Potassium	<b>Non-Steroidal Anti-</b>	Y.S.P.	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		Analgesic	Malaysia		
2 x 10 tabs		مهدئات الأوجاع			
<b>Voldic-K</b>	Diclofenac Potassium tablet 50 mg.	<b>Non-Steroidal Anti-</b>	PHARMA INTERNATIO	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		Analgesic	Jordan		
20 tablets		مهدئات الأوجاع			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Volna-k</b>	Diclofenac Potassium	<b>Non-Steroidal Anti-</b>	<b>STANDARD CHEM</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		Analgesic مهدئات الأوجاع	<b>China</b>		
10 tab					
<b>Voltack 25 mg</b>	Diclofenac Sodium	<b>NSAID</b>	<b>BIOPHARM</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
20 tab					
<b>Voltack 50 mg</b>	Diclofenac Sodium	<b>NSAID</b>	<b>Y.E.PHARMA</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
20 tab					
<b>Voltages</b>	Diclofenac	<b>Non-Steroidal Anti-</b>	<b>Unknown</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Ampoules		Analgesic مهدئات الأوجاع	<b>Unknown</b>		
<b>Voltagesic-50</b>	Diclofenac Sodium tablet 50mg.	<b>Nonsteroidal Anti-</b>	<b>ALPHA</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>Syria</b>		
20 Enteric coated tablets.					
<b>Voltaren</b>	Diclofenac Sodium 1 % gel.	<b>Nonsteroidal Anti-</b>	<b>NOARTIS</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Emulgel		Analgesic مهدئات الأوجاع	<b>Switzerland</b>		
50 g					
<b>Voltaren</b>	Diclofenac Sodium ampoule 75mg/3ml.	<b>Nonsteroidal Anti-</b>	<b>NOARTIS</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		Analgesic مهدئات الأوجاع	<b>Switzerland</b>		
5 ampoules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Voltaren 100 mg</b>	Diclofenac Potassium	<b>Non-Steroidal Anti-</b>	<b>NOVARTIS</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		Analgesic مهدئات الأوجاع	<b>Switzerland</b>		
<b>Voltaren D 50</b>	Diclofenac Sodium	<b>Non-Steroidal Anti-</b>	<b>NOVARTIS</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>Switzerland</b>		
20 tab					
<b>Voltaren Retard</b>	Diclofenac Sodium 10 mg	<b>Non-Steroidal Anti-</b>	<b>NOVARTIS</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>Switzerland</b>		
10 tab					
<b>Voltaren Retard 100</b>	Diclofenac Sodium	<b>Non-Steroidal Anti-</b>	<b>NOVARTIS</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>Switzerland</b>		
10 tab					
<b>Voltaren SR</b>	Diclofenac Sodium tablet 75mg	<b>Nonsteroidal Anti-</b>	<b>NOVARTIS</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	<b>Switzerland</b>		
10 tablets					
<b>Voltfast-50</b>	Diclofenac Potassium sachet with powder for oral solution containing 50mg.	<b>Non-Steroidal Anti-</b>	<b>NOVARTIS</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Sachets		Analgesic مهدئات الأوجاع	<b>Switzerland</b>		
30 sachets					
<b>Voltine</b>	Diclofenac dieethylamine 1%.	<b>NSAID</b>	<b>Shaphaco</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Gel		Analgesic مهدئات الأوجاع	<b>Yemen</b>		
30 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Voltine</b>	Diclofenac Potassium 50 mg	<b>NSAID</b>	<b>Shaphaco</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		Analgésic مهدئات الأوجاع	<b>Yemen</b>		
20 Disp tablet					
<b>Voltine</b>	Diclofenac Potassium 75 mg/ 3 ml	<b>NSAID</b>	<b>Shaphaco</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Ampoules		Analgésic مهدئات الأوجاع	<b>Yemen</b>		
5 amp					
<b>Voltine</b>	Diclofenac Potassium 12.5 mg	<b>NSAID</b>	<b>Shaphaco</b>	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Suppositoris		Analgésic مهدئات الأوجاع	<b>Yemen</b>		
5 supp					
<b>Vomin</b>	Meclozine 25 mg + Pyridoxine 50 mg	<b>Gastro Intestinal drugs</b>	<b>Modern Pharama</b>	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
20 tabs					
<b>VOMIN</b>	Meclozine 25 mg + Pyridoxine 50 mg	<b>Gastro Intestinal drugs</b>	<b>Modern Pharama</b>	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
20 tabs					
<b>Vominore</b>	Meclozine + Pyridoxine	<b>Gastro Intestinal drugs</b>	<b>JPM</b>	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Tablets		Nausea and vomiting الغثيان والطرش	<b>Jordan</b>		
20 tabs					
<b>Vomistop</b>	Meclozine 25 mg + Pyridoxine 50 mg	<b>Gastro Intestinal drugs</b>	<b>Shiba pharma</b>	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Capsules		Nausea and vomiting الغثيان والطرش	<b>Yemen</b>		
20 caps					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Vomitin</b>	metoclopramide	<b>Gastro Intestinal drugs</b>	<b>NIDA</b>	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
amp		Nausea and vomiting الغثيان والطرش	<b>Thailand</b>		
10 amps 2 ml					
<b>Voriconazole</b>	Voriconazole 200mg	<b>Antifungals</b>	<b>Sandoz</b>	200 - 300 mg twice daily	
Vial		Fungal Infections الأصباة الفطرية	<b>Unknown</b>		
1 vial					
<b>Votrex</b>	Diclofenac Sodium ampoule 75mg/3ml.	<b>Nonsteroidal Anti-</b>	<b>HIKMA</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		Analgic مهدئات الأوجاع	<b>Jordan</b>		
5 ampoules					
<b>VOTREX Retard</b>	Diclofenac Sodium tablet 100mg	<b>Nonsteroidal Anti-</b>	<b>HIKMA</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgic مهدئات الأوجاع	<b>Jordan</b>		
10 tablets					
<b>VovoNorm 1mg</b>	Repaglinide 1mg	<b>Antidiabetics</b>	<b>Novo Nordisk</b>	Minimum/Maximum Adult Daily Dose:2 - 10 mg (milligram) OR 2 - 10 Tablet	
Tablets		Diabetes Mellitus أمراض السكري	<b>Denmark</b>		
30 tab					
<b>Vurdon</b>	Diclofenac Sodium ampoule 75mg/3ml.	<b>Nonsteroidal Anti-</b>	<b>Help pharmaceutical</b>	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		Analgic مهدئات الأوجاع	<b>Unknown</b>		
5 ampoules					
<b>warfa 5 mg</b>	warfarin sodium5mg	<b>Cardio Vascular System drugs</b>	<b>national company</b>	3 - 10 mg daily	
Tablets		Thrombosis الجلطات	<b>Unknown</b>		
100tablet					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Warfarin 5 mg</b>	Warfarin Sodium 5 mg	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	3 - 10 mg daily	
Tablets		Thrombosis الجلطات	<b>Unknown</b>		
100 tab					
<b>Warimazol Vag 1%</b>	Clotrimazole 1%	<b>Antifungals</b>	<b>Walter Ritter</b>	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Cream		Dermatitis التهابات الجلدية	<b>Germany</b>		
35 gm / 1 tube					
<b>Warimazol Vag 200 mg</b>	Clotrimazole	<b>Antifungals</b>	<b>Unknown</b>	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Tablets		Vaginal المهبل	<b>Unknown</b>		
3 vaginal tablets					
<b>Warimazole derm 1%</b>	Clotrimazole 20g	<b>Antifungals</b>	<b>Walter Ritter</b>	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Cream		Dermatitis التهابات الجلدية	<b>Germany</b>		
20 gm/ tube					
<b>Warm-Up</b>	Unknown	<b>Skin Disorders</b>	<b>Unknown</b>	As directed	
Gel		Muscle relaxation مرخيات العضلات	<b>Unknown</b>		
<b>welcain</b>	Lidocaine 2%	<b>Central Nervous system drugs</b>	<b>SHAPHAR</b>	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Vial		Anaesthetics التخدير الموضعي	<b>Unknown</b>		
50 ml of 2% / vial					
<b>Welcain</b>	Lidocaine	<b>Central Nervous system drugs</b>	<b>SHAPHAR</b>	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Ampoules		Anaesthetics التخدير الموضعي	<b>Unknown</b>		
10 amp					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>welcynon-250</b>	etamsylate-250mg	<b>Antihaemorrhag es</b>	<b>shaphar</b>	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	
injection		Haemorrhage الزيف	<b>Unknown</b>		
6ampoule of 2ml					
<b>Welmax 500 mg</b>	Amoxicillin 500 mg	<b>Antibiotics</b>	<b>CSPC</b>	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
capsules		الأصابات الميكروبية Microbial Infections	<b>China</b>		
10strip*10capsules					
<b>Welpime</b>	Cefepime Hydrochloride 500 mg / vial	<b>Antibacterial</b>	<b>Unknown</b>	The usual adult dose is 1 to 2 g daily in 2 divided doses for mild to moderate infections, increased to 4 g daily in 2 divided doses in severe infections, Children 50 mg/kg	
Vial		Bacterial Infections الأصابات البكتيرية	<b>Unknown</b>		
<b>Welstan</b>	Mefenamic Acid 500 mg	<b>Nonsteroidal Anti-</b>	<b>WOM</b>	Minimum/Maximum Adult Daily Dose: 250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		مهدئات الأوجاع	<b>China</b>		
20 tab					
<b>Welstan Forte</b>	Mefenamic Acid	<b>Nonsteroidal Anti-</b>	<b>SHANDONG</b>	Minimum/Maximum Adult Daily Dose: 250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		مهدئات الأوجاع	<b>China</b>		
20 tab					
<b>Weltac</b>	Ranitidine 150 mg	<b>Gastro Intestinal drugs</b>	<b>WOM</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		قرحة المعدة	<b>China</b>		
100 F.C. tablets					
<b>WONTIZEM Retard</b>	Diltiazem Hydrochloride	<b>Cardio Vascular System drugs</b>	<b>KGMP</b>	initial dose is 60 to 120 mg twice daily, increased as required to a maximum of 360 mg daily.	
Tablets		ارتفاع ضغط الدم	<b>Korea</b>		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Xaltec</b>	Levocetirizine	<b>Antihistamines</b>	<b>BORG</b>	by mouth in a dose of 5 mg once daily.	
Tablets		Allergy الحساسية	<b>Egypt</b>		
10 tab					
<b>xanax0.25</b>	Alprazolam tablet 0.25mg	<b>Central Nervous system drugs</b>	<b>Pfizer</b>	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, الأرق Insomnia والقلق	<b>USA</b>		
30 tablets					
<b>xanax0.5</b>	Alprazolam tablet 0.5mg	<b>Central Nervous system drugs</b>	<b>Pfizer</b>	Oral only; Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, الأرق Insomnia والقلق	<b>USA</b>		
30 tablets					
<b>Xantid</b>	Ranitidine 150 mg	<b>Gastro Intestinal drugs</b>	<b>ACI</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	<b>Bangladesh</b>		
100 tabs					
<b>Xefo-8 Tablets</b>	Lornoxicam f.c. tablet 8mg/tab	<b>Nonsteroidal Anti-</b>	<b>Nycomed</b>	Adult: PO- Pain: 8-16 mg/day. Max: 24 mg/day. Osteoarthritis, Rheumatoid arthritis: 12 mg/day in 2 -3 divided doses, up to 16 mg/day. IV/IM- Pain: 8 mg 1-2	
Tablets		Analgesic مهدئات الأوجاع	<b>Viena, Austria</b>		
10 f.c. tablet					
<b>Xefo-8 Vial</b>	Lornoxicam vail 8mg/Vail.	<b>Nonsteroidal Anti-</b>	<b>Nycomed</b>	Adult: PO- Pain: 8-16 mg/day. Max: 24 mg/day. Osteoarthritis, Rheumatoid arthritis: 12 mg/day in 2 -3 divided doses, up to 16 mg/day. IV/IM- Pain: 8 mg 1-2	
Vial		Analgesic مهدئات الأوجاع	<b>Viena, Austria</b>		
1 vail					
<b>Xyex</b>	Levocetirizine 5 mg / tab	<b>Antihistamines</b>	<b>Shiba pharma</b>	by mouth in a dose of 5 mg once daily.	
Tablets		Allergy الحساسية	<b>Yemen</b>		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Xylo-Comod</b>	Unknown	<b>Respiratory drugs</b>	<b>URSAPHARM A</b>	As directed	
Nasal / Spray		Common Cold نزلات البرد	<b>Unknown</b>		
15 ml					
<b>Xylo-Comod</b>	Xylometazoline Hydrochloride	<b>Respiratory drugs</b>	<b>Unknown</b>	As directed	
Nasal Drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>Unknown</b>		
15 ml					
<b>Xylomet</b>	Xylometazoline Hydrochloride	<b>Respiratory drugs</b>	<b>Unknown</b>	As directed	
Nasal Drops		Common Cold نزلات البرد	<b>Unknown</b>		
15 ml					
<b>Xyzal</b>	Levocetirizine	<b>Antihistamines</b>	<b>UCB</b>	by mouth in a dose of 5 mg once daily.	
Tablets		Allergy الحساسية	<b>Unknown</b>		
30 tab					
<b>Yagra 50</b>	Sildenafil Citrate 50 mg/ tablet	<b>Sex Stimulants</b>	<b>Global Pharma</b>	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	<b>Yemen</b>		
4 tab					
<b>Yasmin</b>	drospirenone 3.000 mg -- ethinylestradiol 0.030	<b>Gynaecology drugs</b>	<b>BAYER</b>	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	<b>Germany</b>		
21 tablet					
<b>Yedcofloxx 500</b>	Levofloxacin 500 mg	<b>Antibacterial</b>	<b>YEDCO</b>	Tab 500mg & 250mg Infu 500mg	
tablet		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
10 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Yedcomine Adult</b>	Diphenhydramin 14 mg + Ammonium chloride 135 mg + Sodium citrate 57 mg + Menthol	<b>Respiratory drugs</b>	<b>YEDCO</b>	25 to 50 mg three or four times daily. for children 6.25 to 25 mg three or four times daily	
Syrup		Common Cold نزلات البرد	<b>Yemen</b>		
100 ml					
<b>Yedcomine child</b>	Diphenhydramin+ sodium citrate	<b>Respiratory drugs</b>	<b>YEDCO</b>	25 to 50 mg three or four times daily. for children 6.25 to 25 mg three or four times daily	
Syrup		Common Cold نزلات البرد	<b>Yemen</b>		
100 ml					
<b>Yedconazole</b>	Miconazole Nitrate 2 %	<b>Antifungals</b>	<b>YEDCO</b>	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Cream		Vaginal المهبل	<b>Yemen</b>		
15 g					
<b>Yedcopan</b>	Hyoscine- N- Butylbromide	<b>Gastro Intestinal drugs</b>	<b>YEDCO</b>	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	<b>Yemen</b>		
30 tabs					
<b>Yedcotrim</b>	Co-trimoxazole	<b>Antibacterial</b>	<b>YEDCO</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
Suspension		Bacterial Infections الأصابات البكتيرية	<b>Yemen</b>		
100 ml					
<b>Yedcotrim</b>	Co-trimoxazole	<b>Antibacterial</b>	<b>YEDCO</b>	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth )mg as twice daily	
Tablets		Bacterial Infections الأصابات البكتيرية	<b>Yemen</b>		
100 tabs					
<b>Yostiretic</b>	Amiloride + Hydrochlorothiazide	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	Oral only : Adults: Initial: 5-10 mg/d. Maximum: 20 mg/d.	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
10 tablets					







Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Youcare</b>	Ceftriaxone Sodium 1 gm	<b>Antibacterial</b>	<b>Youcare</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections	<b>Unknown</b>		
1 vial		الأصابات البكتيرية			
<b>Z Mox 500</b>	Amoxicillin	<b>Antibiotics</b>	<b>Aurobindo</b>	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Capsules		الأصابات الميكروبية	<b>India</b>		
10 x 10 cap		Microbial Infections			
<b>Zaclofen 10</b>	Baclofen 10 mg / tab	<b>Muscle relaxations</b>	<b>Zahravi</b>	Adult dose 5 - 20 mg three times daily , for children 0.75 to 2 mg/kg daily	
Tablets		الفتحة أو الفواق	<b>Unknown</b>		
100 tablets					
<b>ZADIPHEN</b>	Ketotifen Fumarate	<b>Respiratory drugs</b>	<b>Unknown</b>	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Tablets		التهاب الشعب الهوائية	<b>Unknown</b>		
20 tab					
<b>Zadiphen</b>	Ketotifen Fumarate	<b>Respiratory drugs</b>	<b>IBN Al Haytham</b>	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Tablets		التهاب الشعب الهوائية	<b>Syria</b>		
20 tablet					
<b>Zaditen Syrup</b>	Ketotifen Fumarate 1 mg/5 ml	<b>Respiratory drugs</b>	<b>NOVARTIS</b>	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Syrup		التهاب الشعب الهوائية	<b>Switzerland</b>		
100 ml					
<b>Zaditen Tablets</b>	Ketotifen Fumarate 1 mg	<b>Respiratory drugs</b>	<b>NOVARTIS</b>	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Tablets		التهاب الشعب الهوائية	<b>Switzerland</b>		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Zaditofin</b>	Ketotifen Fumarate	<b>Respiratory drugs</b>	<b>Domina</b>	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Tablets		Bronchitis التهاب الشعب الهوائية	<b>Unknown</b>		
20 tab					
<b>Zadro</b>	Cefadroxil 250 mg/5ml	<b>Antibacterial</b>	<b>RFA</b>	1 to 2 g daily as a single dose or in two divided doses.	
Syrup		Bacterial Infections	<b>Yemen</b>		
50 ml		الأصابات البكتيرية			
<b>Zadro 500</b>	Cefadroxil 500 mg	<b>Antibacterial</b>	<b>RFA</b>	1 to 2 g daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections	<b>Yemen</b>		
10 caps		الأصابات البكتيرية			
<b>Zafixime</b>	Cefotaxime Sodium 1 gm	<b>Antibacterial</b>	<b>ZAFA</b>	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
Vial		Bacterial Infections	<b>Pakistan</b>		
1 vial		الأصابات البكتيرية			
<b>Zain</b>	Vardenafil 10 mg	<b>Sex Stimulants</b>	<b>Shaphaco</b>	10 mg taken about 25 minutes to one hour before sexual intercourse.	
Tablets		Sex Stimulants	<b>Yemen</b>		
4 tab		منشطات جنسية			
<b>Zalastin</b>	Unknown	<b>Antihistamines</b>	<b>Unknown</b>	As directed	
Nasal / Spray		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	<b>Unknown</b>		
15 ml					
<b>Zaldiar</b>	Tramadol Hydrochloride	<b>Opioid analgesics</b>	<b>GRUNENTHA L</b>	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Tablets		مهدئات الأوجاع	<b>Unknown</b>		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Zantac 150 mg Tab</b>	Ranitidine 150 mg / tablet	<b>Gastro Intestinal drugs</b>	<b>gsk glaxosmithkline</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		قرحة المعدة	<b>UK</b>		
60 tabs					
<b>Zantac 75 mg Tab</b>	Ranitidine	<b>Gastro Intestinal drugs</b>	<b>gsk glaxosmithkline</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		قرحة المعدة	<b>UK</b>		
12 tab					
<b>Zatin</b>	Ketotifen Fumarate	<b>Respiratory drugs</b>	<b>Shiba pharma</b>	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Tablets		التهاب الشعب الهوائية	<b>Yemen</b>		
20 tab					
<b>Zatin</b>	Ketotifen Fumarate	<b>Respiratory drugs</b>	<b>Shiba pharma</b>	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Syrup		التهاب الشعب الهوائية	<b>Yemen</b>		
100 ml					
<b>Zatin Syrup</b>	Ketotifen Fumarate	<b>Respiratory drugs</b>	<b>Shiba pharma</b>	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Syrup		التهاب الشعب الهوائية	<b>Yemen</b>		
100 ml syr					
<b>Zaxime 400</b>	Cefixime	<b>Antibacterial</b>	<b>Unknown</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Capsules		Bacterial Infections	<b>Unknown</b>		
10 capsules		الأصابات البكتيرية			
<b>ZEBEN</b>	Albendazole	<b>Anthelmentic</b>	<b>MEDREICH</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms	<b>Unknown</b>		
20 ml		الديدان الشائعة			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>ZEBEN</b>	Albendazole	<b>Anthelmentic</b>	<b>MEDREICH</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms	<b>Unknown</b>		
2 Coated Tablets		الديدان الشائعة			
<b>Zecuf</b>	Herbal extract	<b>Respiratory drugs</b>	<b>UNIQUE</b>	As directed	
Syrup		Common Cold	<b>India</b>		
100 ml		نزلات البرد			
<b>Zedex 40</b>	Famotidine 40 mg / tablet	<b>Gastro Intestinal drugs</b>	<b>ALPHA</b>	*40 mg once time daily . * 20 mg bid	
Tablets		Peptic ulcer	<b>Syria</b>		
20 tab		قرحة المعدة			
<b>Zednad</b>	Cefuroxime	<b>Antibacterial</b>	<b>Diamond</b>	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Dry syrup		Bacterial Infections	<b>Unknown</b>		
1bottel*50ml		الأمراض البكتيرية			
<b>Zeffix</b>	Lamivudine	<b>Antivirals</b>	<b>GlaxoWellcome</b>	chronic hepatitis B, the adult dose is 100 mg once daily by mouth. A dose for children aged over 2 years is 3 mg/kg once daily to a maximum daily dose of 100 mg.	
Tablets		Hepatic Disorders	<b>Unknown</b>		
28 tab		اضطرابات الكبد			
<b>Zelax-10</b>	Escitalopram tablet 10mg	<b>Central Nervous system drugs</b>	<b>JOSWE</b>	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Caplets		Mental Disorders	<b>Jordan</b>		
30 caplets		الأمراض العقلية			
<b>Zelcom</b>	Lactulose 3.5 mg / 5 ml	<b>Gastro Intestinal drugs</b>	<b>AC Pharma</b>	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Syrup		Constipation	<b>Saudi Arabia</b>		
30 ml for bottle		الأمساك			




Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>ZELOXIM</b>	meloxicam 7.5mg/ tablet.	<b>Nonsteroidal Anti-</b>	<b>Bilim</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	<b>Turkey</b>		
20 tablets.					
<b>ZEMAN SX</b>	magnesium 83.52 mg, zinc 5.58 mg, vit B6 1.935 mg, L-carnitine L-tartrate 146.8	<b>Vitamines and Menirals</b>	<b>Mega Lifesciences Pvt. Ltd</b>	As directed	
Soft Gelatin Capsules		Vitamins نقص فيتامينات	<b>Unknown</b>		
Box of 3 strips, each of 10 capsules.					
<b>ZENNAMED 125</b>	Cefuroxime 125 mg	<b>Antibacterial</b>	<b>Medeco labs</b>	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Dry syrup		Bacterial Infections الأصابات البكتيرية	<b>Unknown</b>		
1bottel*60ml					
<b>ZENNAMED 250</b>	Cefuroxime 250 mg	<b>Antibacterial</b>	<b>Medeco laps</b>	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Suspension		Bacterial Infections الأصابات البكتيرية	<b>Unknown</b>		
1bottel*60ml					
<b>Zenon</b>	Cefuroxime 125 mg	<b>Antibacterial</b>	<b>Unknown</b>	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Suspension		Bacterial Infections الأصابات البكتيرية	<b>Unknown</b>		
100 ml					
<b>zenoril -10</b>	Lisinopril	<b>Cardio Vascular System drugs</b>	<b>Unknown</b>	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
28 tab					
<b>ZENTEL</b>	Albendazole	<b>Anthelmentic</b>	<b>gsk glaxosmithkline</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms الديدان الشائعة	<b>UK</b>		
20 ml					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Zentel</b>	Albendazole 200 mg /tab	<b>Anthelmentic</b>	<b>CIPLA</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms	<b>India</b>		
2 Tablets		الديدان الشائعة			
<b>ZENTIDIN</b>	Ranitidine 50 mg / 2 ml	<b>Gastro Intestinal drugs</b>	<b>CSPC</b>	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Ampoules		Peptic ulcer	<b>China</b>		
10 amps x 2 ml		قرحة المعدة			
<b>Zepam-3</b>	Bromazepam tablet 3mg	<b>Central Nervous system drugs</b>	<b>Shiba pharma</b>	A usual initial dose for anxiety is 6 to 18 mg daily in divided doses by mouth. Higher doses up to 60 mg daily . For elderly should not exceed 3 mg daily in divided doses.	
Tablets		Anxiety,	<b>Yemen</b>		
20 tablets		Insomnia الأرق والقلق			
<b>Zepid-3</b>	Risperidone tablet 3mg	<b>Central Nervous system drugs</b>	<b>pil</b>	2-4 mg daily	
Tablets		Mental Disorders	<b>Unknown</b>		
3* 10 tablets		الأمراض العقلية			
<b>Zepitol CR200</b>	carbamazepin tablet 200 mg	<b>Central Nervous system drugs</b>	<b>sun</b>	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy	<b>India</b>		
30 S.R. Tablet		الصرع			
<b>Zeptol 200</b>	Carbamazepin	<b>Central Nervous system drugs</b>	<b>SUN</b>	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy	<b>India</b>		
		الصرع			
<b>ZEPTOL CR 200</b>	Carbamazepin	<b>Central Nervous system drugs</b>	<b>SUN Pharma</b>	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy	<b>India</b>		
		الصرع			








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Zeptol CR400</b>	Carbamazepin Tablet 400mg	<b>Central Nervous system drugs</b>	sun	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	India		
30 Tablet					
<b>Zertan</b>	Cetirizine Hydrochloride 10 mg /1 ml	<b>Antihistamines</b>	Shiba pharma	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	
Oral Drops		Allergy الحساسية	Yemen		
20 ml					
<b>Zertan</b>	Cetirizine Hydrochloride 5 mg / 5 ml	<b>Antihistamines</b>	Shiba pharma	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	
Syrup		Allergy الحساسية	Yemen		
100 ml					
<b>Zertan</b>	Cetirizine Hydrochloride 10 mg /tab	<b>Antihistamines</b>	Shiba pharma	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	
Tablets		Allergy الحساسية	Yemen		
20 tab					
<b>Zespira</b>	Montelukast Sodium	<b>Respiratory drugs</b>	Bilim	10 mg of montelukast once daily in the evening; children aged 6 to 14 years may be given the equivalent of 5 mg in the evening and children aged 6 months to 5 years may be	
Tablets		Bronchial Asthma الربو الشعبي	Turkey		
28 F.C.Tablets					
<b>Zestopril -10</b>	Lisinopril	<b>Cardio Vascular System drugs</b>	Modern Pharama	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
20 tab					
<b>Zestopril- 5</b>	Lisinopril	<b>Cardio Vascular System drugs</b>	Modern Pharama	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Zestoretic-20</b>	Lisinopril 20 mg	<b>Cardio Vascular System drugs</b>	<b>ASTRAZENECA</b>	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
28 tab					
<b>zestril 10</b>	Lisinopril 10 mg	<b>Cardio Vascular System drugs</b>	<b>ASTRAZENECA</b>	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
28 tab					
<b>Zestril 20</b>	Lisinopril 20 mg	<b>Cardio Vascular System drugs</b>	<b>ASTRAZENECA</b>	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	<b>Unknown</b>		
28 tab					
<b>Zidovudine</b>	Zidovudine 50mg/5ml	<b>Antivirals</b>	<b>NDC</b>	Adults : 500 to 600 mg daily in divided doses , Children 360 to 480 mg/m2 daily in divided doses	
Syrup		Viral Infections الأمراض الفيروسية	<b>Unknown</b>		
240ml					
<b>Zidovudine</b>	Zidovudine 300mg	<b>Antivirals</b>	<b>NDC</b>	Adults : 500 to 600 mg daily in divided doses , Children 360 to 480 mg/m2 daily in divided doses	
Tablets		Viral Infections الأمراض الفيروسية	<b>Unknown</b>		
60 tab.					
<b>Zimaks Syrup</b>	Cefixime	<b>Antibacterial</b>	<b>Bilim</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Dry syrup		Bacterial Infections الأمراض البكتيرية	<b>Turkey</b>		
1bottel*50ml					
<b>Zimaks Tablets</b>	Cefixime 400 mg	<b>Antibacterial</b>	<b>Bilim</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>Turkey</b>		
1 strip*5 Film Tablet					








Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Zimasafe</b>	Cefixime 400 mg	<b>Antibacterial</b>	<b>Modern Pharama</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
1strip*6capsule					
<b>Zimasafe</b>	Cefixime 100 mg /5ml	<b>Antibacterial</b>	<b>Modern Pharama</b>	Children 8 mg/kg daily as an oral suspension as a single dose or in two divided doses	
Suspension		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
60 ml					
<b>Zimasafe</b>	Cefixime 100 mg /5 ml	<b>Antibacterial</b>	<b>Modern Pharama</b>	Children 8 mg/kg daily as an oral suspension as a single dose or in two divided doses	
Suspension		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
30 ml					
<b>Zimasafe 200</b>	Cefixime 200 mg	<b>Antibacterial</b>	<b>Modern Pharama</b>	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
8 caps					
<b>ZINAROX</b>	Cefuroxime 500 mg	<b>Antibacterial</b>	<b>Global Pharma</b>	Oral doses for adults are 250 to 500 mg twice daily	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
10 tabs					
<b>ZINAROX</b>	Cefuroxime 250 mg	<b>Antibacterial</b>	<b>Global Pharma</b>	Oral doses for adults are 250 to 500 mg twice daily	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
10 tabs					
<b>Zinaxil</b>	Cefuroxime 125 mg /5 ml	<b>Antibacterial</b>	<b>Modern Pharama</b>	Infants and children 10 mg/kg twice daily to a maximum of 250 mg daily.	
Dry syrup		Bacterial Infections الأمراض البكتيرية	<b>Yemen</b>		
1bottel*60ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Zinaxil</b>	Cefuroxime 250 mg	<b>Antibacterial</b>	<b>Modern Pharama</b>	Oral doses for adults are 250 to 500 mg twice daily, children 10-20 mg/kg twice daily to a maximum of 250 mg daily	
Tablets		Bacterial Infections	<b>Yemen</b>		
10 F.C. Tablets		الأصابات البكتيرية			
<b>Zinaxil 500</b>	Cefuroxime 500 mg	<b>Antibacterial</b>	<b>Modern Pharama</b>	Oral doses for adults are 250 to 500 mg twice daily	
Tablets		Bacterial Infections	<b>Yemen</b>		
10 F.C. Tablets		الأصابات البكتيرية			
<b>Zinc Oxide</b>	Zinc Oxide	<b>Health Care</b>	<b>Shaphaco</b>	Topically as once or twice daily ,	
Ointment		Dermatitis	<b>Yemen</b>		
30 gm / tube		الالتهابات الجلدية			
<b>Zinc Oxide</b>	Zinc Oxide 10 gm + hystatin 100000 i.u / 100 gm	<b>Health Care</b>	<b>Modern Pharama</b>	Topically as once or twice daily ,	
Ointment		Dermatitis	<b>Yemen</b>		
20 gm / tube		الالتهابات الجلدية			
<b>Zink Sulfate</b>	Zink Sulfate 200mg	<b>Vitamines and Menirals</b>	<b>Health Aid</b>	As directed	
Tablets		Vitamins	<b>Thailand</b>		
90 tab		نقص فيتامينات			
<b>Zinnacef</b>	Cefuroxime 750 mg	<b>Antibacterial</b>	<b>Glaxo Wellcome</b>	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Vial		Bacterial Infections	<b>Unknown</b>		
1 vial		الأصابات البكتيرية			
<b>Zinnat - 500 mg</b>	Cefuroxime 500 mg	<b>Antibacterial</b>	<b>glaxosmithkline</b>	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Tablets		Bacterial Infections	<b>UK</b>		
10 tablets		الأصابات البكتيرية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Zinnat 250 mg</b>	Cefuroxime 250 mg / tab	<b>Antibacterial</b>	<b>gsk glaxosmithkline</b>	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Tablet		Bacterial Infections الأمراض البكتيرية	<b>UK</b>		
1strip*10Tablet					
<b>Zinnat Suspension</b>	Cefuroxime 250 mg / 5 ml	<b>Antibacterial</b>	<b>gsk glaxosmithkline</b>	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Suspension		Bacterial Infections الأمراض البكتيرية	<b>UK</b>		
<b>Zinnat syrup</b>	Cefuroxime	<b>Antibacterial</b>	<b>gsk glaxosmithkline</b>	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Suspension		Bacterial Infections الأمراض البكتيرية	<b>UK</b>		
1bottel*125ml					
<b>Zinoximor</b>	Cefuroxime 250 mg / tab	<b>Antibacterial</b>	<b>Tabuk pharma</b>	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Tablets		Bacterial Infections الأمراض البكتيرية	<b>Saudi Arabia</b>		
2strip*7 tablet					
<b>ZISROCIN</b>	Azithromycin 100 mg / 5 ml	<b>Antibiotics</b>	<b>EGYPHAR</b>	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Dry syrup		الأمراض الميكروبية Microbial Infections	<b>Egypt</b>		
1bottel*30 ml					
<b>Zithrokan</b>	Azithromycin 200 mg / 5 ml	<b>Antibiotics</b>	<b>Unknown</b>	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Suspension		الأمراض الميكروبية Microbial Infections	<b>Unknown</b>		
15 ml					
<b>Zithrokan Capsules</b>	Azithromycin 500 mg	<b>Antibiotics</b>	<b>Hikma</b>	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Hard Gelatin Capsules		الأمراض الميكروبية Microbial Infections	<b>Jordan</b>		
1strip*3 capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Zithrokan Syrup</b>	200 mg Azithromycin / 5 ml	<b>Antibiotics</b>	<b>Hikma</b>	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Dry syrup		الأمراض الميكروبية Microbial Infections	<b>Jordan</b>		
1bottel*15ml					
<b>Zithromax</b>	300 mg / 7.5 ml	<b>Antibiotics</b>	<b>Pfizer</b>	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Suspension		الأمراض الميكروبية Microbial Infections	<b>USA</b>		
300 mg / 7.5 ml					
<b>Zithromax 250</b>	250 mg	<b>Antibiotics</b>	<b>Pfizer</b>	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Capsules		الأمراض الميكروبية Microbial Infections	<b>USA</b>		
6 capsules					
<b>ZITHROX</b>	Azithromycin 200 mg / 5 nl	<b>Antibiotics</b>	<b>Shiba pharma</b>	Dry syrup 300mg & 200mg	
Suspension		الأمراض الميكروبية Microbial Infections	<b>Yemen</b>		
1bottel*15ml					
<b>ZITHROX</b>	Azithromycin 250 mg /cap	<b>Antibiotics</b>	<b>Shiba pharma</b>	500mg & 250mg	
Capsules		الأمراض الميكروبية Microbial Infections	<b>Yemen</b>		
6 cap					
<b>ZITHROX</b>	Azithromycin 500 mg /tab	<b>Antibiotics</b>	<b>Shiba pharma</b>	500mg & 250mg	
Tablets		الأمراض الميكروبية Microbial Infections	<b>Yemen</b>		
3 f/c tablets					
<b>ZOCOR 40 mg</b>	Simvastatin	<b>Cardio Vascular System drugs</b>	<b>MSD</b>	Adults: Initial: 20 mg, Maintenance: up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance: 10 mg/d.	
Tablets		زيادة الدهون في الدم Hyperlipidaemias	<b>USA</b>		
30 tab					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>ZODIXAM</b>	Meloxicam tablet 7.5 mg .	<b>Non-Steroidal Anti-</b>	<b>OUBARY PHARMA</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	<b>Syria</b>		
20 Tablets					
<b>ZODIXAM Forte</b>	Meloxicam tablet 15 mg .	<b>Nonsteroidal Anti-</b>	<b>OUBARY PHARMA</b>	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	<b>Syria</b>		
20 tablets.					
<b>Zokacef</b>	Ceftriaxone Sodium	<b>Antibacterial</b>	<b>Hammi</b>	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Tablets		Bacterial Infections	<b>Unknown</b>		
10 tab		الأصابات البكتيرية			
<b>Zolam-0.25</b>	Alprazolam tablet 0.25mg	<b>Central Nervous system drugs</b>	<b>RAM PHARMA</b>	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insomnia الأرق والقلق	<b>Jordan</b>		
30 tablets					
<b>Zolam-0.5</b>	Alprazolam tablet 0.5mg	<b>Central Nervous system drugs</b>	<b>RAM PHARMA</b>	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insomnia الأرق والقلق	<b>Jordan</b>		
30 tablets					
<b>Zollipak</b>	Lansoprazole 30 mg	<b>Gastro Intestinal drugs</b>	<b>SEDICO</b>	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	<b>Egypt</b>		
10 caps					
<b>Zolofet</b>	Sertraline tablet 50mg	<b>Central Nervous system drugs</b>	<b>pfizer</b>	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
Tablets		Mental Disorders الأمراض العقلية	<b>USA</b>		
15 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>Zosert-50</b>	Sertraline tablet 50mg	<b>Central Nervous system drugs</b>	<b>SUN</b>	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
Tablets		Mental Disorders الأمراض العقلية	<b>India</b>		
30 tablet					
<b>Zovirax</b>	Acyclovir 200mg	<b>Antivirals</b>	<b>Unknown</b>	1 g t.i.d., 7 days.	
Tablets		Viral Infections الأمراض الفيروسية	<b>Unknown</b>		
4 Tab.					
<b>Zovirax cream</b>	Acyclovir cream 5% w/w	<b>Antivirals</b>	<b>gsk glaxosmithkline</b>	1 g t.i.d., 7 days.	
Cream		Viral Infections الأمراض الفيروسية	<b>UK</b>		
1 tube 2 gm					
<b>Ztrax 400</b>	Albendazole 400 mg / tab	<b>Anthelmentic</b>	<b>STADA</b>	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms الديدان الشائعة			
1 chewable tablet					
<b>ZWAG</b>	Sildenafil Citrate 50 mg	<b>Sex Stimulants</b>	<b>Shaphaco</b>	25 - 50 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	<b>Yemen</b>		
4 tab					
<b>ZWAGRA</b>	Sildenafil Citrate 25 mg	<b>Sex Stimulants</b>	<b>Shaphaco</b>	25 - 50 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	<b>Yemen</b>		
10 tab					
<b>ZWAGRA</b>	Sildenafil Citrate 50 mg	<b>Sex Stimulants</b>	<b>Shaphaco</b>	25 - 50 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	<b>Yemen</b>		
2 tab 4 tab 20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
<b>ZYCAL</b>	Calcium, Vit-D3, Minerals	<b>Vitamines and Menirals</b>	<b>ZYNOVA</b>	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	<b>Unknown</b>		
30 softabs					
<b>Zyllt 75mg</b>	Clopidogrel 75mg	<b>Cardio Vascular System drugs</b>	<b>KRKA</b>	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily. prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	<b>India</b>		
28 Film Coated Tablet					
<b>Zyloric</b>	allopurinol 100mg	<b>Hyperuricaemia</b>	<b>aspen</b>	100 to 300 up to 600 mg	
Tablets		Gout النقرس	<b>Ireland</b>		
50 tablet					
<b>Zymogen Forte</b>	Pepsin+analase5000IU+Lipase800mg+protease500IU+ox bile 20mg+hemicellulose	<b>Gastro Intestinal drugs</b>	<b>NILE CO.</b>	tid during or after meal	
Tablets		Indigestion سوء الهضم	<b>Egypt</b>		
20 tabs					
<b>Zyracin</b>	Cetirizine Hydrochloride 10 mg	<b>Antihistamines</b>	<b>Global Pharma</b>	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	
Tablets		Allergy الحساسية	<b>Yemen</b>		
20 tab					
<b>Zyracin</b>	Cetirizine Hydrochloride 5 mg /5 ml	<b>Antihistamines</b>	<b>Global Pharma</b>	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	
Syrup		Allergy الحساسية	<b>Yemen</b>		
60 ml					
بدون اسم تجاري	Atracurium Besilate	<b>Central Nervous system drugs</b>	<b>Unknown</b>	IV only.: Adults IV bolus: 0.25-0.35 mg/kg. Adults IV infusion: 9-10 µg/kg.	
		Anaesthetics التخدير العام	<b>Unknown</b>		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
سيدالاك	Lactulose	Gastro Intestinal drugs	Unknown	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Syrup		Constipation الأمساك	Unknown		
120 ml					
سينا ويت	Herbal extract	Respiratory drugs	Sina Pharma	As directed	
Syrup		Common Cold نزلات البرد	Unknown		
120 ml					
ليوكانين	Lidocaine 10 gm + Cetrime 0.07 gm / 100 ml	Central Nervous system drugs	Unknown	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Spray		Anaesthetics التخدير الموضعي	Unknown		
100 ml					
ميداسين T	Clindamycin	Antibiotics	Unknown	Adult :150 to 300 mg of clindamycin, Children: 3 to 6 mg/kg of clindamycin for both every 6 hours	
Solution		Anaerobic Infections الميكروبات اللاهوائية	Unknown		
30 ml					
نيوموكس	Amoxicillin*	Antibiotics	Neo pharma	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Capsules		الأصابات الميكروبية Microbial Infections	Unknown		
10strip*10capsules					
هيوزار	Losartan potassium 50 mg	Cardio Vascular System drugs	Unknown	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Suppositoris		Hypertension ارتفاع ضغط الدم	Syria		
20 supp					